

REPORT OF WELL DRILLER

This report should be prepared by the driller in all detail and filed with the State Land Commissioner following completion of the well.

- 1. OWNER..... Marcellus Rix
Name
..... Box 764, Willcox, Az 85643
Address
- 2. Lessee or Operator.....
Name
.....
Address
- 3. DRILLER..... Douglas G. Chenoweth
Name
..... McNeal, Az
Address
- 4. Location of well: Twp. 21 South Rge. 23 East Section 16 NW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$
10-acre subdivision
- 5. Intention to Drill File No. D(21-23)16 cbb Permit No.

DESCRIPTION OF WELL

- 6. Total depth of hole..... 592ft.
- 7. Type of casing..... steel
- 8. Diameter and length of casing..... 10" in. from..... to..... 26' in. from..... to.....
- 9. Method of sealing at reduction points.....
- 10. Perforated from..... to....., from..... to....., from..... to....., from..... to.....
- 11. Size of cuts..... Number of cuts per foot.....
- 12. If screen was installed: Length..... ft. Diam..... in. Type.....
- 13. Method of construction.....
drilled, dug, driven, bored, jetted, etc.
- 14. Date started.....
Month Day Year
- 15. Date completed..... December 20, 1969
Month Day Year
- 16. Depth of water..... ft.
If flowing well, so state.
- 17. Describe point from which depth measurements were made, and give sea-level elevation if available.....
- 18. If flowing well, state method of flow regulation.....

19. REMARKS:.....
.....
.....
.....
.....

DO NOT WRITE IN THIS SPACE
OFFICE RECORD

Received..... 12-31-69 by..... *[Signature]*

Filed..... 1-5-69 by..... *[Signature]*

File No. D(21-23)16 cbb

(Well Log to Appear on Reverse Side)

REPORT OF WELL DRILLER

This report should be prepared by the driller in all detail and filed with the State Land Commissioner following completion of the well.

1. OWNER John W. Johnston
Name
Address
2. Lessee or Operator
Name
Address
3. DRILLER Dennis A. Bell CO
Name
Address
4. Location of well: Twp. 21S Rge. 22E Section 19 SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$
10-acre subdivision
5. Intention to Drill File No. _____ Permit No. _____

DESCRIPTION OF WELL

6. Total depth of hole 155 ft.
7. Type of casing P.V.C.
8. Diameter and length of casing 6 in. from 0 to 120, _____ in. from _____ to _____, _____ in. from _____ to _____
9. Method of sealing at reduction points _____
10. Perforated from _____ to _____, from _____ to _____, from _____ to _____, from _____ to _____
11. Size of cuts _____ Number of cuts per foot _____
12. If screen was installed: Length _____ ft. Diam. _____ in. Type _____
13. Method of construction drilled
drilled, dug, driven, bored, jetted, etc.
14. Date started 5 2 77
Month Day Year
15. Date completed 5 3 77
Month Day Year
16. Depth of water 5.5 ft.
If flowing well, so state.
17. Describe point from which depth measurements were made, and give sea-level elevation if available.
ground level
18. If flowing well, state method of flow regulation _____

19. REMARKS: _____

DO NOT WRITE IN THIS SPACE OFFICE RECORD	
Received.....	by.....
Filed.....	by.....
File No. <u>D(21-22)19 dbc</u>	
<u>35-43470</u>	

(Well Log to Appear on Reverse Side)

REPORT OF WELL DRILLER

This report should be prepared by the driller in all detail and filed with the State Land Commissioner following completion of the well.

1. OWNER..... Kinchen D. Barker, Name
 824 Twilight Drive, Sierra Vista, Az 85635 Address

2. Lessee or Operator..... Name

3. DRILLER..... J. R. SHARP GENERAL CONTRACTORS Address
 J. R. SHARP
 GENERAL CONTRACTORS
 BOX 4520 NACO HWY.
 DISBEE, ARIZ. 85603 432-4597 Name

4. Location of well: Twp. 21 South Rge. 22 East Section 19 Lot 2 SE ¼ SW ¼ NW ¼ 10-acre subdivision

5. Intention to Drill File No. D(21-22)19 bcd Permit No.

DESCRIPTION OF WELL

6. Total depth of hole..... 192 ft.

7. Type of casing..... 8 5/8" O.D.

8. Diameter and length of casing..... 8 in. from 0 to 10', 8" open hole 10' to 192'

9. Method of sealing at reduction points.....

10. Perforated from..... to....., from..... to....., from..... to.....

11. Size of cuts..... Number of cuts per foot..... 0

12. If screen was installed: Length..... ft. Diam..... in. Type.....

13. Method of construction..... Deepening dry hole drilled, aug. driven, bored, jetted, etc.

14. Date started..... Nov. 20 1972 Month Day Year

15. Date completed..... Dec. 1 1972 Month Day Year

16. Depth of water..... Varies 90 ft. ± If flowing well, so state.

17. Describe point from which depth measurements were made, and give sea-level elevation if available.....
 Top of casing

18. If flowing well, state method of flow regulation.....

19. REMARKS:.....

DO NOT WRITE IN THIS SPACE

OFFICE RECORD

Received..... by.....

Filed..... by.....

File No. D(21-22)19 bcd

(Well Log to Appear on Reverse Side)

REPORT OF WELL DRILLER

This report should be prepared by the driller in all detail and filed with the State Land Commissioner following completion of the well.

1. OWNER..... Troy Ledbetter
Name
BOX 664 SIERRA VISTA AZ 85635
Address
2. Lessee or Operator.....
Name
Address
3. DRILLER..... DICK WALKER HUACHUCA PUMP CO.
Name
P.O. BOX 4527 HUACHUCA CITY, AZ 85616
Address
4. Location of well: Twp. 21S Rge. 22E Section 19 SW $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$
10-acre subdivision
5. Intention to Drill File No. D(21-22)19 bcc Permit No. 35-44742

DESCRIPTION OF WELL

6. Total depth of hole..... 170 ft.
7. Type of casing..... PVC
8. Diameter and length of casing..... 6 in. from 170 to 170, in. from to in. from to
9. Method of sealing at reduction points.....
10. Perforated from 100 to 170, from to from to from to
11. Size of cuts..... 1/8" x 6" Number of cuts per foot..... 3
12. If screen was installed: Length..... ft. Diam..... in. Type.....
13. Method of construction..... DRILLED
drilled, dug, driven, bored, jetted, etc.
14. Date started..... 7 26 77
Month Day Year
15. Date completed..... 7 26 77
Month Day Year
16. Depth of water..... ft.
If flowing well, so state.
17. Describe point from which depth measurements were made, and give sea-level elevation if available.....
18. If flowing well, state method of flow regulation.....

19. REMARKS:
.....
.....
.....
.....

DO NOT WRITE IN THIS SPACE	
OFFICE RECORD	
Received..... <u>2-8-78</u>	by <u>ICS</u>
Filed..... <u>2-9-78</u>	by <u>ICS</u>
File No. <u>D(21-22)19 bcc</u> <u>35-44742</u>	

(Well Log to Appear on Reverse Side)

REPORT OF WELL DRILLER

This report should be prepared by the driller in all detail and filed with the Az. Water Commission following completion of the well.

- 1. OWNER CHARLES R. FAYE
ARI BOX 814 SIERRA VISTA AZ 85635
Name Address
- 2. Lessee or Operator.....
Name Address
- 3. DRILLER Huachuca Pump Co. Inc.
Harrel Rd. Huachuca City, AZ
Name Address
- 4. Location of well: Twp. 21S Rge. 22E Section 19 SW 1/4 SW 1/4 NW 1/4
10-acre subdivision
- 5. Intention to Drill File No. Permit No.

DESCRIPTION OF WELL

- 6. Total depth of hole. 110 ft.
- 7. Type of casing. PVC
- 8. Diameter and length of casing. 4 in. from 0 to 110, in. from to, in. from to
- 9. Method of sealing at reduction points. N/A
- 10. Perforated from 80 to 110, from to, from to, from to
- 11. Size of cuts. 1/8 x 4 Number of cuts per foot. J
- 12. If screen was installed: Length ft. Diam. in. Type
- 13. Method of construction Drilled
drilled, dug, driven, bored, jetted, etc.
- 14. Date started
Month Day Year 2 5 78
- 15. Date completed
Month Day Year 2 5 78
- 16. Depth to water. 80 ft.
If flowing well, so state.
- 17. Describe point from which depth measurements were made, and give sea-level elevation if available. surface
- 18. If flowing well, state method of flow regulation.....

19. REMARKS:

DO NOT WRITE IN THIS SPACE	
OFFICE RECORD	
Received.....	by.....
Filed. <u>7-28-80</u>	by <u>Pat</u>
File No. <u>D(21-22)196cc-</u>	
<u>35-85336</u>	

(Well Log to Appear on Reverse Side)

REPORT OF WELL DRILLER

This report should be prepared by the driller in all detail and filed with the State Land Commissioner following completion of the well.

1. OWNER Troy Ledbetter
 Name
Box 664, Sierra Vista, Az 85635
 Address

2. Lessee or Operator.....
 Name

3. DRILLER J. R. SHARP, GENERAL CONTRACTORS
 Name
J. R. SHARP
GENERAL CONTRACTORS
BOX 4520 NACO HWY.
DISBEE, ARIZ. 85602 432-4597
 Address

4. Location of well: Twp. 21 South Rge. 22 East Section. 19 SW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$
 10-acre subdivision

5. Intention to Drill File No. D(21-22)19 bac Permit No.

DESCRIPTION OF WELL

6. Total depth of hole..... 133 ft.

7. Type of casing..... P.E. steel

8. Diameter and length of casing. 8 1/4 in. from 0 to 133 in. from.....to.....,in. from.....to.....

9. Method of sealing at reduction points.....

10. Perforated from 53 to 130, from.....to....., from.....to....., from.....to.....

11. Size of cuts..... 1/2" x 6" Number of cuts per foot..... 3 53 - 110
6 110 - 130

12. If screen was installed: Length.....ft. Diam.....in. Type.....

13. Method of construction.....
 drilled, dug, driven, bored, jetted, etc.

14. Date started..... 6 21 71
 Month Day Year

15. Date completed..... 6 30 71
 Month Day Year

16. Depth of water..... 71 ft.
 If flowing well, so state.

17. Describe point from which depth measurements were made, and give sea-level elevation if available.....
Top of well casing

18. If flowing well, state method of flow regulation.....

19. REMARKS:.....

DO NOT WRITE IN THIS SPACE
OFFICE RECORD

Received..... 7-12-71 by..... [Signature]

Filed..... 7-12-71 by..... [Signature]

File No..... D(21-22)19 bac

(Well Log to Appear on Reverse Side)


LOG OF WELL

Indicate depth at which water was first encountered, and the depth and thickness of water bearing beds. If water is artesian, indicate depth at which encountered, and depth to which it rose in well.

FROM (FEET)	TO (FEET)	DESCRIPTION OF FORMATION MATERIAL
	4.5	Gravelly Red Clay w/ layers of Caliche
4.5	5.2	Lamin Flow, Dark Gray
	5.2	1 st Water, Very Weak
5.2	8.0	Gravelly Red Clay, Streaks of Volcanic Ash
8.0	8.5	Lamin Flow, Light Green
	6.5	2 nd Water, Weak
8.5	9.5	3 rd Water, Strong
8.5	13.3	Rocky Red Clay + Volcanic Ash
	20	Static Water Level

one hour bailing test at 20 gpm showed no noticeable draw down.

I hereby certify that this well was drilled by me (or under my supervision), and that each and all of the statements herein contained are true to the best of my knowledge and belief.




Driller: J. R. Sharp Name
 J. R. SHARP
 GENERAL CONTRACTORS
 BOX 4520 NACO HWY. Address
 DISNEE, ARIZ. 05603 432-4597
 Date: 6-30-71

DRILL HOLES ??

PANCO / ASAKO DILLING

TOMBSTONE QUADRANGLE
- COCHISE CO.
RIZO
R 23 E 5500' ET 110°00' 31'45"

UNITED STATES
DEPARTMENT OF THE ARMY
CORPS OF ENGINEERS



PANCO CLAIMS & LEASES

CLAIMS TO BE DROPPED BY PANCO

PANCO DRILL HOLES

ASARCO DRILL HOLES

I.P. RESISTIVITY

LEASED BY ASARCO

PANCO CLAIMS & LEASES

PANCO CLAIMS

PANCO DRILL HOLES

ASARCO DRILL HOLES

PENDING APPROVAL BY COMMISSIONER KENNEDY

EMERSON

COLVIN

HORN

INTEGRATED ZONE

TRANGLED TERRAIN

HORN MARK

ERRON POLARIZATION

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK

WATER TANK


WATER TANK

WATER TANK

UNITED STATES
DEPARTMENT OF THE ARMY
CORPS OF ENGINEERS

TOMBSTONE QUADRANGLE
ARIZONA--COCHISE CO.
15 MINUTE SERIES (TOPOGRAPHIC)

PEARCE




TOMBSTONE QUADRANGLE
ARIZONA--COCHISE CO.
15 MINUTE SERIES (TOPOGRAPHIC)

UNITED STATES
DEPARTMENT OF THE ARMY
CORPS OF ENGINEERS

6677

#29
LOC
UNLOC



St. Joe -
Mountain
Drill Holes

Silver Venture (1970)

PROJECT SILVER VENTURE

Started _____ Completed _____
 Logged by A. J. G.

D.H. No. 10 Collar elev. _____
 Sheet 1 of _____

HOLE SIZE	RECOVERY	STRUCTURE	ASSAY	MINERALIZATION	ALTERATION	ROCK TYPE
		18 ft. of 3 in. casing cemented.			Locally the gtz. latite porph. is Uncle Sam porphyry.	Qz Z Quartz latite porphyry. (Top)
22	80%	Moderate fractures @ 70° dip.		Moderate oxides, disseminated & coatings.	22 Moderate sericite	
25	95	Few scattered fractures.		Weak oxides of iron and manganese mostly as fracture coatings. Minor disseminated.	25 Generally fresh Top w/ weak sericite and moderate epidote.	
29	81	Fractures on all of hole @ 70, 60, 55, 30, & 20°. The 70° is strongest & the 20, 30, & 55 appear to be jointing.				
35	90					
37	100					
42	93	44 Moderate fractures, mostly @ 70° dip.		Moderate oxides. Probably sparse silver halides mixed w/ oxides.	44 Moderate sericite. Weak epidote.	
48	100					
50	100	52 Few fractures. Well developed jointing in all Top.		Very weak oxides.	52 Very weak sericite, moderate epidote.	
55	100					
58	100					
60	95	60 Strong fractures, strongest @ 70° dip, parallel to NE shear zones in the district.		Strong oxides as coatings & fracture fillings to 1/16". As in all oxide, silver halides vary with intensity of oxides. Very fine pyrite crystals in fresher zones, as disseminated.	60 Generally strong sericite & weak All Top: epidote. Inclusions of Bisbee fm to 1/2" w/ halos of oxides in oxide zones. Halos of epidote in fresh rock. Occasional vug to 1/4" partially filled w/ oxides. (& silver halides?) in oxide zones and filled w/ epidote crystals in weakly altered & fresh rock.	
62	100					
65	80					
7	16					
72	100	72 Breccia weak, developed in shear zones.				
73	50					
75	97					
8	60					
81	80					
85	83					
89	100					
93	100					
94	96					
99	100					
100	90					

4 1/4" Rock Bit

AXWL

PROJECT SILVER VENTURE

Started _____ Completed _____
 Logged by A. J. G.

D.H. No. 10 Collar elev. _____
 Sheet 2 of _____

HOLE SIZE	RECOVERY	STRUCTURE	ASSAY	MINERALIZATION	ALTERATION	ROCK TYPE
107	100	102 Few scattered fractures.		Very weak oxides.	102 Weak sericite, weak epidote.	Same
121	100	123.5 Moderate fractures and breccias. Prop. strong fractures, oxide, & alter. in missing core.		Moderate to strong oxides.	123.5 Moderate sericite, weak epidote	
148	100	149 Few fractures.		Weak oxide.	149 Weak alter, fresh top.	
158	58	154.5 Last core this run is 160.4 to 163, prop. strong alter.		Strong oxides, as coatings, fracture fillings, & disseminated.	154.5 Intense sericite, very weak epidote.	
164	63	Scattered pieces strong oxides assayed.			Drussy quartz in strong & intense altered zones as fracture filling & vug lining. Generally weak.	
175	100	169 Strong fractures w/ breccia zones.				
195	75					
196	90					
198	70	198.8				198.8

A X W L

HOLE SIZE	RECOVERY	STRUCTURE	ASSAY	MINERALIZATION	ALTERATION	ROCK TYPE			
85%		Moderate fractures w/ strong fractures and breccias in strong alteration zones.		Strong oxides. Occasional crystal or remnant pyrite, Very finely diss.	Moderate to strong sericite. Weak epidote	Andesite porphyry			
-205								-208.9	
80								Bisbee fm	
-208									
100									
12									
70									
-215									-215
95								215.7 Fresh Weak sericite. Moderate epidote.	Andesite porphyry.
-217									
87									
-220									
74					221 Fresh Moderate to strong sericite. Weak epidote.				
-225									
30									
-228									
20									
-229									
83									
-232									
100					contact 70° dip	-232.8			
-235						Quartz latite porphyry			
100									
-241									
100		-243 Strong fractures.		Moderate oxides	-243 Moderate sericite Weak epidote				
5									
93									
-253									
100		-251 Occasional fractures		Weak oxides Moderate pyrite as diss. fine xls.	-251 Very weak sericite. Generally, fresh Top, Strong orthoclase, introduced.				
-255									
100									
-258									
100									
-263									
80		-264.5 Strong and moderate fractures, varies w/ alteration		Strong oxides.	-264.5 Strong sericite. Very weak epidote				
-268									
40									
-270									
96									
-275									
85									
-280									
100		-280 Breccia in intensely alter. rock.			-280 Intense sericite.				
-284									
100									
-285									
80									
-289									
80		-285 Moderate fractures.	287.8 288.0	Moderate oxides w/ few small intervals strong, asso. w/ strong fractures.	-285 Moderate sericite				
-293									
93									
-299									
100									
-299.5									
299									
-299.5									

AXWL

PROJECT SILVER VENTURE

Started _____ Completed _____
 Logged by A. J. G.

D.H. No. 10 Collar elev. _____
 Sheet 4 of _____

HOLE SIZE	RECOVERY	STRUCTURE	ASSAY	MINERALIZATION	ALTERATION	ROCK TYPE		
100%	2					Same		
100		Generally weak fractures,		Oxides moderate in weak sericite zones, weak in fresh rock as fracture coatings, Pyrite weak in fresh rock.	Weak zones sericite w/ fresh top vary 1 to 3' thick. Epidote moderate in weak sericite, Orthoclase (+5%) in fresh zones as irregular aggrs. & subhedral xls.			
306	100							
309	100							
100	12							
100	100							
315	100							
100	100							
319	100							
100			321					Strong oxides
325			Strong fractures w/ minor breccia.					
100								
329								
100								
332								
100		333			333			
335		Scattered, generally weak fractures,		Generally fresh w/ a few 1 to 2' zones moderate, near fractures, Pyrite, weak.	Few 1 to 2' zones weak sericite. Orthoclase, same.			
100		Hole depth vs blocks is off.						
339								
67								
5								
100								
348								
100								
353			351				Strong oxides, mostly as heavy fracture coatings. Few green specks(?).	351 Moderate sericite, weak epidote.
63			Moderate fractures,					
359								
100		359.5			359.5			
361		Few weak fractures.		Weak oxides as fracture coatings, Pyrite as fine, diss. xls, strongest in mafics.	Weak sericite & epidote			

PROJECT SILVER VENTURE

Started _____ Completed _____
 Logged by A. J. G.

D.M. No. 9 Collar elev. _____
 Sheet 2 of 2

HOLE SIZE	RECOVERY	STRUCTURE	ASSAY	MINERALIZATION	ALTERATION	ROCK TYPE
204		204				Same
30		205 All of hole; strongest fractures @ 70° dip. Joints at several angles.	204	Strong oxides	205 Moderate sericite weak epidote.	
212.5			215.7 216.0			
91		218	218		218	
100		Weak fractures		Moderate oxide	Weak sericite moderate epidote	
22			222			
79		225 Strong breccia		Strong oxides.	225 Intense sericite	
		229			229	
232		Moderate fractures.	232	Moderate oxide	Moderate sericite and epidote.	
96				Oxide strong in 6" to 12" strong sericite intervals.	Few 6" to 12" intervals strong sericite.	
241			241			
2						
250		248.5 Weak fractures.	250	Weak oxide, moderate w/ moderate alter.	248.5 Weak sericite and epidote, few intervals, less 6" of moderate.	
100						
255						
100						
262			262			
100						
265			265			
100				266 Weak disseminated pyrite as crystals and aggregates, some remnants.		
271			271		273 Moderate sericite weak epidote.	
		273 Strong fractures, ? block missing		Strong oxide as fracture filling and coatings. Pyrite, same.		
87						
285			284.7 285.0	Very weak, micro- scopic Ag ₂ S, prob. partly secondary.		
5		Last core run is in core barrel in hole.				
289		Abandoned. Stuck rods & core barrel on bottom.				

AXWL

SOUTHWESTERN ASSAYERS & CHEMISTS, Inc.

REGISTERED ASSAYERS

FELIX K. DURAZO
WIL WRIGHT
ARIZONA REG. NO. 5878

P. O. BOX 7517
TUCSON, ARIZONA 85713

710 E. EVANS BLVD.
PHONE 602-294-5811

Mr. W. W. Grace
1818 W. Adams
Phoenix, Arizona 85007

CC: Tom Calvin

JOB# 007252
RECEIVED 8-17-70
REPORTED 8-19-70

SAMPLE NUMBER	GOLD OZ.*	SILVER OZ.*	LEAD %	COPPER %	ZINC %	MOLYBDENUM %
27	Nil	Trace		<.01		
35	.015	2.15		<.01		
40	Nil	Trace		<.01		
41	.025	14.34		<.01		

Hole # 2

HAWLEY & HAWLEY

ASSAYERS AND CHEMISTS, INC.
1700 W. GRANT RD. → BOX 5934 • 622-4838
TUCSON, ARIZONA 85703

BRANCHES
DOUGLAS, ARIZONA
HAYDEN, ARIZONA
EL PASO, TEXAS
AMARILLO, TEXAS

IDENTIFICATION	GOLD OZS	SILVER OZS	LEAD %	COPPER %	ZINC %	MO. %	IRON %
Sample <i>5' Sample Hole # 3 27' to 32'</i>		158.44					

CC: Tom Calvin
ADD: 315
CITY: Tombstone, Arizona
DD:
CITY:

REMARKS: ANALYSIS CERT BY *A E Richard*
Single Determination
Pulverizing PREPARATION \$ 1.00
ANALYSIS \$ 5.00

ACC: TOM CALVIN DATE SPL RECEIVED 8/20/70 DATE COMPL 8/21/70 TON 344625 \$ 6.00

CHARGE \$ 24.00 (Paid \$20.00 Cash; Balance due of \$4.00)

* Gold and Silver reported in troy oz. per 2,000 lb. ton.

INVOICE

Briscoe (Feb-Mar '85)

Letter Report on the Results of
State Assessment Work Drilling Program

February and March, 1985

and UNC Silver MAP assay on the
North and South Trenches
Tombstone Development Company land
Tombstone Mining District
Cochise County, Arizona

Prepared by:

James A. Briscoe
Registered Professional Geologist

James A. Briscoe & Associates, Inc.
Tucson, Arizona

TABLE OF CONTENTS

LETTER REPORT

DRILL HOLE LOCATION MAP

APPENDIX 1

Information on the U.N.C. Silver MAP Assay Unit

APPENDIX 2

Drill hole assay graph and
assay "ore" intercept calculation sheets

APPENDIX 3

Trench assay and "ore" intercept
calculation sheets

APPENDIX 4

Assays and "ore" intercept calculation sheet for
Mustang Vein on Dennis V. Abbl claims

APPENDIX 5

U.N.C. Silver MAP Assay daily printout records

James A. Briscoe & Associates, Inc.

Exploration Consultants:

Base and Precious Metals/Geologic and Land Studies/Regional and Detail Projects

James A. Briscoe
Registered Professional Geologist

Thomas E. Waldrip, Jr.
Geologist/Landman

June 13, 1985

Lavern Baxter
Bill Hight
Board of Directors
Tombstone Development Company
P. O. Box 1445
Grand Island, NE 68801

RE: Results of state assessment work drilling program, February and March, 1985, and channel assays using the UNC Silver MAP in the North and South trenches

Gentlemen:

Between February 19 and March 10, 1985, we drilled 18 rotary drill holes, totaling 1,885 feet, on various parcels of state ground (shown in Attachment 1), in order to perform the required state assessment work on the parcels in question. This drilling was done under contract to the State of Maine Mining Company, using their Atlas Copco Air Track 601 drill. This drill was equipped with a vacuum cyclone to collect samples, and used a 4 1/8" down-the-hole hammer drill and tungsten carbide button bit. It was capable of drilling to approximately 140'. However, once the water table was encountered, drilling had to be terminated because there was no mud pump or other suitable way of handling the wet sample being blown from the hole. The State of Maine Mining Company furnished the drill, the helper, plastic sample bags, and one quart plastic sample containers, as well as a Jones-type riffle splitter so that the helper presented a packaged one quart container of material, carefully split from the entire 5' drill interval to me. The charge for this was \$4.00 per foot - a very attractive and competitive rate. The drill worked well in hard, compact rock, drilling at the rate of approximately 1 foot in 1 to 2 minutes. It was not efficient in drilling soft, ravelly alluvium, and in two instances, the drill became stuck in alluvial material, requiring more than a day to extract the stuck tools. In addition to the problem of getting stuck in ravelly alluvium, there were several significant mechanical breakdowns, as well as snow and rain which greatly delayed and complicated the program. The estimated time stretched from 14 days to a total of 20 days to complete. Further, because of the interruptions and lack of continuity, I was not able to complete all drill sample Coreboards.

I supervised the location and the drilling of each drill hole. While the drill was positioned, I set up two long folding tables and required paraphenalia so that as the samples were collected, I could prepare cutting chip boards of each drill hole. We call these Coreboards, and a representative sample of each 5' drill interval (which is what we were using on these holes) is glued to a 6" wide, 2' long board. Intervals are marked off on the board so that each inch of board interval equals a 10' drill interval (1" = 10'). A sample of the coarse, fine, and panned fractions are then glued to the board in sequence. When the hole is completed, you have a scaled visual log for future reference of what type of rock and mineralization was encountered. I learned this technique while working for the American Smelting and Refining Company, where it has been used for many years. It is probably the best way to treat rotary drill cuttings. Unfortunately, because of the above mentioned mechanical and weather delays, I only completed Coreboards for holes 1A, 1B, 2, 3, 4, 5, 6, 11, 14, and 16 and thus 7, 8, 9, 10, 12, 13, 15, and 17 holes remain to be completed.

Great care was taken in the collecting of each sample. The vacuum cyclone sampling device on the drill was very efficient so that essentially 100% of the sample in each drill interval was collected, and not even fine dust was lost. From the surface, seven feet was drilled for the first interval, followed by a three foot interval, and then every other interval in the hole was a measured five feet. At the end of each five foot interval, the bit was lifted off the bottom of the hole, and the hole blown clean. The entire sample was then dropped into a large plastic bag, which was then run through a large Jones-type riffle splitter until a 1 quart split representing the entire five foot interval was obtained. This was packed into a 1 quart air-tight plastic container, and the remaining sample from the 5' interval was put back into the plastic bag, which was left in sequential order by the hole for future use. The drilling was re-started and the next five foot interval drilled and so on. Each container was placed in front of me where I took a representative sample, which was sifted, washed and panned for placement on the Coreboard. After the Coreboards were constructed, the samples were boxed and labled. The boxed cuttings are stored in a building on the State of Maine property.

ASSAY PROCEDURE

The samples from the drill program, as well as channel-type samples in the trenches were assayed on April 4, 5, 6, and 7, 1985, by geologist Dan Adams of Western Exploration, Inc., using a United Nuclear Corporation Silver Metal Analysis Probe (the

UNC Silver MAP). This is a portable x-ray fluorescence unit, which uses a radioactive isotope as a source of radiation for a standard x-ray fluorescence unit. Though various "heads" are available for the instrument, in this case we used only the silver head and analyzed only for silver. The x-ray fluorescence method has been used to analyze for a variety of elements for perhaps the last 20 to 30 years. In the past, it has only be usable in a laboratory where electricity to power an x-ray tube and non-portable bulky equipment could be located. Thus, the sample to be analyzed had to be taken to the x-ray fluorescence machine. With the advent of micro electronics and micro computers, as well as the availability of radioactive isotopes, the UNC instrument was made portable. This instrument is described more fully in company data in Appendix 1. During the three and one half days I worked with Dan Adams, we assayed some 1,081 samples. This was an average of 309 samples per day. The first day we analyzed all of the drill cuttings, making some 405 assays. In the next days, we analyzed 676 insitu samples along our North and South trenches, as well as the Mustang Vein area. I estimate that to have cut by hand all of the channel samples in the trenches and processed and fired assay them and all of the drill cuttings, the cost would have been approximately \$24,000.

I will describe briefly how the sampling using the Silver MAP was done:

For the drill holes, we set up in front of the core shed. The boxes of plastic containers of each five foot interval were brought out, unboxed, and lined up in chronological order on the tables. Each drill hole was assigned a MAP code number so that at the end of the day, the values could be printed out and identified. I took separate notes on the values as they came up on the instrument display. Dan Adams used the Face Scanner Pistol by holding it vertically and placing the plastic sample container on its side against the instrument. Dan "read" the sample for one minute, turning the sample container occasionally to present representative surfaces to the scanner. In this manner, we were able to read and record each sample in about 1 1/2 minutes.

When assaying the trenches, we also used the face scanner. Each interval was read for one minute. The scanner was held for a few seconds on increments of the "channel" so that the total time of 60 seconds was divided proportionally along the sample interval. The average time to read, record, and move on to the next interval was two to three minutes.

The UNC Silver MAP has some very distinct advantages, but may also pose a few unknowns in reliability of its assays. These I will summarize below:

Advantages:

1. Speed - the face sampler, which looks like a long pistol can be held against a rock sample and read for any where between a few second and a minute and one half, at which time the instrument then reads out on a liquid crystal display the contained silver in ounces per ton. It also records the assay along with identifier numbers in its computer memory, which are then printed out at the end of the day. Thus, an entire mining face can be assayed in a matter of minutes, giving the geologist or equipment operator immediate knowledge as to where ore grade material lies in relation to waste material. Drill holes of any depth can be probed with the probe attachment. The probe is lowered to the bottom and winched upward at a known rate, or incrementally. Thus, if only the silver content is desired, no sample need be retrieved when drilling a hole that will be probed with the Silver MAP; and many dollars may be saved as exemplified in their brochures.
2. No sample collection transport, preparation, analyses, and archival storage is necessary.

Disadvantages

1. The limit of detection is approximately one ounce. Below one ounce, there may be a degree of variability so that the analyst cannot really tell whether it is zero or a few tenths of contained silver. For higher grade material, there is less variability. After observing the instruments use over what I consider a good test period, it is not clear to me whether the variability is more related to the typically spotty silver mineralization, i.e., spots of very high grade in surrounding lower grade material, or wander in the instrument itself. This is the age old problem in getting a representative sample.

2. The hesitation of the mining community to accept "black box instrumentation" vs. the old tried and true fire assay method.

The speed and instantaneous results which allow one to make moment to moment decisions as to where to go or what to assay next, I think far out weighs any disadvantages. Further, the cost savings as a result of these instantaneous answers in combination with not having to take and process a physical sample, makes the instrument so cost effective where numerous samples are to be taken, as to prohibit not using it. Through the use of the Silver MAP, we have identified the higher silver zones in both the drill holes and in the trenches. Now, however, I think that we should go back and do check sampling for both gold and silver, as well as copper, lead, zinc, molybdenum, and mercury in some samples. Once this check sampling is done, we will have a better handle on the usefulness of the UNC Silver MAP.

RESULTS

Because we only assayed for silver, we have no knowledge of the contained gold in any of the samples. Since gold is a significant by-product in the low grade ores at Tombstone, before a decision can be made as to whether open pitable ore exists in or around any of our drill holes and trenches, we must do further assaying for gold. We did get significant silver assays in all holes, and obtained wide intervals of low grade silver in both trenches. However, no high grade silver was encountered. In fact, the highest assay obtained was 3.9 ounces in hole TDC 2 at 95' to 100', and 3.0 ounces in sample 75 in the North trench. The lack of high grade intervals in the drill holes was disappointing, but the wide intervals of low grade in both the holes and the trenches was very encouraging. Even though we drilled 18 drill holes totaling 1,885 feet of drilling, it may not be too discouraging that no high grade was obtained when comparing our results with those obtained in the last year at the State of Maine Mine, and considering the intense alteration and the disseminated nature silver appears to take in the highly altered Uncle Sam tuff. Because the drill holes were widely separated, no ore reserves can be calculated for them. However, because the trenches cut across alteration features that we can measure, we can make some projections for them.

NORTH TRENCH

The north trench cuts what I believe to be the northern extension of the Mustang Vein. The vein is approximately 600' wide where it is cut by the trench. The trench varies from about 2' to 12' deep, depending on rock hardness, but averages about 8' deep. I marked "channel" sample locations using spray paint at about waist height in the trench. The sample channels had variable length from spot samples to "channel" samples 10' or more in length. I attempted to separate out any visible rock, alteration, or mineralization change into a separate assay "channel" so that we could determine if there was anything visible that related to silver content. The length of each channel was measured so that we could determine the average grade and estimate volume of those intervals that contained potentially ore grade silver. After analyzing the results in the field, it became apparent that there was no visible characteristic that would show the presence of silver without an assay.

As can be seen from examining the compiled assays, there were relatively few high grade assays and none over 3 ounces. However, there were wide zones in the trench that averaged an ounce or more of contained silver. I believe that in the clay/sericite altered Uncle Sam Tuff, silver is mobile in the oxidized environment and tends to migrate out of the surface rocks. Since the depth of the average sample below the surface was approximately 6' or less, I think the grades may increase at moderate depth. This is indicated in recent drilling at the State of Maine mine where geologist Joe Graves reports that no significant ore bodies are found at less than ten feet below the surface. Further, assays done by Phelps Dodge in the early part of this century at the State of Maine mine indicate that the 200' foot level in the mine is the richest. Thus, I think that there is reason to expect that one ounce assays at a 6' depth may increase to two or three or more ounces at 10', 15', or 20', or more below the surface. At any rate, there are wide zones exposed in the north trench that carry an ounce or more of silver. These zones are wide enough so that they could easily be mined by large mechanized equipment. Further, since the trench is at right angles to the strike of the zone, I think that it is reasonable that we can project the +1 ounce assays for some distance along strike. Thus, we have some indication of what tonnage might be obtained within the area of the trench. This we might call geologically indicated "ore" since it has not been tested except by the one shallow intersection along the trench, and has not been tested at depth. Understanding the limits of such projections, we can come at least to some preliminary idea of what tonnage and grade might be available.

Knowing that there is approximately 13 cubic feet of rock in each ton for this rock type, we can make the following projections:

In the north trench, there is 307.1' of interval with an average grade of once ounce of silver. If we assume:

1. 100' on either side of the trench, then 100' south plus 100' north equals 200 feet, times 307 feet equals 61,400 square feet of surface area of rock which assays one ounce of silver. Since 13 cubic feet of this rock weighs a ton, we can say that for each 13 feet in depth we will develop 61,400 tons of material containing one ounce of silver. If it contains enough gold also, or if with depth the silver grade gets higher, we might be able to mine this, and if we can mine it at a profit, it is then, and only then, called ore.
2. If we assume we can mine to a depth of 130 feet, or 10 times 13 feet, we will develop 614,000 tons of ore. If we can mine it to 260 feet in depth, we will develop 1,228,000 tons of ore, and if we can mine it to 520 feet in depth, we will develop 2,456,000 tons of ore.

The Mustang Vein appears to be continuous south to the Charleston Lead Mine, although it passes on to property owned by Alanco, Dennis Abbl, and the James Stewart Company. However, if TDC could negotiate and consolidate with Alanco, there is visible on the surface at least 1,000 feet of vein that appears to be like the material we have cut in the north trench. If we found that it all contained similar grade material over the 1,000 feet, and a width of 307 feet, then we would develop to a depth of 520 feet some 12.3 million tons of "ore". Obviously, we cannot say with any degree of certainty that such a tonnage could be developed, but that possibility exists, and if it should exist, I believe the potential profit justifies further test work to determine more precisely what tonnage and grade might be delimited. Also, some consolidation with Alanco as well as with Dennis Abbl should be made.

SOUTH TRENCH

The South trench is cut in an east west direction across intensely altered Uncle Sam Tuff cut by late mineral or possibly even post-mineral andesite porphyry dikes. Numerous fluidized pebble dikes or pods are exposed in the trench. It is on the edge of the Robber's Roost breccia pipe-porphyry copper zone. We know from deep Asarco holes drilled on what was then Stewart Mines property, that this area is underlain by a porphyry copper deposit, some 1,000 feet or more below the surface. Precious metal mineralization generally occurs as halos around porphyry coppers, and all precious metal mineralization in the Tombstone District is probably related to other deep seated porphyry copper centers. The alteration zone around the Robber's Roost breccia pipe area is in an irregular amoeba-like shape with a northeasterly elongation. Because there is no definitive shape or strike in the area of the south trench (unlike the northeasterly trending Mustang Vein cut by the north trench), it is more difficult to extrapolate, for any distance, precious metal assays obtained in the south trench. By examining the assays from the south trench, it can be seen that there are substantial zones wide enough to be mined by large equipment that assay one ounce or more of contained silver. I have averaged those zones that contain more than one ounce and they have a combined width of 190.58 feet, at an average grade of 1.28 ounces of silver. I might add here that this is the area in which Paul Turney obtained a significant gold assay of 0.04 ounce per ton from silicified breccia pipe material. If gold is present, in a similar amount, along with the silver, then we might have mineable ore at the surface, even at current prices. Let's make a few assumptions concerning projection of the values:

It seems fairly safe to project, as we did on the north trench, that they would extend 100' on either side of the trench. Thus, we can say 200' times 190' equals 38,000 square feet of material that will average 1.28 ounces (and 0.04 ounces of gold as in Turney assay?). As before, each 13 cubic feet of rock weighs one ton, so if we project a depth of 13 feet, we will generate 38,000 tons. If we project a depth of 130 feet, we can estimate that there would be 380,000 tons, and for 260 feet, there would be 760,000 tons of material averaging 1.28 ounces of silver (and gold?).

There are large areas of similar material exposed in the southeast quarter of Section 30. If they contain similar amounts of silver, and possibly gold, then some tens of millions of tons of heap leachable material could be present.

SUMMARY, CONCLUSIONS AND RECOMMENDATIONS


Because of budgetary restrictions, this report has been brief and contains no geologic map or other geologic detail. However, the assays that we have obtained for our drilling and trench sampling are encouraging. The assays are low but show wide spread silver over a large area. There is reason to believe, as indicated by recent work in the State of Maine area, that assays obtained in the north and south trenches could increase somewhat in depth. Substantial widths of low grade samples thus could be indicative of open pit mineable zones of heap leachable silver, probably with some by-product gold, that could amount to millions of tons of volume. More check assaying, geology and drilling, as well as property consolidation with Alanco and Dennis Abbl appear to be to be justified. As a first step, I would recommend check assaying those zones indicated by the UNC Silver MAP analyses by fire assaying. This would consist of the following:

1. 170 samples of drill cuttings assayed for gold, silver, lead, zinc, copper and molybdenum at a cost of \$20 each or \$3,400.
2. 108 samples from the north trench and 44 samples from the south trench at an estimated cost of assaying and collection of \$35 each for a total of \$5,320.

The total estimate for assays and work in 1 & 2 is \$8,720.

If these check assays prove encouraging, then further work including geologic logging, mapping, drilling, and sampling, etc. can be performed.


Very truly yours,



James A. Briscoe

JAB/ms

Enclosures




Arizona State
Prospecting Permit
Assessment Work

Location Map
Scale 1" = 2,000'
T.20S., R.22E.

Composite map from the
U.S.G.S. Tombstone and
Fairbank 7 1/2 minute quad.
sheets

Explanation

- 08-83770 Prospect Permit boundary showing number
- TDC #1 Drill hole location showing 120'







Satellite remote sensing 44

Highest grade United States Zn mine producing at capacity 58

World Mining




MARCH 1983

New technologies reduce exploration costs 36

pret the data. After a thorough analysis,












APPENDIX 2

TOMBSTONE DEVELOPMENT COMPANY



NO. 5 ROTARY DRILL HOLE T.D.C. 1A
 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985


PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: SE1/4, SE1/4, NW1/4, SECT. 32, T.20S., R.22E.

DRILL HOLE #TDC-1A (MAP ID# 1011)
 COLLAR ELEV.: FINAL DEPTH: 120'
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 2/19/85 DATE FINISH: 2/19/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
0	TO	7	1.30	7		9.10	
7	TO	10	0.50	3		1.50	
10	TO	15	0.40	5		2.00	
15	TO	20	1.20	5		6.00	10' @ 1.4 OZ/TON AG
20	TO	25	1.60	5		8.00	
25	TO	30	0.60	5		3.00	20' @ 1.18 OZ/TON AG
30	TO	35	1.30	5		6.50	
35	TO	40	0.30	5		1.50	
40	TO	45	0.50	5		2.50	
45	TO	50	0.20	5		1.00	
50	TO	55	1.10	5		5.50	25' @ 1.12 OZ/TON AG
55	TO	60	1.70	5		8.50	
60	TO	65	0.60	5		3.00	
65	TO	70	0.90	5		4.50	
70	TO	75	1.30	5		6.50	
75	TO	80	0.10	5		0.50	
80	TO	85	0.10	5		0.50	
85	TO	90	0.70	5		3.50	
90	TO	95	0.00	5		0.00	
95	TO	100	0.00	5		0.00	
100	TO	105	0.30	5		1.50	
105	TO	110	0.40	5		2.00	
110	TO	115	0.80	5		4.00	10' @ 1.1 OZ/TON AG
115	TO	120	1.40	5		7.00	
					=====	=====	
					120	88.10	120' @ 0.73 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY



ROTARY DRILL HOLE T.D.C. 1B
 NO. 5 REPRESENT # OF 5' INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985


PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: SE1/4, SE1/4, NW1/4, SECT. 32, T.20S., R.22E.

DRILL HOLE #TDC-1B (MAP ID#1012)
 COLLAR ELEV. FINAL DEPTH: 120'
 COORD.N. COORD.E.
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 2/19/85 DATE FINISH: 2/19/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM			
0	TO	7	0.50	7		3.50			
7	TO	10	0.50	3		1.50			
10	TO	15	1.50	5		7.50			
15	TO	20	0.00	5		0.00			
20	TO	25	1.90	5		9.50	20' @ 1.8 OZ/TON AG		
25	TO	30	1.80	5		9.00			
30	TO	35	1.90	5		9.50			
35	TO	40	1.60	5		8.00	45' @ 1.26 OZ/TON AG		
40	TO	45	0.10	5		0.50	55' @ 1.12 OZ/TON AG		
45	TO	50	1.60	5		8.00			
50	TO	55	0.90	5		4.50			
55	TO	60	0.00	5		0.00			
60	TO	65	0.40	5		2.00			
65	TO	70	0.00	5		0.00			
70	TO	75	0.80	5		4.00			
75	TO	80	0.00	5		0.00			
80	TO	85	0.50	5		2.50			
85	TO	90	1.20	5		6.00			
90	TO	95	0.20	5		1.00			
95	TO	100	0.30	5		1.50			
100	TO	105	0.30	5		1.50			
105	TO	110	1.60	5		8.00	15' @ 1.23 OZ/TON AG		
110	TO	115	0.30	5		1.50			
115	TO	120	1.80	5		9.00			
					=====	120	=====	98.50	120' @ 0.82 OZ/TON AG


TOMBSTONE DEVELOPMENT COMPANY



ROTARY DRILL HOLE T.D.C. 2
 NO. 5 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE DEVELOPMENT COMPANY

NO. 9 REPRESENT # OF 5' INTERVALS



ROTARY DRILL HOLE T.D.C. 2
 NO. 9 REPRESENT # OF 5' INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985

PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY


AREA OF DRILL HOLE: SE1/4,NE1/4,NE1/4,NW1/4, SECT. 32, T.20S., R.22E.

DRILL HOLE #TDC-2 (MAP ID #1020)
 COLLAR ELEV. FINAL DEPTH: 120'
 COORD.N. COORD.E.
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 2/20/85 DATE FINISH: 2/20/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM	
0	TO 7	1.40	7		9.80	
7	TO 10	1.60	3		4.80	15' @ 1.6 OZ/TON AG
10	TO 15	1.80	5		9.00	
15	TO 20	0.90	5		4.50	35' @ 1.5 OZ/TON AG
20	TO 25	1.00	5		5.00	
25	TO 30	1.90	5		9.50	
30	TO 35	1.80	5		9.00	
35	TO 40	0.30	5		1.50	
40	TO 45	1.60	5		8.00	
45	TO 50	0.60	5		3.00	
50	TO 55	0.60	5		3.00	
55	TO 60	1.60	5		8.00	30' @ 1.32 OZ/TON AG
60	TO 65	1.20	5		6.00	
65	TO 70	1.40	5		7.00	
70	TO 75	1.20	5		6.00	
75	TO 80	1.40	5		7.00	
80	TO 85	1.10	5		5.50	
85	TO 90	0.90	5		4.50	
90	TO 95	0.90	5		4.50	
95	TO 100	3.90	5		19.50	10' @ 2.7 OZ/TON AG
100	TO 105	1.50	5		7.50	
105	TO 110	0.00	5		0.00	
110	TO 115	0.40	5		2.00	
115	TO 120	0.50	5		2.50	
			120		147.10	120' @ 1.23 OZ/TON AG


TOMBSTONE DEVELOPMENT COMPANY

REPT. NO. FOR WELL



NO. 8 ROTARY DRILL HOLE T.D.C. 3
 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE DEVELOPMENT COMPANY



ROTARY DRILL HOLE T.D.C. 3
 NO. 9 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC., SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY


AREA OF DRILL HOLE: SW1/4, NE1/4, SW1/4, SECT. 29, T.20S., R.22E.

DRILL HOLE #TDC-3 (MAP ID #1030)
 COLLAR ELEV. FINAL DEPTH: 120'
 COORD. N. COORD. E.
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 2/22/85 DATE FINISH: 2/22/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	= SUM		
0	TO 7	1.50		7	10.50		
7	TO 10	1.00		3	3.00	-20' @ 1.38 OZ/TON AG	
10	TO 15	1.60		5	8.00		
15	TO 20	1.20		5	6.00		
20	TO 25	0.90		5	4.50		
25	TO 30	0.70		5	3.50		
30	TO 35	0.60		5	3.00		
35	TO 40	1.00		5	5.00		
40	TO 45	0.60		5	3.00		
45	TO 50	0.80		5	4.00		
50	TO 55	0.60		5	3.00		
55	TO 60	0.60		5	3.00		
60	TO 65	0.50		5	2.50		
65	TO 70	1.50		5	7.50		
70	TO 75	1.00		5	5.00		
75	TO 80	0.90		5	4.50		
80	TO 85	1.30		5	6.50		
85	TO 90	0.70		5	3.50	-55' @ 1.09 OZ/TON AG	
90	TO 95	0.80		5	4.00		
95	TO 100	2.00		5	10.00	-40' @ 1.08 OZ/TON AG	
100	TO 105	0.80		5	4.00		
105	TO 110	1.50		5	7.50		
110	TO 115	0.20		5	1.00		
115	TO 120	1.30		5	6.50		
					120	119.00	120' @ 0.99 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY

NO. 8 REPRESENT # OF 5' ASSAY INTERVALS



ROTARY DRILL HOLE T.D.C. # 4
 NO. 8 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985


PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: NW1/4,NW1/4,SW1/4, SECT. 29, T.20S., R.22E.

DRILL HOLE #TDC-4 [MAP ID #1040]
 COLLAR ELEV. FINAL DEPTH: 120'
 COORD.N. COORD.E.
 INCLINATION: 70 LOGGED BY: JAB
 DATE START: 2/28/85 DATE FINISH: 2/28/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
0	TO	7	2.25	7		15.75	10' @ 1.85 OZ/TON AG
7	TO	10	0.90	3		2.70	
10	TO	15	0.00	5		0.00	
15	TO	20	1.30	5		6.50	
20	TO	25	0.10	5		0.50	
25	TO	30	0.20	5		1.00	
30	TO	35	1.60	5		8.00	10' @ 1.75 OZ/TON AG
35	TO	40	1.90	5		9.50	
40	TO	45	0.40	5		2.00	
45	TO	50	0.90	5		4.50	20' @ 1.05 OZ/TON AG
50	TO	55	1.30	5		6.50	
55	TO	60	1.10	5		5.50	
60	TO	65	0.90	5		4.50	
65	TO	70	0.00	5		0.00	
70	TO	75	0.00	5		0.00	
75	TO	80	0.00	5		0.00	
80	TO	85	0.00	5		0.00	
85	TO	90	0.60	5		3.00	20' @ 1.38 OZ/TON AG
90	TO	95	1.80	5		9.00	
95	TO	100	1.30	5		6.50	
100	TO	105	1.20	5		6.00	
105	TO	110	1.20	5		6.00	
110	TO	115	0.00	5		0.00	
115	TO	120	0.80	5		4.00	
				<u>120</u>		<u>101.45</u>	120' @ 0.85 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY



NO. 5 ROTARY DRILL HOLE T.D.C. 5
 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION


APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: NW1/4, SE1/4, SE1/4, SECT. 30, T.20S., R.22E.

DRILL HOLE #TDC-5 (MAP ID #1050)
 COLLAR ELEV. FINAL DEPTH: 90'
 COORD. N. COORD. E.
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/1/85 DATE FINISH: 3/1/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
0	TO	7	0.90	7		6.30	
7	TO	10	0.00	3		0.00	
10	TO	15	1.30	5		6.50	
15	TO	20	0.00	5		0.00	
20	TO	25	0.40	5		2.00	
25	TO	30	1.40	5		7.00	10' @ 1.55 OZ/TON AG
30	TO	35	1.70	5		8.50	
35	TO	40	0.20	5		1.00	
40	TO	45	0.00	5		0.00	
45	TO	50	0.00	5		0.00	
50	TO	55	0.00	5		0.00	
55	TO	60	0.50	5		2.50	
60	TO	65	0.70	5		3.50	
65	TO	70	0.90	5		4.50	10' @ 1.4 OZ/TON AG
70	TO	75	1.90	5		9.50	
75	TO	80	0.00	5		0.00	
80	TO	85	1.60	5		8.00	
85	TO	90	0.30	5		1.50	
				90		60.80	90' @ 0.68 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY



ROTARY DRILL HOLE T.D.C. 6
 NO. 9 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

AMOUNT OF ZINC

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985

PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: SW1/4, SW1/4, SE1/4, SECT. 30, T.20S., R.22E.

DRILL HOLE #TDC-6 (MAP ID #1060)
 COLLAR ELEV. FINAL DEPTH: 125'
 COORD.N. COORD.E.
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/1/85 DATE FINISH: 3/1/85


	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM
0	TO 7	0.00	7		0.00
7	TO 10	0.10	3		0.30
10	TO 15	0.50	5		2.50
15	TO 20	0.70	5		3.50
20	TO 25	0.30	5		1.50
25	TO 30	1.70	5		8.50
30	TO 35	1.20	5		6.00
35	TO 40	1.60	5		8.00
40	TO 45	1.00	5		5.00
45	TO 50	0.60	5		3.00
50	TO 55	1.00	5		5.00
55	TO 60	1.40	5		7.00
60	TO 65	1.90	5		9.50
65	TO 70	1.10	5		5.50
70	TO 75	1.70	5		8.50
75	TO 80	0.30	5		1.50
80	TO 85	0.30	5		1.50
85	TO 90	1.20	5		6.00
90	TO 95	0.60	5		3.00
95	TO 100	0.40	5		2.00
100	TO 105	0.20	5		1.00
105	TO 110	0.70	5		3.50
110	TO 115	1.00	5		5.00
115	TO 120	0.80	5		4.00
120	TO 125	0.50	5		2.50
				125	103.80

50' @ 1.32 OZ/TON AG

125' @ 0.83 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY

DEPTH - FEET



ROTARY DRILL HOLE T.D.C. 7
 NO. 9 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY


AREA OF DRILL HOLE: SE1/4,NW1/4,SE1/4, SECT. 30, T.20S., R.22E.

DRILL HOLE #TDC-7 (MAP ID #1070)
 COLLAR ELEV.: FINAL DEPTH:
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/2/85 DATE FINISH: 3/2/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER X	SAMPLE LENGTH IN FEET	=	SUM	
0	TO	7	0.80	7	5.60	15' @ 1.1 OZ/TON AG
7	TO	10	1.20	3	3.60	
10	TO	15	1.50	5	7.50	
15	TO	20	0.00	5	0.00	
20	TO	25	0.90	5	4.50	
25	TO	30	0.40	5	2.00	
30	TO	35	1.00	5	5.00	
35	TO	40	0.80	5	4.00	
40	TO	45	0.60	5	3.00	
45	TO	50	0.40	5	2.00	
50	TO	55	1.00	5	5.00	
55	TO	60	1.40	5	7.00	
60	TO	65	0.20	5	1.00	20' @ 1.13 OZ/TON AG
65	TO	70	0.90	5	4.50	
70	TO	75	1.30	5	6.50	
75	TO	80	1.60	5	8.00	
80	TO	85	0.70	5	3.50	
85	TO	90	0.40	5	2.00	90' @ 0.83 OZ/TON AG
				90	74.70	

TOMBSTONE DEVELOPMENT COMPANY

NO. 9 REPRESENT SCALE 1" = 20'



ROTARY DRILL HOLE T.D.C. 8
 NO. 9 REPRESENT SCALE 1" = 20' ASSAY INTERVALS

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985

PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY


AREA OF DRILL HOLE: NW1/4, NW1/4, SE1/4, SECT. 30, T.20S., R.22E.

DRILL HOLE #TDC-8 (MAP ID #1080)
 COLLAR ELEV.: FINAL DEPTH: 100'
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/3/85 DATE FINISH: 3/3/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM	
0	TO 7	0.50	7		3.50	
7	TO 10	1.00	3		3.00	
10	TO 15	0.40	5		2.00	
15	TO 20	0.10	5		0.50	
20	TO 25	0.90	5		4.50	} 10' @ 1.15 OZ/TON AG
25	TO 30	1.40	5		7.00	
30	TO 35	0.00	5		0.00	} 25' @ 1.12 OZ/TON AG
35	TO 40	1.70	5		8.50	
40	TO 45	1.60	5		8.00	} 10' @ 1.65 OZ/TON AG
45	TO 50	0.30	5		1.50	
50	TO 55	0.70	5		3.50	
55	TO 60	0.40	5		2.00	
60	TO 65	0.80	5		4.00	
65	TO 70	1.10	5		5.50	} 15' @ 1.03 OZ/TON AG
70	TO 75	1.00	5		5.00	
75	TO 80	1.00	5		5.00	
80	TO 85	0.40	5		2.00	
85	TO 90	0.00	5		0.00	
90	TO 95	0.00	5		0.00	
95	TO 100	1.00	5		5.00	
				<u>100</u>	<u>70.50</u>	100' @ 0.71 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY

DEPTH IN FEET



ROTARY DRILL HOLE T.D.C. 9
 NO. 9 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY


AREA OF DRILL HOLE: SE1/4, NE1/4, NW1/4, SECT. 30, T.20S., R.22E.

DRILL HOLE #TDC-9 (MAP ID #1090)
 COLLAR ELEV.: FINAL DEPTH: 40'
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/4/85 DATE FINISH: 3/5/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER X	SAMPLE LENGTH IN FEET	=	SUM	
0	TO	7 0.30	7		2.10	
7	TO	10 1.30	3		3.90	15' @ 1.2 OZ/TON AG
10	TO	15 1.50	5		7.50	
15	TO	20 0.90	5		4.50	
20	TO	25 0.70	5		3.50	
25	TO	30 1.00	5		5.00	15' @ 1.17 OZ/TON AG
30	TO	35 1.40	5		7.00	
35	TO	40 1.10	5		5.50	
				40	39.00	40' @ .98 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY

DEPTH IN FEET



5.0 H. FR. U.S. TUFF

NO. 5 ROTARY DRILL HOLE T.D.C. 10
 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

PAGE 1 OF 1

APRIL 6, 1985

PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: NE1/4, NE1/4, NW1/4, SECT. 30, T.20S., R.22E.


DRILL HOLE #TDC-10 (MAP ID #1100)
 COLLAR ELEV.: FINAL DEPTH: 40'
 COORD.N.: COORD.E.:
 INCLINATION: VERT LOGGED BY: JAB
 DATE START: 3/4/85 DATE FINISH: 3/4/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM
0	TO	7	1.00	7	7.00
7	TO	10	0.00	3	0.00
10	TO	15	1.80	5	9.00
15	TO	20	0.50	5	2.50
20	TO	25	1.10	5	5.50
25	TO	30	1.10	5	5.50
30	TO	35	1.30	5	6.50
35	TO	40	1.00	5	5.00

40 41.00 40' @ 1.03 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY

NO. 5 ROTARY DRILL HOLE T.D.C. 11



NO. 5 ROTARY DRILL HOLE T.D.C. 11
 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY


AREA OF DRILL HOLE: SE1/4, SE1/4, SE1/4, SECT. 19, T.20S., R.22E.

DRILL HOLE #TDC-11 (MAP ID #1110)
 COLLAR ELEV.: FINAL DEPTH: 90'
 COORD. N.: COORD. E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/5/85 DATE FINISH: 3/6/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM	
0	TO 7	1.50	7		10.50	
7	TO 10	1.50	3		4.50	
10	TO 15	1.20	5		6.00	25' @ 1.5 OZ/TON AG
15	TO 20	1.20	5		6.00	
20	TO 25	2.10	5		10.50	
25	TO 30	0.90	5		4.50	50' @ 1.28 OZ/TON AG
30	TO 35	1.10	5		5.50	
35	TO 40	0.50	5		2.50	
40	TO 45	0.90	5		4.50	
45	TO 50	1.90	5		9.50	
50	TO 55	0.80	5		4.00	
55	TO 60	0.00	5		0.00	
60	TO 65	0.00	5		0.00	
65	TO 70	0.00	5		0.00	
70	TO 75	1.00	5		5.00	
75	TO 80	0.20	5		1.00	
80	TO 85	0.00	5		0.00	
85	TO 90	0.00	5		0.00	
				90	74.00	90' @ 0.82 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY

NO. 5 REPRESENT SCALE 1" = 20'



ROTARY DRILL HOLE T.D.C. 12
NO. 5 REPRESENT SCALE 1" = 20'
INTERVALS

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION


APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: SE1/4, SE1/4, SE1/4, SECT. 19, T.20S., R.22E.

DRILL HOLE #TDC-12 (MAP ID #1120)
 COLLAR ELEV.: FINAL DEPTH: 120'
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/7/85 DATE FINISH: 3/7/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM	
0	TO 7	0.70	7		4.90	
7	TO 10	1.10	3		3.30	
10	TO 15	0.90	5		4.50	
15	TO 20	0.00	5		0.00	
20	TO 25	0.90	5		4.50	
25	TO 30	1.60	5		8.00	-15' @ 1.0 OZ/TON AG
30	TO 35	0.30	5		1.50	
35	TO 40	1.10	5		5.50	
40	TO 45	0.60	5		3.00	
45	TO 50	0.50	5		2.50	
50	TO 55	0.50	5		2.50	
55	TO 60	0.00	5		0.00	
60	TO 65	0.60	5		3.00	
65	TO 70	0.70	5		3.50	
70	TO 75	1.40	5		7.00	
75	TO 80	1.60	5		8.00	
80	TO 85	0.00	5		0.00	
85	TO 90	0.40	5		2.00	
90	TO 95	1.60	5		8.00	
95	TO 100	0.00	5		0.00	
100	TO 105	1.50	5		7.50	-10' @ 1.55 OZ/TON AG
105	TO 110	1.60	5		8.00	
110	TO 115	0.50	5		2.50	
115	TO 120	0.00	5		0.00	
			<u>120</u>		<u>89.70</u>	120' @ 0.75 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY



ROTARY DRILL HOLE T.D.C. 13
 NO. 5 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985


PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: SE1/4, SE1/4, SE1/4, SECT. 19, T.20S., R.22E.

DRILL HOLE #TDC-13 (MAP ID #1130)
 COLLAR ELEV.: FINAL DEPTH: 110'
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/7/85 DATE FINISH: 3/7/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM	
0	TO 7	0.80	7		5.60	
7	TO 10	1.20	3		3.60	20' @ 1.24 OZ/TON AG
10	TO 15	1.60	5		8.00	
15	TO 20	1.50	5		7.50	
20	TO 25	0.20	5		1.00	
25	TO 30	0.60	5		3.00	
30	TO 35	0.00	5		0.00	
35	TO 40	0.50	5		2.50	
40	TO 45	1.60	5		8.00	
45	TO 50	0.70	5		3.50	15' @ 1.3 OZ/TON AG
50	TO 55	1.60	5		8.00	
55	TO 60	0.80	5		4.00	
60	TO 65	0.00	5		0.00	
65	TO 70	1.30	5		6.50	
70	TO 75	1.70	5		8.50	15' @ 1.2 OZ/TON AG
75	TO 80	0.70	5		3.50	
80	TO 85	0.40	5		2.00	
85	TO 90	0.90	5		4.50	
90	TO 95	0.80	5		4.00	15' @ 1.2 OZ/TON AG
95	TO 100	1.80	5		9.00	
100	TO 105	0.10	5		0.50	
105	TO 110	0.20	5		1.00	
				<u>110</u>	<u>94.20</u>	110' @ 0.86 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY



ROTARY DRILL HOLE T. D. C. 14
 NO. 6 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION


APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: SE1/4, SE1/4, SE1/4, SECT. 19, T.20S., R.22E.

DRILL HOLE #TDC-14 (MAP ID #1140)
 COLLAR ELEV.: FINAL DEPTH: 100'
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/7/85 DATE FINISH: 3/7/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM	
0	TO 7	1.10	7		7.70	
7	TO 10	0.50	3		1.50	
10	TO 15	0.50	5		2.50	
15	TO 20	1.20	5		6.00	
20	TO 25	0.10	5		0.50	
25	TO 30	1.30	5		6.50	15' @ 1.37 OZ/TON AG
30	TO 35	1.30	5		6.50	
35	TO 40	1.50	5		7.50	
40	TO 45	0.30	5		1.50	
45	TO 50	1.20	5		6.00	
50	TO 55	0.70	5		3.50	
55	TO 60	0.20	5		1.00	
60	TO 65	0.40	5		2.00	
65	TO 70	0.30	5		1.50	
70	TO 75	0.30	5		1.50	
75	TO 80	1.20	5		6.00	15' @ 1.27 OZ/TON AG
80	TO 85	1.20	5		6.00	
85	TO 90	1.40	5		7.00	
90	TO 95	0.00	5		0.00	
95	TO 100	0.40	5		2.00	
				100	76.70	100' @ 0.77 OZ/TON AG

TAMMSTONE DEVELOPMENT COMPANY



NO. 8 ROTARY DRILL HOLE T.D.C. 15
 REPRESENT # OF 5' DAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

PAGE 1 OF 1


APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: SE1/4, SE1/4, SE1/4, SECT. 29, T.20S., R.22E.

DRILL HOLE #TDC-15 (MAP ID #1150)
 COLLAR ELEV.: FINAL DEPTH: 120'
 COORD.N.: COORD.E.:
 INCLINATION: 70° LOGGED BY: JAB
 DATE START: 3/7/85 DATE FINISH: 3/7/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	=	SUM	
0	TO	7	0.40	7	2.80	
7	TO	10	0.50	3	1.50	
10	TO	15	1.20	5	6.00	
15	TO	20	0.00	5	0.00	
20	TO	25	0.10	5	0.50	
25	TO	30	1.60	5	8.00	
30	TO	35	1.70	5	8.50	
35	TO	40	1.80	5	9.00	
40	TO	45	1.60	5	8.00	40' @ 1.33 OZ/TON AG
45	TO	50	1.20	5	6.00	
50	TO	55	0.50	5	2.50	
55	TO	60	1.10	5	5.50	
60	TO	65	1.10	5	5.50	
65	TO	70	0.00	5	0.00	
70	TO	75	1.10	5	5.50	
75	TO	80	0.80	5	4.00	
80	TO	85	1.20	5	6.00	
85	TO	90	0.20	5	1.00	
90	TO	95	1.70	5	8.50	
95	TO	100	0.40	5	2.00	
100	TO	105	0.70	5	3.50	
105	TO	110	0.40	5	2.00	
110	TO	115	0.00	5	0.00	
115	TO	120	1.00	5	5.00	
				120	101.30	120' @ 0.84 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY



NO. 9 ROTARY DRILL HOLE T.D.C. 16
 REPRESENT # OF 5' ASSAY INTERVALS
 SCALE 1" = 20'

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY


AREA OF DRILL HOLE: SE1/4, SW1/4, SE1/4, SECT. 8, T.20S., R.22E.

DRILL HOLE #TDC-16 (MAP ID #1160)
 COLLAR ELEV.: FINAL DEPTH: 130'
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/9/85 DATE FINISH: 3/9/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH X IN FEET	= SUM		
0	TO 7	1.10	7	7.70	30' @ 1.17 OZ/TON AG	
7	TO 10	1.00	3	3.00		
10	TO 15	1.40	5	7.00		
15	TO 20	1.10	5	5.50		
20	TO 25	1.00	5	5.00		
25	TO 30	1.40	5	7.00		
30	TO 35	0.80	5	4.00	50' @ 1.22 OZ/TON AG	
35	TO 40	1.80	5	9.00		
40	TO 45	1.80	5	9.00		
45	TO 50	0.80	5	4.00		
50	TO 55	0.00	5	0.00		
55	TO 60	1.00	5	5.00		
60	TO 65	0.40	5	2.00		
65	TO 70	1.30	5	6.50		
70	TO 75	0.60	5	3.00		
75	TO 80	0.50	5	2.50		
80	TO 85	0.90	5	4.50		
85	TO 90	1.00	5	5.00		
90	TO 95	0.00	5	0.00		
95	TO 100	1.40	5	7.00		
100	TO 105	0.00	5	0.00		
105	TO 110	0.50	5	2.50		
110	TO 115	0.20	5	1.00		
115	TO 120	0.20	5	1.00		
120	TO 125	0.80	5	4.00		
125	TO 130	0.00	5	0.00		
				<u>130</u>	<u>105.20</u>	130' @ 0.81 OZ/TON AG

TOMBSTONE DEVELOPMENT COMPANY

NO. 5 REPRESENT # OF 5" = 20'



ROTARY DRILL HOLE T.D.C. 17
 NO. 5 REPRESENT # OF 5" = 20' INTERVALS

TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985

PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA OF DRILL HOLE: SW1/4, SW1/4, SE1/4, SECT. 8, T.20S., R.22E.


DRILL HOLE #TDC-17 (MAP ID #1170)
 COLLAR ELEV.: FINAL DEPTH: 130'
 COORD.N.: COORD.E.:
 INCLINATION: VERT. LOGGED BY: JAB
 DATE START: 3/9/85 DATE FINISH: 3/10/85

	SAMPLE FOOTAGE	ASSAY OZ/TON SILVER	SAMPLE LENGTH IN FEET	=	SUM	
0	TO 7	1.20	7		8.40	
7	TO 10	0.10	3		0.30	
10	TO 15	0.60	5		3.00	
15	TO 20	1.20	5		6.00	
20	TO 25	0.90	5		4.50	
25	TO 30	0.70	5		3.50	
30	TO 35	0.80	5		4.00	30' @ 1.0 OZ/TON AG
35	TO 40	1.43	5		7.15	
40	TO 45	1.00	5		5.00	15' @ 1.08 OZ/TON AG
45	TO 50	0.70	5		3.50	
50	TO 55	0.40	5		2.00	
55	TO 60	0.00	5		0.00	
60	TO 65	1.40	5		7.00	
65	TO 70	0.60	5		3.00	
70	TO 75	1.70	5		8.50	
75	TO 80	0.70	5		3.50	
80	TO 85	0.70	5		3.50	
85	TO 90	0.30	5		1.50	
90	TO 95	0.70	5		3.50	
95	TO 100	0.70	5		3.50	
100	TO 105	0.80	5		4.00	
105	TO 110	1.50	5		7.50	15' @ 1.1 OZ/TON AG
110	TO 115	0.60	5		3.00	
115	TO 120	1.20	5		6.00	
120	TO 125	0.10	5		0.50	
125	TO 130	0.30	5		1.50	
			130		103.85	130' @ 0.80 OZ/TON AG

APPENDIX 3

TOMBSTONE DEVELOPMENT COMPANY TOMBSTONE DEVELOPMENT COMPANY TOMBSTONE DEVELOPMENT COMPANY TOMBSTONE DEVELOPMENT COMPANY

TRENCH LOG



#S **N. TRENCH GOING FROM E. TO W.** **TRENCH. (PART 2) GOING FROM E. TO W.** **TRENCH. (PART 3A) E TO W, 115-** **W TRENCH. (PART 4) E TO W, 171 TO 186**
 REPRESENT SAMPLE INT. APPROX. 2' REP. SAMPLE INT. APPROX. 3' LOREP. SAMP. INT. APPROX. 2.6' #S REP. SAMP. INT. APPROX. 3.25' LONG
 SCALE APPROXIMATELY 1" = 20' SCALE APPROXIMATELY 1" = 20' SCALE APPROXIMATELY 1" = 20' SCALE APPROXIMATELY 1" = 20'

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA SAMPLED: TDC N. TRENCH SE1/4, SECT. 19, T.20S., R.22E.

DATA ID 2014

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	1.10 OZ/TON	X	2.00	=	2.20	
2	0.20 OZ/TON	X	1.50	=	0.30	
3	1.30 OZ/TON	X	1.50	=	1.95	
4	0.30 OZ/TON	X	0.10	=	0.03	
5	0.00 OZ/TON	X	1.00	=	0.00	
6	0.40 OZ/TON	X	2.00	=	0.80	
<hr/>						
7	1.70 OZ/TON	X	1.00	=	1.70	
8	0.30 OZ/TON	X	2.00	=	0.60	
9	1.20 OZ/TON	X	2.00	=	2.40	
10	0.70 OZ/TON	X	1.50	=	1.05	14.6' @ 1.49 OZ/TON AG
11	1.20 OZ/TON	X	2.00	=	2.40	
12	1.10 OZ/TON	X	1.00	=	1.10	
13	2.50 OZ/TON	X	5.00	=	12.50	
14	0.70 OZ/TON	X	0.10	=	0.07	37.2' @ 1.26 OZ/TON AG
<hr/>						
15	0.20 OZ/TON	X	0.10	=	0.02	
16	0.30 OZ/TON	X	2.00	=	0.60	
<hr/>						
17	1.10 OZ/TON	X	3.00	=	3.30	
18	1.90 OZ/TON	X	2.00	=	3.80	7.5' @ 1.11 OZ/TON AG
19	0.50 OZ/TON	X	2.50	=	1.25	
<hr/>						
20	0.00 OZ/TON	X	1.50	=	0.00	
<hr/>						
21	0.70 OZ/TON	X	2.00	=	1.40	78.8' @ 0.99 OZ/TON AG
22	2.00 OZ/TON	X	1.00	=	2.00	
23	1.60 OZ/TON	X	2.00	=	3.20	
24	2.30 OZ/TON	X	2.00	=	4.60	11.5' @ 1.43 OZ/TON AG
25	0.70 OZ/TON	X	1.00	=	0.70	
26	1.10 OZ/TON	X	2.00	=	2.20	
27	1.50 OZ/TON	X	0.50	=	0.75	
28	1.30 OZ/TON	X	1.00	=	1.30	
<hr/>						
29	0.20 OZ/TON	X	1.50	=	0.30	
30	0.20 OZ/TON	X	2.50	=	0.50	
31	0.10 OZ/TON	X	10.00	=	1.00	
32	1.40 OZ/TON	X	5.00	=	7.00	
33	0.00 OZ/TON	X	2.00	=	0.00	
<hr/>						
34	1.10 OZ/TON	X	3.00	=	3.30	
35	2.30 OZ/TON	X	0.10	=	0.23	
36	0.50 OZ/TON	X	4.00	=	2.00	20.6' @ 1.06 OZ/TON AG
37	1.10 OZ/TON	X	7.00	=	7.70	
38	1.70 OZ/TON	X	3.50	=	5.95	
39	0.90 OZ/TON	X	3.00	=	2.70	
<hr/>						
40	0.20 OZ/TON	X	3.00	=	0.60	
41	0.00 OZ/TON	X	2.00	=	0.00	
42	0.60 OZ/TON	X	2.50	=	1.50	
43	0.00 OZ/TON	X	1.50	=	0.00	
<hr/>						
44	2.30 OZ/TON	X	1.50	=	3.45	4.0' @ 1.56 OZ/TON AG
45	0.00 OZ/TON	X	0.50	=	0.00	
46	1.40 OZ/TON	X	2.00	=	2.80	

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA SAMPLED: TDC N. TRENCH SE1/4, SECT. 19, T.20S., R.22E.

DATA ID 2014

SAMPLE NUMBER	IN	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
47	0.00	OZ/TON	X	2.50	=	0.00	
48	0.00	OZ/TON	X	1.50	=	0.00	
49	0.10	OZ/TON	X	0.50	=	0.05	
50	1.10	OZ/TON	X	3.00	=	3.30	7.6' @ 1.06 OZ/TON AG
51	1.20	OZ/TON	X	2.60	=	3.12	
52	0.80	OZ/TON	X	2.00	=	1.60	
53	0.30	OZ/TON	X	2.00	=	0.60	
54	0.60	OZ/TON	X	1.50	=	0.90	
55	1.90	OZ/TON	X	2.00	=	3.80	12' @ 1.04 OZ/TON AG
56	0.90	OZ/TON	X	6.50	=	5.85	
57	0.80	OZ/TON	X	3.50	=	2.80	
58	0.20	OZ/TON	X	3.50	=	0.70	48.4' @ 0.82 OZ/TON AG
59	0.70	OZ/TON	X	1.00	=	0.70	12.6' @ .86 OZ/TON AG
60	1.90	OZ/TON	X	1.00	=	1.90	
61	1.60	OZ/TON	X	1.60	=	2.56	
62	0.40	OZ/TON	X	6.00	=	2.40	
63	1.10	OZ/TON	X	3.00	=	3.30	
64	0.10	OZ/TON	X	3.20	=	0.32	
65	1.00	OZ/TON	X	6.00	=	6.00	
66	0.00	OZ/TON	X	3.50	=	0.00	
67	0.40	OZ/TON	X	2.30	=	0.92	
68	0.70	OZ/TON	X	2.70	=	1.89	
69	1.60	OZ/TON	X	0.10	=	0.16	
70	1.20	OZ/TON	X	2.50	=	3.00	
71	0.40	OZ/TON	X	4.30	=	1.72	
72	0.70	OZ/TON	X	0.50	=	0.35	
73	0.00	OZ/TON	X	5.50	=	0.00	
74	1.40	OZ/TON	X	3.50	=	4.90	7.2' @ 2.22 OZ/TON AG
75	3.00	OZ/TON	X	3.70	=	11.10	
76	0.10	OZ/TON	X	1.00	=	0.10	
77	0.60	OZ/TON	X	0.30	=	0.18	
78	0.80	OZ/TON	X	0.60	=	0.48	
79	0.00	OZ/TON	X	1.90	=	0.00	
80	0.00	OZ/TON	X	7.50	=	0.00	
81	1.00	OZ/TON	X	1.30	=	1.30	
82	0.00	OZ/TON	X	4.20	=	0.00	
83	0.70	OZ/TON	X	0.10	=	0.07	
84	0.00	OZ/TON	X	1.00	=	0.00	
85	0.90	OZ/TON	X	3.00	=	2.70	6.1' @ 1.25 OZ/TON AG
86	1.60	OZ/TON	X	3.00	=	4.80	
87	1.00	OZ/TON	X	0.10	=	0.10	
88	0.40	OZ/TON	X	5.50	=	2.20	
89	0.20	OZ/TON	X	1.00	=	0.20	
90	0.40	OZ/TON	X	3.20	=	1.28	
91	0.90	OZ/TON	X	5.50	=	4.95	

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA SAMPLED: TDC N. TRENCH SE1/4, SECT. 19, T.20S., R.22E.

DATA ID 2014

SAMPLE NUMBER	IN	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
92	0.40	OZ/TON	X	4.20	=	1.68	
93	1.00	OZ/TON	X	0.50	=	0.50	10.5' @ .79 OZ/TON AG
94	1.20	OZ/TON	X	4.00	=	4.80	
95	0.00	OZ/TON	X	3.50	=	0.00	
96	1.20	OZ/TON	X	2.50	=	3.00	
97	0.50	OZ/TON	X	4.30	=	2.15	27.5' @ .76 OZ/TON AG
98	0.60	OZ/TON	X	3.20	=	1.92	
99	1.10	OZ/TON	X	4.80	=	5.28	
100	0.60	OZ/TON	X	2.00	=	1.20	
101	0.80	OZ/TON	X	2.70	=	2.16	
102	0.20	OZ/TON	X	1.00	=	0.20	
103	0.50	OZ/TON	X	3.50	=	1.75	
104	0.00	OZ/TON	X	3.50	=	0.00	
105	0.30	OZ/TON	X	1.50	=	0.45	
106	1.30	OZ/TON	X	6.00	=	7.80	
107	0.00	OZ/TON	X	2.50	=	0.00	
108	0.00	OZ/TON	X	3.00	=	0.00	
109	0.60	OZ/TON	X	6.50	=	3.90	
110	0.50	OZ/TON	X	2.00	=	1.00	
111	0.70	OZ/TON	X	3.00	=	2.10	
112	0.00	OZ/TON	X	2.00	=	0.00	
113	0.20	OZ/TON	X	2.70	=	0.54	
114	0.40	OZ/TON	X	3.00	=	1.20	
115	0.90	OZ/TON	X	4.00	=	3.60	8' @ 1.2 OZ/TON AG
116	1.50	OZ/TON	X	4.00	=	6.00	
117	0.00	OZ/TON	X	2.00	=	0.00	
118	0.00	OZ/TON	X	3.50	=	0.00	
119	1.40	OZ/TON	X	2.80	=	3.92	2.9' @ 1.39 OZ/TON AG
120	1.10	OZ/TON	X	0.10	=	0.11	
121	0.00	OZ/TON	X	1.50	=	0.00	
122	1.20	OZ/TON	X	1.10	=	1.32	
123	0.00	OZ/TON	X	5.30	=	0.00	
124	1.60	OZ/TON	X	2.40	=	3.84	4.8' @ 1.25 OZ/TON AG
125	0.90	OZ/TON	X	2.40	=	2.16	
126	0.00	OZ/TON	X	2.50	=	0.00	
127	0.00	OZ/TON	X	2.00	=	0.00	
128	0.20	OZ/TON	X	4.00	=	0.80	
129	0.60	OZ/TON	X	3.50	=	2.10	9.5' @ 1.11 OZ/TON AG
130	1.40	OZ/TON	X	6.00	=	8.40	
131	0.10	OZ/TON	X	3.00	=	0.30	
132	0.00	OZ/TON	X	5.00	=	0.00	
133	0.70	OZ/TON	X	1.00	=	0.70	
134	0.90	OZ/TON	X	5.00	=	4.50	
135	0.20	OZ/TON	X	1.50	=	0.30	

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA SAMPLED: TDC N. TRENCH SE1/4, SECT. 19, T.20S., R.22E.

DATA ID 2014

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
136	0.30 OZ/TON	X	2.00	=	0.60	
137	0.50 OZ/TON	X	5.00	=	2.50	16.5' @ 0.63 OZ/TON AG
138	1.10 OZ/TON	X	2.00	=	2.20	
139	0.90 OZ/TON	X	1.00	=	0.90	
140	0.50 OZ/TON	X	1.50	=	0.75	
141	0.70 OZ/TON	X	3.00	=	2.10	
142	0.50 OZ/TON	X	4.00	=	2.00	
143	0.10 OZ/TON	X	4.00	=	0.40	
144	0.70 OZ/TON	X	2.00	=	1.40	13.5' @ 1.57 OZ/TON AG
145	2.00 OZ/TON	X	1.00	=	2.00	
146	1.20 OZ/TON	X	0.50	=	0.60	
147	1.80 OZ/TON	X	3.00	=	5.40	
148	2.50 OZ/TON	X	4.00	=	10.00	
149	0.60 OZ/TON	X	3.00	=	1.80	
150	0.00 OZ/TON	X	1.50	=	0.00	
151	0.70 OZ/TON	X	0.50	=	0.35	103.6' @ 0.97 OZ/TON AG
152	0.00 OZ/TON	X	1.00	=	0.00	
153	1.90 OZ/TON	X	2.50	=	4.75	
154	0.00 OZ/TON	X	3.00	=	0.00	
155	1.20 OZ/TON	X	3.00	=	3.60	
156	0.60 OZ/TON	X	2.00	=	1.20	
157	0.00 OZ/TON	X	2.00	=	0.00	
158	1.10 OZ/TON	X	4.00	=	4.40	40.5' @ 1.19 OZ/TON AG
159	0.30 OZ/TON	X	2.50	=	0.75	
160	1.70 OZ/TON	X	2.00	=	3.40	28' @ 1.4 OZ/TON AG
161	1.50 OZ/TON	X	3.50	=	5.25	
162	0.70 OZ/TON	X	1.50	=	1.05	
163	0.90 OZ/TON	X	1.50	=	1.35	
164	2.40 OZ/TON	X	5.00	=	12.00	
165	1.10 OZ/TON	X	3.00	=	3.30	
166	0.80 OZ/TON	X	2.00	=	1.60	
167	1.90 OZ/TON	X	3.00	=	5.70	
168	0.20 OZ/TON	X	3.50	=	0.70	
169	0.50 OZ/TON	X	6.00	=	3.00	16.5' @ 0.98 OZ/TON AG
170	0.00 OZ/TON	X	0.10	=	0.00	
171	2.00 OZ/TON	X	4.00	=	8.00	
172	0.20 OZ/TON	X	4.00	=	0.80	
173	1.50 OZ/TON	X	3.00	=	4.50	
174	0.20 OZ/TON	X	2.50	=	0.50	
175	0.80 OZ/TON	X	3.00	=	2.40	
176	0.00 OZ/TON	X	3.00	=	0.00	
177	0.30 OZ/TON	X	6.00	=	1.80	7' @ 1.14 OZ/TON AG
178	0.50 OZ/TON	X	4.00	=	2.00	
179	0.50 OZ/TON	X	0.10	=	0.05	
180	1.10 OZ/TON	X	6.00	=	6.60	
181	1.40 OZ/TON	X	1.00	=	1.40	

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985

PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA SAMPLED: TDC N. TRENCH SE1/4, SECT. 19, T.20S., R.22E.

DATA ID 2014

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM
182	0.30 OZ/TON	X	1.50	=	0.45
183	0.90 OZ/TON	X	6.00	=	5.40
184	0.80 OZ/TON	X	1.00	=	0.80
185	0.20 OZ/TON	X	5.00	=	1.00
186	0.70 OZ/TON	X	2.00	=	1.40
			<u>496.30</u>		<u>375.38</u>
496.3' @ 0.76 OZ/TON AG					

DATA ID 2014

FEET X	OZ/ TON	=	SUM
78.80	0.99	=	78.01
4.00	1.56	=	6.24
48.40	0.82	=	39.69
7.20	2.22	=	15.98
6.10	1.25	=	7.63
27.50	0.76	=	20.90
8.00	1.20	=	9.60
2.90	1.39	=	4.03
4.80	1.25	=	6.00
9.50	1.11	=	10.55
103.60	0.97	=	100.49
7.00	1.14	=	7.98
=====			=====
307.80			307.10

1.00 AVERAGE WEIGHTED GRADE

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA SAMPLED: S. TRENCH MOVING E TO W, NW1/4, SE1/4,
 SECT.30, T.20S., R.22E.

DATA ID 2015

SAMPLE NUMBER	IN	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.00	OZ/TON	X	6.00	=	0.00	
2	0.00	OZ/TON	X	2.50	=	0.00	
3	0.50	OZ/TON	X	5.00	=	2.50	12.7' @ 0.6 OZ/TON AG
4	1.30	OZ/TON	X	1.60	=	2.08	
5	0.50	OZ/TON	X	4.00	=	2.00	
6	0.50	OZ/TON	X	2.00	=	1.00	
7	0.70	OZ/TON	X	0.10	=	0.07	
8	0.00	OZ/TON	X	0.00	=	0.10	
9	0.00	OZ/TON	X	3.50	=	0.00	
10	0.80	OZ/TON	X	1.50	=	1.20	
11	0.10	OZ/TON	X	2.50	=	0.25	
12	0.90	OZ/TON	X	2.10	=	1.89	7.9' @ 1.13 OZ/TON AG
13	0.60	OZ/TON	X	2.80	=	1.68	
14	1.10	OZ/TON	X	0.50	=	0.55	
15	2.10	OZ/TON	X	1.00	=	2.10	
16	1.80	OZ/TON	X	1.50	=	2.70	
17	0.20	OZ/TON	X	3.20	=	0.64	
18	0.00	OZ/TON	X	2.50	=	0.00	
19	0.40	OZ/TON	X	7.00	=	2.80	
20	2.20	OZ/TON	X	6.00	=	13.20	20.7' @ 1.42 OZ/TON AG
21	1.20	OZ/TON	X	3.70	=	4.44	
22	0.90	OZ/TON	X	7.00	=	6.30	
23	0.80	OZ/TON	X	2.00	=	1.60	
24	1.90	OZ/TON	X	2.00	=	3.80	
25	0.10	OZ/TON	X	5.00	=	0.50	
26	0.10	OZ/TON	X	7.30	=	0.73	
27	0.30	OZ/TON	X	3.40	=	1.02	
28	0.00	OZ/TON	X	3.00	=	0.00	
29	0.00	OZ/TON	X	1.90	=	0.00	
30	0.90	OZ/TON	X	4.00	=	3.60	
31	0.20	OZ/TON	X	1.80	=	0.36	
32	0.00	OZ/TON	X	2.50	=	0.00	
33	1.40	OZ/TON	X	4.70	=	6.58	20.6' @ 1.01 OZ/TON AG
34	0.10	OZ/TON	X	8.00	=	0.80	
35	1.70	OZ/TON	X	7.90	=	13.43	
36	0.20	OZ/TON	X	1.50	=	0.30	47.5' @ 1.37 OZ/TON AG
37	0.10	OZ/TON	X	1.30	=	0.13	
38	1.20	OZ/TON	X	4.00	=	4.80	24.1' @ 1.81 OZ/TON AG
39	1.50	OZ/TON	X	5.50	=	8.25	
40	1.70	OZ/TON	X	6.00	=	10.20	
41	0.20	OZ/TON	X	0.10	=	0.02	
42	2.40	OZ/TON	X	8.50	=	20.40	
43	0.00	OZ/TON	X	4.50	=	0.00	
44	0.00	OZ/TON	X	2.00	=	0.00	

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA SAMPLED: S. TRENCH MOVING E TO W, NW1/4, SE1/4,
SECT.30, T.20S., R.22E.
 DATA ID 2015

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM
45	0.00 OZ/TON	X	4.20	=	0.00
46	0.00 OZ/TON	X	3.00	=	0.00
47	0.00 OZ/TON	X	2.40	=	0.00
48	0.90 OZ/TON	X	2.00	=	1.80
49	0.30 OZ/TON	X	4.50	=	1.35
50	1.80 OZ/TON	X	9.00	=	16.20
51	0.10 OZ/TON	X	3.00	=	0.30
52	1.40 OZ/TON	X	5.50	=	7.70
53	0.00 OZ/TON	X	0.60	=	0.00
54	0.10 OZ/TON	X	8.50	=	0.85
55	0.70 OZ/TON	X	6.60	=	4.62
56	0.90 OZ/TON	X	0.40	=	0.36
57	0.00 OZ/TON	X	7.60	=	0.00
58	1.00 OZ/TON	X	4.50	=	4.50
59	0.20 OZ/TON	X	3.80	=	0.76
60	1.70 OZ/TON	X	1.50	=	2.55
61	1.20 OZ/TON	X	5.00	=	6.00
62	0.00 OZ/TON	X	5.00	=	0.00
63	1.40 OZ/TON	X	5.00	=	7.00
64	0.50 OZ/TON	X	5.00	=	2.50
65	0.00 OZ/TON	X	5.00	=	0.00
66	0.00 OZ/TON	X	2.50	=	0.00
67	0.20 OZ/TON	X	5.00	=	1.00
68	1.00 OZ/TON	X	3.00	=	3.00
69	0.00 OZ/TON	X	4.00	=	0.00
70	0.00 OZ/TON	X	6.00	=	0.00
71	1.50 OZ/TON	X	3.00	=	4.50
72	0.70 OZ/TON	X	3.50	=	2.45
73	0.00 OZ/TON	X	3.00	=	0.00
74	1.40 OZ/TON	X	2.00	=	2.80
75	0.70 OZ/TON	X	2.00	=	1.40
76	0.00 OZ/TON	X	1.50	=	0.00
77	0.30 OZ/TON	X	3.00	=	0.90
78	0.60 OZ/TON	X	3.50	=	2.10
79	0.50 OZ/TON	X	5.00	=	2.50
80	1.10 OZ/TON	X	2.00	=	2.20
81	0.00 OZ/TON	X	5.00	=	0.00
82	2.10 OZ/TON	X	5.00	=	10.50
83	1.00 OZ/TON	X	6.00	=	6.00
84	0.70 OZ/TON	X	4.00	=	2.80
85	0.00 OZ/TON	X	4.00	=	0.00
86	0.00 OZ/TON	X	5.00	=	0.00
87	1.30 OZ/TON	X	4.00	=	5.20
88	0.50 OZ/TON	X	4.50	=	2.25
89	0.60 OZ/TON	X	5.00	=	3.00
90	1.20 OZ/TON	X	1.50	=	1.80
91	0.00 OZ/TON	X	4.00	=	0.00
92	0.80 OZ/TON	X	4.50	=	3.60
93	0.00 OZ/TON	X	3.00	=	0.00
94	0.60 OZ/TON	X	3.00	=	1.80
95	1.00 OZ/TON	X	3.00	=	3.00

17.5' @ 1.38 OZ/TON AG

24.8' @ .84 OZ/TON AG

15' @ 1.29 OZ/TON AG

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATION

APRIL 6, 1985
 PROPERTY OWNER: TOMBSTONE DEVELOPMENT COMPANY

AREA SAMPLED: S. TRENCH MOVING E TO W, NW1/4, SE1/4,
 SECT.30, T.20S., R.22E.

DATA ID 2015

SAMPLE NUMBER	IN	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
96	0.60	OZ/TON	X	5.50	=	3.30	
97	0.40	OZ/TON	X	6.00	=	2.40	
98	1.30	OZ/TON	X	3.00	=	3.90	
99	0.50	OZ/TON	X	5.00	=	2.50	
100	0.00	OZ/TON	X	5.00	=	0.00	
101	0.20	OZ/TON	X	4.00	=	0.80	
102	0.00	OZ/TON	X	4.00	=	0.00	
103	0.10	OZ/TON	X	5.00	=	0.50	
104	0.00	OZ/TON	X	3.00	=	0.00	
105	1.40	OZ/TON	X	5.00	=	7.00	12' @ 1.63 OZ/TON AG
106	1.80	OZ/TON	X	7.00	=	12.60	
107	0.00	OZ/TON	X	5.00	=	0.00	
108	0.70	OZ/TON	X	4.50	=	3.15	
109	1.00	OZ/TON	X	5.50	=	5.50	
110	0.20	OZ/TON	X	3.50	=	0.70	
111	0.40	OZ/TON	X	6.00	=	2.40	
112	0.00	OZ/TON	X	4.00	=	0.00	
113	1.00	OZ/TON	X	3.50	=	3.50	35.5' @ .94 OZ/TON AG
114	1.10	OZ/TON	X	6.00	=	6.60	
115	1.20	OZ/TON	X	6.00	=	7.20	
116	0.30	OZ/TON	X	6.00	=	1.80	
117	1.20	OZ/TON	X	6.00	=	7.20	
118	0.40	OZ/TON	X	5.00	=	2.00	
119	1.70	OZ/TON	X	3.00	=	5.10	
120	0.40	OZ/TON	X	4.00	=	1.60	
121	1.10	OZ/TON	X	1.20	=	1.32	
122	0.00	OZ/TON	X	1.50	=	0.00	
123	1.10	OZ/TON	X	5.00	=	5.50	
124	0.60	OZ/TON	X	4.00	=	2.40	
125	0.00	OZ/TON	X	6.50	=	0.00	
126	0.00	OZ/TON	X	6.00	=	0.00	
127	0.00	OZ/TON	X	5.00	=	0.00	
128	0.20	OZ/TON	X	4.00	=	0.80	
129	0.00	OZ/TON	X	5.00	=	0.00	
				514.20		331.08	514.2' @ 0.64 OZ/TON AG

DATA ID 2015

FEET X	OZ/ TON	=	SUM
7.90	1.13	=	8.93
20.70	1.42	=	29.39
47.50	1.37	=	65.08
17.50	1.38	=	24.15
24.80	0.84	=	20.83
15.00	1.29	=	19.35
12.00	1.63	=	19.56
3.50	0.94	=	3.29
=====			=====
148.90			190.58

1.28 AVERAGE WEIGHTED GRADE

APPENDIX 4

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
 PROPERTY OWNER: DENNIS V. ABL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN WORKING FROM S TO N, SAMPLING
 TRENCHES CROSS CUTTING THE VEIN. SW1/4,
 NW1/4, SECT. 30, T.20S., R.22E.
 TRENCH #2

DATA ID 2005

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM
1	3.90 OZ/TON	X	0.10	=	0.39
2	1.60 OZ/TON	X	3.50	=	5.60
3	1.50 OZ/TON	X	2.50	=	3.75
4	1.70 OZ/TON	X	2.00	=	3.40
5	0.00 OZ/TON	X	2.50	=	0.00
6	0.60 OZ/TON	X	2.00	=	1.20
7	0.70 OZ/TON	X	4.00	=	2.80
8	2.00 OZ/TON	X	2.00	=	4.00
9	0.80 OZ/TON	X		=	0.00
10	1.50 OZ/TON	X		=	0.00
11	2.20 OZ/TON	X		=	0.00
12	0.00 OZ/TON	X		=	0.00
13	0.00 OZ/TON	X		=	0.00
14	0.60 OZ/TON	X		=	0.00

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
 PROPERTY OWNER: DENNIS V. ABL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #3

DATA ID 2006

SAMPLE NUMBER	ASSAY IN SILVER OZ/TON	X	SAMPLE LENGTH IN FEET	=	SUM	
1	1.60 OZ/TON	X	0.10	=	0.16	0.2' @ 1.45 OZ/TON AG
2	1.30 OZ/TON	X	0.10	=	0.13	
3	0.00 OZ/TON	X	1.00	=	0.00	6.1' @ 0.4 OZ/TON AG
4	0.30 OZ/TON	X	0.10	=	0.03	
5	0.20 OZ/TON	X	1.00	=	0.20	
6	0.00 OZ/TON	X	0.10	=	0.00	
7	0.40 OZ/TON	X	6.00	=	2.40	
8	0.70 OZ/TON	X	0.10	=	0.07	
9	0.00 OZ/TON	X	0.10	=	0.00	34.2' @ 1.5 OZ/TON AG
10	0.10 OZ/TON	X	4.00	=	0.40	
11	0.70 OZ/TON	X	6.00	=	4.20	
12	0.00 OZ/TON	X	0.10	=	0.00	
13	0.00 OZ/TON	X	1.50	=	0.00	
14	1.70 OZ/TON	X	4.00	=	6.80	
15	1.20 OZ/TON	X	1.50	=	1.80	
16	1.30 OZ/TON	X	1.00	=	1.30	
17	1.70 OZ/TON	X	6.00	=	10.20	
18	0.80 OZ/TON	X	6.00	=	4.80	
19	1.70 OZ/TON	X	4.00	=	6.80	
20	0.80 OZ/TON	X	2.00	=	1.60	
21	3.10 OZ/TON	X	1.50	=	4.65	
22	2.30 OZ/TON	X	0.10	=	0.23	
23	5.00 OZ/TON	X	0.10	=	0.50	
24	1.80 OZ/TON	X	6.00	=	10.80	
25	0.90 OZ/TON	X	2.00	=	1.80	
			54.4		58.87	54.4' @ 1.08 OZ/TON AG

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
 PROPERTY OWNER: DENNIS V. ABL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #3

DATA ID 2007

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.00 OZ/TON	X	2.50	=	0.00	
2	1.10 OZ/TON	X	0.10	=	0.11	1.1' @ 1.65 OZ/TON AG
3	1.70 OZ/TON	X	1.00	=	1.70	
4	0.80 OZ/TON	X	2.00	=	1.60	
5	0.00 OZ/TON	X	2.00	=	0.00	
6	0.40 OZ/TON	X	1.50	=	0.60	
7	1.60 OZ/TON	X	0.10	=	0.16	
			9.20		4.17	9.2' @ 0.45 OZ/TON AG

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
 PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #4

DATA ID 2008

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.10 OZ/TON	X	0.10	=	0.01	
2	0.80 OZ/TON	X	1.50	=	1.20	-2.5' @ .84 OZ/TON AG
3	0.90 OZ/TON	X	1.00	=	0.90	
4	0.10 OZ/TON	X	1.50	=	0.15	
5	1.30 OZ/TON	X	2.00	=	2.60	
6	0.00 OZ/TON	X	1.00	=	0.00	
7	0.10 OZ/TON	X	1.00	=	0.10	
8	0.00 OZ/TON	X	1.00	=	0.00	
9	0.10 OZ/TON	X	0.50	=	0.05	
10	1.70 OZ/TON	X	1.20	=	2.04	-2.7' @ 1.26 OZ/TON AG
11	0.90 OZ/TON	X	1.50	=	1.35	
12	0.50 OZ/TON	X	1.50	=	0.75	
13	0.00 OZ/TON	X	1.20	=	0.00	
14	0.50 OZ/TON	X	1.00	=	0.50	-6' @ .96 OZ/TON AG
15	1.30 OZ/TON	X	1.50	=	1.95	
16	1.20 OZ/TON	X	2.00	=	2.40	
17	0.60 OZ/TON	X	1.50	=	0.90	
18	0.00 OZ/TON	X	0.10	=	0.00	
19	0.70 OZ/TON	X	0.10	=	0.07	-.3' @ 1.2 OZ/TON AG
20	2.00 OZ/TON	X	0.10	=	0.20	
21	0.90 OZ/TON	X	0.10	=	0.09	
22	0.20 OZ/TON	X	0.10	=	0.02	
23	0.60 OZ/TON	X	2.50	=	1.50	-10' @ 1.45 OZ/TON AG
24	1.00 OZ/TON	X	1.00	=	1.00	
25	2.10 OZ/TON	X	1.00	=	2.10	
26	2.40 OZ/TON	X	2.00	=	4.80	
27	1.50 OZ/TON	X	2.00	=	3.00	
28	1.40 OZ/TON	X	1.50	=	2.10	
29	0.00 OZ/TON	X	1.00	=	0.00	
30	0.00 OZ/TON	X	0.50	=	0.00	
			<u>33.00</u>		<u>29.78</u>	33.0' @ 0.9 OZ/TON AG

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985

PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #5 (BACKHOE)

DATA ID 2009

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM
1	0.90 OZ/TON	X	0.10	=	0.09
2	2.00 OZ/TON	X	2.00	=	4.00
3	1.10 OZ/TON	X	1.50	=	1.65
4	2.00 OZ/TON	X	1.00	=	2.00
5	0.30 OZ/TON	X	0.10	=	0.03
6	0.30 OZ/TON	X	2.50	=	0.75
7	2.90 OZ/TON	X	3.00	=	8.70
			10.20	=	17.22
					10.2' @ 1.64 OZ/TON AG

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985

PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #6

DATA ID 2010

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	1.40 OZ/TON	X	0.10	=	0.14	2.1' @ 1.35 OZ/TON AG
2	1.60 OZ/TON	X	1.00	=	1.60	
3	1.10 OZ/TON	X	1.00	=	1.10	
4	0.00 OZ/TON	X	0.10	=	0.00	6.1' @ 1.6 OZ/TON AG
5	1.10 OZ/TON	X	1.50	=	1.65	
6	0.00 OZ/TON	X	1.00	=	0.00	
7	1.20 OZ/TON	X	2.00	=	2.40	
8	0.90 OZ/TON	X	0.10	=	0.09	
9	0.90 OZ/TON	X	0.10	=	0.09	
10	0.00 OZ/TON	X	1.50	=	0.00	
11	1.70 OZ/TON	X	2.00	=	3.40	
12	3.50 OZ/TON	X	0.10	=	0.35	
13	1.50 OZ/TON	X	4.00	=	6.00	
14	0.70 OZ/TON	X	4.00	=	2.80	
15	0.60 OZ/TON	X		=	0.00	

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985

PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN - 10' VERTICAL PROSPECT
 SHAFT IN THE FOOT WALL OF THE MAIN STRUCTURE

DATA ID 2011

SAMPLE NUMBER	IN	ASSAY OZ/TON SILVER	X	SAMPLE LENGTH IN FEET	=	SUM
1	0.60	OZ/TON	X	3.00	=	1.80
2	0.40	OZ/TON	X	1.00	=	0.40
3	2.30	OZ/TON	X	1.50	=	3.45
4	0.00	OZ/TON	X	0.60	=	0.00
5	1.90	OZ/TON	X	0.60	=	1.14
6	1.20	OZ/TON	X	0.10	=	0.12
7	0.60	OZ/TON	X	1.00	=	0.60
8	0.20	OZ/TON	X	0.10	=	0.02
9	0.40	OZ/TON	X	0.10	=	0.04
10	0.00	OZ/TON	X	0.10	=	0.00
11	0.50	OZ/TON	X	0.10	=	0.05
12	1.00	OZ/TON	X	0.10	=	0.10
13	1.60	OZ/TON	X	0.50	=	0.80
14	0.50	OZ/TON	X	1.50	=	0.75
15	0.90	OZ/TON	X	1.00	=	0.90
16	1.20	OZ/TON	X	1.50	=	1.80
17	0.30	OZ/TON	X	1.50	=	0.45
				<u>14.30</u>		<u>12.42</u>
						14.3' @ .87 OZ/TON AG

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985

PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN - EXPOSED ROCK IN FRONT
 OF BULKHEADED DECLINE

DATA ID 2012

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM
1	0.90 OZ/TON	X	1.50	=	1.35
2	0.00 OZ/TON	X	0.10	=	0.00
3	0.90 OZ/TON	X	2.00	=	1.80
4	1.20 OZ/TON	X	1.50	=	1.80
			<u>5.10</u>		<u>4.95</u>
					5.1' @ 0.97 OZ/TON AG

TOMBSTONE MINING DISTRICT
 COCHISE COUNTY, ARIZONA
 ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
 PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
 DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
 PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN - CAP MAGAZINE OUTCROP

DATA ID 2013

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.10 OZ/TON	X	1.50	=	0.15	
2	0.60 OZ/TON	X	1.50	=	0.90	
3	0.00 OZ/TON	X	3.00	=	0.00	
4	0.00 OZ/TON	X	1.00	=	0.00	
5	1.20 OZ/TON	X	1.50	=	1.80	
6	1.70 OZ/TON	X	0.10	=	0.17	1.8' @ 1.09 OZ/TON AG
7	3.00 OZ/TON	X	0.10	=	0.30	
8	2.90 OZ/TON	X	0.10	=	0.29	
			<u>8.80</u>		<u>3.61</u>	8.8' @ 0.41 OZ/TON AG

APPENDIX 5

THIS DATA WAS COLLECTED BY DAN ADAMS FOR JIM BRISCOE AND ASSOC, ON 4-4-85
 AT TOMBSTONE, ARIZONA.

 M A P UNC NUCLEAR INDUSTRIES

CONTROL UNIT S/N: AG-001-011
 SOFTWARE REV: AG8F97_9

CD	ELEMENT	UNITS	ASSAYER	CALIB DESCRIPTION	
1	SILVER	OZ/TON	FACE	AG-02-02-008	0 TO 300 O/T
2	ANTIMONY	%	FACE	AG-02-02-008	0 TO 3.32%
3	SILVER	OZ/TON	PROBE	AG-01-01-001	0 TO 300 OZ/TON
4	ANTIMONY	%	PROBE	AG-01-01-001	0 TO 3.32%

DATA ID # 1011

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.1 OZ/TON	SILVER	1	60.0	0.0
2	1.4 OZ/TON	SILVER	1	60.0	0.0
3	0.5 OZ/TON	SILVER	1	60.0	0.0
4	0.4 OZ/TON	SILVER	1	60.0	0.0
5	1.2 OZ/TON	SILVER	1	60.0	0.0
6	1.9 OZ/TON	SILVER	1	60.0	0.0
7	0.6 OZ/TON	SILVER	1	60.0	0.0
8	1.3 OZ/TON	SILVER	1	60.0	0.0
9	0.3 OZ/TON	SILVER	1	60.0	0.0
10	0.5 OZ/TON	SILVER	1	60.0	0.0
11	0.2 OZ/TON	SILVER	1	60.0	0.0
12	1.1 OZ/TON	SILVER	1	60.0	0.0
13	1.7 OZ/TON	SILVER	1	60.0	0.0
14	0.6 OZ/TON	SILVER	1	60.0	0.0
15	0.9 OZ/TON	SILVER	1	60.0	0.0
16	1.3 OZ/TON	SILVER	1	60.0	0.0
17	0.1 OZ/TON	SILVER	1	60.0	0.0
18	0.1 OZ/TON	SILVER	1	60.0	0.0
19	0.7 OZ/TON	SILVER	1	60.0	0.0
20	0.0 OZ/TON	SILVER	1	60.0	0.0
21	0.0 OZ/TON	SILVER	1	60.0	0.0
22	0.3 OZ/TON	SILVER	1	60.0	0.0
23	0.4 OZ/TON	SILVER	1	60.0	0.0
24	0.8 OZ/TON	SILVER	1	60.0	0.0
25	1.5 OZ/TON	SILVER	1	60.0	0.0
26	1.3 OZ/TON	SILVER	1	60.0	0.0

1B



DATA ID # 1012

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.5 OZ/TON	SILVER	1	60.0	0.0
2	0.5 OZ/TON	SILVER	1	60.0	0.0
3	1.5 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	1.9 OZ/TON	SILVER	1	60.0	0.0
6	1.8 OZ/TON	SILVER	1	60.0	0.0
7	1.9 OZ/TON	SILVER	1	60.0	0.0
8	1.6 OZ/TON	SILVER	1	60.0	0.0
9	0.1 OZ/TON	SILVER	1	60.0	0.0
10	2.6 OZ/TON	SILVER	1	60.0	0.0
11	0.9 OZ/TON	SILVER	1	60.0	0.0
12	1.2 OZ/TON	SILVER	1	60.0	0.0
13	0.9 OZ/TON	SILVER	1	60.0	0.0
14	0.0 OZ/TON	SILVER	1	60.0	0.0
15	0.4 OZ/TON	SILVER	1	60.0	0.0
16	0.0 OZ/TON	SILVER	1	60.0	0.0
17	0.8 OZ/TON	SILVER	1	60.0	0.0
18	0.0 OZ/TON	SILVER	1	60.0	0.0
19	0.5 OZ/TON	SILVER	1	60.0	0.0
20	2.3 OZ/TON	SILVER	1	60.0	0.0
21	0.0 OZ/TON	SILVER	1	60.0	0.0
22	0.5 OZ/TON	SILVER	1	60.0	0.0
23	0.7 OZ/TON	SILVER	1	60.0	0.0
24	0.2 OZ/TON	SILVER	1	60.0	0.0
25	0.3 OZ/TON	SILVER	1	60.0	0.0
26	1.6 OZ/TON	SILVER	1	60.0	0.0
27	0.3 OZ/TON	SILVER	1	60.0	0.0
28	1.8 OZ/TON	SILVER	1	60.0	0.0

18
19
18
18

DATA ID # 1020

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.4 OZ/TON	SILVER	1	60.0	0.0
2	1.6 OZ/TON	SILVER	1	60.0	0.0
3	2.2 OZ/TON	SILVER	1	60.0	0.0
4	0.9 OZ/TON	SILVER	1	60.0	0.0
5	1.3 OZ/TON	SILVER	1	60.0	0.0
6	1.0 OZ/TON	SILVER	1	60.0	0.0
7	1.9 OZ/TON	SILVER	1	60.0	0.0
8	1.8 OZ/TON	SILVER	1	60.0	0.0
9	0.3 OZ/TON	SILVER	1	60.0	0.0
10	1.6 OZ/TON	SILVER	1	60.0	0.0
11	0.6 OZ/TON	SILVER	1	60.0	0.0
12	0.6 OZ/TON	SILVER	1	60.0	0.0
13	1.6 OZ/TON	SILVER	1	60.0	0.0
14	1.2 OZ/TON	SILVER	1	60.0	0.0
15	1.4 OZ/TON	SILVER	1	60.0	0.0
16	1.2 OZ/TON	SILVER	1	60.0	0.0
17	1.4 OZ/TON	SILVER	1	60.0	0.0
18	1.1 OZ/TON	SILVER	1	60.0	0.0
19	0.9 OZ/TON	SILVER	1	60.0	0.0
20	0.9 OZ/TON	SILVER	1	60.0	0.0
21	3.9 OZ/TON	SILVER	1	60.0	0.0
22	1.5 OZ/TON	SILVER	1	60.0	0.0
23	0.0 OZ/TON	SILVER	1	60.0	0.0
24	0.4 OZ/TON	SILVER	1	60.0	0.0
25	0.5 OZ/TON	SILVER	1	60.0	0.0

3
4
3

DATA ID # 1030

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.5 OZ/TON	SILVER	1	60.0	0.0
2	1.0 OZ/TON	SILVER	1	60.0	0.0
3	1.6 OZ/TON	SILVER	1	60.0	0.0
4	1.2 OZ/TON	SILVER	1	60.0	0.0
5	0.9 OZ/TON	SILVER	1	60.0	0.0
6	0.7 OZ/TON	SILVER	1	60.0	0.0
7	0.6 OZ/TON	SILVER	1	60.0	0.0
8	1.0 OZ/TON	SILVER	1	60.0	0.0
9	0.6 OZ/TON	SILVER	1	60.0	0.0
10	0.8 OZ/TON	SILVER	1	60.0	0.0
11	0.6 OZ/TON	SILVER	1	60.0	0.0
12	0.6 OZ/TON	SILVER	1	60.0	0.0
13	0.5 OZ/TON	SILVER	1	60.0	0.0
14	1.5 OZ/TON	SILVER	1	60.0	0.0
15	1.0 OZ/TON	SILVER	1	60.0	0.0
16	0.9 OZ/TON	SILVER	1	60.0	0.0
17	1.3 OZ/TON	SILVER	1	60.0	0.0
18	0.7 OZ/TON	SILVER	1	60.0	0.0
19	0.8 OZ/TON	SILVER	1	60.0	0.0
20	2.0 OZ/TON	SILVER	1	60.0	0.0
21	0.8 OZ/TON	SILVER	1	60.0	0.0
22	1.5 OZ/TON	SILVER	1	60.0	0.0
23	0.2 OZ/TON	SILVER	1	60.0	0.0
24	1.3 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1040

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	2.0 OZ/TON	SILVER	1	60.0	0.0
2	2.5 OZ/TON	SILVER	1	60.0	0.0
3	0.9 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	1.3 OZ/TON	SILVER	1	60.0	0.0
6	0.1 OZ/TON	SILVER	1	60.0	0.0
7	0.2 OZ/TON	SILVER	1	60.0	0.0
8	1.6 OZ/TON	SILVER	1	60.0	0.0
9	1.9 OZ/TON	SILVER	1	60.0	0.0
10	0.4 OZ/TON	SILVER	1	60.0	0.0
11	0.9 OZ/TON	SILVER	1	60.0	0.0
12	1.3 OZ/TON	SILVER	1	60.0	0.0
13	1.1 OZ/TON	SILVER	1	60.0	0.0
14	0.9 OZ/TON	SILVER	1	60.0	0.0
15	0.0 OZ/TON	SILVER	1	60.0	0.0
16	0.0 OZ/TON	SILVER	1	60.0	0.0
17	0.0 OZ/TON	SILVER	1	60.0	0.0
18	0.0 OZ/TON	SILVER	1	60.0	0.0
19	0.6 OZ/TON	SILVER	1	60.0	0.0
20	1.8 OZ/TON	SILVER	1	60.0	0.0
21	1.3 OZ/TON	SILVER	0	60.0	0.0
22	1.2 OZ/TON	SILVER	1	60.0	0.0
23	1.2 OZ/TON	SILVER	1	60.0	0.0
24	0.0 OZ/TON	SILVER	1	60.0	0.0
25	0.8 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1050

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.9 OZ/TON	SILVER	1	60.0	0.0
2	0.0 OZ/TON	SILVER	1	60.0	0.0
3	1.3 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	0.4 OZ/TON	SILVER	1	60.0	0.0
6	1.4 OZ/TON	SILVER	1	60.0	0.0
7	1.7 OZ/TON	SILVER	1	60.0	0.0
8	0.2 OZ/TON	SILVER	1	60.0	0.0
9	0.0 OZ/TON	SILVER	1	60.0	0.0
10	0.0 OZ/TON	SILVER	1	60.0	0.0
11	0.0 OZ/TON	SILVER	1	60.0	0.0
12	0.5 OZ/TON	SILVER	1	60.0	0.0
13	0.7 OZ/TON	SILVER	1	60.0	0.0
14	0.9 OZ/TON	SILVER	1	60.0	0.0
15	1.9 OZ/TON	SILVER	1	60.0	0.0
16	0.0 OZ/TON	SILVER	1	60.0	0.0
17	1.6 OZ/TON	SILVER	1	60.0	0.0
18	0.3 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1060

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.0 OZ/TON	SILVER	1	60.0	0.0
2	0.1 OZ/TON	SILVER	1	60.0	0.0
3	0.7 OZ/TON	SILVER	1	60.0	0.0
4	0.3 OZ/TON	SILVER	1	60.0	0.0
5	2.1 OZ/TON	SILVER	1	60.0	0.0
6	0.1 OZ/TON	SILVER	1	60.0	0.0
7	1.2 OZ/TON	SILVER	1	60.0	0.0
8	1.6 OZ/TON	SILVER	1	60.0	0.0
9	1.0 OZ/TON	SILVER	1	60.0	0.0
10	0.6 OZ/TON	SILVER	1	60.0	0.0
11	1.0 OZ/TON	SILVER	1	60.0	0.0
12	1.4 OZ/TON	SILVER	1	60.0	0.0
13	1.9 OZ/TON	SILVER	1	60.0	0.0
14	2.0 OZ/TON	SILVER	1	60.0	0.0
15	0.2 OZ/TON	SILVER	1	60.0	0.0
16	2.3 OZ/TON	SILVER	1	60.0	0.0
17	0.0 OZ/TON	SILVER	1	60.0	0.0
18	0.3 OZ/TON	SILVER	1	60.0	0.0
19	0.3 OZ/TON	SILVER	1	60.0	0.0
20	1.2 OZ/TON	SILVER	1	60.0	0.0
21	0.6 OZ/TON	SILVER	1	60.0	0.0
22	0.4 OZ/TON	SILVER	1	60.0	0.0
23	0.2 OZ/TON	SILVER	1	60.0	0.0
24	0.7 OZ/TON	SILVER	1	60.0	0.0
25	1.0 OZ/TON	SILVER	1	60.0	0.0
26	0.8 OZ/TON	SILVER	1	60.0	0.0
27	0.5 OZ/TON	SILVER	1	60.0	0.0

.....

DATA ID # 1070

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
----	----	-----	--	----	----

.....

DATA ID # 1070

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
----	----	-----	--	----	----

DATA ID # 1080

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.5 OZ/TON	SILVER	1	60.0	0.0
2	1.0 OZ/TON	SILVER	1	60.0	0.0
3	0.4 OZ/TON	SILVER	1	60.0	0.0
4	0.1 OZ/TON	SILVER	1	60.0	0.0
5	0.9 OZ/TON	SILVER	1	60.0	0.0
6	1.4 OZ/TON	SILVER	1	60.0	0.0
7	0.0 OZ/TON	SILVER	1	60.0	0.0
8	2.2 OZ/TON	SILVER	1	60.0	0.0
9	1.2 OZ/TON	SILVER	1	60.0	0.0
10	1.6 OZ/TON	SILVER	1	60.0	0.0
11	0.3 OZ/TON	SILVER	1	60.0	0.0
12	0.7 OZ/TON	SILVER	1	60.0	0.0
13	0.4 OZ/TON	SILVER	1	60.0	0.0
14	0.8 OZ/TON	SILVER	1	60.0	0.0
15	1.1 OZ/TON	SILVER	1	60.0	0.0
16	1.0 OZ/TON	SILVER	1	60.0	0.0
17	1.0 OZ/TON	SILVER	1	60.0	0.0
18	0.4 OZ/TON	SILVER	1	60.0	0.0
19	0.0 OZ/TON	SILVER	1	60.0	0.0
20	0.0 OZ/TON	SILVER	1	60.0	0.0
21	1.0 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1090

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.3 OZ/TON	SILVER	1	60.0	0.0
2	1.3 OZ/TON	SILVER	1	60.0	0.0
3	1.5 OZ/TON	SILVER	1	60.0	0.0
4	0.9 OZ/TON	SILVER	1	60.0	0.0
5	0.7 OZ/TON	SILVER	1	60.0	0.0
6	1.0 OZ/TON	SILVER	1	60.0	0.0
7	1.4 OZ/TON	SILVER	1	60.0	0.0
8	1.1 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1100

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.0 OZ/TON	SILVER	1	60.0	0.0
2	0.0 OZ/TON	SILVER	1	60.0	0.0
3	1.8 OZ/TON	SILVER	1	60.0	0.0
4	0.5 OZ/TON	SILVER	1	60.0	0.0
5	1.1 OZ/TON	SILVER	1	60.0	0.0
6	1.1 OZ/TON	SILVER	1	60.0	0.0
7	1.3 OZ/TON	SILVER	1	60.0	0.0
8	0.9 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1110

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.5 OZ/TON	SILVER	1	60.0	0.0
2	1.5 OZ/TON	SILVER	1	60.0	0.0
3	1.2 OZ/TON	SILVER	1	60.0	0.0
4	1.2 OZ/TON	SILVER	1	60.0	0.0
5	2.7 OZ/TON	SILVER	1	60.0	0.0
6	1.5 OZ/TON	SILVER	1	60.0	0.0
7	0.9 OZ/TON	SILVER	1	60.0	0.0
8	1.1 OZ/TON	SILVER	1	60.0	0.0
9	0.5 OZ/TON	SILVER	1	60.0	0.0
10	0.9 OZ/TON	SILVER	1	60.0	0.0
11	1.8 OZ/TON	SILVER	1	60.0	0.0
12	0.8 OZ/TON	SILVER	1	60.0	0.0
13	0.0 OZ/TON	SILVER	1	60.0	0.0
14	0.0 OZ/TON	SILVER	1	60.0	0.0
15	0.0 OZ/TON	SILVER	1	60.0	0.0
16	1.0 OZ/TON	SILVER	1	60.0	0.0
17	0.2 OZ/TON	SILVER	1	60.0	0.0
18	0.0 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1120

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.7 OZ/TON	SILVER	1	60.0	0.0
2	1.1 OZ/TON	SILVER	1	60.0	0.0
3	0.9 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	0.9 OZ/TON	SILVER	1	60.0	0.0
6	1.6 OZ/TON	SILVER	1	60.0	0.0
7	0.3 OZ/TON	SILVER	1	60.0	0.0
8	1.1 OZ/TON	SILVER	1	60.0	0.0
9	0.6 OZ/TON	SILVER	1	60.0	0.0
10	0.5 OZ/TON	SILVER	1	60.0	0.0
11	0.5 OZ/TON	SILVER	1	60.0	0.0
12	0.0 OZ/TON	SILVER	1	60.0	0.0
13	0.6 OZ/TON	SILVER	1	60.0	0.0
14	0.7 OZ/TON	SILVER	1	60.0	0.0
15	1.3 OZ/TON	SILVER	1	60.0	0.0
16	1.6 OZ/TON	SILVER	1	60.0	0.0
17	0.0 OZ/TON	SILVER	1	60.0	0.0
18	0.4 OZ/TON	SILVER	1	60.0	0.0
19	1.6 OZ/TON	SILVER	1	60.0	0.0
20	0.0 OZ/TON	SILVER	1	60.0	0.0
21	1.4 OZ/TON	SILVER	1	60.0	0.0
22	1.6 OZ/TON	SILVER	1	60.0	0.0
23	0.5 OZ/TON	SILVER	1	60.0	0.0
24	0.0 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1130

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.8 OZ/TON	SILVER	1	60.0	0.0
2	1.2 OZ/TON	SILVER	1	60.0	0.0
3	1.6 OZ/TON	SILVER	1	60.0	0.0
4	1.9 OZ/TON	SILVER	1	60.0	0.0
5	0.0 OZ/TON	SILVER	1	60.0	0.0
6	0.2 OZ/TON	SILVER	1	60.0	0.0
7	0.6 OZ/TON	SILVER	1	60.0	0.0
8	0.0 OZ/TON	SILVER	1	60.0	0.0
9	0.5 OZ/TON	SILVER	1	60.0	0.0
10	2.1 OZ/TON	SILVER	1	60.0	0.0
11	2.0 OZ/TON	SILVER	1	60.0	0.0
12	1.8 OZ/TON	SILVER	1	60.0	0.0
13	0.6 OZ/TON	SILVER	1	60.0	0.0
14	0.7 OZ/TON	SILVER	1	60.0	0.0
15	1.6 OZ/TON	SILVER	1	60.0	0.0
16	0.8 OZ/TON	SILVER	1	60.0	0.0
17	0.0 OZ/TON	SILVER	1	60.0	0.0
18	1.3 OZ/TON	SILVER	1	60.0	0.0
19	1.7 OZ/TON	SILVER	1	60.0	0.0
20	0.7 OZ/TON	SILVER	1	60.0	0.0
21	0.4 OZ/TON	SILVER	1	60.0	0.0
22	0.9 OZ/TON	SILVER	1	60.0	0.0
23	0.8 OZ/TON	SILVER	1	60.0	0.0
24	1.9 OZ/TON	SILVER	1	60.0	0.0
25	1.7 OZ/TON	SILVER	1	60.0	0.0
26	0.1 OZ/TON	SILVER	1	60.0	0.0
27	0.2 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1140

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.1 OZ/TON	SILVER	1	60.0	0.0
2	0.5 OZ/TON	SILVER	1	60.0	0.0
3	0.5 OZ/TON	SILVER	1	60.0	0.0
4	1.2 OZ/TON	SILVER	1	60.0	0.0
5	0.0 OZ/TON	SILVER	1	60.0	0.0
6	1.2 OZ/TON	SILVER	1	60.0	0.0
7	1.3 OZ/TON	SILVER	1	60.0	0.0
8	1.5 OZ/TON	SILVER	1	60.0	0.0
9	0.2 OZ/TON	SILVER	1	60.0	0.0
10	1.1 OZ/TON	SILVER	1	60.0	0.0
11	0.7 OZ/TON	SILVER	1	60.0	0.0
12	0.2 OZ/TON	SILVER	1	60.0	0.0
13	0.4 OZ/TON	SILVER	1	60.0	0.0
14	0.2 OZ/TON	SILVER	1	60.0	0.0
15	0.2 OZ/TON	SILVER	1	60.0	0.0
16	1.2 OZ/TON	SILVER	1	60.0	0.0
17	1.2 OZ/TON	SILVER	1	60.0	0.0
18	1.4 OZ/TON	SILVER	1	60.0	0.0
19	0.0 OZ/TON	SILVER	1	60.0	0.0
20	0.4 OZ/TON	SILVER	1	60.0	0.0



DATA ID # 1150

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.7 OZ/TON	SILVER	1	60.0	0.0
2	0.5 OZ/TON	SILVER	1	60.0	0.0
3	1.2 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	0.1 OZ/TON	SILVER	1	60.0	0.0
6	1.6 OZ/TON	SILVER	1	60.0	0.0
7	1.7 OZ/TON	SILVER	1	60.0	0.0
8	1.8 OZ/TON	SILVER	1	60.0	0.0
9	1.6 OZ/TON	SILVER	1	60.0	0.0
10	1.2 OZ/TON	SILVER	1	60.0	0.0
11	0.5 OZ/TON	SILVER	1	60.0	0.0
12	1.1 OZ/TON	SILVER	1	60.0	0.0
13	1.1 OZ/TON	SILVER	1	60.0	0.0
14	0.0 OZ/TON	SILVER	1	60.0	0.0
15	2.2 OZ/TON	SILVER	1	60.0	0.0
16	0.1 OZ/TON	SILVER	1	60.0	0.0
17	0.9 OZ/TON	SILVER	1	60.0	0.0
18	0.8 OZ/TON	SILVER	1	60.0	0.0
19	1.2 OZ/TON	SILVER	1	60.0	0.0
20	0.2 OZ/TON	SILVER	1	60.0	0.0
21	1.7 OZ/TON	SILVER	1	60.0	0.0
22	0.4 OZ/TON	SILVER	1	60.0	0.0
23	0.7 OZ/TON	SILVER	1	60.0	0.0
24	0.4 OZ/TON	SILVER	1	60.0	0.0
25	0.0 OZ/TON	SILVER	1	60.0	0.0
26	1.0 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1160

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.3 OZ/TON	SILVER	1	60.0	0.0
2	0.8 OZ/TON	SILVER	1	60.0	0.0
3	0.0 OZ/TON	SILVER	1	60.0	0.0
4	0.6 OZ/TON	SILVER	1	60.0	0.0
5	1.8 OZ/TON	SILVER	1	60.0	0.0
6	0.8 OZ/TON	SILVER	1	60.0	0.0
7	1.4 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1160

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.0 OZ/TON	SILVER	1	60.0	0.0
2	1.0 OZ/TON	SILVER	1	60.0	0.0
3	1.4 OZ/TON	SILVER	1	60.0	0.0
4	1.1 OZ/TON	SILVER	1	60.0	0.0
5	1.0 OZ/TON	SILVER	1	60.0	0.0
6	1.4 OZ/TON	SILVER	1	60.0	0.0
7	0.8 OZ/TON	SILVER	1	60.0	0.0
8	1.7 OZ/TON	SILVER	1	60.0	0.0
9	1.7 OZ/TON	SILVER	1	60.0	0.0
10	0.8 OZ/TON	SILVER	1	60.0	0.0
11	0.0 OZ/TON	SILVER	1	60.0	0.0
12	1.0 OZ/TON	SILVER	1	60.0	0.0
13	0.4 OZ/TON	SILVER	1	60.0	0.0
14	2.1 OZ/TON	SILVER	1	60.0	0.0
15	0.4 OZ/TON	SILVER	1	60.0	0.0
16	0.6 OZ/TON	SILVER	1	60.0	0.0
17	0.5 OZ/TON	SILVER	1	60.0	0.0
18	0.9 OZ/TON	SILVER	1	60.0	0.0
19	1.0 OZ/TON	SILVER	1	60.0	0.0
20	0.0 OZ/TON	SILVER	1	60.0	0.0
21	1.4 OZ/TON	SILVER	1	60.0	0.0
22	0.0 OZ/TON	SILVER	1	60.0	0.0
23	0.5 OZ/TON	SILVER	1	60.0	0.0
24	0.2 OZ/TON	SILVER	1	60.0	0.0
25	0.2 OZ/TON	SILVER	1	60.0	0.0
26	0.8 OZ/TON	SILVER	1	60.0	0.0
27	0.0 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1170

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.2 OZ/TON	SILVER	1	60.0	0.0
2	0.1 OZ/TON	SILVER	1	60.0	0.0
3	0.6 OZ/TON	SILVER	1	60.0	0.0
4	1.2 OZ/TON	SILVER	1	60.0	0.0
5	0.9 OZ/TON	SILVER	1	60.0	0.0
6	0.7 OZ/TON	SILVER	1	60.0	0.0
7	0.8 OZ/TON	SILVER	1	60.0	0.0
8	2.5 OZ/TON	SILVER	1	60.0	0.0
9	0.9 OZ/TON	SILVER	1	60.0	0.0
10	0.9 OZ/TON	SILVER	1	60.0	0.0
11	1.0 OZ/TON	SILVER	1	60.0	0.0
12	0.7 OZ/TON	SILVER	1	60.0	0.0
13	0.4 OZ/TON	SILVER	1	60.0	0.0
14	0.0 OZ/TON	SILVER	1	60.0	0.0
15	1.4 OZ/TON	SILVER	1	60.0	0.0
16	0.6 OZ/TON	SILVER	1	60.0	0.0
17	1.6 OZ/TON	SILVER	1	60.0	0.0
18	0.7 OZ/TON	SILVER	1	60.0	0.0
19	0.7 OZ/TON	SILVER	1	60.0	0.0
20	0.3 OZ/TON	SILVER	1	60.0	0.0
21	0.7 OZ/TON	SILVER	1	60.0	0.0
22	0.7 OZ/TON	SILVER	1	60.0	0.0
23	0.7 OZ/TON	SILVER	1	60.0	0.0
24	1.5 OZ/TON	SILVER	1	60.0	0.0
25	0.6 OZ/TON	SILVER	1	60.0	0.0
26	1.2 OZ/TON	SILVER	1	60.0	0.0
27	0.1 OZ/TON	SILVER	1	60.0	0.0
28	0.3 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 1070

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
----------------	-------	---------	----	----------------	---------------

DATA ID # 0107

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
----------------	-------	---------	----	----------------	---------------

DATA ID # 1070

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.8 OZ/TON	SILVER	1	60.0	0.0
2	1.2 OZ/TON	SILVER	1	60.0	0.0
3	1.5 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	0.9 OZ/TON	SILVER	1	60.0	0.0
6	0.4 OZ/TON	SILVER	1	60.0	0.0
7	1.0 OZ/TON	SILVER	1	60.0	0.0
8	0.8 OZ/TON	SILVER	1	60.0	0.0
9	0.6 OZ/TON	SILVER	1	60.0	0.0
10	0.4 OZ/TON	SILVER	1	60.0	0.0
11	0.9 OZ/TON	SILVER	1	60.0	0.0
12	1.4 OZ/TON	SILVER	1	60.0	0.0
13	0.1 OZ/TON	SILVER	1	60.0	0.0
14	0.9 OZ/TON	SILVER	1	60.0	0.0
15	1.3 OZ/TON	SILVER	1	60.0	0.0
16	1.6 OZ/TON	SILVER	1	60.0	0.0
17	0.7 OZ/TON	SILVER	1	60.0	0.0
18	0.4 OZ/TON	SILVER	1	60.0	0.0

THIS DATA WAS COLLECTED BY DAN ADAMS FOR JIM BRISCOE AND ASSOC. AT THEIR
TOMBSTONE, ARIZ. PROPERTY ON 4-5-85 AND 4-6-85.

M A P UNC NUCLEAR INDUSTRIES

CONTROL UNIT S/N: AG-001-011
SOFTWARE REV: AG8F97_9

CD	ELEMENT	UNITS	ASSAYER	CALIB DESCRIPTION	
1	SILVER	OZ/TON	FACE AG-02-02-008	0 TO 300 D/T	032585
2	ANTIMONY	%	FACE AG-02-02-008	0 TO 3.32%	032785
3	SILVER	OZ/TON	PROBE AG-01-01-001	0 TO 300 OZ/TON	021485
4	ANTIMONY	%	PROBE AG-01-01-001	0 TO 3.32%	021585

DATA ID # 2001

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	2.0 OZ/TON	SILVER	1	60.0	0.0
2	2.8 OZ/TON	SILVER	1	60.0	0.0
3	51.4 OZ/TON	SILVER	1	60.0	0.0
4	1.5 OZ/TON	SILVER	1	60.0	0.0
5	7.0 OZ/TON	SILVER	1	60.0	0.0
6	1.3 OZ/TON	SILVER	1	60.0	0.0
7	0.5 OZ/TON	SILVER	1	60.0	0.0
8	0.9 OZ/TON	SILVER	1	60.0	0.0
9	1.3 OZ/TON	SILVER	1	60.0	0.0
10	2.4 OZ/TON	SILVER	1	60.0	0.0
11	12.0 OZ/TON	SILVER	1	60.0	0.0
12	0.0 OZ/TON	SILVER	1	60.0	0.0
13	3.5 OZ/TON	SILVER	1	60.0	0.0
14	161.8 OZ/TON	SILVER	1	60.0	0.0
15	145.9 OZ/TON	SILVER	1	60.0	0.0
16	0.3 OZ/TON	SILVER	1	32.0	0.0
17	2.2 OZ/TON	SILVER	1	32.0	0.0
18	0.6 OZ/TON	SILVER	1	60.0	0.0
19	0.5 OZ/TON	SILVER	1	60.0	0.0
20	3.2 OZ/TON	SILVER	1	60.0	0.0
21	0.2 OZ/TON	SILVER	1	60.0	0.0
22	1.1 OZ/TON	SILVER	1	60.0	0.0
23	1.7 OZ/TON	SILVER	1	60.0	0.0
24	0.3 OZ/TON	SILVER	1	60.0	0.0
25	1.4 OZ/TON	SILVER	1	60.0	0.0
26	0.0 OZ/TON	SILVER	1	60.0	0.0
27	1.5 OZ/TON	SILVER	1	60.0	0.0
28	1.4 OZ/TON	SILVER	1	60.0	0.0
29	0.4 OZ/TON	SILVER	1	60.0	0.0
30	0.3 OZ/TON	SILVER	1	60.0	0.0
31	0.9 OZ/TON	SILVER	1	60.0	0.0
32	0.0 OZ/TON	SILVER	1	60.0	0.0
33	1.5 OZ/TON	SILVER	1	60.0	0.0
34	0.0 OZ/TON	SILVER	1	60.0	0.0
35	0.8 OZ/TON	SILVER	1	60.0	0.0
36	1.4 OZ/TON	SILVER	1	60.0	0.0
37	5.3 OZ/TON	SILVER	1	60.0	0.0
38	12.2 OZ/TON	SILVER	1	60.0	0.0
39	14.7 OZ/TON	SILVER	1	60.0	0.0

Tombeiro Flow
Open #
Overhaul
putting
open #

*Don't forget to check the
 Don't forget to check the
 Don't forget to check the
 Don't forget to check the
 Don't forget to check the*



DATA ID # 2002

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.5 OZ/TON	SILVER	1	60.0	0.0
2	0.0 OZ/TON	SILVER	1	60.0	0.0
3	0.0 OZ/TON	SILVER	1	60.0	0.0
4	0.7 OZ/TON	SILVER	1	60.0	0.0
5	1.4 OZ/TON	SILVER	1	60.0	0.0

Shaft along S. side closer cut S.E. of TDC N. Trunk



DATA ID # 2003

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.1 OZ/TON	SILVER	1	60.0	0.0
2	1.2 OZ/TON	SILVER	1	60.0	0.0
3	0.9 OZ/TON	SILVER	1	60.0	0.0
4	1.7 OZ/TON	SILVER	1	60.0	0.0
5	0.2 OZ/TON	SILVER	1	60.0	0.0
6	1.0 OZ/TON	SILVER	1	60.0	0.0
7	0.2 OZ/TON	SILVER	1	60.0	0.0
8	0.0 OZ/TON	SILVER	1	60.0	0.0
9	0.3 OZ/TON	SILVER	1	60.0	0.0
10	1.2 OZ/TON	SILVER	1	60.0	0.0
11	0.1 OZ/TON	SILVER	1	60.0	0.0
12	0.0 OZ/TON	SILVER	1	60.0	0.0
13	0.0 OZ/TON	SILVER	1	60.0	0.0
14	1.1 OZ/TON	SILVER	1	60.0	0.0
15	1.4 OZ/TON	SILVER	1	60.0	0.0
16	0.4 OZ/TON	SILVER	1	60.0	0.0

Muster Mine Area Working from S to N.

Muster

DATA ID # 2004

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.5 OZ/TON	SILVER	1	60.0	0.0
2	0.9 OZ/TON	SILVER	1	60.0	0.0
3	0.0 OZ/TON	SILVER	1	60.0	0.0
4	1.1 OZ/TON	SILVER	1	60.0	0.0
5	1.1 OZ/TON	SILVER	1	60.0	0.0
6	0.9 OZ/TON	SILVER	1	60.0	0.0
7	0.0 OZ/TON	SILVER	1	60.0	0.0
8	0.0 OZ/TON	SILVER	1	60.0	0.0
9	1.2 OZ/TON	SILVER	1	60.0	0.0
10	0.6 OZ/TON	SILVER	1	60.0	0.0
11	0.7 OZ/TON	SILVER	1	60.0	0.0
12	0.0 OZ/TON	SILVER	1	60.0	0.0
13	1.1 OZ/TON	SILVER	1	60.0	0.0
14	2.7 OZ/TON	SILVER	1	60.0	0.0
15	3.7 OZ/TON	SILVER	1	60.0	0.0
16	0.3 OZ/TON	SILVER	1	60.0	0.0
17	1.3 OZ/TON	SILVER	1	60.0	0.0
18	0.1 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 2005

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	3.9 OZ/TON	SILVER	1	60.0	0.0
2	1.6 OZ/TON	SILVER	1	60.0	0.0
3	1.5 OZ/TON	SILVER	1	60.0	0.0
4	1.7 OZ/TON	SILVER	1	60.0	0.0
5	0.0 OZ/TON	SILVER	1	60.0	0.0
6	0.6 OZ/TON	SILVER	1	60.0	0.0
7	0.7 OZ/TON	SILVER	1	60.0	0.0
8	2.0 OZ/TON	SILVER	1	60.0	0.0
9	0.8 OZ/TON	SILVER	1	60.0	0.0
10	1.5 OZ/TON	SILVER	1	30.0	0.0
11	2.2 OZ/TON	SILVER	1	30.0	0.0
12	0.0 OZ/TON	SILVER	1	30.0	0.0
13	0.0 OZ/TON	SILVER	1	30.0	0.0
14	0.6 OZ/TON	SILVER	1	29.0	0.0

DATA ID # 2006

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.6 OZ/TON	SILVER	1	60.0	0.0
2	1.3 OZ/TON	SILVER	1	60.0	0.0
3	0.0 OZ/TON	SILVER	1	60.0	0.0
4	0.3 OZ/TON	SILVER	1	60.0	0.0
5	0.2 OZ/TON	SILVER	1	60.0	0.0
6	0.0 OZ/TON	SILVER	1	60.0	0.0
7	0.4 OZ/TON	SILVER	1	60.0	0.0
8	0.7 OZ/TON	SILVER	1	60.0	0.0
9	0.0 OZ/TON	SILVER	1	60.0	0.0
10	0.1 OZ/TON	SILVER	1	60.0	0.0
11	0.7 OZ/TON	SILVER	1	60.0	0.0
12	0.0 OZ/TON	SILVER	1	60.0	0.0
13	0.0 OZ/TON	SILVER	1	60.0	0.0
14	1.7 OZ/TON	SILVER	1	60.0	0.0
15	1.2 OZ/TON	SILVER	1	60.0	0.0
16	1.3 OZ/TON	SILVER	1	60.0	0.0
17	1.7 OZ/TON	SILVER	1	60.0	0.0
18	0.8 OZ/TON	SILVER	1	60.0	0.0
19	1.7 OZ/TON	SILVER	1	60.0	0.0
20	0.8 OZ/TON	SILVER	1	60.0	0.0
21	3.1 OZ/TON	SILVER	1	60.0	0.0
22	2.3 OZ/TON	SILVER	1	60.0	0.0
23	5.0 OZ/TON	SILVER	1	60.0	0.0
24	1.8 OZ/TON	SILVER	1	60.0	0.0
25	0.9 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 2007

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.0 OZ/TON	SILVER	1	60.0	0.0
2	1.1 OZ/TON	SILVER	1	60.0	0.0
3	1.7 OZ/TON	SILVER	1	60.0	0.0
4	0.8 OZ/TON	SILVER	0	60.0	0.0
5	0.0 OZ/TON	SILVER	1	60.0	0.0
6	0.4 OZ/TON	SILVER	1	60.0	0.0
7	1.6 OZ/TON	SILVER	0	60.0	0.0

DATA ID # 2008

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.1 OZ/TON	SILVER	1	60.0	0.0
2	0.8 OZ/TON	SILVER	1	60.0	0.0
3	0.9 OZ/TON	SILVER	1	60.0	0.0
4	0.1 OZ/TON	SILVER	1	60.0	0.0
5	1.3 OZ/TON	SILVER	1	60.0	0.0
6	0.0 OZ/TON	SILVER	1	60.0	0.0
7	0.1 OZ/TON	SILVER	1	60.0	0.0
8	0.0 OZ/TON	SILVER	1	60.0	0.0
9	0.1 OZ/TON	SILVER	1	60.0	0.0
10	1.7 OZ/TON	SILVER	1	60.0	0.0
11	0.9 OZ/TON	SILVER	1	60.0	0.0
12	0.5 OZ/TON	SILVER	1	60.0	0.0
13	0.0 OZ/TON	SILVER	1	60.0	0.0
14	0.5 OZ/TON	SILVER	1	60.0	0.0
15	1.3 OZ/TON	SILVER	1	60.0	0.0
16	1.2 OZ/TON	SILVER	1	60.0	0.0
17	0.6 OZ/TON	SILVER	1	60.0	0.0
18	0.0 OZ/TON	SILVER	1	60.0	0.0
19	0.7 OZ/TON	SILVER	1	60.0	0.0
20	2.0 OZ/TON	SILVER	1	60.0	0.0
21	0.9 OZ/TON	SILVER	1	60.0	0.0
22	0.2 OZ/TON	SILVER	1	60.0	0.0
23	0.6 OZ/TON	SILVER	1	60.0	0.0
24	1.0 OZ/TON	SILVER	1	60.0	0.0
25	2.1 OZ/TON	SILVER	1	60.0	0.0
26	2.4 OZ/TON	SILVER	1	60.0	0.0
27	1.5 OZ/TON	SILVER	1	60.0	0.0
28	1.4 OZ/TON	SILVER	1	60.0	0.0
29	0.0 OZ/TON	SILVER	1	60.0	0.0
30	0.0 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 2009

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.9 OZ/TON	SILVER	1	60.0	0.0
2	2.0 OZ/TON	SILVER	1	60.0	0.0
3	1.1 OZ/TON	SILVER	1	60.0	0.0
4	2.0 OZ/TON	SILVER	1	60.0	0.0
5	0.3 OZ/TON	SILVER	1	60.0	0.0
6	0.3 OZ/TON	SILVER	1	60.0	0.0
7	2.9 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 2011

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.6 OZ/TON	SILVER	1	60.0	0.0
2	0.4 OZ/TON	SILVER	1	60.0	0.0
3	2.3 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	1.9 OZ/TON	SILVER	1	60.0	0.0
6	1.2 OZ/TON	SILVER	1	60.0	0.0
7	0.6 OZ/TON	SILVER	1	60.0	0.0
8	0.2 OZ/TON	SILVER	1	60.0	0.0
9	0.4 OZ/TON	SILVER	1	60.0	0.0
10	0.0 OZ/TON	SILVER	1	60.0	0.0
11	0.5 OZ/TON	SILVER	1	60.0	0.0
12	1.0 OZ/TON	SILVER	1	60.0	0.0
13	1.6 OZ/TON	SILVER	1	60.0	0.0
14	0.5 OZ/TON	SILVER	1	60.0	0.0
15	0.9 OZ/TON	SILVER	1	60.0	0.0
16	1.2 OZ/TON	SILVER	1	60.0	0.0
17	0.3 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 2012

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.9 OZ/TON	SILVER	1	60.0	0.0
2	0.0 OZ/TON	SILVER	1	60.0	0.0
3	0.9 OZ/TON	SILVER	1	60.0	0.0
4	1.2 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 2013

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.1 OZ/TON	SILVER	1	60.0	0.0
2	0.6 OZ/TON	SILVER	1	60.0	0.0
3	0.0 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	1.2 OZ/TON	SILVER	1	60.0	0.0
6	1.7 OZ/TON	SILVER	1	60.0	0.0
7	3.0 OZ/TON	SILVER	1	49.0	0.0
8	2.9 OZ/TON	SILVER	1	52.0	0.0

DATA ID # 2014

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.1 OZ/TON	SILVER	1	60.0	0.0
2	0.2 OZ/TON	SILVER	1	60.0	0.0
3	1.3 OZ/TON	SILVER	1	60.0	0.0
4	0.3 OZ/TON	SILVER	1	60.0	0.0
5	0.0 OZ/TON	SILVER	1	60.0	0.0
6	0.4 OZ/TON	SILVER	1	60.0	0.0
7	1.7 OZ/TON	SILVER	1	60.0	0.0
8	0.3 OZ/TON	SILVER	1	60.0	0.0
9	1.2 OZ/TON	SILVER	1	60.0	0.0
10	0.7 OZ/TON	SILVER	1	60.0	0.0
11	1.2 OZ/TON	SILVER	1	60.0	0.0
12	1.1 OZ/TON	SILVER	1	60.0	0.0
13	2.5 OZ/TON	SILVER	1	60.0	0.0
14	0.7 OZ/TON	SILVER	1	60.0	0.0
15	0.2 OZ/TON	SILVER	1	60.0	0.0
16	0.3 OZ/TON	SILVER	1	60.0	0.0
17	1.1 OZ/TON	SILVER	1	60.0	0.0
18	1.9 OZ/TON	SILVER	1	60.0	0.0
19	0.5 OZ/TON	SILVER	1	60.0	0.0
20	0.0 OZ/TON	SILVER	1	60.0	0.0
21	0.7 OZ/TON	SILVER	1	60.0	0.0
22	2.0 OZ/TON	SILVER	1	60.0	0.0
23	1.6 OZ/TON	SILVER	1	60.0	0.0
24	2.3 OZ/TON	SILVER	1	60.0	0.0
25	0.7 OZ/TON	SILVER	1	60.0	0.0
26	1.1 OZ/TON	SILVER	1	60.0	0.0
27	1.5 OZ/TON	SILVER	1	60.0	0.0
28	1.3 OZ/TON	SILVER	1	60.0	0.0

29	0.2 OZ/TON	SILVER	1	60.0	0.0
30	0.2 OZ/TON	SILVER	1	60.0	0.0
31	0.1 OZ/TON	SILVER	1	103.0	0.0
32	1.4 OZ/TON	SILVER	1	62.0	0.0
33	0.0 OZ/TON	SILVER	1	60.0	0.0
34	1.1 OZ/TON	SILVER	1	60.0	0.0
35	2.3 OZ/TON	SILVER	1	60.0	0.0
36	0.5 OZ/TON	SILVER	1	60.0	0.0
37	1.1 OZ/TON	SILVER	1	102.0	0.0
38	1.7 OZ/TON	SILVER	1	60.0	0.0
39	0.9 OZ/TON	SILVER	1	60.0	0.0
40	0.2 OZ/TON	SILVER	1	60.0	0.0
41	0.0 OZ/TON	SILVER	1	60.0	0.0
42	0.6 OZ/TON	SILVER	1	96.0	0.0
43	0.0 OZ/TON	SILVER	1	60.0	0.0
44	2.3 OZ/TON	SILVER	1	60.0	0.0
45	0.0 OZ/TON	SILVER	1	60.0	0.0
46	1.4 OZ/TON	SILVER	1	60.0	0.0
47	0.0 OZ/TON	SILVER	1	60.0	0.0
48	0.0 OZ/TON	SILVER	1	60.0	0.0
49	0.1 OZ/TON	SILVER	1	60.0	0.0
50	1.1 OZ/TON	SILVER	1	60.0	0.0
51	1.2 OZ/TON	SILVER	1	60.0	0.0
52	0.8 OZ/TON	SILVER	1	60.0	0.0
53	0.3 OZ/TON	SILVER	1	60.0	0.0
54	0.6 OZ/TON	SILVER	1	60.0	0.0
55	1.9 OZ/TON	SILVER	1	60.0	0.0
56	0.9 OZ/TON	SILVER	1	60.0	0.0
57	0.8 OZ/TON	SILVER	1	60.0	0.0
58	0.2 OZ/TON	SILVER	1	60.0	0.0
59	0.7 OZ/TON	SILVER	1	60.0	0.0
60	1.9 OZ/TON	SILVER	1	60.0	0.0
61	1.6 OZ/TON	SILVER	1	60.0	0.0
62	0.4 OZ/TON	SILVER	1	60.0	0.0
63	1.1 OZ/TON	SILVER	1	60.0	0.0
64	0.1 OZ/TON	SILVER	1	60.0	0.0
65	1.0 OZ/TON	SILVER	1	60.0	0.0

66	0.0 OZ/TON	SILVER	1	60.0	0.0
67	0.4 OZ/TON	SILVER	1	60.0	0.0
68	0.7 OZ/TON	SILVER	1	60.0	0.0
69	1.6 OZ/TON	SILVER	1	60.0	0.0
70	1.2 OZ/TON	SILVER	1	60.0	0.0
71	0.4 OZ/TON	SILVER	1	60.0	0.0
72	0.7 OZ/TON	SILVER	1	60.0	0.0
73	0.0 OZ/TON	SILVER	1	60.0	0.0
74	1.4 OZ/TON	SILVER	1	60.0	0.0
75	3.0 OZ/TON	SILVER	1	60.0	0.0
76	0.1 OZ/TON	SILVER	1	60.0	0.0
77	0.6 OZ/TON	SILVER	1	60.0	0.0
78	0.8 OZ/TON	SILVER	1	60.0	0.0
79	0.0 OZ/TON	SILVER	1	60.0	0.0
80	0.0 OZ/TON	SILVER	1	60.0	0.0
81	1.0 OZ/TON	SILVER	1	60.0	0.0
82	0.0 OZ/TON	SILVER	1	60.0	0.0
83	0.7 OZ/TON	SILVER	1	60.0	0.0
84	0.0 OZ/TON	SILVER	1	60.0	0.0
85	0.9 OZ/TON	SILVER	1	60.0	0.0
86	1.6 OZ/TON	SILVER	1	60.0	0.0
87	1.0 OZ/TON	SILVER	1	60.0	0.0
88	0.4 OZ/TON	SILVER	1	60.0	0.0
89	0.2 OZ/TON	SILVER	1	60.0	0.0
90	0.4 OZ/TON	SILVER	1	60.0	0.0
91	0.9 OZ/TON	SILVER	1	60.0	0.0
92	0.4 OZ/TON	SILVER	1	60.0	0.0
93	1.0 OZ/TON	SILVER	1	60.0	0.0
94	1.2 OZ/TON	SILVER	1	60.0	0.0
95	0.0 OZ/TON	SILVER	1	60.0	0.0
96	1.2 OZ/TON	SILVER	1	60.0	0.0
97	0.5 OZ/TON	SILVER	1	60.0	0.0
98	0.6 OZ/TON	SILVER	1	60.0	0.0
99	1.1 OZ/TON	SILVER	1	60.0	0.0
100	0.6 OZ/TON	SILVER	1	60.0	0.0
101	0.8 OZ/TON	SILVER	1	60.0	0.0

102	0.2 OZ/TON	SILVER	1	60.0	0.0
103	0.5 OZ/TON	SILVER	1	60.0	0.0
104	0.0 OZ/TON	SILVER	1	60.0	0.0
105	0.3 OZ/TON	SILVER	1	60.0	0.0
106	1.3 OZ/TON	SILVER	1	60.0	0.0
107	0.0 OZ/TON	SILVER	1	60.0	0.0
108	0.0 OZ/TON	SILVER	1	60.0	0.0
109	0.6 OZ/TON	SILVER	1	60.0	0.0
110	0.5 OZ/TON	SILVER	1	60.0	0.0
111	0.7 OZ/TON	SILVER	1	60.0	0.0
112	0.0 OZ/TON	SILVER	1	60.0	0.0
113	0.2 OZ/TON	SILVER	1	60.0	0.0
114	0.4 OZ/TON	SILVER	1	60.0	0.0
115	0.9 OZ/TON	SILVER	1	60.0	0.0
116	1.5 OZ/TON	SILVER	1	60.0	0.0
117	0.0 OZ/TON	SILVER	1	60.0	0.0
118	0.0 OZ/TON	SILVER	1	60.0	0.0
119	1.4 OZ/TON	SILVER	1	60.0	0.0
120	1.1 OZ/TON	SILVER	1	60.0	0.0
121	0.0 OZ/TON	SILVER	1	60.0	0.0
122	1.2 OZ/TON	SILVER	1	60.0	0.0
123	0.0 OZ/TON	SILVER	1	60.0	0.0
124	1.6 OZ/TON	SILVER	1	60.0	0.0
125	0.9 OZ/TON	SILVER	1	60.0	0.0
126	0.0 OZ/TON	SILVER	1	60.0	0.0
127	0.0 OZ/TON	SILVER	1	60.0	0.0
128	0.2 OZ/TON	SILVER	1	60.0	0.0
129	0.6 OZ/TON	SILVER	1	60.0	0.0
130	1.4 OZ/TON	SILVER	1	60.0	0.0
131	0.1 OZ/TON	SILVER	1	60.0	0.0
132	0.0 OZ/TON	SILVER	1	60.0	0.0
133	0.7 OZ/TON	SILVER	1	60.0	0.0
134	0.9 OZ/TON	SILVER	1	60.0	0.0
135	0.2 OZ/TON	SILVER	1	60.0	0.0
136	0.3 OZ/TON	SILVER	1	60.0	0.0

137	0.5 OZ/TON	SILVER	1	60.0	0.0
138	1.1 OZ/TON	SILVER	1	60.0	0.0
139	0.9 OZ/TON	SILVER	1	60.0	0.0
140	0.5 OZ/TON	SILVER	1	60.0	0.0
141	0.7 OZ/TON	SILVER	1	60.0	0.0
142	0.5 OZ/TON	SILVER	1	60.0	0.0
143	0.1 OZ/TON	SILVER	1	60.0	0.0
144	0.7 OZ/TON	SILVER	1	60.0	0.0
145	2.0 OZ/TON	SILVER	1	60.0	0.0
146	1.2 OZ/TON	SILVER	1	60.0	0.0
147	1.8 OZ/TON	SILVER	1	60.0	0.0
148	2.5 OZ/TON	SILVER	1	60.0	0.0
149	0.6 OZ/TON	SILVER	1	60.0	0.0
150	0.0 OZ/TON	SILVER	1	60.0	0.0
151	0.7 OZ/TON	SILVER	1	60.0	0.0
152	0.0 OZ/TON	SILVER	1	60.0	0.0
153	1.9 OZ/TON	SILVER	1	60.0	0.0
154	0.0 OZ/TON	SILVER	1	60.0	0.0
155	1.2 OZ/TON	SILVER	1	60.0	0.0
156	0.6 OZ/TON	SILVER	1	60.0	0.0
157	0.0 OZ/TON	SILVER	1	60.0	0.0
158	1.1 OZ/TON	SILVER	1	60.0	0.0
159	0.3 OZ/TON	SILVER	1	60.0	0.0
160	1.7 OZ/TON	SILVER	1	60.0	0.0
161	1.5 OZ/TON	SILVER	1	60.0	0.0
162	0.7 OZ/TON	SILVER	1	60.0	0.0
163	0.9 OZ/TON	SILVER	1	60.0	0.0
164	2.4 OZ/TON	SILVER	1	60.0	0.0
165	1.1 OZ/TON	SILVER	1	60.0	0.0
166	0.8 OZ/TON	SILVER	1	60.0	0.0
167	1.9 OZ/TON	SILVER	1	60.0	0.0
168	0.2 OZ/TON	SILVER	1	60.0	0.0
169	0.5 OZ/TON	SILVER	1	60.0	0.0
170	0.0 OZ/TON	SILVER	1	60.0	0.0
171	2.0 OZ/TON	SILVER	1	60.0	0.0
172	0.2 OZ/TON	SILVER	1	60.0	0.0
173	1.5 OZ/TON	SILVER	1	60.0	0.0
174	0.2 OZ/TON	SILVER	1	60.0	0.0

175	0.8	OZ/TON	SILVER	1	60.0	0.0
176	0.0	OZ/TON	SILVER	1	60.0	0.0
177	0.3	OZ/TON	SILVER	1	60.0	0.0
178	0.5	OZ/TON	SILVER	1	60.0	0.0
179	0.5	OZ/TON	SILVER	1	60.0	0.0
180	1.1	OZ/TON	SILVER	1	60.0	0.0
181	1.4	OZ/TON	SILVER	1	60.0	0.0
182	0.3	OZ/TON	SILVER	1	60.0	0.0
183	0.9	OZ/TON	SILVER	1	60.0	0.0
184	0.8	OZ/TON	SILVER	1	60.0	0.0
185	0.2	OZ/TON	SILVER	1	60.0	0.0
186	0.7	OZ/TON	SILVER	1	60.0	0.0

DATA ID # 2015

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.0 OZ/TON	SILVER	1	60.0	0.0
2	0.0 OZ/TON	SILVER	1	60.0	0.0
3	0.5 OZ/TON	SILVER	1	60.0	0.0
4	1.3 OZ/TON	SILVER	1	60.0	0.0
5	0.5 OZ/TON	SILVER	1	60.0	0.0
6	0.5 OZ/TON	SILVER	1	60.0	0.0
7	0.7 OZ/TON	SILVER	1	60.0	0.0
8	0.0 OZ/TON	SILVER	1	60.0	0.0
9	0.0 OZ/TON	SILVER	1	60.0	0.0
10	0.8 OZ/TON	SILVER	1	60.0	0.0
11	0.1 OZ/TON	SILVER	1	60.0	0.0
12	0.9 OZ/TON	SILVER	1	60.0	0.0
13	0.6 OZ/TON	SILVER	1	60.0	0.0
14	1.1 OZ/TON	SILVER	1	60.0	0.0
15	2.1 OZ/TON	SILVER	1	60.0	0.0
16	1.8 OZ/TON	SILVER	1	60.0	0.0
17	0.2 OZ/TON	SILVER	1	60.0	0.0
18	0.0 OZ/TON	SILVER	1	60.0	0.0
19	0.4 OZ/TON	SILVER	1	60.0	0.0
20	2.2 OZ/TON	SILVER	1	60.0	0.0
21	1.2 OZ/TON	SILVER	1	60.0	0.0
22	0.9 OZ/TON	SILVER	1	60.0	0.0
23	0.8 OZ/TON	SILVER	1	60.0	0.0
24	1.9 OZ/TON	SILVER	1	60.0	0.0
25	0.1 OZ/TON	SILVER	1	60.0	0.0
26	0.1 OZ/TON	SILVER	1	60.0	0.0
27	0.3 OZ/TON	SILVER	1	60.0	0.0

28	0.0	OZ/TON	SILVER	1	60.0	0.0
29	0.0	OZ/TON	SILVER	1	60.0	0.0
30	0.9	OZ/TON	SILVER	1	60.0	0.0
31	0.2	OZ/TON	SILVER	1	60.0	0.0
32	0.0	OZ/TON	SILVER	1	60.0	0.0
33	1.4	OZ/TON	SILVER	1	60.0	0.0
34	0.1	OZ/TON	SILVER	1	60.0	0.0
35	1.7	OZ/TON	SILVER	1	60.0	0.0
36	0.2	OZ/TON	SILVER	1	60.0	0.0
37	0.1	OZ/TON	SILVER	1	60.0	0.0
38	1.2	OZ/TON	SILVER	1	60.0	0.0
39	1.5	OZ/TON	SILVER	1	60.0	0.0
40	1.7	OZ/TON	SILVER	1	60.0	0.0
41	0.2	OZ/TON	SILVER	1	60.0	0.0
42	2.4	OZ/TON	SILVER	1	60.0	0.0
43	0.0	OZ/TON	SILVER	1	60.0	0.0
44	0.0	OZ/TON	SILVER	1	60.0	0.0
45	0.0	OZ/TON	SILVER	1	60.0	0.0
46	0.0	OZ/TON	SILVER	1	60.0	0.0
47	0.0	OZ/TON	SILVER	1	60.0	0.0
48	0.9	OZ/TON	SILVER	1	60.0	0.0
49	0.3	OZ/TON	SILVER	1	60.0	0.0
50	1.8	OZ/TON	SILVER	1	60.0	0.0
51	0.1	OZ/TON	SILVER	1	60.0	0.0
52	1.4	OZ/TON	SILVER	1	60.0	0.0
53	0.0	OZ/TON	SILVER	1	60.0	0.0
54	0.1	OZ/TON	SILVER	1	60.0	0.0
55	0.7	OZ/TON	SILVER	1	60.0	0.0
56	0.9	OZ/TON	SILVER	1	60.0	0.0
57	0.0	OZ/TON	SILVER	1	60.0	0.0
58	1.0	OZ/TON	SILVER	1	60.0	0.0
59	0.2	OZ/TON	SILVER	1	60.0	0.0
60	1.7	OZ/TON	SILVER	1	60.0	0.0
61	1.2	OZ/TON	SILVER	1	60.0	0.0
62	0.0	OZ/TON	SILVER	1	60.0	0.0
63	1.4	OZ/TON	SILVER	1	60.0	0.0
64	0.5	OZ/TON	SILVER	1	60.0	0.0
65	0.0	OZ/TON	SILVER	1	60.0	0.0

66	0.0	OZ/TON	SILVER	1	60.0	0.0
67	0.2	OZ/TON	SILVER	1	60.0	0.0
68	1.0	OZ/TON	SILVER	1	60.0	0.0
69	0.0	OZ/TON	SILVER	1	60.0	0.0
70	0.0	OZ/TON	SILVER	1	60.0	0.0
71	1.5	OZ/TON	SILVER	1	60.0	0.0
72	0.7	OZ/TON	SILVER	1	60.0	0.0
73	0.0	OZ/TON	SILVER	1	60.0	0.0
74	1.4	OZ/TON	SILVER	1	60.0	0.0
75	0.7	OZ/TON	SILVER	1	60.0	0.0
76	0.0	OZ/TON	SILVER	1	60.0	0.0
77	0.3	OZ/TON	SILVER	1	60.0	0.0
78	0.6	OZ/TON	SILVER	1	60.0	0.0
79	0.5	OZ/TON	SILVER	1	60.0	0.0
80	1.1	OZ/TON	SILVER	1	60.0	0.0
81	0.0	OZ/TON	SILVER	1	60.0	0.0
82	2.1	OZ/TON	SILVER	1	60.0	0.0
83	1.0	OZ/TON	SILVER	1	60.0	0.0
84	0.7	OZ/TON	SILVER	1	60.0	0.0
85	0.0	OZ/TON	SILVER	1	60.0	0.0
86	0.0	OZ/TON	SILVER	1	60.0	0.0
87	1.3	OZ/TON	SILVER	1	60.0	0.0
88	0.5	OZ/TON	SILVER	1	60.0	0.0
89	0.6	OZ/TON	SILVER	1	60.0	0.0
90	1.2	OZ/TON	SILVER	1	60.0	0.0
91	0.0	OZ/TON	SILVER	1	60.0	0.0
92	0.8	OZ/TON	SILVER	1	60.0	0.0
93	0.0	OZ/TON	SILVER	1	60.0	0.0
94	0.6	OZ/TON	SILVER	1	60.0	0.0
95	1.0	OZ/TON	SILVER	1	60.0	0.0
96	0.6	OZ/TON	SILVER	1	60.0	0.0
97	0.4	OZ/TON	SILVER	1	60.0	0.0
98	1.3	OZ/TON	SILVER	1	60.0	0.0
99	0.5	OZ/TON	SILVER	1	60.0	0.0

100	0.0	OZ/TON	SILVER	1	60.0	0.0
101	0.2	OZ/TON	SILVER	1	60.0	0.0
102	0.0	OZ/TON	SILVER	1	60.0	0.0
103	0.1	OZ/TON	SILVER	1	60.0	0.0
104	0.0	OZ/TON	SILVER	1	60.0	0.0
105	1.4	OZ/TON	SILVER	1	60.0	0.0
106	1.8	OZ/TON	SILVER	1	60.0	0.0
107	0.0	OZ/TON	SILVER	1	60.0	0.0
108	0.7	OZ/TON	SILVER	1	60.0	0.0
109	1.0	OZ/TON	SILVER	1	60.0	0.0
110	0.2	OZ/TON	SILVER	1	60.0	0.0
111	0.4	OZ/TON	SILVER	1	60.0	0.0
112	0.0	OZ/TON	SILVER	1	60.0	0.0
113	1.0	OZ/TON	SILVER	1	60.0	0.0
114	1.1	OZ/TON	SILVER	1	60.0	0.0
115	1.2	OZ/TON	SILVER	1	60.0	0.0
116	0.3	OZ/TON	SILVER	1	60.0	0.0
117	1.2	OZ/TON	SILVER	1	60.0	0.0
118	0.4	OZ/TON	SILVER	1	60.0	0.0
119	1.7	OZ/TON	SILVER	1	60.0	0.0
120	0.4	OZ/TON	SILVER	1	60.0	0.0
121	1.1	OZ/TON	SILVER	1	60.0	0.0
122	0.0	OZ/TON	SILVER	1	60.0	0.0
123	1.1	OZ/TON	SILVER	1	60.0	0.0
124	0.6	OZ/TON	SILVER	1	60.0	0.0
125	0.0	OZ/TON	SILVER	1	60.0	0.0
126	0.0	OZ/TON	SILVER	1	60.0	0.0
127	0.0	OZ/TON	SILVER	1	60.0	0.0
128	0.2	OZ/TON	SILVER	1	60.0	0.0
129	0.0	OZ/TON	SILVER	1	60.0	0.0

DATA ID # 3016

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.8 OZ/TON	SILVER	1	60.0	0.0
2	1.3 OZ/TON	SILVER	1	60.0	0.0
3	3.1 OZ/TON	SILVER	1	60.0	0.0
4	0.3 OZ/TON	SILVER	1	60.0	0.0
5	0.8 OZ/TON	SILVER	1	60.0	0.0
6	1.3 OZ/TON	SILVER	1	60.0	0.0
7	0.8 OZ/TON	SILVER	1	60.0	0.0
8	1.0 OZ/TON	SILVER	1	60.0	0.0
9	1.2 OZ/TON	SILVER	1	60.0	0.0
10	1.3 OZ/TON	SILVER	1	60.0	0.0
11	0.4 OZ/TON	SILVER	1	60.0	0.0
12	0.3 OZ/TON	SILVER	1	60.0	0.0
13	1.0 OZ/TON	SILVER	1	60.0	0.0
14	1.8 OZ/TON	SILVER	1	60.0	0.0
15	0.8 OZ/TON	SILVER	1	60.0	0.0
16	1.7 OZ/TON	SILVER	1	60.0	0.0
17	0.5 OZ/TON	SILVER	1	60.0	0.0
18	0.8 OZ/TON	SILVER	1	60.0	0.0
19	2.0 OZ/TON	SILVER	1	60.0	0.0
20	0.0 OZ/TON	SILVER	1	60.0	0.0
21	0.8 OZ/TON	SILVER	1	60.0	0.0
22	0.3 OZ/TON	SILVER	1	60.0	0.0
23	0.0 OZ/TON	SILVER	1	60.0	0.0
24	1.3 OZ/TON	SILVER	1	60.0	0.0
25	0.9 OZ/TON	SILVER	1	60.0	0.0
26	0.9 OZ/TON	SILVER	1	60.0	0.0
27	0.9 OZ/TON	SILVER	1	60.0	0.0
28	1.6 OZ/TON	SILVER	1	60.0	0.0
29	6.1 OZ/TON	SILVER	1	60.0	0.0
30	1.6 OZ/TON	SILVER	1	60.0	0.0
31	1.0 OZ/TON	SILVER	1	60.0	0.0
32	0.8 OZ/TON	SILVER	1	60.0	0.0

Field Notes - n
T.D.S. Holes 3, 11, 14, 16

Field Notes on Drift Holes

TDC-11. Vert. Drilled 8/5/85

	% Coarse % fine	
0-7	70	KUT
7-10	65	"
10-15	75	"
15-20	95	"
20-25	75	"
25-30	90	"
30-35	95	"
35-40	95	"
40-45	98	st MNDK + 30%
45-50	98	" " "
50-55	95	MNDK = 5% - K and poor
55-60	85	"
60-65	85	"
65-70	90	"
70-75	90	st KUT
75-80	85	MNDK + 15
80-85	95	" st + 25 Poor rec of coarse frags
85-90	85	" + 20 " " " ? Kut rk & dark - some may be K5 frags
90-95		EDF - lost. Circ.
95-100		
100-105		
105-110		
110		

TDC-14 - Vert. Drilled 3/7/85 - Start 12:00 AM
Finish PM

100%
% Fine

0-7	75
7-10	70
10-15	75
15-20	90
20-25	90
25-30	85
30-35	85
35-40	70
40-45	65
45-50	75
50-55	75
55-60	85
60-65	70
65-70	60
70-75	60
75-80	70
80-85	85
85-90	80
90-95	70
95-100	75
100-105	
105-110	
110-115	
115-120	

2/22/85 Tombstone M.D., Cochise Co., AZ
 RDH JDC-3 Vert. Depth 120' Rotary - Warm Circ.

Interval	Depth	Notes
0-7	25 75	collected in Qal
7-10	30 70	Qal
10-15	15 85	
15-20	30 70	BR? 1/2 thin sample?
20-25	70	
25-30	75	
30-35	70	@ 35 - angle pos (dike)?
35-40	75	"
40-45	90	"
45-50	90	"
50-55	90	"
55-60	90	"
65-70	1	"
75-80	1	"
80-85	90	"
85-90	70	HF - calc sil
90-95	95	HF - calc sil
95-100	75	HF - calc sil.
100-105	95	
105-110		
110-115		
115-120		
EDH		

drilling slower than in Kb - drill powdering at
 ≤ 1 1/2 in of P4

@ 83

5% Qal frags indicates calc
 calc silicate - gne HF

Waldrip (5-9-86)

James A. Briscoe & Associates, Inc.

Exploration Consultants:

Base and Precious Metals/Geologic and Land Studies/Regional and Detail Projects

James A. Briscoe
Registered Professional Geologist

Thomas E. Waldrip, Jr.
Geologist/Landman

REGISTERED MAIL # P176 202 179

May 9, 1986

Michael Rice
Natural Resource Planner
Arizona State Land Department
1624 West Adams
Phoenix, AZ 85012

RE: Cancellation/release of bond for 08-83771 and 08-84101 -
response to correspondence of November 27, 1985

Dear Mr. Rice:

Pursuant to your above referenced correspondence, please find following a resume of drilling activities and resulting studies related thereto. Data is somewhat meager, as economic conditions have deteriorated substantially since holes were drilled. Subsequent exploration funds were delegated to other projects of merit instead of originally anticipated priorities of logging and assaying. Our delinquency is thus explained as to the amount of data provided.

GENERAL DATA - The following data applies to all drill holes:

1. All holes were drilled dry with air.
2. All holes were surfaced cased to 5 feet in depth and capped with plastic caps.
3. All holes were 4 3/4 inches in diameter of variable depths and inclination (most being vertical).
4. All holes were drilled using an Atlas-Copco Roc-604 air track drill. No road access or drill site construction was necessary. Access was from pre-existing roads and trails.
5. One quarter gallon drill cutting splits were retained per each five foot interval drilled.
6. Cuttings from each hole were glued to a "coreboard" at a scale of 1" = 10', using a coarse, fine and panned fraction.

7. Drill cuttings were "assayed" with a UNC Silver MAP unit (x-ray fluorescence) for silver mineralization. All holes indicated detectable silver mineralization. All results, however, were in the range of minimum detectability for the machine (less than 1.5 oz. Ag/ton) at the time readings were taken. This was an orientation survey for high grade mineable zones. Results were negative, and thus, were not retained. For quantitative purposes, a longer reading interval would be required.
8. No geophysical or geochemical logs have been made by the Permittee.
9. One fenced trench exists in the area of 08-84101 (see map, Attachment 1).

The following holes were drilled per each permit area (please refer to the attached map for drill hole location):

Prospecting Permit 08-84101 (Section 19, T.20S., R.22E., G.&S.R.B.M.):

Drill Hole TDC #11 - Vertical, 90 feet deep
TDC #11 was collared in intensely sericitized and silicified porphyry, probably the Laramide-Uncle Sam Tuff, and remained in this rock to the bottom at 90 feet. Variable amounts of limonite and hematite after pyrite were noticeable as well as black manganese oxides near the bottom of the hole. No sulfides were encountered.

Drill Hole TDC #12 - Vertical, 95 feet deep
TDC #12 was collared in intensely argillized and silicified porphyry, probably the Laramide-Uncle Sam Tuff. It remained in this rock to the bottom at 95 feet. Variable amounts of hematite and limonite after pyrite were noticeable in the cuttings. as were black manganese oxides, particularly towards the base of the hole. No sulfides were intercepted.

Drill Hole TDC #13 - Vertical, 95 feet deep
TDC #13 was collared in strongly argillized porphyry - probably Laramide-Uncle Sam Tuff, and remained in this rock type to the bottom at 95 feet. Variable mounts of limonite and hematite after pyrite and manganese oxides were noticeable in the cuttings. No sulfides were intersected.

Michael Rice
Arizona State Land Department
May 9, 1986
Page 3 of 4

Drill Hole TDC #14 - Vertical, 95 feet deep
TDC #14 was collared in moderately to intensely argillized porphyry, probably the Laramide-Uncle Sam Tuff, and remained in that rock to the bottom at 95 feet. Variable amounts of limonite and hematite after pyrite, as well as black manganese oxides towards the bottom of the hole were noticeable in the cuttings- but no sulfide minerals were intersected.

Drill Hole TDC #15 - Minus 70 degrees (20 degrees off vertical), 120 feet deep on incline
TDC #15 was drilled in a southeasterly direction at approximately right angles to a silicified zone in intensely altered Uncle Sam Tuff. It intercepted this rock type throughout its depth of 120'. Variable amounts of limonite and hematite after pyrite were noticeable in the cuttings, but no sulfide minerals were intersected.

Prospecting Permit 08-83771, Section 29, T.20S., R.22E.,
G.&S.R.B.M.:

Drill Hole TDC #1-A - Vertical, 120 feet deep
TDC #1-A was collared in weakly altered Cretaceous Bisbee Sediments and remained in this formation to a total depth at 120 feet. Variable amounts of limonite and hematite after pyrite were noticeable in drill cuttings. Sulphides (pyrite) were first encountered at about 100 feet in depth. Within the oxidized zone, the sediments were moderately to noticeable bleached from their normal maroon color. The unbleached maroon color predominates in the sulphide zone.

Drill Hole TDC #1-B - Vertical, 120 feet deep
TDC #1-B was collared in weakly altered Cretaceous Bisbee Sediments and remained in this Formation to total depth of 120 feet. Variable amounts of limonite and hematite after pyrite were noticeable in drill cuttings. Sulphides were first encountered at 85 feet. Within the oxidized and sulphide zones, the sediments were moderately to noticeable bleached from their normal unaltered maroon color.

Drill Hole TDC #2 - Vertical, 120 feet deep
TDC #2 was collared in very weakly altered Cretaceous Bisbee Sediments and remained in this formation to a total depth of 120 feet. Noticeable manganese oxide filled fractures in the upper 10 feet of the hole but gave way to only weakly bleached rock for the next 50 feet, with varying amounts of limonite and hematite + manganese

Michael Rice
Arizona State Land Department
May 9, 1986
Page 4 of 4

oxides. Fresh, unaltered sediments were encountered below
60 feet.

The Permittee of past referenced Prospecting Permit (08-84101) is currently Permittee of record (08-91639) covering the same area of work/exploration thereon discussed herein. We would like to see that any exploration efforts performed to date and detailed herein, remain status quo, until further exploration is performed. Should this situation, in your opinion, create an exception to the release of the restoration bond for Prospecting Permit 08-84101, please see that an agreement is drawn up for Permittee's signature, which can postpone any restoration and release Permittee from past surety agent, wherein, obligations so accrued would transfer to Permittee current bond for Prospecting Permit (08-91639).

Respectfully, we would request any information supplied, herein, be kept confidential for the maximum protracted period possible for Prospecting Permit 08-84101, or through the longevity of Prospecting Permit #08-91639.

Results for Prospecting Permit 08-83771 may be handled at your discretion.

Thank you for your patience and cooperation in these matters.

Sincerely,


JAMES A. BRISCOE & ASSOCIATES, INC.

Thomas E. Waldrip, Jr.
Land Manager

TEW/ms

Enclosure

ATTACHMENT 1



SCALE 1" = 2000'
1:24,000

