CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
416 W. Congress St., Suite 100
Tucson, Arizona 85701
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the JABA, Inc. Tombstone Mining Records

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

James A. Briscoe & Associates, Inc.

Exploration Consultants:
Base and Precious Metals/Geologic and Land Studies/Regional and Detail Projects

James A. Briscoe
Registered Professional Geologist

Thomas E. Waldrip, Jr.
Geologist/Landman

June 20, 1985

Seth Horne, President
James Stewart Company
3033 North Central
Phoenix, AZ 85012

RE: Report on diamond drill core recovery, and UNC Silver Metal Analysis Probe (UNC Silver MAP) results suggesting geologically indicated reserves of 1 million tons of +2 oz. silver at the Charleston Lead Mine, Tombstone Mining District, Cochise County, Arizona

Dear Mr. Horne:

As of the first part of next week, I believe that we will have completed our "archeological dig" and recovery of vandalized core boxes at the Charleston Mine. All recovered core has been re-boxed in new boxes, and transported to a weather-tight building at the Escapule's State of Maine Mine. At this time, they have made the building available to us rent free. As I have described to you before, much of the core could be identified by a box number and footage blocks, even though the boxes were too weathered to touch, much less move. However, approximately half of the core was simply located on a grid system, and we hope to reconstruct its relationship to the identifiable boxes, and thus its hole number and depth later on. For the present time, though, there is no need to do this, and the core is safely stored until we have the time, money, and need to do further sorting. This recovered core represents an invaluable data base for understanding both the deep subsurface geology, as well as more near surface mineralization. Originally, the core was drilled to explore for deep-seated porphyry copper mineralization, and the upper portions of the holes were not assayed. It is quite conceivable that significant precious metal values were penetrated but not identified in the core.

On April 6 and April 7, 1985, Mr. Dan Adams of Western Exploration, Inc., operator for the United Nuclear Corporation Silver Metal Analyses Probe (Silver MAP), and I took about 156 "channel" sample assays in the Charleston Lead Mine pit and its

5701 East Glenn Street, Suite 120/Tucson, Arizona 85712/602•721-1375

immediate perimeter. We also took samples along the Mustang Vein, now apparently held by Mr. Dennis V. Abbl, which is surrounded by your claims. The Mustang Vein is probably the northeasterly extension of the Charleston Vein exposed in the Charleston Lead Mine pit. Thus, information from the Mustang Vein is pertinent to the understanding and evaluation of the Charleston Lead Mine itself.

The results of this survey I feel are most encouraging. Before describing those results, however, let me first describe the UNC Silver MAP method. Also for your interest. I have copied some of their literature and enclosed it as Appendix 1.

ASSAY PROCEDURE

The "channel" type samples taken in the Charleston Lead Mine and Mustang Vein areas were assayed on April 6 and 7 by geologist Dan Adams of Western Exploration, Inc., using a United Nuclear Corporation Silver Metals Analysis Probe (the UNC Silver MAP). This is a portable x-ray florescence unit which uses a radioactive isotope as a source of radiation to determine element quantities by x-ray floresence. Though various "heads" are avaliable for the instrument, in this case we used only the silver head, and analyzed only for silver. The x-ray florescence method has been used to analyze for a variety of elements for perhaps the last 20 to 30 years. In the past, it has only been usable in a laboratory where electricity to power an x-ray tube and non-portable bulky equipment could be located. Thus, the sample to be analyzed had to be taken to the x-ray florescence machine. With the advent of micro-electronics and micro-computers, as well as the availability of radioactive isotopes, the UNC instrument was made possible. This instrument is described more fully in accompanying data in Appendix 1. In the two days that Dan Adams and I spent channel sampling the Mustang Vein and the Charleston pit, we analyzed 283 samples at an average cost of $6.79 per sample, and a total cost of $1,920. Had we cut standard channel assay samples of sufficient quantity to obtain a representative sample, and analyzed it by fire assay, we probably would have expended approximately $40.00 per sample, at a total cost of $11,320.

When taking channel assays in the trenches, we used the face scanner. Each interval was read for one minute. Therefore, the scanner was held for a few seconds on increments of the channel interval which varied from one spot to as much as 10 feet, so that the total time of 60 seconds was divided porportionally along the sample interval. The average time to read, record, and move on to the next interval was three to four minutes, while another few minutes was necessary to paint the channel

sample location on the rock face using spray paint. The Silver MAP also has a drill hole probe attachment that can be exchanged for the face scanner. Using this probe, any drill hole that is open can be analyzed for its silver content (as long as there is no metal casing in the hole) by lowering the probe to the bottom and winching it upwards at a constant. or incremental speed.

The UNC Silver MAP has some very distinct advantages, but may also pose a few unknowns in reliability of its assays. These I will summarize below:

Advantages

1. Speed - the face sampler, which looks like a long pistol, can be held against a rock sample and read for any where from between a few seconds and a minute and one half, at which time the instrument then reads out on a liquid crystal display that contains silver in ounces per ton. It also records the assay along with identifier numbers in its computer memory, which are then printed out at the end of the day. Thus, an entire mining face can be assayed in a matter of minutes, giving the geologist or equipment operator immediate knowledge as to where ore grade material lies in relation to waste material. Drill holes of any depth can be probed with the probe attachment. The probe is lowered to the bottom and winched upward at a known rate, or incrementally. Thus, if only the silver content is desired, no sample need be retrieved when drilling a hole that will be probed with the Silver MAP; and many dollars may be saved, as exemplified in their brochures.

2. No sample collection, transport. preparation, analyses, and archival storage is necessary.

Disadvantages

1. The limit of detection is approximately one ounce. Below one ounce, there may be a degree of variability so that the analyst cannot really tell whether the content is zero or a few tenths of contained silver. For higher grade material. there is less variability. After observing the instruments use over what I consider a good test period, it is not clear to me whether the variability is more related to the typically spotty silver mineralization, i.e., spots of very

high grade and surrounding lower grade material. or wander in the instrument itself. Here we have the age-old problem in getting a representative sample.

2. The hesitation of the mining community to accept "black box instrumentation" versus the old tried and true fire assay method.

The speed and instantaneous results, which allow one to make moment to moment decisions as to where to go or what to assay next, I think far out weighs any disadvantages. Further. the cost savings as a result of these instantaneous answers in combination with not having to take and process a physical sample, makes the instrument so cost effective where numerous samples are to be taken as to prohibit not using it. Through the use of the Silver MAP, we have identified more silver in the exposed walls of the Charleston Lead Mine than appear in any records we are aware of. Now that we have identified the zones of higher grade silver, I think that it is important that we go back in and take check samples to be analyzed by the fire assay method for gold and silver. and geochemically for copper, lead, zinc, molybdenum, and mercury, as well as possibly some other elements. Once this check sampling is done, we will have a better handle on the usefulness of the UNC Silver MAP, and its reliability.

RESULTS

Because we only assayed for silver, we have no knowledge of the contained gold in any of the samples. Since gold is a significant by-product in the low grade ores of Tombstone, before a decision can be made as to whether open pitable ore exists in or around the Charleston Lead Mine, we need further assays for gold, as well as lead and zinc.

Because of cover surrounding the edges of the Charleston Lead Mine, it is not clear what the geometry of the ore bearing zones is. Until we determine what that precise geometry is, we cannot calculate accurate ore reserve projections. Thus, the next step in our work is to perform detailed geologic mapping on a suitable base, so that we can precisely determine that geometry. These steps I will describe a bit later.

In detail. the Charleston Lead Mine pit appears to be sunk on a splay of the Charleston-Mustang Vein. However, in overall aspect, the Charleston-Mustang Vein appears to be a continuous structure that can be followed (though it pinches and swells) for several thousand feet.

One zone at the bottom level on the east side of the pit averaged 2.75 ounces per ton silver over a width of 33'. On the next level up this zone had narrowed and decreased in silver content to 13' of 1.63 ounces per ton silver. This, along with other evidence from the State of Maine mine, suggests that silver grades increase fairly rapidly with depth. due to supergene leaching and enrichment at lower levels.

With the caviat that we cannot be precise about the geometry of the vein system until further technical work is performed, I feel that it may be reasonable to project a 100' width of vein material that could be followed for 500'. The dip is steep, if not vertical. A potential for three ounces per ton silver and a possible 80% recovery seems in order. If these assumptions were to hold true, then we should be able to develop approximately one million tons of 2.4 ounce recoverable silver to a depth of 260'. This would also be at a stripping ratio of about 2.6 to 1, assuming mineral values started at the surface.

If sericite could be processed and recovered, possibly by the use of Richert cones, a new gravity separation device developed by the Australians sometime in the last 10 years to treat beach sands, there may be significant credits for this by-product. If the vein were to continue for 1,000 feet, then the potential ore reserves could double to two million tons.

There is too little data to speculate accurately on what the potential might be. However, I think that it is encouraging enough to justify further work.

PROPOSED FUTURE WORK

With your files organized, and recoverable drill core safely stowed away at the State of Maine mine, I believe that we can move forward into additional work towards testing for an ore zone. My recommendations for additional work are as follows:

I. Cutting new exposures

A. Trench the Charleston Vein to the northeast and the southwest of the Charleston open pit, using the Escapule track mounted backhoe. This will probably cut to a depth of 4' to 10' or with pre-drilling and blasting to 10' to 12'.

B. Rehabilitate the road to the bottom of the pit and dig a water sump with the backhoe - draining most of the bottom of the pit.

C. Clean off fresh surfaces in the pit faces with the backhoe, and re-sample the fresh material for fire and geochemical assay check against the UNC Silver MAP assays.

II. Re-establish and re-monument claim corners - aerial mapping.

A. Identify and re-establish re-monument if necessary the corners for the Brother George, Mary Jo, Sweethart. and other claims, which you would like to bring to patent. It would probably also be wise at this time to re-monument and ammend where necessary those claims you wish to retain.

B. All claim corners should be targeted (paneled) for aerial photography.

C. Fly color aerial photography for 1" = 200' and 5' contour interval mapping over the large claim area, and 1" = 40' mapping over the Charleston open pit area.

III. Detailed geologic mapping and drilling.

A. Plane table mapping on topo base map at 1" = 40' or 1" = 20' to show current samples, check samples, and trenches.

B. Design drill test program.

C. Drill rotary holes to test for grade and tonnage.

IV. Follow up.

I would recommend we start on the above outlined program as soon as possible, as I have my summer crew available. If you agree, let me know and I will work on a more detailed cost estimate.

Very truly yours,

James A. Briscoe

JAB/ms

Attachments

ATTACHMENT 1

ON THE MAP

is a quarterly newspaper published for UNC's clients in the mining industry and scientific community. **ON THE MAP** provides articles on the latest technological and economic developments in UNC'S MAP program.

Dan Tyler
EDITOR

UNC NUCLEAR INDUSTRIES

MAP DIVISION

2900 George Washington Way
Richland, Washington 99352

Telephone 509/375-6277
Telex—152493 PA NUCLEAR RCLD

Satellite remote sensing 44

Highest grade United States Zn mine producing at capacity 58

*Patent Pending

ATTACHMENT 2

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATION
APRIL 6, 1985
PROPERTY OWNER: THE JAMES STEWART COMPANY (SETH HORNE)

AREA SAMPLED: THE CHARLESTON LEAD MINE OPEN PIT
NE1/4,NW1/4, SECT. 36, T.20S., R.22E.
DATA ID 3016

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.80 OZ/TON	X	1.50	=	1.20	5.5' @ 1.65 OZ/TON AG
2	1.30 OZ/TON	X	2.50	=	3.25	
3	3.10 OZ/TON	X	1.50	=	4.65	
4	0.30 OZ/TON	X	2.50	=	0.75	
5	0.80 OZ/TON	X	2.80	=	2.24	
6	1.30 OZ/TON	X	1.50	=	1.95	
7	0.80 OZ/TON	X	2.00	=	1.60	
8	1.00 OZ/TON	X	0.50	=	0.50	31.1' @ 1.08 OZ/TON AG
9	1.20 OZ/TON	X	0.80	=	0.96	
10	1.30 OZ/TON	X	1.20	=	1.56	
11	0.40 OZ/TON	X	1.00	=	0.40	
12	0.30 OZ/TON	X	2.00	=	0.60	16.8' @ 1.06 OZ/TON AG
13	1.00 OZ/TON	X	4.50	=	4.50	
14	1.80 OZ/TON	X	1.60	=	2.88	
15	0.80 OZ/TON	X	2.70	=	2.16	
16	1.70 OZ/TON	X	2.50	=	4.25	
17	0.50 OZ/TON	X	5.00	=	2.50	8.8' @ 1.07 OZ/TON AG
18	0.80 OZ/TON	X	0.60	=	0.48	
19	2.00 OZ/TON	X	3.20	=	6.40	
20	0.00 OZ/TON	X	4.00	=	0.00	
21	0.80 OZ/TON	X	7.50	=	6.00	
22	0.30 OZ/TON	X	7.00	=	2.10	
23	0.00 OZ/TON	X	5.20	=	0.00	
24	1.30 OZ/TON	X	1.00	=	1.30	21.5' @ 1.36 OZ/TON AG
25	0.90 OZ/TON	X	4.00	=	3.60	
26	0.90 OZ/TON	X	2.50	=	2.25	
27	0.90 OZ/TON	X	2.60	=	2.34	
28	1.60 OZ/TON	X	0.40	=	0.64	
29	6.10 OZ/TON	X	1.50	=	9.15	
30	1.60 OZ/TON	X	1.50	=	2.40	
31	1.00 OZ/TON	X	2.00	=	2.00	
32	0.80 OZ/TON	X	5.00	=	4.00	
33	1.50 OZ/TON	X	1.00	=	1.50	
34	0.00 OZ/TON	X	10.00	=	0.00	
35	0.00 OZ/TON	X	10.00	=	0.00	
36	1.50 OZ/TON	X	6.00	=	9.00	28.5' @ 1.68 OZ/TON AG
37	3.80 OZ/TON	X	7.00	=	26.60	
38	0.80 OZ/TON	X	3.50	=	2.80	
39	0.70 OZ/TON	X	10.00	=	7.00	
40	1.20 OZ/TON	X	2.00	=	2.40	
41	0.00 OZ/TON	X	4.50	=	0.00	
42	0.00 OZ/TON	X	4.00	=	0.00	
43	1.80 OZ/TON	X	0.50	=	0.90	3' @ 2.38 OZ/TON AG
44	2.50 OZ/TON	X	2.50	=	6.25	

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATION
APRIL 6, 1985
PROPERTY OWNER: THE JAMES STEWART COMPANY (SETH HORNE)

AREA SAMPLED: THE CHARLESTON LEAD MINE OPEN PIT
NE1/4.NW1/4, SECT. 36, T.20S., R.22E.
DATA ID 3016

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
45	0.30 OZ/TON	X	2.00	=	0.60	
46	1.70 OZ/TON	X	1.50	=	2.55	5.5' @ 1.92 OZ/TON AG
47	2.00 OZ/TON	X	4.00	=	8.00	
48	0.00 OZ/TON	X	13.00	=	0.00	
49	1.70 OZ/TON	X	3.50	=	5.95	6.5' @ 1.42 OZ/TON AG
50	1.10 OZ/TON	X	3.00	=	3.30	
51	0.30 OZ/TON	X	1.00	=	0.30	
52	0.20 OZ/TON	X	5.00	=	1.00	
53	1.30 OZ/TON	X	5.00	=	6.50	
54	1.60 OZ/TON	X	2.00	=	3.20	
55	1.20 OZ/TON	X	2.50	=	3.00	
56	1.20 OZ/TON	X	5.50	=	6.60	
57	1.60 OZ/TON	X	6.00	=	9.60	
58	0.00 OZ/TON	X	4.50	=	0.00	
59	1.20 OZ/TON	X	2.50	=	3.00	
60	0.00 OZ/TON	X	1.00	=	0.00	
61	1.40 OZ/TON	X	2.00	=	2.80	48' @ 1.31 OZ/TON AG
62	0.60 OZ/TON	X	2.00	=	1.20	
63	0.90 OZ/TON	X	1.00	=	0.90	
64	1.30 OZ/TON	X	0.50	=	0.65	
65	0.60 OZ/TON	X	0.50	=	0.30	
66	4.70 OZ/TON	X	1.00	=	4.70	14' @ 1.87 OZ/TON AG
67	4.90 OZ/TON	X	1.00	=	4.90	
68	1.20 OZ/TON	X	5.00	=	6.00	
69	1.60 OZ/TON	X	6.00	=	9.60	
70	0.00 OZ/TON	X	2.00	=	0.00	
71	1.20 OZ/TON	X	1.50	=	1.80	
72	0.30 OZ/TON	X	5.00	=	1.50	105' @ 1.62 OZ/TON AG
73	0.80 OZ/TON	X	3.00	=	2.40	N & E WALLS OF PIT
74	1.90 OZ/TON	X	5.00	=	9.50	
75	0.70 OZ/TON	X	3.00	=	2.10	
76	3.40 OZ/TON	X	4.00	=	13.60	
77	2.40 OZ/TON	X	3.00	=	7.20	
78	2.50 OZ/TON	X	3.00	=	7.50	
79	4.70 OZ/TON	X	3.00	=	14.10	33' @ 2.75 OZ/TON AG
80	0.10 OZ/TON	X	1.00	=	0.10	BOTTOM LEVEL OF PIT, E SIDE
81	1.40 OZ/TON	X	3.00	=	4.20	
82	5.10 OZ/TON	X	3.00	=	15.30	
83	3.30 OZ/TON	X	2.50	=	8.25	
84	6.10 OZ/TON	X	0.50	=	3.05	
85	2.90 OZ/TON	X	2.00	=	5.80	
86	0.60 OZ/TON	X	1.00	=	0.60	
87	0.50 OZ/TON	X	7.00	=	3.50	
88	1.10 OZ/TON	X	1.00	=	1.10	
89	0.80 OZ/TON	X	2.00	=	1.60	

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATION
APRIL 6, 1985
PROPERTY OWNER: THE JAMES STEWART COMPANY (SETH HORNE)

AREA SAMPLED: THE CHARLESTON LEAD MINE OPEN PIT
NE1/4,NW1/4, SECT. 36, T.20S., R.22E.
DATA ID 3016

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
90	0.00 OZ/TON	X	0.50	=	0.00	
91	1.30 OZ/TON	X	1.50	=	1.95	
92	0.90 OZ/TON	X	1.00	=	0.90	
93	2.60 OZ/TON	X	3.00	=	7.80	13' @ 1.63 OZ/TON AG
94	1.20 OZ/TON	X	1.50	=	1.80	E SIDE - 2ND LEVEL SAME AS
95	0.60 OZ/TON	X	2.00	=	1.20	SAMPLES 74-85 BUT 20' HIGHER
96	1.90 OZ/TON	X	4.00	=	7.60	
97	0.60 OZ/TON	X	5.00	=	3.00	
98	0.00 OZ/TON	X	5.00	=	0.00	
99	1.00 OZ/TON	X	1.00	=	1.00	
100	0.00 OZ/TON	X	6.00	=	0.00	
101	0.20 OZ/TON	X	4.00	=	0.80	
102	0.00 OZ/TON	X	3.00	=	0.00	
103	2.40 OZ/TON	X	1.00	=	2.40	3' @ 3 OZ/TON AG
104	3.40 OZ/TON	X	2.00	=	6.80	
105	0.00 OZ/TON	X	4.00	=	0.00	
106	0.00 OZ/TON	X	3.00	=	0.00	
107	0.00 OZ/TON	X	7.00	=	0.00	
108	0.50 OZ/TON	X	6.00	=	3.00	
109	1.20 OZ/TON	X	2.00	=	2.40	
110	0.30 OZ/TON	X	3.00	=	0.90	
111	0.00 OZ/TON	X	2.00	=	0.00	
112	0.00 OZ/TON	X	4.00	=	0.00	
113	0.00 OZ/TON	X	2.00	=	0.00	
114	0.10 OZ/TON	X	1.50	=	0.15	
115	0.70 OZ/TON	X	2.00	=	1.40	
116	1.80 OZ/TON	X	1.00	=	1.80	
117	0.10 OZ/TON	X	1.00	=	0.10	
118	0.60 OZ/TON	X	1.50	=	0.90	
119	1.60 OZ/TON	X	0.10	=	0.16	
120	2.20 OZ/TON	X	0.10	=	0.22	
121	0.00 OZ/TON	X	0.10	=	0.00	
122	0.00 OZ/TON	X	3.00	=	0.00	
123	0.00 OZ/TON	X	6.00	=	0.00	
124	1.00 OZ/TON	X	2.50	=	2.50	
125	0.10 OZ/TON	X	3.00	=	0.30	
126	0.50 OZ/TON	X	0.00	=	0.00	
127	0.60 OZ/TON	X	0.00	=	0.00	
128	0.70 OZ/TON	X	0.00	=	0.00	
129	0.30 OZ/TON	X	0.00	=	0.00	
130	0.30 OZ/TON	X	0.00	=	0.00	
131	1.00 OZ/TON	X	6.00	=	6.00	
132	0.50 OZ/TON	X	0.50	=	0.25	
133	0.30 OZ/TON	X	10.00	=	3.00	
134	0.70 OZ/TON	X	2.00	=	1.40	
135	1.50 OZ/TON	X	6.00	=	9.00	
136	0.00 OZ/TON	X	6.00	=	0.00	
137	0.00 OZ/TON	X	1.50	=	0.00	
138	0.00 OZ/TON	X	5.00	=	0.00	
139	0.80 OZ/TON	X	6.00	=	4.80	
140	0.00 OZ/TON	X	4.00	=	0.00	
141	0.90 OZ/TON	X	2.00	=	1.80	
142	0.90 OZ/TON	X	2.00	=	1.80	

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATION
APRIL 6, 1985
PROPERTY OWNER: THE JAMES STEWART COMPANY (SETH HORNE)

AREA SAMPLED: THE CHARLESTON LEAD MINE OPEN PIT
NE1/4.NW1/4, SECT. 36, T.20S., R.22E.
DATA ID 3016

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
143	0.70 OZ/TON	X	3.00	=	2.10	
144	0.80 OZ/TON	X	4.00	=	3.20	
145	0.00 OZ/TON	X	2.00	=	0.00	
146	1.00 OZ/TON	X	2.00	=	2.00	
147	0.30 OZ/TON	X	2.00	=	0.60	
148	0.50 OZ/TON	X	1.00	=	0.50	
149	0.60 OZ/TON	X	2.00	=	1.20	
150	1.20 OZ/TON	X	5.00	=	6.00	
151	0.10 OZ/TON	X	1.00	=	0.10	
152	2.50 OZ/TON	X	1.00	=	2.50	14.5' @ 1.42 OZ/TON AG
153	0.60 OZ/TON	X	2.00	=	1.20	CHARLESTON VEIN AT SURFACE
154	0.70 OZ/TON	X	0.50	=	0.35	NEAR SHAFT
155	2.10 OZ/TON	X	5.00	=	10.50	
156	2.20 OZ/TON	X	0.10	=	0.22	
			458.50		430.51	458.5' @ 0.94 OZ/TON AG

DATA ID # 3016

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.8 OZ/TON	SILVER	1	60.0	0.0
2	1.3 OZ/TON	SILVER	1	60.0	0.0
3	3.1 OZ/TON	SILVER	1	60.0	0.0
4	0.3 OZ/TON	SILVER	1	60.0	0.0
5	0.8 OZ/TON	SILVER	1	60.0	0.0
6	1.3 OZ/TON	SILVER	1	60.0	0.0
7	0.8 OZ/TON	SILVER	1	60.0	0.0
8	1.0 OZ/TON	SILVER	1	60.0	0.0
9	1.2 OZ/TON	SILVER	1	60.0	0.0
10	1.3 OZ/TON	SILVER	1	60.0	0.0
11	0.4 OZ/TON	SILVER	1	60.0	0.0
12	0.3 OZ/TON	SILVER	1	60.0	0.0
13	1.0 OZ/TON	SILVER	1	60.0	0.0
14	1.8 OZ/TON	SILVER	1	60.0	0.0
15	0.8 OZ/TON	SILVER	1	60.0	0.0
16	1.7 OZ/TON	SILVER	1	60.0	0.0
17	0.5 OZ/TON	SILVER	1	60.0	0.0
18	0.8 OZ/TON	SILVER	1	60.0	0.0
19	2.0 OZ/TON	SILVER	1	60.0	0.0
20	0.0 OZ/TON	SILVER	1	60.0	0.0
21	0.8 OZ/TON	SILVER	1	60.0	0.0
22	0.3 OZ/TON	SILVER	1	60.0	0.0
23	0.0 OZ/TON	SILVER	1	60.0	0.0
24	1.3 OZ/TON	SILVER	1	60.0	0.0
25	0.9 OZ/TON	SILVER	1	60.0	0.0

Charlotte Open P.X

26	0.9 OZ/TON	SILVER	1	60.0	0.0
27	0.9 OZ/TON	SILVER	1	60.0	0.0
28	1.6 OZ/TON	SILVER	1	60.0	0.0
29	6.1 OZ/TON	SILVER	1	60.0	0.0
30	1.6 OZ/TON	SILVER	1	60.0	0.0
31	1.0 OZ/TON	SILVER	1	60.0	0.0
32	0.8 OZ/TON	SILVER	1	60.0	0.0
33	1.5 OZ/TON	SILVER	1	60.0	0.0
34	0.0 OZ/TON	SILVER	1	60.0	0.0
35	0.0 OZ/TON	SILVER	1	60.0	0.0
36	1.5 OZ/TON	SILVER	1	60.0	0.0
37	3.8 OZ/TON	SILVER	1	60.0	0.0
38	0.8 OZ/TON	SILVER	1	60.0	0.0
39	0.7 OZ/TON	SILVER	1	60.0	0.0
40	1.2 OZ/TON	SILVER	1	60.0	0.0
41	0.0 OZ/TON	SILVER	1	60.0	0.0
42	0.0 OZ/TON	SILVER	1	60.0	0.0
43	1.8 OZ/TON	SILVER	1	60.0	0.0
44	2.5 OZ/TON	SILVER	1	60.0	0.0
45	0.3 OZ/TON	SILVER	1	60.0	0.0
46	1.7 OZ/TON	SILVER	1	60.0	0.0
47	2.0 OZ/TON	SILVER	1	60.0	0.0
48	0.0 OZ/TON	SILVER	1	60.0	0.0
49	1.7 OZ/TON	SILVER	1	60.0	0.0
50	1.1 OZ/TON	SILVER	1	60.0	0.0
51	0.3 OZ/TON	SILVER	1	60.0	0.0
52	0.2 OZ/TON	SILVER	1	60.0	0.0
53	1.3 OZ/TON	SILVER	1	60.0	0.0
54	1.6 OZ/TON	SILVER	1	60.0	0.0
55	1.2 OZ/TON	SILVER	1	60.0	0.0
56	1.2 OZ/TON	SILVER	1	60.0	0.0
57	1.6 OZ/TON	SILVER	1	60.0	0.0
58	0.0 OZ/TON	SILVER	1	60.0	0.0
59	1.2 OZ/TON	SILVER	1	60.0	0.0
60	0.0 OZ/TON	SILVER	1	60.0	0.0

Charleston Open Pit

61	1.4 OZ/TON	SILVER	1	60.0	0.0
62	0.6 OZ/TON	SILVER	1	60.0	0.0
63	0.9 OZ/TON	SILVER	1	60.0	0.0
64	1.3 OZ/TON	SILVER	1	60.0	0.0
65	0.6 OZ/TON	SILVER	1	60.0	0.0
66	4.7 OZ/TON	SILVER	1	60.0	0.0
67	4.9 OZ/TON	SILVER	1	60.0	0.0
68	1.2 OZ/TON	SILVER	1	60.0	0.0
69	1.6 OZ/TON	SILVER	1	60.0	0.0
70	0.0 OZ/TON	SILVER	1	60.0	0.0
71	1.2 OZ/TON	SILVER	1	60.0	0.0
72	0.3 OZ/TON	SILVER	1	60.0	0.0
73	0.8 OZ/TON	SILVER	1	60.0	0.0
74	1.9 OZ/TON	SILVER	1	60.0	0.0
75	0.7 OZ/TON	SILVER	1	60.0	0.0
76	3.4 OZ/TON	SILVER	1	60.0	0.0
77	2.4 OZ/TON	SILVER	1	60.0	0.0
78	2.5 OZ/TON	SILVER	1	60.0	0.0
79	4.7 OZ/TON	SILVER	1	60.0	0.0
80	0.1 OZ/TON	SILVER	1	60.0	0.0
81	1.4 OZ/TON	SILVER	1	60.0	0.0
82	5.1 OZ/TON	SILVER	1	60.0	0.0
83	3.3 OZ/TON	SILVER	1	60.0	0.0
84	6.1 OZ/TON	SILVER	1	60.0	0.0
85	2.9 OZ/TON	SILVER	1	60.0	0.0
86	0.6 OZ/TON	SILVER	1	60.0	0.0
87	0.5 OZ/TON	SILVER	1	60.0	0.0
88	1.1 OZ/TON	SILVER	1	60.0	0.0
89	0.8 OZ/TON	SILVER	1	60.0	0.0
90	0.0 OZ/TON	SILVER	1	60.0	0.0
91	1.3 OZ/TON	SILVER	1	60.0	0.0
92	0.9 OZ/TON	SILVER	1	60.0	0.0
93	2.6 OZ/TON	SILVER	1	60.0	0.0
94	1.2 OZ/TON	SILVER	1	60.0	0.0
95	0.6 OZ/TON	SILVER	1	60.0	0.0

Charleston Open Pit

96	1.9 OZ/TON	SILVER	1	60.0	0.0
97	0.6 OZ/TON	SILVER	1	60.0	0.0
98	0.0 OZ/TON	SILVER	1	60.0	0.0
99	1.0 OZ/TON	SILVER	1	60.0	0.0
100	0.0 OZ/TON	SILVER	1	60.0	0.0
101	0.2 OZ/TON	SILVER	1	60.0	0.0
102	0.0 OZ/TON	SILVER	1	60.0	0.0
103	2.4 OZ/TON	SILVER	1	60.0	0.0
104	3.4 OZ/TON	SILVER	1	60.0	0.0
105	0.0 OZ/TON	SILVER	1	60.0	0.0
106	0.0 OZ/TON	SILVER	1	60.0	0.0
107	0.0 OZ/TON	SILVER	1	60.0	0.0
108	0.5 OZ/TON	SILVER	1	60.0	0.0
109	1.2 OZ/TON	SILVER	1	60.0	0.0
110	0.3 OZ/TON	SILVER	1	60.0	0.0
111	0.0 OZ/TON	SILVER	1	60.0	0.0
112	0.0 OZ/TON	SILVER	1	60.0	0.0
113	0.0 OZ/TON	SILVER	1	60.0	0.0
114	0.1 OZ/TON	SILVER	1	60.0	0.0
115	0.7 OZ/TON	SILVER	1	60.0	0.0
116	1.8 OZ/TON	SILVER	1	60.0	0.0
117	0.1 OZ/TON	SILVER	1	60.0	0.0
118	0.6 OZ/TON	SILVER	1	60.0	0.0
119	1.6 OZ/TON	SILVER	1	60.0	0.0
120	2.2 OZ/TON	SILVER	1	60.0	0.0
121	0.0 OZ/TON	SILVER	1	60.0	0.0
122	0.0 OZ/TON	SILVER	1	60.0	0.0
123	0.0 OZ/TON	SILVER	1	60.0	0.0
124	1.0 OZ/TON	SILVER	1	60.0	0.0
125	0.1 OZ/TON	SILVER	1	60.0	0.0
126	0.5 OZ/TON	SILVER	1	60.0	0.0
127	0.6 OZ/TON	SILVER	1	60.0	0.0
128	0.7 OZ/TON	SILVER	1	60.0	0.0
129	0.3 OZ/TON	SILVER	1	60.0	0.0
130	0.3 OZ/TON	SILVER	1	60.0	0.0

Charleston Open Pit

131	1.0 OZ/TON	SILVER	1	60.0	0.0
132	0.5 OZ/TON	SILVER	1	60.0	0.0
133	0.3 OZ/TON	SILVER	1	60.0	0.0
134	0.7 OZ/TON	SILVER	1	60.0	0.0
135	1.5 OZ/TON	SILVER	1	60.0	0.0
136	0.0 OZ/TON	SILVER	1	60.0	0.0
137	0.0 OZ/TON	SILVER	1	60.0	0.0
138	0.0 OZ/TON	SILVER	1	60.0	0.0
139	0.8 OZ/TON	SILVER	1	60.0	0.0
140	0.0 OZ/TON	SILVER	1	60.0	0.0
141	0.9 OZ/TON	SILVER	1	60.0	0.0
142	0.9 OZ/TON	SILVER	1	60.0	0.0
143	0.7 OZ/TON	SILVER	1	60.0	0.0
144	0.8 OZ/TON	SILVER	1	60.0	0.0
145	0.0 OZ/TON	SILVER	1	60.0	0.0
146	1.0 OZ/TON	SILVER	1	60.0	0.0
147	0.3 OZ/TON	SILVER	1	60.0	0.0
148	0.5 OZ/TON	SILVER	1	60.0	0.0
149	0.6 OZ/TON	SILVER	1	60.0	0.0
150	1.2 OZ/TON	SILVER	1	60.0	0.0
151	0.1 OZ/TON	SILVER	1	60.0	0.0
152	2.5 OZ/TON	SILVER	1	60.0	0.0
153	0.6 OZ/TON	SILVER	1	60.0	0.0
154	0.7 OZ/TON	SILVER	1	60.0	0.0
155	2.1 OZ/TON	SILVER	1	60.0	0.0
156	2.2 OZ/TON	SILVER	1	60.0	0.0

Charleston Open Pit

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON
APRIL 6, 1985
PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN WORKING FROM S TO N, SAMPLING TRENCHES CROSS CUTTING THE VEIN. SW1/4, NW1/4, SECT. 30, T.20S., R.22E. TRENCH #2

DATA ID 2005

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM
1	3.90 OZ/TON	X	0.10	=	0.39
2	1.60 OZ/TON	X	3.50	=	5.60
3	1.50 OZ/TON	X	2.50	=	3.75
4	1.70 OZ/TON	X	2.00	=	3.40
5	0.00 OZ/TON	X	2.50	=	0.00
6	0.60 OZ/TON	X	2.00	=	1.20
7	0.70 OZ/TON	X	4.00	=	2.80
8	2.00 OZ/TON	X	2.00	=	4.00
9	0.80 OZ/TON	X		=	0.00
10	1.50 OZ/TON	X		=	0.00
11	2.20 OZ/TON	X		=	0.00
12	0.00 OZ/TON	X		=	0.00
13	0.00 OZ/TON	X		=	0.00
14	0.60 OZ/TON	X		=	0.00

TOMBSTONE MINING DISTRICT
COCHISE COUNTY ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON
APRIL 6, 1985
PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #3

DATA ID 2006

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	1.60 OZ/TON	X	0.10	=	0.16	0.2' @ 1.45 OZ/TON AG
2	1.30 OZ/TON	X	0.10	=	0.13	
3	0.00 OZ/TON	X	1.00	=	0.00	
4	0.30 OZ/TON	X	0.10	=	0.03	
5	0.20 OZ/TON	X	1.00	=	0.20	
6	0.00 OZ/TON	X	0.10	=	0.00	
7	0.40 OZ/TON	X	6.00	=	2.40	6.1' @ 0.4 OZ/TON AG
8	0.70 OZ/TON	X	0.10	=	0.07	
9	0.00 OZ/TON	X	0.10	=	0.00	
10	0.10 OZ/TON	X	4.00	=	0.40	
11	0.70 OZ/TON	X	6.00	=	4.20	
12	0.00 OZ/TON	X	0.10	=	0.00	
13	0.00 OZ/TON	X	1.50	=	0.00	
14	1.70 OZ/TON	X	4.00	=	6.80	
15	1.20 OZ/TON	X	1.50	=	1.80	
16	1.30 OZ/TON	X	1.00	=	1.30	
17	1.70 OZ/TON	X	6.00	=	10.20	
18	0.80 OZ/TON	X	6.00	=	4.80	
19	1.70 OZ/TON	X	4.00	=	6.80	
20	0.80 OZ/TON	X	2.00	=	1.60	34.2' @ 1.5 OZ/TON AG
21	3.10 OZ/TON	X	1.50	=	4.65	
22	2.30 OZ/TON	X	0.10	=	0.23	
23	5.00 OZ/TON	X	0.10	=	0.50	
24	1.80 OZ/TON	X	6.00	=	10.80	
25	0.90 OZ/TON	X	2.00	=	1.80	
			54.4		58.87	54.4' @ 1.08 OZ/TON AG

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON
APRIL 6, 1985
PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #3

DATA ID 2007

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.00 OZ/TON	X	2.50	=	0.00	
2	1.10 OZ/TON	X	0.10	=	0.11	1.1' @ 1.65 OZ/TON AG
3	1.70 OZ/TON	X	1.00	=	1.70	
4	0.80 OZ/TON	X	2.00	=	1.60	
5	0.00 OZ/TON	X	2.00	=	0.00	
6	0.40 OZ/TON	X	1.50	=	0.60	
7	1.60 OZ/TON	X	0.10	=	0.16	
			9.20		4.17	9.2' @ 0.45 OZ/TON AG

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON
APRIL 6, 1985
PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #4

DATA ID 2008

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.10 OZ/TON	X	0.10	=	0.01	
2	0.80 OZ/TON	X	1.50	=	1.20	2.5' @ .84 OZ/TON AG
3	0.90 OZ/TON	X	1.00	=	0.90	
4	0.10 OZ/TON	X	1.50	=	0.15	
5	1.30 OZ/TON	X	2.00	=	2.60	
6	0.00 OZ/TON	X	1.00	=	0.00	
7	0.10 OZ/TON	X	1.00	=	0.10	
8	0.00 OZ/TON	X	1.00	=	0.00	
9	0.10 OZ/TON	X	0.50	=	0.05	
10	1.70 OZ/TON	X	1.20	=	2.04	2.7' @ 1.26 OZ/TON AG
11	0.90 OZ/TON	X	1.50	=	1.35	
12	0.50 OZ/TON	X	1.50	=	0.75	
13	0.00 OZ/TON	X	1.20	=	0.00	
14	0.50 OZ/TON	X	1.00	=	0.50	
15	1.30 OZ/TON	X	1.50	=	1.95	6' @ .96 OZ/TON AG
16	1.20 OZ/TON	X	2.00	=	2.40	
17	0.60 OZ/TON	X	1.50	=	0.90	
18	0.00 OZ/TON	X	0.10	=	0.00	
19	0.70 OZ/TON	X	0.10	=	0.07	
20	2.00 OZ/TON	X	0.10	=	0.20	.3' @ 1.2 OZ/TON AG
21	0.90 OZ/TON	X	0.10	=	0.09	
22	0.20 OZ/TON	X	0.10	=	0.02	
23	0.60 OZ/TON	X	2.50	=	1.50	
24	1.00 OZ/TON	X	1.00	=	1.00	
25	2.10 OZ/TON	X	1.00	=	2.10	10' @ 1.45 OZ/TON AG
26	2.40 OZ/TON	X	2.00	=	4.80	
27	1.50 OZ/TON	X	2.00	=	3.00	
28	1.40 OZ/TON	X	1.50	=	2.10	
29	0.00 OZ/TON	X	1.00	=	0.00	
30	0.00 OZ/TON	X	0.50	=	0.00	
			33.00		29.78	33.0' @ 0.9 OZ/TON AG

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #5 (BACKHOE)

DATA ID 2009

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.90 OZ/TON	X	0.10	=	0.09	4.6' @ 1.68 OZ/TON AG
2	2.00 OZ/TON	X	2.00	=	4.00	
3	1.10 OZ/TON	X	1.50	=	1.65	
4	2.00 OZ/TON	X	1.00	=	2.00	
5	0.30 OZ/TON	X	0.10	=	0.03	
6	0.30 OZ/TON	X	2.50	=	0.75	
7	2.90 OZ/TON	X	3.00	=	8.70	
			10.20		17.22	10.2' @ 1.64 OZ/TON AG

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN TRENCH #6

DATA ID 2010

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	1.40 OZ/TON	X	0.10	=	0.14	2.1' @ 1.35 OZ/TON AG
2	1.60 OZ/TON	X	1.00	=	1.60	
3	1.10 OZ/TON	X	1.00	=	1.10	
4	0.00 OZ/TON	X	0.10	=	0.00	
5	1.10 OZ/TON	X	1.50	=	1.65	
6	0.00 OZ/TON	X	1.00	=	0.00	
7	1.20 OZ/TON	X	2.00	=	2.40	
8	0.90 OZ/TON	X	0.10	=	0.09	
9	0.90 OZ/TON	X	0.10	=	0.09	
10	0.00 OZ/TON	X	1.50	=	0.00	
11	1.70 OZ/TON	X	2.00	=	3.40	6.1' @ 1.6 OZ/TON AG
12	3.50 OZ/TON	X	0.10	=	0.35	
13	1.50 OZ/TON	X	4.00	=	6.00	
14	0.70 OZ/TON	X	4.00	=	2.80	
15	0.60 OZ/TON	X		=	0.00	

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN - 10' VERTICAL PROSPECT
SHAFT IN THE FOOT WALL OF THE MAIN STRUCTURE

DATA ID 2011

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM
1	0.60 OZ/TON	X	3.00	=	1.80
2	0.40 OZ/TON	X	1.00	=	0.40
3	2.30 OZ/TON	X	1.50	=	3.45
4	0.00 OZ/TON	X	0.60	=	0.00
5	1.90 OZ/TON	X	0.60	=	1.14
6	1.20 OZ/TON	X	0.10	=	0.12
7	0.60 OZ/TON	X	1.00	=	0.60
8	0.20 OZ/TON	X	0.10	=	0.02
9	0.40 OZ/TON	X	0.10	=	0.04
10	0.00 OZ/TON	X	0.10	=	0.00
11	0.50 OZ/TON	X	0.10	=	0.05
12	1.00 OZ/TON	X	0.10	=	0.10
13	1.60 OZ/TON	X	0.50	=	0.80
14	0.50 OZ/TON	X	1.50	=	0.75
15	0.90 OZ/TON	X	1.00	=	0.90
16	1.20 OZ/TON	X	1.50	=	1.80
17	0.30 OZ/TON	X	1.50	=	0.45
			14.30		12.42

14.3' @ .87 OZ/TON AG

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
PROPERTY OWNER: DENNIS V. ABBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN - EXPOSED ROCK IN FRONT OF BULKHEADED DECLINE

DATA ID 2012

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.90 OZ/TON	X	1.50	=	1.35	
2	0.00 OZ/TON	X	0.10	=	0.00	
3	0.90 OZ/TON	X	2.00	=	1.80	
4	1.20 OZ/TON	X	1.50	=	1.80	
			5.10		4.95	5.1' @ 0.97 OZ/TON AG

TOMBSTONE MINING DISTRICT
COCHISE COUNTY, ARIZONA
ASSAY RESULTS USING UNC, INC. SILVER MAP ASSAY UNIT
PERFORMED BY: JAMES A. BRISCOE, JABA, INC.
DAN ADAMS, WESTERN EXPLORATON

APRIL 6, 1985
PROPERTY OWNER: DENNIS V. TIBBL (VALIDITY OF CLAIMS OPEN TO QUESTION)

AREA SAMPLED: MUSTANG VEIN - CAP MAGAZINE OUTCROP

DATA ID 2013

SAMPLE NUMBER	ASSAY OZ/TON IN SILVER	X	SAMPLE LENGTH IN FEET	=	SUM	
1	0.10 OZ/TON	X	1.50	=	0.15	
2	0.60 OZ/TON	X	1.50	=	0.90	
3	0.00 OZ/TON	X	3.00	=	0.00	
4	0.00 OZ/TON	X	1.00	=	0.00	
5	1.20 OZ/TON	X	1.50	=	1.80	
6	1.70 OZ/TON	X	0.10	=	0.17	1.8' @ 1.09 OZ/TON AG
7	3.00 OZ/TON	X	0.10	=	0.30	
8	2.90 OZ/TON	X	0.10	=	0.29	
			8.80		3.61	8.8' @ 0.41 OZ/TON AG

Mistery Mine Area Working from S to N.

DATA ID # 2004

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.5 OZ/TON	SILVER	1	60.0	0.0
2	0.9 OZ/TON	SILVER	1	60.0	0.0
3	0.0 OZ/TON	SILVER	1	60.0	0.0
4	1.1 OZ/TON	SILVER	1	60.0	0.0
5	1.1 OZ/TON	SILVER	1	60.0	0.0
6	0.9 OZ/TON	SILVER	1	60.0	0.0
7	0.0 OZ/TON	SILVER	1	60.0	0.0
8	0.0 OZ/TON	SILVER	1	60.0	0.0
9	1.2 OZ/TON	SILVER	1	60.0	0.0
10	0.6 OZ/TON	SILVER	1	60.0	0.0
11	0.7 OZ/TON	SILVER	1	60.0	0.0
12	0.0 OZ/TON	SILVER	1	60.0	0.0
13	1.1 OZ/TON	SILVER	1	60.0	0.0
14	2.7 OZ/TON	SILVER	1	60.0	0.0
15	3.7 OZ/TON	SILVER	1	60.0	0.0
16	0.3 OZ/TON	SILVER	1	60.0	0.0
17	1.3 OZ/TON	SILVER	1	60.0	0.0
18	0.1 OZ/TON	SILVER	1	60.0	0.0

DATA ID # 2005

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	3.9 OZ/TON	SILVER	1	60.0	0.0
2	1.6 OZ/TON	SILVER	1	60.0	0.0
3	1.5 OZ/TON	SILVER	1	60.0	0.0
4	1.7 OZ/TON	SILVER	1	60.0	0.0
5	0.0 OZ/TON	SILVER	1	60.0	0.0
6	0.6 OZ/TON	SILVER	1	60.0	0.0
7	0.7 OZ/TON	SILVER	1	60.0	0.0
8	2.0 OZ/TON	SILVER	1	60.0	0.0
9	0.8 OZ/TON	SILVER	1	60.0	0.0
10	1.5 OZ/TON	SILVER	1	30.0	0.0
11	2.2 OZ/TON	SILVER	1	30.0	0.0
12	0.0 OZ/TON	SILVER	1	30.0	0.0
13	0.0 OZ/TON	SILVER	1	30.0	0.0
14	0.6 OZ/TON	SILVER	1	29.0	0.0

MUSTANG VEIN

DATA ID # 2006

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.6 OZ/TON	SILVER	1	60.0	0.0
2	1.3 OZ/TON	SILVER	1	60.0	0.0
3	0.0 OZ/TON	SILVER	1	60.0	0.0
4	0.3 OZ/TON	SILVER	1	60.0	0.0
5	0.2 OZ/TON	SILVER	1	60.0	0.0
6	0.0 OZ/TON	SILVER	1	60.0	0.0
7	0.4 OZ/TON	SILVER	1	60.0	0.0
8	0.7 OZ/TON	SILVER	1	60.0	0.0
9	0.0 OZ/TON	SILVER	1	60.0	0.0
10	0.1 OZ/TON	SILVER	1	60.0	0.0
11	0.7 OZ/TON	SILVER	1	60.0	0.0
12	0.0 OZ/TON	SILVER	1	60.0	0.0
13	0.0 OZ/TON	SILVER	1	60.0	0.0
14	1.7 OZ/TON	SILVER	1	60.0	0.0
15	1.2 OZ/TON	SILVER	1	60.0	0.0
16	1.3 OZ/TON	SILVER	1	60.0	0.0
17	1.7 OZ/TON	SILVER	1	60.0	0.0
18	0.8 OZ/TON	SILVER	1	60.0	0.0
19	1.7 OZ/TON	SILVER	1	60.0	0.0
20	0.8 OZ/TON	SILVER	1	60.0	0.0
21	3.1 OZ/TON	SILVER	1	60.0	0.0
22	2.3 OZ/TON	SILVER	1	60.0	0.0
23	5.0 OZ/TON	SILVER	1	60.0	0.0
24	1.8 OZ/TON	SILVER	1	60.0	0.0
25	0.9 OZ/TON	SILVER	1	60.0	0.0

MUSTANG VEIN

DATA ID # 2007

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.0 OZ/TON	SILVER	1	60.0	0.0
2	1.1 OZ/TON	SILVER	1	60.0	0.0
3	1.7 OZ/TON	SILVER	1	60.0	0.0
4	0.8 OZ/TON	SILVER	0	60.0	0.0
5	0.0 OZ/TON	SILVER	1	60.0	0.0
6	0.4 OZ/TON	SILVER	1	60.0	0.0
7	1.6 OZ/TON	SILVER	0	60.0	0.0

MUSTANG VEIN

DATA ID # 2008

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.1 OZ/TON	SILVER	1	60.0	0.0
2	0.8 OZ/TON	SILVER	1	60.0	0.0
3	0.9 OZ/TON	SILVER	1	60.0	0.0
4	0.1 OZ/TON	SILVER	1	60.0	0.0
5	1.3 OZ/TON	SILVER	1	60.0	0.0
6	0.0 OZ/TON	SILVER	1	60.0	0.0
7	0.1 OZ/TON	SILVER	1	60.0	0.0
8	0.0 OZ/TON	SILVER	1	60.0	0.0
9	0.1 OZ/TON	SILVER	1	60.0	0.0
10	1.7 OZ/TON	SILVER	1	60.0	0.0
11	0.9 OZ/TON	SILVER	1	60.0	0.0
12	0.5 OZ/TON	SILVER	1	60.0	0.0
13	0.0 OZ/TON	SILVER	1	60.0	0.0
14	0.5 OZ/TON	SILVER	1	60.0	0.0
15	1.3 OZ/TON	SILVER	1	60.0	0.0
16	1.2 OZ/TON	SILVER	1	60.0	0.0
17	0.6 OZ/TON	SILVER	1	60.0	0.0
18	0.0 OZ/TON	SILVER	1	60.0	0.0
19	0.7 OZ/TON	SILVER	1	60.0	0.0
20	2.0 OZ/TON	SILVER	1	60.0	0.0
21	0.9 OZ/TON	SILVER	1	60.0	0.0
22	0.2 OZ/TON	SILVER	1	60.0	0.0
23	0.6 OZ/TON	SILVER	1	60.0	0.0
24	1.0 OZ/TON	SILVER	1	60.0	0.0
25	2.1 OZ/TON	SILVER	1	60.0	0.0
26	2.4 OZ/TON	SILVER	1	60.0	0.0
27	1.5 OZ/TON	SILVER	1	60.0	0.0
28	1.4 OZ/TON	SILVER	1	60.0	0.0
29	0.0 OZ/TON	SILVER	1	60.0	0.0
30	0.0 OZ/TON	SILVER	1	60.0	0.0

MUSTANG VEIN

DATA ID # 2009

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.9 OZ/TON	SILVER	1	60.0	0.0
2	2.0 OZ/TON	SILVER	1	60.0	0.0
3	1.1 OZ/TON	SILVER	1	60.0	0.0
4	2.0 OZ/TON	SILVER	1	60.0	0.0
5	0.3 OZ/TON	SILVER	1	60.0	0.0
6	0.3 OZ/TON	SILVER	1	60.0	0.0
7	2.9 OZ/TON	SILVER	1	60.0	0.0

MUSTANG VEIN

DATA ID # 2010

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	1.4 OZ/TON	SILVER	1	60.0	0.0
2	1.6 OZ/TON	SILVER	1	60.0	0.0
3	1.1 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	1.1 OZ/TON	SILVER	1	60.0	0.0
6	0.0 OZ/TON	SILVER	1	60.0	0.0
7	1.2 OZ/TON	SILVER	1	60.0	0.0
8	0.9 OZ/TON	SILVER	1	60.0	0.0
9	0.9 OZ/TON	SILVER	1	60.0	0.0
10	0.0 OZ/TON	SILVER	1	60.0	0.0
11	1.7 OZ/TON	SILVER	1	60.0	0.0
12	3.5 OZ/TON	SILVER	1	60.0	0.0
13	1.5 OZ/TON	SILVER	1	60.0	0.0
14	0.7 OZ/TON	SILVER	1	60.0	0.0
15	0.6 OZ/TON	SILVER	1	60.0	0.0

MUSTANG VEIN

DATA ID # 2011

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.6 OZ/TON	SILVER	1	60.0	0.0
2	0.4 OZ/TON	SILVER	1	60.0	0.0
3	2.3 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	1.9 OZ/TON	SILVER	1	60.0	0.0
6	1.2 OZ/TON	SILVER	1	60.0	0.0
7	0.6 OZ/TON	SILVER	1	60.0	0.0
8	0.2 OZ/TON	SILVER	1	60.0	0.0
9	0.4 OZ/TON	SILVER	1	60.0	0.0
10	0.0 OZ/TON	SILVER	1	60.0	0.0
11	0.5 OZ/TON	SILVER	1	60.0	0.0
12	1.0 OZ/TON	SILVER	1	60.0	0.0
13	1.6 OZ/TON	SILVER	1	60.0	0.0
14	0.5 OZ/TON	SILVER	1	60.0	0.0
15	0.9 OZ/TON	SILVER	1	60.0	0.0
16	1.2 OZ/TON	SILVER	1	60.0	0.0
17	0.3 OZ/TON	SILVER	1	60.0	0.0

MUSTANG VEIN

DATA ID # 2012

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.9 OZ/TON	SILVER	1	60.0	0.0
2	0.0 OZ/TON	SILVER	1	60.0	0.0
3	0.9 OZ/TON	SILVER	1	60.0	0.0
4	1.2 OZ/TON	SILVER	1	60.0	0.0

MUSTANG VEIN

DATA ID # 2013

DATA NUMBER	ASSAY	ELEMENT	CD	TIME (SECS)	DEPTH (FT)
1	0.1 OZ/TON	SILVER	1	60.0	0.0
2	0.6 OZ/TON	SILVER	1	60.0	0.0
3	0.0 OZ/TON	SILVER	1	60.0	0.0
4	0.0 OZ/TON	SILVER	1	60.0	0.0
5	1.2 OZ/TON	SILVER	1	60.0	0.0
6	1.7 OZ/TON	SILVER	1	60.0	0.0
7	3.0 OZ/TON	SILVER	1	49.0	0.0
8	2.9 OZ/TON	SILVER	1	52.0	0.0

MUSTANG VEIN