



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

11/29/85

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES FILE DATA

PRIMARY NAME: AJAX MINE GROUP

ALTERNATE NAMES:

PIMA COUNTY MILS NUMBER: 30

LOCATION: TOWNSHIP 22 S RANGE 10 E SECTION 5 QTR. SE
LATITUDE:N 31DEG 32MIN 30SEC LONGITUDE:W 111DEG 20MIN 17SEC
TOPO MAP NAME: ARIVACA - 15 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:

GOLD-(M) LODE-PRIMARY
SILVER-COPRODUCT
LEAD-COPRODUCT
ZINC-(M) SULFIDE-BYPRODUCT
COPPER-(M) SULFIDE-BYPRODUCT


BIBLIOGRAPHY:

AZBM BULL. 189, P. 103, 1974
ADMMR AJAX MINE GROUP FILE
GEO FILE, GREGORY, F.E."REPORT ON REGION
CONTIGUOUS TO THE MONTANA MINE, RUBY, AZ.'



(Oro Blanco)
SCALE 1:62500

R. 10 E. 700000 FEET
INTERIOR-GEOLOGICAL SURVEY, WASHINGTON, D. C. - 1958
M R-1022



Sections lines in T. 22 S., R. 11 E. are omitted because of insufficient data

Polyconic projection
5000 yard grid
10000 foot grid
rectangular coordinate

Contour interval 50 feet
Datum is mean sea level

Arivaca 15'

ROAD CLASSIFICATION
 Heavy-duty _____ 4 LANE 6 LANE Light-duty _____
 Medium-duty _____ 4 LANE 6 LANE Unimproved dirt _____

U. S. Route State Route

BY U. S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

AJAX MINE

PIMA COUNTY

CJH WR 8/9/86: Field examination: In the company of Mike Greeley visited the operations of Fraguita Silver Mines (c) at the Long Shot Group, Arivaca District, Pima County (f). Met Bruce Allen, Supt., Box 341, Arivaca, Arizona; tel: 398-2888 and Ray Pippin, resident watchman. Initial design for processing precious metal bearing mill feed from the nearby Ajax Mine (f) dumps called for cyanide heap leaching. The disposition of the concentrates has not as yet been established. The milling circuitry is not yet fully in place because of a lack of funding. A 40-50 tpd operation is planned, the water has been denied by the Forest Service (Coronado). Crushing will be accomplished by a primary jaw and secondary cone crusher and grinding by a small ball mill - all in place. Four Wemco flotation cells await installation. The ball mill's small capacity may prove to be a limiting factor in production. A number of color photographs of the equipment and its installation were taken for inclusion in the mine file. Photo sets for both offices will be obtained.

AJAX MINE

PIMA

I visited the old Ajax mine south of Arivaca. There was no one on the property.
VBD WR 6/24/75

The Forest Service reported that Fred Finell, who is manager or president of a Phoenix based company that has a lease on the Ajax lode mining claims south of Arivaca, has not filed a plan of operation with the Forest Service. He has been notified that he must file a plan. VBD WR 8/6/75

Fred Finell, P.O. Box 22096, Phoenix, 85028, who apparently is the president and manager of the company which has possession of the Ajax mine about 1½ or 2 miles south of Arivaca, has refused, thus far, to file an operating plan with the Forest Service. There are probably \$30 or \$40,000 worth of mining and milling equipment scattered on the property. It is rumored that a lien has been placed on the equipment by unknown parties. VBD WR 9/11/75



MG WR 3/9/84: Visited the Ajax mine (Pima Co.). There is no activity. Rail track is still in the adit and the adit appears to be in good condition. The portal is caving. Some type of heavy equipment appears to have been recently dragged down the dirt road leading to the mine. There is a shaft on the hill directly above the adit.

MG WR 3/16/84: Mr. Bellemare, Fraguita Silver Mines, Inc., (c) reports that construction of a leach pad to treat dump material from the Ajax and Long Shot mines (Pima Co) should begin soon. According to Bellemare, Fraguita is buying the Ajax and Long Shot properties.

MG WR 4/25/86: A newspaper, Arivaca Trails, V. 1, no 1, April 1986, reports that Doc Merriman "was founder and operator of the Amado and Ajax mines" Pima Co.

Mr. Miles Vaughn phoned engineer (GWI) for Mrs. Edna Sharrah, regarding the Ajax mine and Forest Service wish to remove building, or have claims voided. GWI WR 1-21-67

Office call to engineer (GWI) Mrs. Edna Sharrah and Art Laemmel about the Eck Estate ie the Ajax mine just south of Arivaca and the Forest Service. GWI WR 1-22-67

Mine visit to the Ajax mine for a look at the surface and buildings. The Forest Service is very much interested in this property. GWI WR 5-6-67

Field engineer read a copy of the notice posted by the Forest Service on the Ajax Mining Claim near Arivaca - contesting the validity of a claim and giving the owner sixty days to answer. GWI WR 5-23-67


Visited the Ajax mine - no one around. Assessment work completed. GWI WR 9-3-67

Visited the Ajax mine - two men living in camp, work on a nearby ranch. GWI WR 1-6-68

Assessment work being completed by G. Shields. GWI WR 9-2-69

Ray Wallace reports that he will have some drilling done on the Ajax mine near Arivaca for the owners of the property. GWI WR 8/9/72

Office call. Mr. Ray Wallace of Tucson re: assessment work at the Ajax mine in Pima County just south of Arivaca. He is going to do some drilling and wanted suggestions as to the best approach. GWI WR 8/14/72



**Western Prospector
& Miner, Jan. '75**

Ray Wallace came in to report that Fred Finnel of Mesa had optioned the Ajax mine south of Arivaca. GWI WR 3/6/75

Both the mine inspector's office and a forest ranger from the Nogales office of the Coronado National Forest advised lessees of the Ajax mine south of Arivaca that notifications of intent must be made to each. The mine inspector issued a citation for failure to notify of the beginning of operations. VBD WR 3/18/75

MWD


**BU
JO**
A SCR

JX BAN:802E2J079MAY2785
JACK BRANTL SALES MGR
WATERSAVER CO INC
1232 F BROADWAY LTD
TEMPE AZ 85282

MAT 32 75208982 11/20/84
:WATERSAVER CO INC
3030 S RURAL #1
TEMPE AZ 85282-3851

WEEK OF NOVEMBER 19 1984

75 CENTS



Fabricators of Flexible Membrane Liners
PVC • Hypalon • C

WATERSAVER COMPANY, INC.

General Office P.O. Box 16485, Denver, CO 80216 303-289-1818

JACK BRANTL
Regional Manager

Regional Office:
3030 Rural, Ste 1
Tempe, AZ 85282
602-966-6892

RECEIVED
DEC 11 1984
DEPT. MINERAL RESOURCES
PHOENIX, ARIZONA

12/10/84

*This is the press release I mentioned
to you recently.*

*Further; Found out Allan Frado is based in Edmonton.
Cruz Silver owns Fraquita & NTB Mining
Inc. is a consultant to Fraquita. Norman
Bellemare is NTB Mining. Current address
is: 5225 E. Pima, Ste 20 Tucson 85712*

(323-9360 is phone # for NTB)

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Ajax Mine Date March 17, 1965
District Arivaca District - Pima County Engineer Axel L. Johnson
Subject: Field Engineer's Report. Information from Paul Goff.

References: Report of March 13, 1956

Location: 3 miles south of Arivaca (not Ruby Road) Sec. 5, T22S, R10E

Number of Claims: 5 unpatented claims - 4 full claims & a half claim.

Owner: Dr. Evelyn Watkins - Tucson, Arizona

Lessee: Paul Goff, Rte. #4, Box 829, Tucson, Arizona - Phone 297-1534

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine ✓ Ajax Mine

Date March 13, 1956

District Arivaca District, Pima County

Engineer Axel L. Johnson

Subject: Present Status.

Location Sec. 5 -- T 22 S -- R 10 E. Take road straight south from Arivaca (not Ruby road), and go south for 3 miles.

Number of Claims Patented.

Owner ✓ Robert C. Eck, 2837 E. Edison, Tucson, Ariz.

Operator Not in operation.

Principal Minerals Gold, Silver, Lead.

Remarks Information from ✓ William Brouse, Arivaca.

ECK, ROBERT C.
2837 E. Edison
Tucson, Arizona

MINE: ✓ AJAX MINE, Arivaca Dist., Pima Co., 3 Mi S of Arivaca.
Sec. 5--T22S--R10E.

OWNER: Robert C. Eck - 3/56



**Western Prospector &
Miner, March, 1975**



crew West Prospector Miner 1/75



PAY DIRT for April 28, 1975

2/2/84
1/24

Algon 5-2
Long Shot
New York
and Arizona Cruz Silver Mines Inc.

News Release

FOR IMMEDIATE RELEASE

Arizona and Mexico have become major development areas for gold and silver exploration and development by an enterprising Canadian mining corporation ~~which~~ is based in Edmonton, Alberta.

Cruz Silver Mines Inc., listed on the Alberta Stock Exchange, (symbol CZS) is headed by Edmonton businessman Allan D. Frado, who says the potential for gold and silver on properties they have in Arizona and Mexico looks promising.

The Arizona property, covering some 1500 acres, is located south of Arivaca in Pima County, Arizona, located about 60 miles from Tucson.

Cruz acquired the property in July 1983 and exploration to date has shown what company president Allan Frado describes as "an interesting gold and silver property with assay values ranging from 0.0006 to 0.238 ounces of gold per ton." Mr. Frado said most of these values come from defined vein structures.

"We also sampled material from approximately 8000 tons of broken dump material on the property, and this material averaged 0.09 ounces of gold per ton and 8.9 ounces of silver per ton," said Mr. Frado. He added that treating this material at the site would permit a potential recovery of 720 ounces of gold and 71,200 ounces of silver.

At the present time, Cruz Silver is in the process of completing a 150-ton per-day crushing and gravity circuit plant in conjunction with a heap-leaching process and is continuing with its exploration and development program.

(more)

Algon 5-2
Long Shot
New York
and Arizona Cruz Silver Mines Inc.

Mr. Frado says with the establishment of the mill facilities, Cruz Silver's regional exploration program will take on an added dimension since there are numerous other gold and silver deposits in the area to be examined which may or may not be commercially viable.

The Mexican property, covering some 14,000 acres, is 49 per cent owned by Cruz Silver -- the maximum ownership allowable under Mexican law for a foreign corporation. It is located in the Saric-Altar area of northwestern Mexico, 23 miles south of the United States border.

In a geological report prepared by D.G. Innes and Associates Limited, it states that the property known as the Velez Gold property includes "a remarkable number of gold showings in a very favourable geological package."

"Each of these showings has a potential for the development of significant tonnage due to two main factors," the report states. "Firstly, at each of the known showings only limited, if any, exploration has been carried out despite the presence of visible gold and good assay values. Secondly, the vein structures are wide enough to mine and they are extremely strike persistent."

Mr. Frado says apart from the known gold and silver showings, there are other strong veins that have never been tested and it is reasonable to assume a high probability of new discoveries on the property are likely. He adds that one of the ore veins on the property having an estimated 20,000 tons of material was bulk-sampled and based on the estimated tonnage represents approximately 18,000 ounces of gold and 28,200 ounces of silver.

For further information contact:

Mr. Allan Frado, President
Cruz Silver Mines Inc.
1840 Sun Life Place
10123-99 Street
Edmonton, Alberta
T5J 3H1

24 February 1942

Mrs. G. P. Andrews,
Arivaca, Arizona.

My dear Mrs. Andrews:

I am enclosing herewith copies of mine owner's reports covering the AJAX MINE and the AMADO MINE, which have been filed with this depart

I shall be glad to submit making inquiry for

Assuring you of my desire wishes, I am

Yours very truly,

Charles F. Willis
Chairman, Board of Geve

CFW-jrf
encl.


MEMO

2-2-42

LONGOREÑA MINE

THE OLD SPANISH NAME (honeycomb) for the AJAX mine. It is located in Section 5 T22S-R10E or about 2½ miles South Southwest of Arivaca.

Info: from Fred C. Noon & H. Riggs Arivaca. From Journal of Arizona History by Carol Clark(e) wife of Mike Clark(e) 1961 or 62 at the U of A



Date: January 30, 1942

1. Mine: AJAX MINE
2. Location: 2 miles southerly from Arivaca, Arizona.
3. Mining District & County: Arivaca Mining District, Pima County
4. Former Name: Same.
5. Owner: Oreona Mining Co., Inc.
6. Address (Owner): Mrs. G.P. Andrews, Secretary-Treasurer, Arivaca, Arizona.
7. Lessee: Ed Heagney
8. Address (Lessee): Arivaca, Arizona.
9. President, Owing Co: Alanson E. Stewart, 563 Dutton St., Lowell, Mass.
- 9A. President, Operating Co:
10. Gen. Mgr:
14. Principal Minerals: Gold, Silver and Lead.
11. Mine Supt:
15. Production Rate:
12. Mill Supt:
16. Mill - Type & Cap: 10 stamps, 20 - 25 tons daily.
13. Men Employed:
17. Power - Amt. & Type: 25 HP Gasoline (Mill); 10 HP Gasoline (Crusher).
18. Operations - Present: Operations suspended - no priority number granted by OPM.

19. Operations - Planned: Prior to operations, a systematic program of core-drilling to determine position and downward continuity of the probable ore shoots within the Atlas vein.

20. Number Claims, Title, etc: Six lode claims, held under location - not patented.

21. Description - Topography & Geography: The topography may be classed as moderately steep; the property occupies a north-easterly position facing pediment of the Arivaca Range, lying adjacent to the easterly margin of the surface capping, consisting of cemented andesitic breccia. The water course of Fraguita Creek crosses the property near and about 75 feet below the mill level.

22. Mine Workings - Amt. & Condition: A 550 foot cross-cut, intersecting three narrow veins of the Ajax lode system, workings open and accessible. Numerous short drifts on these veins. Total of underground openings is about 1200 feet. On the Atlas Vein, a 135 foot tunnel in footwall country, with a 40 foot raise to the vein, then stoped to the near surface. Maximum depth gained is 170 feet below the surface, additional depth would be shaft sinking below cross-cut level, giving above stated depth.

23. **Geology & Mineralization:** The Ajax vein system occurs as a fissure fillings in the andesitic capping, and arkosic quartzite underlies the andesite. The Atlas vein occupies a contact fissure between quartzite (FW) and a lime bearing sedimentary formation (HW). One aplite dike occurs as the local intrusive. Grana-diorite and rhyolite areas lie 1/2 mile westward of the property. Mineralization of the vein material occurs as sulphides in the large majority - viz: iron pyrite, galena and chalcopyrite, with about 20% of gold values being "free" as shown by past operations. Minor amounts of "steel galena" occur which are silver bearing.
24. **Ore - Positive & Probable, Ore Dumps, Tailings:** The probable ore to be determined by the drilling mentioned. No commercial quantity known at present.
Width of veins, present showing: Ajax (3) veins, 8 to 16 inches
Atlas 1 vein, 24 to 40 inches
Length of possible ore shoots not known.
25. **Mine, Mill Equipment & Flow-Sheet:** Ten Stamp Mill. Recovery of values by amalgamation and table concentration.
Daily capacity (24 hours) 2 to 25 tons, based upon the oxidized ore zones near surface.
26. **Road Conditions, Route:** Two miles fair road to Arivaca, then 22 miles good country road to Amado, the railroad shipping point. To Tucson from the property is a distance of 59 miles, majority being state highway, viz: Amado to Tucson.
27. **Water Supply:** Flow of Fraguita Creek during six to eight months of the year; the amount being about .5 S.C.F. during the balance of the seasonal flow. Storage of this water could be had by the installation of a dam, upstream of the mill site.
28. **Brief History:**
29. **Special Problems, Reports Filed:** The special problem of the property (after determining the extent of available ore) would be an accurate metallurgical test of the property's ore so as to establish the correct mill assembly and its flow-sheet, whereby the greatest recovery of values could be made, as the present stamp mill is not amenable to the ore character and due to the ore's inherent nature to slime, considerable amount of values are lost in tailings.
30. **Remarks:** Elevation above sea level. At cross-cut level as well as mill level, elevation is 3880 feet. At the property apex as well as vein outcrop, elevation is 3990 feet. Fraguita Creek stream bed is 3725 feet elevation.
31. **If property for sale - Price, terms and address to negotiate:** Property now leased, with purchase option.
32. **Signature:** OREONA MINING COMPANY, INC.,
(Signed) Mrs. Grace P. Andrews,
Secretary-Treasurer
Arivaca, Arizona.

Arivaca Ariz.
October 14, 1940.

Dear Dad-

As you suggested I am writing you a letter about the Ajax Mine. ^{F. G.}

The Ajax Mine consists of five unpatented lode claims and one unpatented placer claim. They are located about two miles south of Arivaca, Arizona and about fifty-five miles southwest of Tucson. The Arivaca mining district is one of the oldest in the state, having been worked in the early days by the Spaniards. It has produced a great deal of high grade ore. There are several small properties being operated at present but none of these is running a mill now except the Ajax. On the Ajax there is a ten stamp mill consisting of a crusher, two batteries of five stamps each, amalgamation plates, and concentrating table, complete with pumps, engines, pipelines, etc. There is also a nearly new Ingersoll-Rand compressor 105-A, a new Cochise stoper and a new Cochise jack-hammer. There are all in operation together with all necessary pipe, hose, etc.

The owner of this property is the Oreona Mining Co. Inc., and they leased it to my former partner from whom I purchased the lease under which I am now operating.

Since it has been very costly to buy out this partner and to purchase the mining equipment, I am endeavoring to sell an interest in this property to enable me to operate on a profitable scale. At present I am operating the mine with only one man at the mill and one man to help me at doing the actual mining. I am doing all the trucking myself. On this scale we are unable to keep the mill running more than one or two days a week. This of course does no more than pay costs and does not allow me enough to finish paying off the ex-partner or to do proper development work on the mine. I have already built good roads, cleaned out old tunnels, put in tracks, constructed an aerial tram and in general put the property in an excellent condition to operate correctly. I have also improved the mill and the equipment connected with it to the point where it is now running with a minimum of breakdowns or other delays.

I now have several faces of ore opened up and am mining from these faces ore which assays from nine dollars to thirty-eight dollars a ton, a fair average of which would be about \$15 a ton and nearly all of the values being gold. Since the mill is easily capable of handling a ton an hour and we recover about 75% of the values that gives us a gross of about \$11.25 per ton. As it now costs us about \$6.00 to mine, haul and mill the ore this leaves us a net of a little more than \$5.00 a ton. These figures are quite conservative and the cost per ton of ore can be cut down considerably by a larger scale of operations.

I have had quite a bit of experience in mining and milling and am also fortunate in having a mill man who has had wide experience in all kinds of mills. Since you have seen our mill the mine I'm sure that you will agree that the work here has been well and correctly done.

About 50% of our recovery is in the form of amalgam and our ratio of concentration is very high so our concentrate marketing problem is a very easy one to solve.

There has been more rain this year than usual which assures an ample supply of water until the winter rains begin and will allow continuous operation.

All the work that has been done leads me to believe that there is an almost unlimited

unlimited amount of ore for the mill. And too, as most of the work has been done on only one vein and since there are more than ten veins on the property, this is obviously true. There is also every reason to believe that these veins persist to a considerable depth and will probably contain secondary enrichments in the sulphide zone as the geology is perfect for such enrichments.

I have spent on the mine a total of about \$7500.00. Much of this was used for expendable supplies such as powder, gasoline, food and the like. Much has also been spent for labor, insurance, etc. My ex-partner has also had a large slice of this. The rest has been used to pay on the following equipment:

Ingersoll-Rand Model 105A portable compressor
Cochise Model 475 automatic rotary stoper
Cochise Model 75 jackhammer and spare parts for both
International dump truck
Concentrating table, pipe, hose, belts, tools, etc.

I will sell a 50% interest in the mine for five thousand dollars. This would allow me enough to completely pay off the ex-partner and what I own on the equipment I have purchased and have enough for operating over-head until the mine becomes profitable. Or, if it is more desirable I will sell all my interest for ten thousand dollars.

If you desire any more detailed information I can send it to you at once along with maps, assays, etc. I could of course go on at great length about the property but I think this will serve your purpose for the time being.

Sincerely-

F. Douglas Pine.

C O P Y 10-14-40

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

DEPT. MINERAL RESOURCES
RECEIVED
FEB 17 1942
PIMA COUNTY, ARIZONA

Date January 30th, 1942.

Mine - Ajax Mine

District Arivaca Mining District

Location 2 miles southerly from Arivaca, Arizona.

Former name same

Owner Oreona Mining Co. Inc.

Address Arivaca, Arizona. Mrs. G. P. Andrews Secretary-Treas.

Operator - Leased - now to Ed. Heagney

Address Arivaca, Arizona.

President Alanson E. Stewart
563 Dutton St., Lowell, Mass.

Gen. Mgr. - Mrs. Andrews

Mine Supt. -----

Principal Metals Gold-Silver and Lead

AJAX

Au, Ag, Pb

Production Rate

Pima 10 - 7 T 21 S, R 10 E

Power: Amt & Type 25 H.P. Gasoline Mill
10 H.P. Gasoline Cr.

Operations: Present Operations suspended

Oreona Mining Co., Arivaca

Operations Planned Prior to operations, a systematic program of core-drilling to determine position and downward continuity of the probable ore shoots within the Atlas vein.

Number Claims, Title, etc. Six lode claims, held under location - not patented.

Description: Topog. & Geog. The topography may be classed as moderately steep; the property occupies a north-easterly position facing pediment of the Arivaca Range, lying adjacent to the easterly margin of the surface capping, consisting of cemented andesitic breccia. The water course of Fraguita Creek crosses the property near and about 75 feet below the mill level.

Mine Workings: Amt. & Condition A 550 foot cross-cut, intersecting three narrow veins of the Ajax lode system, workings open and accessible. Numerous short drifts on these veins. Total of underground openings is about 1200 feet. On the Atlas Vein, a 135 foot tunnel in footwall country, with a 40 foot raise to the vein, then stepped to the near surface. Maximum depth gained is 170 feet below the surface, additional depth would be shaft sinking below cross-cut level, giving above stated depth.

(over)

Geology & Mineralization The Ajax vein system occurs as a fissure filling in the andesitic capping, and arkosic quartzite underlies the andesite. The Atlas Vein occupies a contact fissure between quartzite (FQ) and a lime bearing sedimentary formation (HM). One Aplite dike occurs as the local intrusive. Granodiorite and Rhyolite areas lie 1/2 mile westward of the property. Mineralization of the vein material occurs as sulphides in the large majority, viz: iron pyrite, galena and chalcocite, with about 20% of gold values being free, as shown by past operations. Minor amounts of steel galena occur which are silver bearing.

Ore: Positive & Probable, Ore Dumps, Tailings

The probable ore to be determined by the drilling mentioned. No commercial quantity known at present.

Width of veins, present showing: Ajax (3) veins, 8 to 16 inches
; Atlas 1 vein, 24 to 40 inches.
; Length of possible ore sheets not known.

Mine Mill Equipment & Flow Sheet Ten stamp Mill. Recovery of values by amalgamation and table concentration. Daily capacity (24hrs.) 2- to 25 tons, based upon the oxidized ore zones near surface.

Road Conditions. Route Two miles fair road to Arivaca, then 22 miles good country road to Amado the R. R. shipping point. To Tucson from the property is a distance of 59 miles, majority being State Highway, viz: Amado to Tucson.

Water Supply Flow of Fragueta Creek during six to eight months of the year; the amount being about .5 S.G.F. during the balance of the seasonal flow. Storage of this water could be had by the installation of a dam, upstream of the mill site.

Brief History

Special Problems, Reports Filed The special problem of the property (after determining the extent of available ore) would be an accurate metallurgical test of the property's ore so as to establish the correct mill assembly and its flow-sheet, whereby the greatest recovery of values could be made, as the present stamp mill is not amenable to the ore character and due to the ore's inherent nature to slime, considerable amount of values are lost in tailings.

Remarks Elevation above sea level. At cross-cut level as well as mill level, elevation is 3850 feet. At the property apex as well as vein outcrop, elevation is 3990 feet. Fragueta Creek stream bed is 3725 feet elevation.

If property for sale: Price, terms and address to negotiate. Property now leased, with purchase option.

Signed **Greene Mining Company, Inc.**

Mrs. Grace P. Andrews
Secretary-Treasurer
Arivaca, Arizona.

Use additional sheets if necessary.