



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

MOHAVE CO. MILS

NUMBER: 33J

NAME: CARTER GROUP

ALTERNATE NAMES:

CURRENT STATUS: DEVEL DEPOSIT MAP NAME: OATMAN - 7.5 MIN

LATITUDE: N 35DEG 01MIN 01SEC LONGITUDE: W 108DEG 23MIN 14SEC

TOWNSHIP: 19 N RANGE: 20 W SECTION: 22 QTR.: E2

COMMODITY:

GOLD-(M) LODE-PRIMARY

SILVER-COPRODUCT

BIBLIOGRAPHY:

USGS OATMAN QUAD

BLM DISTRICT MAP 482

ADMR HOUSEHOLDE MAP

ADMR MOHAVE CUSTOM MILL PROJ. CARD FILE

ADMR CARTER GROUP MINE FILE

SCHRADER, F.C., AIME TRANS. 1917, P. 225-226

ADMR MOHAVE MINERAL & PROSPECT FILE, MAP 317

(CONT)

MOHAVE CO. MILS

NUMBER: 33J

NAME: CARTER GROUP (CONT)

ALTERNATE NAMES:

CURRENT STATUS:

MAP NAME:

LATITUDE:

LONGITUDE:

TOWNSHIP:

RANGE:

SECTION:

QTR.:



COMMODITY:

BIBLIOGRAPHY:

WEED, W.H., THE MINES HANDBOOK, VOL. XII,
1918, P. 481

BOLIN, G.H., 5TH ANNUAL REPT. OF AZ. STATE
MINE INSPECTOR, P. 9, 16 & 25

ADDITIONAL WORKINGS SEC. 23, W2, T19N-R20W



ROAD CLASSIFICATION
 Medium-duty _____ Light-duty _____
 Unimproved dirt =====

DS
 WASHINGTON, D. C. 20242
 ON REQUEST

OATMAN, ARIZ.
 N3500—W11422.5/7.5

1967

51
 M

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

August 22, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Carter Group of Gold Mines (Mohave County) gold and silver
(Property) (ore)



the property which we would like to have

Owner's Report form with as complete detail reports, maps, assay returns, shipment returns sent us before and which might interest a property.

Mrs. Frances L. Munds
~~306 N. Mt. Vernon Ave.~~
Prescott, Arizona

Frances Munds

Frank P. Knight

FRANK P. KNIGHT,
Director.

RTH

Enc: Mine Owner's Report

CARTER GROUP

Au

Mohave 8 - 10 T 19 N, R 20 W


Frances L.

~~F. W. Munds~~, 306 N. Mt. Vernon, Prescott

'41
'46

OK

DEPARTMENT OF MINERAL RESOURCES
State of Arizona
MINE OWNER'S REPORT



Date August 15, 1946

1. Mine: CARTER GROUP
2. Location: Sec..... Twp. 19 North Range No 20 West Nearest Town Oatman
Distance 2000 ft West of Tom Reed Direction Road Condition Main U.S. 66 crosses property
3. Mining District & County: San Francisco Mining district, Mohave County
4. Former Name of Mine: Carter Gold
5. Owner: Mrs. Frances L. Munds
Address: 306 N. Mt. Vernon Ave, Prescott, Arizona
6. Operator:
Address:
7. Principal Minerals: Gold and some silver
Three, New York, Giant and Gold Cross
8. Number of Claims: 1 Lode Placer
Patented Yes Unpatented
9. Type of Surrounding Terrain: Andesite forming rough ridges, cut in N.E.-S.W.
direction by quartz veins
10. Geology & Mineralization: Quartz veins, pitch about 80° E, strike NE-S.W?
contains au and ag. Pyrite in walls, Country Rock, andesite. Vein
cuts spur of rhyolite crossing it on Gold Cross claim
11. Dimension & Value of Ore Body:

12. Ore "Blocked Out" or "In Sight": All ore produced to date has been milled in times past under lease and option.

Production rate under old operation approximately 4000 per cent

Power and any type PUC Kingman

Ore Probable: Remains to be seen

13. Mine Workings—Amount and Condition:

No.	Feet	Condition
Shafts. Shaft	400	Inclined east about 80° with 4 levels 50 ft drift 25 each way from shaft
Raises		150 ft # " 50 " " " "winz 26' deep
Tunnels		250 ft cross cut, 150 ft drift, 300 ft SW
Crosscuts		400 cross cut 50 ft 50 ft drift 1000 ft SW Shaft covered at collar. All on Giant Claim
Stopes		Cuts and pits on New York and Gold Cross

14. Water Supply: From Main shaft, about 2500 gallons per day, steady flow probably be a year or more before ground will drain to steady flow

15. Brief History: Claims located and patented by Jim Carter in 1912 and 11 Carter took out 11 sacks of high grade ore from SW drift on Giant claim and sunk shaft to 250 ft there. In 1915 J.L. Munds of Prescott purchased property, straightened shaft and did about 2000 ft of drifting and cross cutting. No ore was shipped at that time but since then some of the ore has been taken out under lease and bond, and milled at Tom Reed and Vivian mills.

If interested I will furnish mining engineer for inspection of property and will state price and terms then.
Engineer report "Good gamble"

Surveyor's plat can be obtained from U.S. Land Office at Phoenix.

I also have surveyor's plat of Township of township and Carter claims and photostat blue print of Carter claims for inspection of interested party.

16. Signature: *Mrs. Frances L. Munds*
906, W. Mt Vernon Ave, Prescott, Arizona

17. If Property for Sale, List Approximate Price and Terms: *apply to above address*

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
MINE OWNER'S REPORT

MC-63

Date: September 10, 1941

Mine: Carter Group of Gold Mines

Namely: Grant, gold Cross & New York

District: San Francisco Mining District Location
Mohave County, Arizona

Former Name

Owner: Frances W. Munds ✓

Address: 306 N. Mt. Vernon Avenue
Prescott, Arizona

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals *gold* ✓

Men Employed

Production Rate

Mill: Type & Cap.

Power: ~~Amt.~~ & Type

Operations: Present

Operations Planned

Number Claims, Title, etc. Three patented claims

Description: Topog. & Geog. The vein runs northwest and southeast. On the New York there is some work done on open cuts and tunnels which shows good values and milling ore at the present price of gold. One George Edwards attempted to jump this claim and took about \$300 worth of ore and had it milled at the Vivian mill about three years ago. He had to be ousted from said claim by law and although the owners got judgment against him for this ore, he skipped the country, without paying for same.

Mine Workings: Amt. & Condition: The most of the development work on the Grant or center claim. It has a shaft 450 ft. deep on an incline of about 75 per cent. On the 50 ft. level there is about 25 feet of drift each way. On the east side is where Jim Carter got his high grade, eleven sacks of which netted him \$2500 at the old price of gold. On the 150 level of the Grant there are about 100 feet of drift west and 50 feet east and a small underhand stope which had ore values of \$30.00 at the old price. On the 250 level of the Grant there are about 150 feet of cross cutting with about 25 feet of drift west and about 100 feet of drift east carrying values which increased with development. On the 450-foot level of the Grant there are about 50 feet of cross cut and 600 feet of drift to the west. There is considerable ore on this level which went \$14 at the old price.

(over)

Geology & Mineralization

Ore: Positive & Probable, Ore Dumps, Tailings

Mine, Mill Equipment & Flow Sheet

Road Conditions, Route

Water Supply

Brief History

Special Problems, Reports Filed

Remarks: Comment by W. H. Munds, M. E.: "It is my opinion that the rhyolite dyke which makes most of the ore in the Oatman district puts one spur directly across the vein making two contacts on the Gold Cross claim or vein about 300 feet apart, and I think the best chance for continuous good values is on the two sides of the rhyolite dyke. I would like to have this claim prospected to the depth of 500 feet."

If property for sale: Price, terms and address to negotiate.

For sale. Write: Frances W. Munds, Manager
306 N. Mt. Vernon Avenue
Prescott, Arizona

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Report on Carter Group of gold mines situated in the San Francisco Mining District, Mohave County, Arizona. Report by W.H. Munds, M.E. who was superintendent when worked by J.L. Munds about thirty years ago.

Mine
District
Location
Former name The Carter Group of Gold Mines consist of three patented claims namely, Grant, Gold Cross and New York.
Owner (X) The vein runs N.W. and S.E.
Operator On the New York, there is some work done on open cuts and tunnels which show good values and milling ore at the present price of gold. One George Edwards attempted to jump this claim and took about \$300 worth of ore and had it milled at the Vivian mill about three years ago. He had to be ousted from said claim by law and although the owners got judgment against him for this ore he skipped the country without paying for same.
President
Mine Supt.
Principal Metals The most of the development work on the Grant or center claim. It has a shaft 450 ft deep on an incline of about 75%. On the 50 ft level there is about 25 ft of drift each way. On the east side is where Jim Carter got his high grade, eleven sacks of which netted him \$2500 at the old price of gold.
Production Rate
Power: Amt. & Type

Operations: Present On the 150 level of The Grant there are about 100 ft of drift West and 50 ft East and a small underhand stope which had ore values of \$30 at the old price.

Operations Planned On the 250 level of the Grant there are about 150 ft of cross cutting with about 25 ft of drift West and about 100 ft of drift East carrying values which increased with development.

On the 450 ft level of the Grant there are about 50 ft of cross cut and 600 ft of drift to the West There is considerable on this level which went \$14 at the old price.

Comment by W.H. Munds M.E.

Number Claims, Title, etc. It is my opinion that the rhyolite dyke which makes most of the ore in the Oatman district puts one spur directly across the vein making two contacts on the Gold Cross claim or vein about 300 ft apart, and I think the best chance for continuous good values is on the two sides of the rhyolite dyke. I would like to have this claim prospected to the depth of 500 ft.

Description: Topog. & Geog. X

Respectfully submitted by Frances W. Munds present manager
Address 306 N. Mt. Vernon Avenue.
Prescott, Arizona.

Mine Workings: Amt. & Condition

Geology & Mineralization

Ore: Positive & Probable, Ore Dumps, Tailings

Mine, Mill Equipment & Flow Sheet

Road Conditions, Route

Water Supply

Brief History

Special Problems, Reports Filed

Remarks

If property for sale: Price, terms and address to negotiate.

for sale with ~~_____~~ ^{fw. m. te} ~~_____~~

Signed.....

Use additional sheets if necessary.

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

August 22, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Carter Group of Gold Mines (Mohave County) gold and silver
(Property) (ore)

the property which we would like to have

Owner's Report form with as complete detail reports, maps, assay returns, shipment returns sent us before and which might interest a property.

Frank P. Knight

FRANK P. KNIGHT,
Director.

RIH

Mrs. Frances L. Munds

~~306 N. Mt. Vernon Ave.~~

~~Prescott, Arizona~~

Jane Munds



Enc: Mine Owner's Report

CARTER GROUP		
Au		
Mohave	8 - 10	T 19 N, R 20 W
Frances L.		
F. W. Munds , 306 N. Mt. Vernon, Prescott		

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

MC-13

Report on Carter Group of gold mines situated in the San Francisco Mining District, Mohave County, Arizona. Report by W.H. Munds, M.E. who was superintendent when worked by J.L. Munds about thirty years ago.

Mine

District

Date

Location

Former name

The Carter Group of Gold Mines consist of three patented claims namely, Grant, Gold Cross and New York.

Owner

1 X The vein runs N.W. and S.E.

Address

Operator

On the New York, there is some work done on open cuts and tunnels which show good values and milling ore at the present price of gold. One George Edwards attempted to jump this claim and took about \$300

President

worth of ore and had it milled at the Vivian mill about three years ago. He had to be ousted from said claim by law and although the owners got judgment against him for this ore he skipped the country

Mine Supt.

without paying for same.

Address

Gen. Mgr.

Mill Supt.

Principal Metals

The most of the development work on the Grant or center claim. It has a shaft 450 ft deep on an incline of about 75%. On the 50 ft level there is about 25 ft of drift each way. On the east side is where Jim Carter got his high grade, eleven sacks of which netted him \$2500 at the old price of gold.

Men Employed

Production Rate

Mill Type & Cap.

Power: Amt. & Type

Operations: Present

On the 150 level of The Grant there are about 100 ft of drift West and 50 ft East and a small underhand stope which had ore values of \$30 at the old price.

Operations Planned

On the 250 level of the Grant there are about 150 ft of cross cutting with about 25 ft of drift West and about 100 ft of drift East carrying values which increased with development.

On the 450 ft level of the Grant there are about 50 ft of cross cut and 600 ft of drift to the West. There is considerable ore on this level which went \$14 at the old price.

Comment by W.H. Munds M.E.

Number Claims, Title, etc.

It is my opinion that the rhyolite dyke which makes most of the ore in the Oatman district puts one spur directly across the vein making two contacts on the Gold Cross claim or vein about 300 ft apart, and I think the best chance of continuous good values is on the two sides of the rhyolite dyke. I would like to have this claim prospected to the depth of 500 ft.

Description: Topog. & Geog. *X*

Respectfully submitted by Frances W. Munds present manager
Address 306 N. Mt. Vernon Avenue.
Prescott, Arizona.

Mine Workings: Amt. & Condition

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
MINE OWNER'S REPORT

MC-63

Date: September 10, 1941

Mine: Carter Group of Gold Mines

Namely: Grant, gold Cross & New York

District: San Francisco Mining District Location
Mohave County, Arizona

Former Name

Owner: Frances W. Munds ✓

Address: 306 N. Mt. Vernon Avenue
Prescott, Arizona

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals *gold* ✓

Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present

Operations Planned

Number Claims, Title, etc. Three patented claims

Description: Topog. & Geog. The vein runs northwest and southeast. On the New York there is some work done on open cuts and tunnels which shows good values and milling ore at the present price of gold. One George Edwards attempted to jump this claim and took about \$300 worth of ore and had it milled at the Vivian mill about three years ago. He had to be ousted from said claim by law and although the owners got judgment against him for this ore, he skipped the country, without paying for same.

Mine Workings: Amt. & Condition: The most of the development work on the Grant or center claim. It has a shaft 450 ft. deep on an incline of about 75 per cent. On the 50 ft. level there is about 25 feet of drift each way. On the east side is where Jim Carter got his high grade, eleven sacks of which netted him \$2500 at the old price of gold. On the 150 level of the Grant there are about 100 feet of drift west and 50 feet east and a small underhand stope which had ore values of \$30.00 at the old price. On the 250 level of the Grant there are about 150 feet of cross cutting with about 25 feet of drift west and about 100 feet of drift east carrying values which increased with development. On the 450-foot level of the Grant there are about 50 feet of cross cut and 600 feet of drift to the west. There is considerable ore on this level which went \$14 at the old price.

(over)

DEPARTMENT OF MINERAL RESOURCES
State of Arizona
MINE OWNER'S REPORT

DEPT. MINERAL RESOURCES
RECEIVED
AUG 19 1946
PHC. FON

OK

Date August 15, 1946

1. Mine: CARTER GROUP
2. Location: Sec..... Twp. 19 North Range No 20 West Nearest Town Oatman
Distance 2000 ft West of Tom Reed Direction Road Condition Main U.S. 66 crosses property
3. Mining District & County: San Francisco Mining district, Mohave County
4. Former Name of Mine: Carter Gold
5. Owner: Mrs. Frances L. Munds
Address: 306 N. Mt. Vernon Ave, Prescott, Arizona
6. Operator:
Address:
7. Principal Minerals: Gold and some silver
8. Number of Claims: Three, New York, Giant and Gold Cross
Patented Yes Lode Placer
Unpatented
9. Type of Surrounding Terrain: Andesite forming rough ridges, cut in N.E. - S.W.
direction by quartz veins
10. Geology & Mineralization: Quartz veins, pitch about 80° E, strike NE-S.W?
contains au and ag. Pyrite in walls, Country Rock, andesite. Vein
cuts spur of rhyolite crossing it on Gold Cross claim
11. Dimension & Value of Ore Body: