



## **CONTACT INFORMATION**

Mining Records Curator  
Arizona Geological Survey  
1520 West Adams St.  
Phoenix, AZ 85007  
602-771-1601  
<http://www.azgs.az.gov>  
[inquiries@azgs.az.gov](mailto:inquiries@azgs.az.gov)

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

## **ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

## **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

## **QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 07-18-2007

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: COPPER GLANCE

ALTERNATE NAMES:  
JOHNNY

PIMA COUNTY MILS NUMBER: 305

LOCATION: TOWNSHIP 17 S RANGE 10 E SECTION 22 QUARTER C  
LATITUDE: N 31DEG 56MIN 07SEC LONGITUDE: W 111DEG 18MIN 19SEC  
TOPO MAP NAME: PALO ALTO RANCH - 15 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:  
COPPER OXIDE  
URANIUM

BIBLIOGRAPHY:  
US AEC PRR PIMA COUNTY ARIZ, 1952, P. 671  
ADMMR COPPER GLANCE FILE  
ADMMR SUNSHINE GROUP FILE  
ADMMR "U" FILE CU 39

COPPER GLANCE  
COPPER GLANTZ (former name)

PIMA COUNTY  
PAPAGO DIST.  
OR PIMA DIST.  
T17S, R10E,sec 22

see: SUNSHINE GROUP(file)

MILS COPPER GRANTZ AND JOHNNY GROUPS

Mining  
Journal



9/30/42

MEMORANDUM

Re Banner Mine  
Copper Glance Group  
Blue Bird Group  
Sunshine Mine  
Yellow Bird Mine

All located in Pima County &  
all owned or controlled by  
Bridget Breidler  
General Delivery  
Tucson, Arizona

Mrs. Breidler states she has resided upon some of these claims for 17 years.

It appears that she has relocated some of these groups; others are her original locations.

She states that she will make an attractive offer to any legitimate mining operator.

The files show a rather complete report on the Sunshine mine by C. E. James, E.M. From this report it would appear that a considerable tonnage of lead ore can be mined. The report is dated in 1920. It is not known, nor does the file indicate, whether subsequent operations have removed this ore.

The Banner Mine was once surveyed for patent, but no patent application appears to have been filed in the U.S. Land Office. If the files of Paul Fernald, surveyor, of Tucson, (now deceased) could be examined they will doubtless contain a map of the property. Old workings here are approximately 200 ft. deep.

Mrs. Breidler lives on the Yellow Bird group, about 42 miles southwest of Tucson, and in approximate Sec. 26, T17S, R10E.

See file under Sunshine mine for sketch map of claims made by George Talajech who accompanied Mrs. Breidler on her visit to office July 11, 1947.  
Memo by J. E. Busch.

DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
FIELD ENGINEERS REPORT

Mine Copper Glance Mine ✓  
(former name Copper Glantz) ✓  
District Papago (Sierrita) Mining Dist., Pima Co. Engineer Axel L. Johnson

Date Sept. 18, 1952.

Subject: Mine Report ----- Personal Inspection & Information from George Skinner.

Location Sec. 22 -- T 17 S -- R 10 E.

This property is located about 39 miles south-west of Tucson, on the west side of the Sierrita Mts. Go out from Tucson on the Sells Highway for 24 miles to Three Points, then go south for 9 miles on the Sasabe Highway to the King's Ranch road, then go 5 1/2 miles east to the foothills of the Sierrita Mts. The road into the property needs slight repairs for 5 miles, and fairly extensive repairs for the last 1/2 mile.

Number of Claims 12 unpatented claims.

Owners ✓ George D. Skinner with Arizona Trust Co., 136 N. Stone Ave., Tucson, Ariz.  
✓ Stanley M. Secrist with Arizona Trust Co., " " "

Lessees Mrs. Mildred Sligh of the Sligh Realty Co., 1050 N. Country Club Rd., Tucson.

Operators Not in operation.

Principal Minerals ✓ Copper ores, with fairly high silver values. Ore highly silicious.

Number of Men Employed None. Mine is ~~at~~ idle.

Topography Low rolling hills at the base of the east slopes of the Sierrita Mts.

Geology A wide (from 7 to 9 ft.) quartz vein, almost vertical and striking approximately north and south. Country rock is dark grey schist. This quartz vein has copper values in variable amounts, copper ores occurring in lenses, kidneys, and streaks. Owners claim that copper ore can be mined running from \$18 to \$39 per ton, by means of selective mining and by sorting of the ore. The copper ores found are chiefly chrysocolla, malachite, and chalcocite.

Ore Values Ore from \$18 to \$38 per ton in Copper and Silver values by means of selective mining and sorting. This ore is highly silicious, running up to 85 % in silica, and is desirable as flux ore.

Mine Workings Workings consist of one shaft 110 ft. deep (incline 75 deg. N. for 70 ft. and vertical last 40 ft.), a short drift on the 70 ft. level and a 10 ft. drift on the 110 ft. level. Present lessees, Mrs. Mildred Sligh, sank last 40 ft. of shaft and the 10 ft. of drift, and then suspended operations, indefinitely.

Past History Mine formerly operated by Harold Brooks (about 25 to 30 yr. ago). Mr. Brooks sank the 70 ft. on incline shaft. There is no records of any ore shipments having been made from the property.

Proposed Plans Indefinite.

Remarks A rancher is using the water from the mine. He has a pump at the bottom of the shaft, and is pumping the water from the mine into a large storage tank for use on his ranch.

MC-76

DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
OWNERS MINE REPORT

Date

- 1. Mine  Copper Glance
- 2. Mining District & County Papago Mining District  
Pima County
- 3. Former name
- 4. Location
- 5. Owner  W. H. Leahy,  George B. Skinner
- 6. Address (Owner) Tucson, Arizona
- 7. Operator Not operated at present
- 8. Address (Operator)
- 9. President
- 10. Gen. Mgr.
- 11. Mine Supt.
- 12. Mill Supt.
- 13. Principal Metals
- 14. Men Employed
- 15. Production Rate
- 16. Mill: Type & Cap.
- 17. Power: Amt. & Type
- 18. Operations: Present  None.
- 19. Operations Planned
- 20. Number Claims, Title, etc. 12. Held by location.
- 21. Description: Topography & Geography Elevation approximately 3000 feet. Level country.
- 22. Mine Workings: Amt. & Condition Incline shaft approximately 100' on main workings. South and north approximately 3000'. In addition, perpendicular shaft of 35 feet on same vein. One vein (200 feet) on east side showing high grade ore in croppings. One vein (400 feet) on west side showing high grade ore in croppings.

23. Geology & Mineralization L<sup>r</sup> and schist formation. Fissure in - oxide ore.

24. Ore: Positive & Probable, Ore Dumps, Tailings Still drifting approximately 35 to 40 feet on vein.

24-A Vein Width, Length, Value, etc. Vein is 8 feet wide between walls, approximate value \$25.00 per ton.

25. Mine, Mill Equipment & Flow Sheet None.

26. Road Conditions, Route Good. Paved highway 25 miles. Good dirt highway 8 miles. Fair dirt road to mine 6 miles.

27. Water Supply Water available from nearby ranch for domestic use. Permanent water can be developed.

28. Brief History Don't know.

29. Special Problems, Reports Filed No previous reports on property. Main problem is additional funds for development.

30. Remarks With proper light equipment and \$3000 to \$5000 working capital one should be in shipping ore. By developing this vein to lower levels and then cross cutting to other two veins, we should be in permanent ore and a smelter.

31. If property for sale: Price, terms and address to negotiate. Property is for sale - \$25,000 on 5% royalty basis.

32. Signed..... W. H. Leahy, 2307 East First, Tucson, Arizona  
Phone 2326J

33. Use additional sheets if necessary.

George B. Skinner, 531 North Martin Avenue, Tucson, Arizona  
Phone 1956

DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
OWNERS MINE REPORT

Date

1. Mine  Copper Glance
2. Mining District & County Papago Mining District  
Pima County
3. Former name
4. Location
5. Owner W. H. Leahy, George B. Skinner
6. Address (Owner) Tucson, Arizona
7. Operator Not operated at present
8. Address (Operator)
9. President
10. Gen. Mgr.
11. Mine Supt.
12. Mill Supt.
13. Principal Metals
14. Men Employed
15. Production Rate
16. Mill: Type & Cap.
17. Power: Amt. & Type
18. Operations: Present None.
19. Operations Planned
20. Number Claims, Title, etc. 12. Held by location.
21. Description: Topography & Geography Elevation approximately 3000 feet. Level country.
22. Mine Workings: Amt. & Condition Incline shaft approximately 100' on main workings. South and north approximately 3000'. In addition, perpendicular shaft of 35 feet on same vein. One vein (200 feet) on east side showing high grade ore in croppings. One vein (400 feet) on west side showing high grade ore in croppings.

23. Geology & Mineralization Lead and schist formation. Fissure vein - oxide ore.

24. Ore: Positive & Probable, Ore Dumps, Tailings Still drifting approximately 35 to 40 feet on vein.

24-A Vein Width, Length, Value, etc. Vein is 8 feet wide between walls, approximate value \$25.00 per ton.

25. Mine, Mill Equipment & Flow Sheet None.

26. Road Conditions, Route Good. Paved highway 25 miles. Good dirt highway 8 miles. Fair dirt road to mine 6 miles.

27. Water Supply Water available from nearby ranch for domestic use. Permanent water can be developed.

28. Brief History Don't know.

29. Special Problems, Reports Filed No previous reports on property. Main problem is additional funds for development.

30. Remarks With proper light equipment and \$3000 to \$5000 working capital one should be in shipping ore. By developing this vein to lower levels and then cross cutting to other two veins, we should be in permanent ore and a smelter.

31. If property for sale: Price, terms and address to negotiate. Property is for sale - \$25,000 on 5% royalty basis.


32. Signed..... W. H. Leahy, 2307 East First, Tucson, Arizona  
Phone 2326J

33. Use additional sheets if necessary.

George B. Skinner, 531 North Martin Avenue, Tucson, Arizona  
Phone 1950

DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
MINE OWNER'S REPORT

711C-76



- 1. Mine "Copper Glance" ✓
- 2. Location \_\_\_\_\_
- 3. Mining District & County Papago Mining Dist. Pima County ✓
- 4. Former name ✓
- 5. Owner W.H. Leahy - Geo. B. Skinner ✓
- 6. Address (Owner) Tucson Arizona ✓
- 7. Operator Not operated at present ✓
- 8. Address (Operator) \_\_\_\_\_
- 9. President, Owning Co. \_\_\_\_\_
- 9A. President, Operating Co. \_\_\_\_\_
- 10. Gen. Mgr. \_\_\_\_\_
- 14. Principal Minerals \_\_\_\_\_
- 11. Mine Supt. \_\_\_\_\_
- 15. Production Rate \_\_\_\_\_
- 12. Mill Supt. \_\_\_\_\_
- 16. Mill: Type & Cap. \_\_\_\_\_
- 13. Men Employed \_\_\_\_\_
- 17. Power: Amt. & Type \_\_\_\_\_
- 18. Operations: Present *only*
- 19. Operations: Planned \_\_\_\_\_

20. Number Claims, Title, etc. - 12 -  
*Held by location*

21. Description: Topography & Geography  
*Elevation app. 3000 ft.  
level country*

22. Mine Workings: Amt. & Condition  
*Incline shaft app 100' on main workings  
~~South~~ & North app. 3000' - is additional  
Perpendicular shaft of 75 feet (over) on same vein  
One vein on East side - showing high grade ore in cropping  
One vein on West side*

23. Geology & Mineralization

Lime and schist formation  
massive clay - wide are,

24. Ore: Positive & Probable, Ore Dumps, Tailings —

Vein 8' between walls  
free drifting - app. 35-40' on vein —

24A. Dimensions and Value of Ore body

Vein is 8' wide between walls  
approx value \$ 75<sup>00</sup> per ton —

25. Mine, Mill Equipment & Flow-Sheet

None

26. Road Conditions, Route

good - paved highway - 25 miles -  
good dirt road highway 8 miles  
fair - road to mine 6 miles

27. Water Supply

water available from near by ranch  
for domestic use - permanent water  
can be developed —

28. Brief History

Don't know

29. Special Problems, Reports Filed

no previous reports on property  
main problem is addn funds for  
development —

30. Remarks

with proper light equipment — and 3000<sup>00</sup> to 5000<sup>00</sup> working capital  
one should be in shipping ore # By developing this vein to  
lower levels and then cross cutting to other low reefs, we should be in  
permanent ore and a smelter —

31. If property for sale: Price, terms and address to negotiate.

Property is for sale - \$ 25,000<sup>00</sup> on 5% Royalty basis

32. Signature

W. H. Leahy 2307 East 1<sup>st</sup>

33. Use additional sheets if necessary.

Paul E. Kramer of Tucson, Arizona  
831 No Martin ave Phone 1956  
Phone 2326 J