

### CONTACT INFORMATION

Mining Records Curator Arizona Geological Survey 1520 West Adams St. Phoenix, AZ 85007 602-771-1601 http://www.azgs.az.gov inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

## ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

# **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

## QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES FILE DATA

PRIMARY NAME: CYRUS

ALTERNATE NAMES:

PIMA COUNTY MILS NUMBER: 528

LOCATION: TOWNSHIP 18 S RANGE 15 E SECTION 15 QUARTER NE LATITUDE: N 31DEG 52MIN 07SEC LONGITUDE: W 110DEG 47MIN 57SEC TOPO MAP NAME: SAHUARITA - 15 MIN


CURRENT STATUS: UNKNOWN

COMMODITY:

COPPER TUNGSTEN

**BIBLIOGRAPHY:** 

USBM FILE NO. 463.2/14013 ADMMR CYRUS MINE FILE



We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

> FRANK P. KNIGHT, Director.

Enc: Mine Owner's Report

### ARIZONA DEPARTMENT OF MINERAL RESOURCES MINERAL BUILDING, FAIRGROUNDS PHOENIX, ARIZONA

December 10, 1957

February 11, 1958

To the Owner or Operator of the Arizona Mining Property named below:



We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

> FRANK P. KNIGHT, Director.

Enc: Mine Owner's Report

### DEFARTMENT OF MINERAL RESOURCES STATE OF ARIZONA OWNERS MINE REPORT

Date Oct: 4th, 1939 Cyrus 16 E, 155 Mine District Location Pima County, Arizona Helvetia Mining District Former name None Owner C. P. Thomas C. P. Thomas Address None Operator Address Box 697, Coolidge, Ariz. President None Gen. Mgr. None None Mine Supt. Mill Supt. None Principal Metals Copper, gold, silver, Molybdenum Men Employed None Production Rate Non e Mill: Type & Cap. Power: Amt. & Type None **Operations:** Present Assessment work

Operations Planned Running a tunnel 600 feet with the vein, which will give 350 feet of vertical depth under ore that shows at surface, or sinking at the bottom of a 40 foot shaft to the 200 level, and drift 200 feet.

Number Claims, Title, etc. 5 claims, three surveyed, held under assessment, all work recorded

Description: Topog. & Geog.

Steep limestone mountain, in contact with granite porphyry

Mine Workings: Amt. & Condition

250 feet consisting of shallow shafts and tunnels.

Geology & Mineralization Contact veins between limestone and porphyry, showing gossan outcrop garnet, liminite of iron, quartz, sulphide ores assaying 6% to 25% copper, gold \$1.50 per ton, silver from 2 to 20 oz., molybdenum 300 of one per cent at 40 feet of depth,

Ore: Positive & Probable, Ore Dumps, Tailings Probable

Mine, Mill Equipment & Flow Sheet None

Road Conditions, Route Take Benson highway from Tucson, turn right 22 miles out at Vail, Arizona, thence 13 miles to Johnson Ranch, which road the last 5 miles is slow but a good road.

Water Supply Small springs at present

Brief History I located this property, and have been carrying on the work alone I have no partners

Special Problems, Reports Filed See development plan on other side

2

Remarks Will negotiate for interest, if parties will develop.

If property for sale: Price, terms and address to negotiate.

.

Signed C. P. Thomas Box 697, Coolidge, Ariz.

. . .

Use additional sheets if necessary.

Department o	. Geology & Mineralization.
designed and the second strength and the second streng	re of Arizona WNER'S REPORT
	Date Ore: Positive & Probable, Ore Dugger 14, 1500 and 20 and .
1. Mine Cyrus	2. Location Pima County, Arizona
3. Mining District & County Helvetia Mining Dist.	Frobable
4. Former name None	A. Dimensions and Value of Ore body
5. Owner C. P. Thomas	6. Address (Owner) C. P. Thomas
7. Operator None	8. Address (Operator) Bx. 697, Coolidge, Ariz.
9. President, Owning Co. None	9A. President, Operating Co. . Mine, Mill Equipment & Flow-Sheet
10. Gen. Mgr.	14. Principal Minerals Copper, gold, silver, molybdenu
11. Mine Supt.	15. Production Rate
12. Mill Supt.	16. Mill: Type & Cap.
13. Men Employed None None	17. Power: Amt. & Type
18. Operations: Present Assessment work	
	Water Supply
	and the second

#### 19. Operations: Planned

Running a tunnel 600 fest with the vein, which will giver 350 feet of ling vertical depth under ore that shows at surface, or sinking at the bottom of a 40 foot shaft to the 200 level, and drift 200 feet. I have no mertiners.

20. Number Claims, Title, etc. 5 claims, three surveyed, held under assessment, all work recorded labour

Remarks

21. Description: Topography & Geography

Will negotiate for interest. If carts B Steep limestone mountain, in contact with granite porphyry.

22. Mine Workings: Amt. & Condition 250 feet consisting of shallow shafts and tunnels.

32. Signature....(Styged) 0. P. Phomos

Use additional sheets if necessary.

#### eology & Mineralization

Contact veins between limestone and porphyry, showing gossan outcrop garnet, liminite of imon, quartz. Sulphide ores assaying 6% to 25% copper gold \$1.50 per ton, Silver from 2 to 20 ozs. Molybdenum 300 of one per cent at 40 feet of depth.

stradi on tradministrativ

re: Positive & Probable, Ore Dumps, Tailings

Probable

None

Dimensions and Value of Ore body

ine, Mill Equipment & Flow-Sheet

te tett and the

un en sebui d

i someticas: Plemas

un affil i reis Da Cua

oad Conditions, Route

Take Benson highway from Tucson, turn right 22 miles out at Vail Ariz, thence 13 miles to Johnson Ranch, which the road the last 5 miles is slow but a good road.

'ater Supply

Small springs at present.

rief History

I located this property, and have been carrying on the work along I have no partners.

pecial Problems, Reports Filed

See development plan on other side.

emarks

Will negotiate for interest, if parties will develop.

property for sale: Price, terms and address to negotiate.

S e Owners.

32. Signature...(Signed) C. P. Thomas