



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 12-14-2006

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: EAGLE

ALTERNATE NAMES:
OLD CAPATAIN

YAVAPAI COUNTY MILS NUMBER: 703

LOCATION: TOWNSHIP 13 N RANGE 1 E SECTION 5 QUARTER C
LATITUDE: N 34DEG 32MIN 10SEC LONGITUDE: W 112DEG 16MIN 54SEC
TOPO MAP NAME: PRESCOTT VALLEY S - 7.5 MIN


CURRENT STATUS: EXP PROSPECT

COMMODITY:
COPPER OXIDE
COPPER SULFIDE
GOLD
SILVER

BIBLIOGRAPHY:
ADMMR EAGLE FILE

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA

FIELD ENGINEERS REPORT



Date Jan 20th, 1943

Engineer A. G. Nebeker

Location Prescott, Ariz.

Address Walker, Arizona

Address

Gen. Mgr.

Mill Supt.

Men Employed one

Mill: Type & Cap.

Mine Eagle
District Big Bug, Yavapai Co, Ariz.

Former name Old Capatian

Owner Al. Ablock,

Operator same

President none

Mine Supt.

Principal Metals gold-silver-copper

Production Rate none

Power: Amt. & Type

Operations: Present Consists of surface work, to prove up continuation of the veins.

Operations Planned To put hoist over present shaft which shows sulphides of copper, get down the shaft and sample vein and get thickness of it.

Number Claims, Title, etc. There are 6 claims known as Eagle 1 to 6. Title is by location and work. These claims are layed out two claims in length along the strike of the formation and three claims wide.

Description: Topog. & Geog. This property is about $1\frac{1}{2}$ miles north of the Iron King mine, and off the Highway 3 miles by side road. The bench slopes have been cut into by several gullies which makes rather a rolling appearance. The surface is covered with brushy scrub oaks.

Mine Workings: Amt. & Condition There are three shafts and a tunnel, Two of these shafts are approximately 50 feet deep and the main shaft is reported to be 350 feet deep. The workings are all in poor condition and considerable work will be necessary before it is safe to entre.

Geology & Mineralization

The geology is mostly granite and wide bands of schists with a north strike and very steep dip. Both granite and schists are in some places cut by quartz porphyry dike which also has a north strike. The mineralization is iron, copper carbonate and copper sulphides. The sulphides have come from a vein in the 350 foot shaft.

Ore: Positive & Probable, Ore Dumps, Tailings

There is no positive or blocked out ores as far as is known. Ore can be seen in the vein where it is cut by shafts or trenches, but not enough work to block out any. Ores found on the property will assay from 1% copper to 30% copper, and the sulphides from shaft 5% to 8% copper.

Mine, Mill Equipment & Flow Sheet

none, The sulphide ore would be good for Flotation type of mill.

Road Conditions, Route Go from Prescott on the Black Canyon Highway, until about 1 mile from Dewey, then go through fence and follow a side road for about $3\frac{1}{2}$ miles. The road is good with exceptions of last 1 mile which is cut up by washes.


Water Supply Would have to be developed, which could be ~~done~~ done by wells, as is done by some cattlemen near by.

Brief History This property was worked some thirty years ago, but during the past five years the old owners got tired of it and gave same over to the present owner for locating it. There is no equipment of any kind on the property.

Special Problems, Reports Filed

Remarks There is a chance of this property producing copper and zinc ores if developed as the Iron King is developed.
Ores have never been tested for lead and zinc.

If property for sale: Price, terms and address to negotiate. Is for sale, or will work on lease royalty basis.

Signed 

Jan 20th, 1943

Eagle

A. C. Nebeker

Big Bug, Yavapai Co, Ariz.

Prescott, Ariz.

Old Capatian

Al. Ahlock,

Walker, Arizona

same

none

gold-silver-copper

one

none

Consists of surface work, to prove up continuation of the veins.

To put hoist over present shaft which shows sulphides of copper, get down the shaft and sample vein and get thickness of it.

There are 6 claims known as Eagle 1 to 6. Title is by location and work. These claims are layed out two claims in length along the strike of the formation and three claims wide.

This property is about $1\frac{1}{2}$ miles north of the Iron King mine, and off the Highway 3 miles by side road. The bench slopes have been cut into by several gullies which makes rather a rolling appearance. The surface is covered with brushy scrub oaks.

There are three shafts and a tunnel, Two of these shafts are approximately 50 feet deep and the main shaft is reported to be 350 feet deep. The workings are all in poor condition and considerable work will be necessary before it is safe to entre.

The geology is mostly granite and wide bands of schists with a north strike and very steep dip. Both granite and schists are in some places cut by quartz porphyry dike which also has a north strike. The mineralization is iron, copper carbonate and copper sulphides. The sulphides have come from a vein in the 350 foot shaft.

There is no positive or blocked out ores as far as is known. Ore can be seen in the vein where it is cut by shafts or trenches, but not enough work to block out any. Ores found on the property will assay from 1% copper to 30% copper, and the sulphides from shaft 5% to 8% copper.

none, The sulphide ore would be good for Flotation type of mill.

Go from Prescott on the Black Canyon Highway, until about 1 mile from Dewey, then go through fence and follow a side road for about 3/4 miles. The road is good with exceptions of last 1 mile which is cut up by washes.

Would have to be developed, which could be ~~run~~ done by wells, as is done by some cattlemen near by.

This property was worked some thirty years ago, but during the past five years the old owners got tired of it and gave same over to the present owner for locating it. There is no equipment of any kind on the property.

There is a chance of this property producing copper and zinc ores if developed as the Iron King is developed.

Ores have never been tested for lead and zinc.

Is for sale, or will work on lease royalty basis.



DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Eagle

Date January 20, 1943

District Big Bug, Yavapai County, Arizona

Engineer A. C. Nebeker

Subject:

Former name: Old Capatian

Location: Prescott, Arizona.

Owner: Al Ablock

Address: Walker, Arizona

Operator: Same.

Principal Metals: Gold, silver, copper.

Men Employed: One.

Production Rate: None.

Operations: Present: Consists of surface work, to prove up continuation of the veins.

Operations Planned: To put hoist over present shaft which shows sulphides of copper, get down the shaft and sample vein and get thickness of it.

Number Claims, Title, etc.: There are 6 claims known as Eagle 1 to 6. Title is by location and work. These claims are laid out two claims in length along the strike of the formation and three claims wide.

Description: Topog. & Geog.: This property is about $1\frac{1}{2}$ miles north of the Iron King mine, and off the Highway 3 miles by side road. The bench slopes have been cut into by several gullies which makes rather a rolling appearance. The surface is covered with brushy scrub oaks.

Mine Workings: Amt. & Condition: There are three shafts and a tunnel, two of these shafts are approximately 50 feet deep and the main shaft is reported to be 350 feet deep. The workings are all in poor condition and considerable work will be necessary before it is safe to enter.

Geology & Mineralization: The geology is mostly granite and wide bands of schists with a north strike and very steep dip. Both granite and schists are in some places cut by quartz porphyry dike which also has a north strike. The mineralization is iron, copper carbonate and copper sulphides. The sulphides have come from a vein in the 350 foot shaft.

Ore: Positive & Probable, Ore Dumps, Tailings: There is no positive or blocked out ores as far as is known. Ore can be seen in the vein where it is cut by shafts or trenches, but not enough work to block out any. Ores found on the property will assay from 1% copper to 30% copper, and the sulphides from shaft 5% to 8% copper.

Mine, Mill Equipment & Flow Sheet: None. The sulphide ore would be good for flotation type of mill.

Road Conditions, Route: Go from Prescott on the Black Canyon Highway, until about 1 mile from Dewey, then go through fence and follow a side road for about $3\frac{1}{2}$ miles. The road is good with exceptions of last 1 mile which is cut up by washes.

Water Supply: Would have to be developed, which could be done by wells, as is done by some cattlemen near by.

Brief History: This property was worked some thirty years ago, but during the past five years the old owners got tired of it and gave same over to the present owner for locating it. There is no equipment of any kind on the property.

Remarks: There is a chance of this property producing copper and zinc ores if developed as the Iron King is developed.

Ores have never been tested for lead and zinc.

If property for sale: Price, terms and address to negotiate: Is for sale, or will work on lease royalty basis.

(Signed) A. C. NEBKER

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Eagle

Date January 20, 1943

District Big Bug, Yavapai County, Arizona

Engineer A. C. Nebeker

Subject:

Former name: Old Capatian

Location: Prescott, Arizona.

Owner: Al Ablock

Address: Walker, Arizona

Operator: Same.

Principal Metals: Gold, silver, copper.

Men Employed: One.

Production Rate: None.

Operations: Present: Consists of surface work, to prove up continuation of the veins.

Operations Planned: To put hoist over present shaft which shows sulphides of copper, get down the shaft and sample vein and get thickness of it.

Number Claims, Title, etc.: There are 6 claims known as Eagle 1 to 6. Title is by location and work. These claims are laid out two claims in length along the strike of the formation and three claims wide.

Description: Topog. & Geog.: This property is about $1\frac{1}{2}$ miles north of the Iron King mine, and off the Highway 3 miles by side road. The bench slopes have been cut into by several gullies which makes rather a rolling appearance. The surface is covered with brushy scrub oaks.

Mine Workings: Amt. & Condition: There are three shafts and a tunnel, two of these shafts are approximately 50 feet deep and the main shaft is reported to be 350 feet deep. The workings are all in poor condition and considerable work will be necessary before it is safe to enter.

Geology & Mineralization: The geology is mostly granite and wide bands of schists with a north strike and very steep dip. Both granite and schists are in some places cut by quartz porphyry dike which also has a north strike. The mineralization is iron, copper carbonate and copper sulphides. The sulphides have come from a vein in the 350 foot shaft.

Ore: Positive & Probable, Ore Dumps, Tailings: There is no positive or blocked out ores as far as is known. Ore can be seen in the vein where it is cut by shafts or trenches, but not enough work to block out any. Ores found on the property will assay from 1% copper to 30% copper, and the sulphides from shaft 5% to 8% copper.

Mine, Mill Equipment & Flow Sheet: None. The sulphide ore would be good for flotation type of mill.

Road Conditions, Route: Go from Prescott on the Black Canyon Highway, until about 1 mile from Dewey, then go through fence and follow a side road for about $3\frac{1}{2}$ miles. The road is good with exceptions of last 1 mile which is cut up by washes.

Water Supply: Would have to be developed, which could be done by wells, as is done by some cattlemen near by.

Brief History: This property was worked some thirty years ago, but during the past five years the old owners got tired of it and gave same over to the present owner for locating it. There is no equipment of any kind on the property.

Remarks: There is a chance of this property producing copper and zinc ores if developed as the Iron King is developed.

Ores have never been tested for lead and zinc.

If property for sale: Price, terms and address to negotiate: Is for sale, or will work on lease royalty basis.

(Signed) A. C. NEBKER

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Eagle

Date January 20, 1943

District Big Bug, Yavapai County, Arizona

Engineer A. C. Nebeker

Subject:

Former name: Old Capatian

Location: Prescott, Arizona.

Owner: Al Ableck

Address: Walker, Arizona

Operator: Same.

Principal Metals: Gold, silver, copper.

Men Employed: One.

Production Rate: None.

Operations: Present: Consists of surface work, to prove up continuation of the veins.

Operations Planned: To put hoist over present shaft which shows sulphides of copper, get down the shaft and sample vein and get thickness of it.

Number Claims, Title, etc.: There are 6 claims known as Eagle 1 to 6. Title is by location and work. These claims are laid out two claims in length along the strike of the formation and three claims wide.

Description: Topog. & Geog.: This property is about $1\frac{1}{2}$ miles north of the Iron King mine, and off the Highway 3 miles by side road. The bench slopes have been cut into by several gullies which makes rather a rolling appearance. The surface is covered with brushy scrub oaks.

Mine Workings: Ant. & Condition: There are three shafts and a tunnel, two of these shafts are approximately 50 feet deep and the main shaft is reported to be 350 feet deep. The workings are all in poor condition and considerable work will be necessary before it is safe to enter.

Geology & Mineralization: The geology is mostly granite and wide bands of schists with a north strike and very steep dip. Both granite and schists are in some places cut by quartz porphyry dike which also has a north strike. The mineralization is iron, copper carbonate and copper sulphides. The sulphides have come from a vein in the 350 foot shaft.

Ore: Positive & Probable, Ore Dumps, Tailings: There is no positive or blocked out ores as far as is known. Ore can be seen in the vein where it is cut by shafts or trenches, but not enough work to block out any. Ores found on the property will assay from 1% copper to 30% copper, and the sulphides from shaft 5% to 8% copper.

Mine, Mill Equipment & Flow Sheet: None. The sulphide ore would be good for flotation type of mill.

Road Conditions, Route: Go from Prescott on the Black Canyon Highway, until about 1 mile from Dewey, then go through fence and follow a side road for about $3\frac{1}{2}$ miles. The road is good with exceptions of last 1 mile which is cut up by washes.

Water Supply: Would have to be developed, which could be done by wells, as is done by some cattlemen near by.

Brief History: This property was worked some thirty years ago, but during the past five years the old owners got tired of it and gave same over to the present owner for locating it. There is no equipment of any kind on the property.

Remarks: There is a chance of this property producing copper and zinc ores if developed as the Iron King is developed.

Ores have never been tested for lead and zinc.

If property for sale: Price, terms and address to negotiate: Is for sale, or will work on lease royalty basis.

(Signed) A. C. NEBEKER

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Eagle Date January 20, 1943

District Big Bug, Yavapai County, Arizona Engineer A. C. Nebaker

Subject:

Former name: Old Capatian

Location: Prescott, Arizona.

Owner: Al Ablock

Address: Walker, Arizona

Operator: Same.

Principal Metals: Gold, silver, copper.

Men Employed: One.

Production Rate: None.

Operations: Present: Consists of surface work, to prove up continuation of the veins.

Operations Planned: To put hoist over present shaft which shows sulphides of copper, get down the shaft and sample vein and get thickness of it.

Number Claims, Title, etc.: There are 6 claims known as Eagle 1 to 6. Title is by location and work. These claims are laid out two claims in length along the strike of the formation and three claims wide.

Description: Topog. & Geog.: This property is about $1\frac{1}{2}$ miles north of the Iron King mine, and off the Highway 3 miles by side road. The bench slopes have been cut into by several gullies which makes rather a rolling appearance. The surface is covered with brushy scrub oaks.

Mine Workings: Amt. & Condition: There are three shafts and a tunnel, two of these shafts are approximately 50 feet deep and the main shaft is reported to be 350 feet deep. The workings are all in poor condition and considerable work will be necessary before it is safe to enter.

Geology & Mineralization: The geology is mostly granite and wide bands of schists with a north strike and very steep dip. Both granite and schists are in some places cut by quartz porphyry dike which also has a north strike. The mineralization is iron, copper carbonate and copper sulphides. The sulphides have come from a vein in the 350 foot shaft.

Ore: Positive & Probable, Ore Dumps, Tailings: There is no positive or blocked out ores as far as is known. Ore can be seen in the vein where it is cut by shafts or trenches, but not enough work to block out any. Ores found on the property will assay from 1% copper to 30% copper, and the sulphides from shaft 5% to 8% copper.

Mine, Mill Equipment & Flow Sheet: None. The sulphide ore would be good for flotation type of mill.

Road Conditions, Route: Go from Prescott on the Black Canyon Highway, until about 1 mile from Deway, then go through fence and follow a side road for about $3\frac{1}{2}$ miles. The road is good with exceptions of last 1 mile which is cut up by washes.

Water Supply: Would have to be developed, which could be done by wells, as is done by some cattlemen near by.

Brief History: This property was worked some thirty years ago, but during the past five years the old owners got tired of it and gave same over to the present owner for locating it. There is no equipment of any kind on the property.

Remarks: There is a chance of this property producing copper and zinc ores if developed as the Iron King is developed.

Ores have never been tested for lead and zinc.

If property for sale: Price, terms and address to negotiate: Is for sale, or will work on lease royalty basis.

(Signed) A. C. NEEBKER

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Eagle

Date January 20, 1943

District Big Bug, Yavapai County, Arizona

Engineer A. C. Nebeker

Subject:

Former name: Old Capatian

Location: Prescott, Arizona.

Owner: Al Ablock

Address: Walker, Arizona

Operator: Same.

Principal Metals: Gold, silver, copper.

Men Employed: One.

Production Rate: None.

Operations: Present: Consists of surface work, to prove up continuation of the veins.

Operations Planned: To put hoist over present shaft which shows sulphides of copper, get down the shaft and sample vein and get thickness of it.

Number Claims, Title, etc.: There are 6 claims known as Eagle 1 to 6. Title is by location and work. These claims are laid out two claims in length along the strike of the formation and three claims wide.

Description: Topog. & Geog.: This property is about $1\frac{1}{2}$ miles north of the Iron King mine, and off the Highway 3 miles by side road. The bench slopes have been cut into by several gullies which makes rather a rolling appearance. The surface is covered with brushy scrub oaks.

Mine Workings: Amt. & Condition: There are three shafts and a tunnel, two of these shafts are approximately 50 feet deep and the main shaft is reported to be 350 feet deep. The workings are all in poor condition and considerable work will be necessary before it is safe to enter.

Geology & Mineralization: The geology is mostly granite and wide bands of schists with a north strike and very steep dip. Both granite and schists are in some places cut by quartz porphyry dike which also has a north strike. The mineralization is iron, copper carbonate and copper sulphides. The sulphides have come from a vein in the 350 foot shaft.

Ore: Positive & Probable, Ore Dumps, Tailings: There is no positive or blocked out ores as far as is known. Ore can be seen in the vein where it is cut by shafts or trenches, but not enough work to block out any. Ores found on the property will assay from 1% copper to 30% copper, and the sulphides from shaft 5% to 8% copper.

Mine, Mill Equipment & Flow Sheet: None. The sulphide ore would be good for flotation type of mill.

Road Conditions, Route: Go from Prescott on the Black Canyon Highway, until about 1 mile from Dewey, then go through fence and follow a side road for about $3\frac{1}{2}$ miles. The road is good with exceptions of last 1 mile which is cut up by washes.

Water Supply: Would have to be developed, which could be done by wells, as is done by some cattlemen near by.

Brief History: This property was worked some thirty years ago, but during the past five years the old owners got tired of it and gave same over to the present owner for locating it. There is no equipment of any kind on the property.

Remarks: There is a chance of this property producing copper and zinc ores if developed as the Iron King is developed.

Ores have never been tested for lead and zinc.

If property for sale: Price, terms and address to negotiate: Is for sale, or will work on lease royalty basis.

(Signed) A. C. NEBEKER

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Eagle Date January 20, 1943

District Big Bug, Yavapai County, Arizona Engineer A. C. Nebeker

Subject:

Former name: Old Capatian

Location: Prescott, Arizona.

Owner: Al Ablock

Address: Walker, Arizona

Operator: Same.

Principal Metals: Gold, silver, copper.

Men Employed: One.

Production Rate: None.

Operations: Present: Consists of surface work, to prove up continuation of the veins.

Operations Planned: To put hoist over present shaft which shows sulphides of copper, get down the shaft and sample vein and get thickness of it.

Number Claims, Title, etc.: There are 6 claims known as Eagle 1 to 6. Title is by location and work. These claims are laid out two claims in length along the strike of the formation and three claims wide.

Description: Topog. & Geog.: This property is about $1\frac{1}{2}$ miles north of the Iron King mine, and off the Highway 3 miles by side road. The bench slopes have been cut into by several gullies which makes rather a rolling appearance. The surface is covered with brushy scrub oaks.

Mine Workings: Amt. & Condition: There are three shafts and a tunnel, two of these shafts are approximately 50 feet deep and the main shaft is reported to be 350 feet deep. The workings are all in poor condition and considerable work will be necessary before it is safe to enter.

Geology & Mineralization: The geology is mostly granite and wide bends of schists with a north strike and very steep dip. Both granite and schists are in some places cut by quartz porphyry dike which also has a north strike. The mineralization is iron, copper carbonate and copper sulphides. The sulphides have come from a vein in the 350 foot shaft.

Ore: Positive & Probable, Ore Dumps, Tailings: There is no positive or blocked out ores as far as is known. Ore can be seen in the vein where it is cut by shafts or trenches, but not enough work to block out any. Ores found on the property will assay from 1% copper to 30% copper, and the sulphides from shaft 5% to 8% copper.

Mine, Mill Equipment & Flow Sheet: None. The sulphide ore would be good for flotation type of mill.

Road Conditions, Route: Go from Prescott on the Black Canyon Highway, until about 1 mile from Dewey, then go through fence and follow a side road for about $3\frac{1}{2}$ miles. The road is good with exceptions of last 1 mile which is cut up by washes.

Water Supply: Would have to be developed, which could be done by wells, as is done by some cattlemen near by.

Brief History: This property was worked some thirty years ago, but during the past five years the old owners got tired of it and gave same over to the present owner for locating it. There is no equipment of any kind on the property.

Remarks: There is a chance of this property producing copper and zinc ores if developed as the Iron King is developed.

Ores have never been tested for lead and zinc.

If property for sale: Price, terms and address to negotiate: Is for sale, or will work on lease royalty basis.

(Signed) A. C. NEBECKER