



## **CONTACT INFORMATION**

Mining Records Curator  
Arizona Geological Survey  
1520 West Adams St.  
Phoenix, AZ 85007  
602-771-1601  
<http://www.azgs.az.gov>  
[inquiries@azgs.az.gov](mailto:inquiries@azgs.az.gov)

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

## **ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

## **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

## **QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

06/04/91

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES FILE DATA

PRIMARY NAME: GOLDEN CROWN GROUP

ALTERNATE NAMES:

PIMA COUNTY MILS NUMBER: 1136

LOCATION: TOWNSHIP 18 S RANGE 7 E SECTION 28 QUARTER SE  
LATITUDE: N 31DEG 49MIN 45SEC LONGITUDE: W 111DEG 37MIN 38SEC  
TOPO MAP NAME: CHIULI SHAIK - 7.5 MIN


CURRENT STATUS: UNKNOWN

COMMODITY:

GOLD  
SILVER

BIBLIOGRAPHY:

ADMMR GOLDEN CROWN GROUP FILE  
EXACT LOCATION UNCERTAIN



BROWN, MRS. S. L. 6-20-39 PIMA COUNTY  
Patagonia Arizona (MARY C. BROWN) FRESNAL DIST.  
(mail ret. 2-1958- unknown-unclaimed)

GOLDEN CROWN GROUP (file) & FAMILY GROUP

---

BROWN, EARL 7-12-61 Pima county  
5212 E. Sixth St. FRESNAL DIST.  
Tucson, Ariz.

ALLISON MINE (file) Au, Ag.

---

McEuen, WM. E. 11-6-40 PIMA COUNTY  
~~1142-E-14th-St.~~ 409-Ajo-Way- FRESNAL DIST.  
Tucson, Arizona (mail ret.-6-58-moved)

GOLDEN CROWN GROUP (file) (FAMILY GROUP & GOLDEN RULE  
GOLD SEAL, GOLDEN GATE PLACER (file) GRP)

TIGER MINE 4-52 PIMA COUNTY  
 TIGER 1, 2, 3 ARIVACA DIST.

See AMADO MINE (file) (formerly Oreona Group)  
 & Tiger Mine 8-48


ALLISON 185 7E 33c

643 4 TH OF JULY GROUP  
 644 ALTA GROUP  
 911 BRONZE

CITICLI SHAIK 7<sup>th</sup>

1736 GOLDEN CROWN GROUP 528 SE

973 Z GOLDEN RULE MINE  
 175 10E NP



FAMILY GROUP 11-6-40 PIMA COUNTY  
 & GOLDEN RULE GROUP FRESNAL DIST.

see GOLDEN CROWN GROUP (file) Au=Ag

**DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
OWNERS MINE REPORT**

Date November 6, 1940

Mine Family and Golden Rule Groups

District Fresnal, Pima Co.

Location 10 miles E. Of Topowa Mission

Former name Not known

Owner  (Mary/Brown X  
 Wm E. McEwen X  
Operator  (Robert M. Wilson X  
 Robert M. Wilson

(Patagonia, Ariz.  
Address 1142 E. 14th St. Tucson, Ariz.  
(Greaterville, Ariz.  
Address Greaterville, Arizona

President No corporation

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold, silver

Men Employed None

Production Rate Not established

Mill: Type & Cap.

Power: Amt. & Type None

Operations: Present Idle

**FAMILY & GOLDEN RULE**

Au, Ag

Pima 10 - 5 T 19 S, R 7 E

1857 E Dec 28

Mary Brown, Patagonia, & Wm. McEwen, 1142 E. 14th St., Tucson

Chieftain 7.5 Topo

Operations Planned Depends on means available

Number Claims, Title, etc. 18 unpatented lode claims on Papago Indian Reservation  
Worked and recorded

Description: Topog. & Geog. Foothills on the West, deeper cayon, sharper and more rugged topography to the East.

Mine Workings: Amt. & Condition Over 40 shallow holes including location works

**Geology & Mineralization** The country rock is porphyry cut by andesitic dikes of E. W. trend varying in width from 4 ft. to 100ft. and 200 and 600 ft. apart. Dikes are barren of mineral, the metals of value occurring in the adjacent porphyries more or less sheared. The surface is oxidized with minor showing of sulphide.

**Ore: Positive & Probable, Ore Dumps, Tailings** No dumps, no tailings. Assays of surface ores range from \$1.50 to \$15.00 per ton on picked samples, Believed to average \$5.00 per ton

**Mine, Mill Equipment & Flow Sheet** None. "Plenty mill room at any elevation or pitch required."  
"Good ground for easy grade tracks from mill to openings." Mill plant would be simple "A red heat cleans it so it amalgamates readily both gold and silver and gets it all."

**Road Conditions, Route** 40 miles W. of Tucson on the Ajo road. The Baboquivora foothill road turn south 12 miles to the mine but is traveled only in dry weather. Alternate route is thru Sells then Southward 9 miles to Mission then single track road eastward 12 miles to turn off to Allison mine then left up the cayon to this property.

**Water Supply** Abundant 20 to 40 ft. deep from that depth the mine with camp 1 mile work wet from that depth so there will be no shortage of camp or mill water.

**Brief History** Has been located and abandoned many times, being too low grade to pay small operations.

**Special Problems, Reports Filed** No report. "One mining engineer, a Mr. Hirt spent ten days investigating the 12 claims and was writing a report but was called away to El Paso He was to come back and finish the report but died by accident so I got no report only he told me that on the 12 claims that he estimated that there was over seventy five million tons of better than \$3.00 a ton. Ore in sight, above water level".

**Remarks**

If property for sale: Price, terms and address to negotiate.

Signed... Revised from original owner's report

MMC

Use additional sheets if necessary.

DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
OWNERS MINE REPORT

Date June 20, 1939.

Mine Golden Crown

District Fresnal, Pima Co. (Papago Ind. Res)

Location

Former name

Owner Mrs. S. L. Brown

Address Patagonia , Arizona.

Operator Idle

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold, silver

Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present Idle

Operations Planned

Number Claims, Title, etc. Six unpatented lode claims, Golden Crown No 1, Golden Crown No 2, Golden Crown No 3, Golden Rule No 1, Golden Rule No 2, Lucky Strike. Book 60, Page 500; Book 63, Page 564, Book 363, Page 363; Book 60, Page 501; Book 60, Page 502; Book 60, Page 503, respectively.

Description: Topog. & Geog. Low on N. slope Baboquivari Peak. Close to Allison mine.

Mine Workings: Amt. & Condition

**Geology & Mineralization**

**Ore: Positive & Probable, Ore Dumps, Tailings**

**Mine, Mill Equipment & Flow Sheet**

**Road Conditions, Route**

**Water Supply**

**Brief History**

**Special Problems, Reports Filed**

**Remarks**

**If property for sale: Price, terms and address to negotiate.**

Signed

*Mary C Brown*  
*Patagonia*

Use additional sheets if necessary.

pl. no. 1708

Add to Family Mine  
Assay EA of 3/7-41  
\$4.80  
Ac. 0.28 - Ag 1.20

Rec'd from M M Carpenter  
1- Deed - McCullough to  
Dr. Brown dated 6/23-37  
Concerning 6 Amsa Patagonia Dist  
2- aff of Labor on James  
Robert M. Wilson



CERTIFICATE OF ASSAY

**E. A. JACOBS**

Cor. Main and Mesilla Sts.

**REGISTERED ASSAYER**

Assay Certificate No. 21317

TUCSON, ARIZONA

Apr 28 1924

Sample Submitted by Mr. Jay Norwood

SERIAL NO.	SAMPLE MARKED.	GOLD		SILVER	COPPER	LEAD
		OZS. PER TON ORE	VALUE PER TON ORE *	OZS. PER TON ORE	PER CENT WET ASSAY	PER CENT WET ASSAY
<u>44200</u>	<u># 1</u>		\$	<u>13. <sup>2</sup>/<sub>10</sub></u>		
<u>201</u>	<u>2</u>	<u>0.06</u>	<u>1.20</u>	<u>1. <sup>7</sup>/<sub>10</sub></u>		

ALL SAMPLES ASSAYED IN DUPLICATE.

WE DO NOT QUOTE PRICES ON SINGLE WORK.

\*Gold Figured \$20 per oz. Troy.

Very Respectfully,

Charges \$ 2.50

*E. A. Jacobs*

**A. L. Pellegrin & Son**

(Formerly for 6 years U. S. Assayers)

ASSAYERS AND CHEMISTS

Testing for the Rare Metals and Minerals, Cyanide and other Metallurgical Laboratory tests.

P. O. Box ~~546~~ 2570  
64-68 W. Broadway  
Tucson, Arizona

# Assay and Analysis Certificate

MR. S. L. Brown

May 19 1931

NO. OR MARKS	FIRE ASSAY—PER TON				CHEMICAL ANALYSIS—PER CENT						
	Gold oz	Val. at \$.....	Silver oz	Val. at.....	Copper	@	Lead	@	Zinc	@	Total Value
1	43	\$ 8 60	1.2	\$ 0 35							\$ 8 95
2	46	\$ 9 20	1.3	\$ 0 40							\$ 9 60

CHARGES 2 00

A. L. Pellegrin & Son ASSAYERS

ARIZONA DEPARTMENT OF MINERAL RESOURCES  
MINERAL BUILDING, FAIRGROUNDS  
PHOENIX, ARIZONA

December-10,-1957

February 19, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Golden Crown                      Gold and Silver  
(Property)                                      (ore)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

FRANK P. KNIGHT,  
Director.

Enc: Mine Owner's Report

DEPARTMENT OF MINERAL RESOURCES  
State of Arizona  
MINE OWNER'S REPORT

Date June 17, 1946

1. Mine: Apex
2. Location: Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ Range \_\_\_\_\_ Nearest Town Allison  
Distance 1 Mi. Direction S Road Condition \_\_\_\_\_
3. Mining District & County: Pima
4. Former Name of Mine: \_\_\_\_\_
5. Owner: Sam L. Houghton & Perry  
Address: Tucson
6. Operator: \_\_\_\_\_  
Address: \_\_\_\_\_
7. Principal Minerals: Au Ag
8. Number of Claims: 1 1/2 Lode  Placer \_\_\_\_\_  
Patented \_\_\_\_\_ Unpatented
9. Type of Surrounding Terrain: \_\_\_\_\_

10. Geology & Mineralization: Andesite

11. Dimension & Value of Ore Body: 1-3' wide x 2200 Quartz vein  
0-18<sup>00</sup> Au (35<sup>00</sup>) 0-12<sup>07</sup> silver (714)  
surface samples  
Strike N30W Dip E

Dima<sup>10-5</sup>

B-B



APEX MINE

Owners: Sam L. Houghton, Tiger, and Perry, Tucson.

Location: One mile north of the Allison, 90 miles southwest of Tucson.

Formation: Andesite.

Vain is north 30 west and dips to the east. Quartz from one to three feet exposure throughout length of 1-1/2 claims.

The work is one long surface tunnel, several cuts, and one 80' shaft, all caved. Sampling was all done on surface.

E. H. Sweeney  
June 13, 1946

10 —  
P. 179

3 - B

SAMPLES - APEX MINE

- No. 1 1' on surface above tunnel 150' east of portal.
- No. 2 Surface above tunnel 200' east of portal.
- No. 3 Surface parallel vein to main tunnel, 100' north, 8".
- No. 4 Surface parallel to tunnel 100' north, 3", small stringer.
- No. 5 Top of raise from tunnel, 3', 75' from portal.
- No. 6 Tunnel dump.
- No. 7. Dump east of shaft 100'.
- No. 8. Dump sample 50' east of shaft.

SAMPLES - MAY MINE

- No. 1 2' bottom at mouth of tunnel, west of compressor.
- No. 2 Bottom of tunnel inside of portal.
- No. 3. Face of tunnel, 20' in.
- No. 4 Shaft dump.
- No. 5 Cut 100' east of shaft.
- No. 6 & 7 Surface cuts covering 50' in width directly north of vein.
- No. 6 & 7 Duplicate.

No. 204 De

Phoenix, Arizona,

CHAS. A. DIEHL

June 14, 1946.

## ARIZONA ASSAY OFFICE

Phone 3-4001

815 North First Street

P. O. Box 1148.

This Certificate That samples submitted for assay by Dep't of Mineral Resources contain as follows per ton of 2000 lbs. Avoir.

NAME No.	MARKS	SILVER		VALUE (Oz.)	GOLD		VALUE (Oz.)	TOTAL VALUE Of Gold and Silver	PERCENTAGE			REMARKS
		Ounces	Tenths	71¢	Ounces	Hundredths	\$35.00		%	%	%	
May	1--2 feet	9.1		\$6.46	.52		\$18.20	\$24.66				
	2-Bot. Ox tunnel	1.3		\$.92	.10		\$3.50	\$4.42				
	3- 2 feet	17.0		\$12.07	.28		\$9.80	\$21.87				
	4--Dump	1.8		\$1.27	.09		\$3.15	\$4.42				
	5--Cut	3.1		\$2.20	.10		\$3.50	\$5.70				
	6-7--50 feet	.9		\$.63	.05		\$1.75	\$2.38				
	6-7--50 Feet	1.3		\$.92	.01		\$.35	\$1.27				
Apex	1	1.8		\$1.27	.03		\$1.05	\$2.32				
	2	.3		\$.21	.17		\$5.95	\$6.16				
	3	Trace		---	Trace		--					
	4	.2		\$.14	.02		\$.70	\$.84				
	5	3.0		\$2.13	.01		\$.35	\$2.48				
	6-Tunnel dump	.2		\$.14	.20		\$7.00	\$7.14				
	8-Dump	7.1		\$5.04	.03		\$1.05	\$6.09				
	9-Dump	Trace			Trace							

Charges \$ 18.75

Assayer ARIZONA ASSAY OFFICE