



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 07/30/2001

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: GOLDSMITH

ALTERNATE NAMES:

YAVAPAI COUNTY MILS NUMBER: 226A

LOCATION: TOWNSHIP 8 N RANGE 3 W SECTION 35 QUARTER SW
LATITUDE: N 33DEG 59MIN 21SEC LONGITUDE: W 112DEG 32MIN 39SEC
TOPO MAP NAME: RED PICACHO - 7.5 MIN

CURRENT STATUS: EXP PROSPECT

COMMODITY:
GOLD

BIBLIOGRAPHY:
USGS RED PICACHO QUAD
ADMMR GOLDSMITH MINE FILE
ALSO ALONG NORTH CENTRAL EDGE OF SEC 2, T7N,
R3W

08/14/86

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES FILE DATA

PRIMARY NAME: GOLDSMITH

ALTERNATE NAMES:

YAVAPAI COUNTY MILS NUMBER: 226A

LOCATION: TOWNSHIP 8 N RANGE 3 W SECTION 35 QUARTER SW
LATITUDE: N 33DEG 59MIN 21SEC LONGITUDE: W 112DEG 32MIN 39SEC
TOPO MAP NAME: RED PICACHO - 7.5 MIN

CURRENT STATUS: EXP PROSPECT


COMMODITY:
GOLD

BIBLIOGRAPHY:

USGS RED PICACHO QUAD
ADMMR GOLDSMITH MINE FILE
ALSO ALONG NORTH CENTRAL EDGE OF SEC 2, T7N,
R3W

RED PICACHO QUADRANGLE
ARIZONA
7.5 MINUTE SERIES (TOPOGRAPHIC)

T. 7 N



SAMPLES 28025
28026

T&N R3W

GOLD SMITH

Site of mill for Goldsmith mine

T 7 N R 3 W

RED PICACHO, ARIZ 7 1/2 Qua.

GOLDSMITH

Au

Yavapai 13 - 7 T 8 N, R 3 W

R. E. Stidham, 33 W. 5th St., Tempe

'45

May 27, 1957

✓
GOLDSMITH

YAVAPAI COUNTY

No information on this property.

MARK GEMMILL

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

February 20, 1958

To the Owner or Operator of the Arizona Mining Property named below:

✓ GOLDSMITH	✓ GOLD
(Property)	(ore)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

Frank P. Knight

FRANK P. KNIGHT,
Director.

Enc: Mine Owner's Report

*See letter 2/20/58 in Gold Bullet file from
Mrs Stidham - Mr Stidham died in 1943*

GOLDSMITH MINE

YAVAPAI COUNTY

KAP WR 6/20/86: In the company of David Ten Bruin and Vince Kracum a visit was made to the Goldsmith (file) property in SW, Sec 35, T8N R3W, Yavapai County. Messrs. Ten Bruin and Kracum had previously taken some select samples from old prospects on the property and were enthusiastic about the results. Proper sampling procedures were demonstrated and three samples were taken for gold and silver assay. Nearly all of the exposures contained more or less oxide copper staining. A separate report containing the sample descriptions and results has been written.

IRON KING ASSAY INC.

03-Jul-86

Page 1


LAB JOB #: MSC00850
Client name: Dave Ten Bruin
Billing address: 831 N. Grace St.
Scottsdale, AZ 85257
Phone number: 745-5375

No. Samples: 4
Date Received: 6-30-86
Submitted by: Ken Phillips

PAID

ANALYTICAL REPORT

Client ID	Lab ID	Fire Assay		
		Au oz/ton	Ag oz/ton	
MSC00850				
28025	06-30- 19	<.001	<.01	GOLDSMITH MINE
28026	06-30- 20	0.075	<.01	GOLDSMITH MINE
28027	06-30- 21	<.001	<.01	CLIMAX MINE
28028	06-30- 22	<.001	<.01	CLIMAX MINE



Sheet 1 of 2

COMMODITIES Gold, copper, silica-smelter fluxMILS ID No. Yavapai 226A Date June 20, 1986ENGINEER Ken A. PhillipsINFORMATION FROM: Field visitPROPERTY SUMMARY

- I. MINE NAME Goldsmith OTHER POSSIBLE NAMES
INCLUDING ANY CLAIM NAMES NOTED
- II. LOCATION: T 7N R 3W SEC(S) 2 (North edge) MINE DISTRICT White Picacho
8N 35 SW $\frac{1}{4}$
ELEV. 3400 feet COUNTY Yavapai TOPO QUAD. Red Picacho 7.5
DIRECTIONS Castle Hot Springs road from Morrystown to San Domingo Wash Road
Up San Domingo to trail leading east along ridge. See map.
MAP ATTACHED Yes, see for access
- III. OWNERSHIP: NAME Unknown PHONE
ADDRESS:
COMPANY NAME IF ANY:
PERTINENT PEOPLE Portions in Sec 35, T8W R3W covered by No Clouds Placer claims.
Portion in Sec 2, T7N R3W is State Trust Land
- IV. PROPERTY AND HOLDINGS: Unknown
- V. PAST PRODUCTION - NOTED, KNOWN, PROBABLE, UNKNOWN, NONE None, maybe a test lot
to mill at "Pechan" camp
- VI. CURRENT STATUS: Explored Prospect (long idle)
- VII. WORKINGS: Numerous pits and shallow trenches over strike length of
over 500 feet.
- VIII. GEOLOGY AND MINERALOGY: DEPOSIT TYPE: Quartz vein
LENGTH: 500+feet WIDTH: 8-16 inches VEIN STRIKE N45°E DIP SE
HOST ROCK: Coarse grained granite
ECONOMIC MINERALS: Noted: chrysocolla, malachite and pyrite
- COMMENTS: Two narrow parallel quartz veins showing some iron stain and copper stain
- IX. EQUIPMENT ON SIGHT: None

X. SAMPLING: NOTE TYPE IF ANY, DRILLING? Two channel samples taken across wide
spot where subparallel veins meet. See separate assay report and sample
descriptions.

XI. REFERENCES AND REMARKS _____

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
MINE OWNER'S REPORT

Geology & Mineralization

Date

5/28/40

1. Mine GOLDSMITH
2. Location LV. MORRETOWN ON HOT SPRING Rd. - 4 miles - Then left on OLD WICKENBURG ROAD - 5 MILES TO ~~PROPERTY~~ SAN DOMINGO WATER & THEN 8 MILES UP WASH TO PROPERTY
3. Mining District & County SAN DOMINGO DISTRICT YAVAPAI COUNTY
4. Former name Still have
5. Owner R. E. STEIDHAM
6. Address (Owner)
7. Operator
8. Address (Operator) 33 W 5th ST TEMPE -
9. President, Owning Co.
- 9A. President, Operating Co.
10. Gen. Mgr.
11. Mine Supt.
12. Mill Supt.
13. Men Employed 2 MEN.
14. Principal Minerals GOLD -
15. Production Rate
16. Mill: Type & Cap.
17. Power: Amt. & Type
18. Operations: Present ASSESSMENT WORK & PUTTING EQUIPMENT IN ON MILL SITE.
19. Operations: Planned PLAN TO HANDLE 2 1/2 TONS A DAY.
20. Number Claims, Title, etc. 5 CLAIMS & 1 MILL SITE. UNPATENTED.
IN - NAMES OF DILWORTH BEARD
 R. A. SMITH
 BLANCHE PILCHER
& R. E. STEIDHAM.
21. Description: Topography & Geography LOW ROLLING HILLS AT HEADWATERS OF SAN DOMINGO CREEK.
22. Mine Workings: Amt. & Condition OPEN CUT WORK - 4 or 5 CUTS - 20 ft long & 6 ft deep. - OPEN & ACCESSIBLE

Signature

Use additional sheets if necessary.

23. Geology & Mineralization

~~MINERAL RESOURCES~~
~~STATE OF ARIZONA~~
~~MINE OWNER'S REPORT~~
FILLING WITH IRON STAIN
VEIN WITH QUARTZ

24. Ore: Positive & Probable, Ore Dumps, Tailings

NO -

24A. Dimensions and Value of Ore body

VARIOUS VEINS
1 - 6" WIDE 1 - 18" WIDE
47.00 per ton 3000 GOLD
1 - 30" VEIN - \$3000 - all in same claim. 600 Ag & Cu.

25. Mine, Mill Equipment & Flow-Sheet

1 - ARASTRA - HERCULES 17 HP. ENGINE -
ROCK CRUSHER - 8" x 18" ON. MILL SITE -
20' WELL & WATER TANK & PUMP.

26. Road Conditions, Route

SEE FRONT ON LOCATION -
3/4 MILE ROAD FROM MILL SITE TO MINE TO BE BUILT.
CAN BE DONE IN 2 TO 4 days - with Bulldozers.

27. Water Supply

rather limited in dry times - enough for
domestic use & enough more can be
developed for ARASTRA.

28. Brief History

NEW LOCATION - 1938 - NO SHIPMENTS.

29. Special Problems, Reports Filed

NEED ROAD MONEY & THEN READY FOR WORK -

30. Remarks

WILL LEASE OR WILL CONTINUE AT PRESENT
WORK TO OPERATE -

31. If property for sale: Price, terms and address to negotiate.

WILL LEASE - 10% ROYALTY
PAY 1/2 ROAD BUILDING OUT OF EARNINGS
WOULD LEASE OR

32. Signature

R. Stidham

33. Use additional sheets if necessary.

MG-49

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date May 28, 1940

- 1. Mine Goldsmith
- 2. Mining District & County San Domingo District,
Yavapai County.
- 3. Former name
- 4. Location Leave Morrirstown on Hot Springs
road - 4 miles - then left on Old
Wickenburg road - 5 miles to San Domingo
Wash and then 8 miles up wash to property.
- 5. Owner R. E. Stidham
- 6. Address (Owner) 33 West 5th Street
Tempe, Arizona
- 7. Operator
- 8. Address (Operator)
- 9. President
- 10. Gen. Mgr.
- 11. Mine Supt.
- 12. Mill Supt.
- 13. Principal Metals Gold
- 14. Men Employed 2 men
- 15. Production Rate
- 16. Mill: Type & Cap.
- 17. Power: Amt. & Type
- 18. Operations: Present Assessment work and putting equipment in on mill site.
- 19. Operations Planned Plan to handle 2 to 3 tons a day.
- 20. Number Claims, Title, etc. 5 claims and 1 mill site Unpatented
in names of Dilworth Beard
R. A. Smith
Blanche Pilcher
and R. E. Stidham
- 21. Description: Topography & Geography Low rolling hills at headwaters of San Domingo Creek.
- 22. Mine Workings: Amt. & Condition Open cut work - 4 or 5 cuts - 20 feet long and
6 feet deep. Open and accessible

23. Geology & Mineralization Schist with quartz vein, with iron stained filling.

24. Ore: Positive & Probable, Ore Dumps, Tailings No

24-A Vein Width, Length, Value, etc. Various veins - 1 to 6" wide, \$47.00 per ton
1 to 18" wide, \$30.00 Gold; \$6 Ag and Cu.
1 to 30" vein, \$30.00 - all in same claim

25. Mine, Mill Equipment & Flow Sheet 1 arrastra - Hercules 17 HP engine, rock crusher
8" x 18" on mill site - 20' well and water tank
6 pump

26. Road Conditions, Route See iron on location. 3/4 mile road from mill site to mine
to be built. can be done in 3 to 4 days with Bulldozers.

27. Water Supply Rather limited in dry times, enough for domestic use and enough more
can be developed for arrastra

28. Brief History New location - 1938 - no shipments.

29. Special Problems, Reports Filed Need road money and then ready for work

30. Remarks Will lease or will continue on present work to operate

31. If property for sale: Price, terms and address to negotiate. Will least 10% royalty
Pay 1/2 road building out of earnings
Would lease or sell

32. Signed R. E. Stidham

33. Use additional sheets if necessary.