



## **CONTACT INFORMATION**

Mining Records Curator  
Arizona Geological Survey  
1520 West Adams St.  
Phoenix, AZ 85007  
602-771-1601  
<http://www.azgs.az.gov>  
[inquiries@azgs.az.gov](mailto:inquiries@azgs.az.gov)

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

## **ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

## **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

## **QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 08/02/2001

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: GRAND PRIZE

ALTERNATE NAMES:

BUCK PROPERTY  
LACKAWANA SHAFT

GILA COUNTY MILS NUMBER: 501

LOCATION: TOWNSHIP 11.5N RANGE 10 E SECTION 30 QUARTER SE  
LATITUDE: N 34DEG 16MIN 10SEC LONGITUDE: W 111DEG 22MIN 00SEC  
TOPO MAP NAME: PAYSON NORTH - 7.5 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:

GOLD  
SILVER  
COPPER

BIBLIOGRAPHY:

ADMMR GRAND PRIZE FILE  
ADMMR BUCK MINE FILE

3752 JV NW  
(PINE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

111°22'30"  
34°22'30"

466000m E.

467

468

469

3803000m N.

ROAD  
CONTROL

Creek

5464

5725

5690

5543

Whong  
IDN 11E Sec 30

3802

Webber

#501

T 11 1/2 M

Sec 30

R 10 E

JEEP  
Shannon

TRAIL

Gulch

5418

5741

Spring

5543

3800

Cedar

5542

Mesa

5064

5294

20'

JEEP

Webber

4970

5020

TRAIL

5225


Cherry  
Tank

3798

JEEP

Deer  
Flat

Creek



COPY

Of a map by T. A. Rhodimer  
Consulting Engineer  
Hollywood Calif.

Showing { GRAND PRIZE GRP.  
Payson Arizona.  
Scale 1" = 600'

Copied by B. W. Brown Nov 8, '43



[illegible]

5

Lat. 40° 40' N.



Laetquana edump.

✓ 1000

2002

Private Dicks

Vol 154 p. 45

How thin

25


5

Handwritten signature: *Theresa...*


Sketched May 5, 1947

ROY R. McDONALD



9



Approximate Scale 1" = 300'



Approximate Scale 1" = 300'



" All samples were cut under my direction by Larry Lovelady, Walter L. Lovelady and Rudolph Zoffel and assaying done by Western Assayers' June 15, 1940 T.A. Rhodimer "

~ COPY ~

Of a map by T.A. Rhodimer, Consulting engineer  
Hollywood California

Showing main group GRAND PRIZE MINE  
Payson Arizona

Copy made by B.W. Brown Nov 9, '43

D PRIZE

GILA COUNTY

Owners: Tom Russell & Grady Harrison

Agent: Bill Harrison

3 shafts to 120' and 1000' of drifts etc.  
Some early shipments (\$70,000 reported)  
Planning to patent claims (6 in number)  
Too lowgrade to mine under present conditions.

LAS 11-4-57

---

Mr. Lovelady and Grady Harrison reported that they had sold the Grand Prize mine to Ivan Waide and Raymond Cline, both of Payson, Arizona. LAS 2-4-59

---

NJN WR 2/5/88: Rod Beyers, Forest Ranger with the Tonto Forest, Payson District, reported that Valentine Gold, 2690 Park Place, 666 Burrard, Vancouver BC V6C 2X8 (604) 682-8585, has submitted a plan of operation for a drilling project on the Grand Prize (file) Gila County.

---

NJN WR 2/12/88: Fred Linback, 16637 W. 73rd Drive, Golden, Colorado 80403, (303) 421-4831, consulting for Valentine Gold, was supplied with information on geology and mining activity in the Payson area. Valentine Gold is planning a drilling project on the Grand Prize (file) Gila County.

---

# University of Arizona

TUCSON

COLLEGE OF MINES  
ARIZONA BUREAU OF MINES

January 27, 1943

Mr. Walter Lovelady  
Payson, Arizona

Dear Mr. Lovelady:


Mr. J. S. Coupal of the State Department of Mineral Resources has forwarded a sample of wall rock of yours from the Grand Prize mine to us for identification (our file number 21296).

This rock would be called a hornblende diorite porphyry. It is somewhat altered with some of the hornblende being changed to chlorite. The rock is very fine grained with a few small scattered crystals of basic plagioclase feldspar. The rock is probably a dike rock as it contains broken fragments which it has picked up while in a plastic stage.

Yours very truly,

Robert E. Heineman  
Mineralogist

REH/cm  
cc: J. S. Coupal



DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
FIELD ENGINEERS REPORT

Mine GRAND PRIZE

District Payson, Gila County, Ariz.

Subject: MEMORANDUM

Date November 9, 1943

Engineer B. W. Brown-FIELD

NOV 17 1943

ARIZONA

Attached is the partial copy of a report by engineer T. A. Rhodimer on the Grand Prize property. This report is now in the hands of Walter Lovelady in the form of a signed original. The copy was made from the signed original.

I made a brief visit to the property and have the following comments to offer on the Rhodimer report.

The main shaft is still in fairly good condition and the water still stands at the 70 foot level. I cannot report on the other workings as I did not visit them. The cabin he speaks of is not worth speaking of and the bins are in bad need of repair. The two creeks that cross the property, were both dry at the time of my visit ( November 9, 1943 ). The reports description of the water supply is a bit misleading. Otherwise the report seems to be fairly accurate in the physical discription of the property.

I noted also that the terms of the sale agreement in 1940 <sup>were</sup> ~~was~~ as follows:  
\$50,000 to be paid as 10% royalty with no monthly payment to be less than \$150.

*B. W. Brown*

GRAND PRIZE

Au

Gila

4 - 1 Sec 30, T 11 N, R 10 E

H. G. Harrison, Walter L. Lovelady, Payson

'43

**DEPARTMENT OF MINERAL RESOURCES**

**STATE OF ARIZONA  
FIELD ENGINEERS REPORT**

Mine      Grand Prize      Date      February 3, 1960  
District   Green Valley Dist., Gila Co.      Engineer      Lewis A. Smith  
Subject:   Conference with Grady Harrison of Payson (former owner)

The mine was sold to Raymond Cline and Ivan Wade, both of Payson. No immediate plans have been made to work the property.

January 19, 1944

Dr. T. G. Chapman, Director  
Arizona Bureau of Mines  
Tucson, Arizona

Dear Tom:

I am sending under separate cover a sample  
of wall rock from the Grand Prize Mine located  
near Payson.


Mr. Walter Lovelady, Payson, is the owner  
of the property and asked to have a classification  
made.

Yours very truly,

J. S. Coupal, Director

JSC:LP

C O P Y



Preliminary Report on Grand Prize Mine, Payson, Ariz.  
by Thomas A. Rhodimer, consulting engineer, Hollywood, Cal.

Forward:

I visited this property on the 12th day of June 1940, for the purpose of determining whether or not I was interested in working the property, under a purchase and sale contract. I was accompanied on this examination by Larry Lovelady, Walter L. Lovelady and Rudolph Zoffel. We were unable to make any check on the old main shaft, as it is now under water, to within 70 feet of the surface.

The Property:

The property consists of three lode mining claims now recorded, and six more claims lying directly to the North of the three Grand Prize claims, as shown on the attached map, which are to be located, which will then make a total of 180 acres.

Title:

The title to the three Grand Prize claims is by location, all federal and state laws been complied with, and rests with H.G. Harrison and Walter L. Lovelady, both of Payson, Arizona, and the property is now under option to purchase by T.A. Rhodimer, of Hollywood, California.

Location:

The Grand Prize mine is located in the Green Valley mining district, about 12 miles northwesterly from the town of Payson, Gila County, Ariz.. The mine is reached by a good dirt and gravel road.

General Information:

The following is prepared from information I have been given by people who I believe to be both sincere and reliable. The Grand Prize Mine was discovered in the eighties, and I had a long conversation with the clerk of the District Court of Gila County, Arizona, who was one of the men who put down the original main shaft, as well as the 100 foot shaft which is now completely caved, but was where the dump sample No 9 was taken, as shown on my map attached to this report.

According to the story of this man, which I believe to be true, the 100 ft shaft, which is now caved, paid all the cost of sinking, from the gold taken out, and at the 100 ft level they run a short drift to the northeast, which was in very rich ore. The original main shaft, which is now open, except for water, was sunk to a depth of 208 ft, and at the bottom of this shaft they were still in good ore, which had turned to be almost pure metallic, carrying about  $\frac{1}{2}$  ounce of free gold and about 2 ounces of gold in the sulphides, which they were unable to recover, since they were only equipped to handle and extract the gold which was in a free milling state, this vein is said to average 4 ft in width at the bottom of the shaft, with ore in both faces of the east and west drift. There was a drift run 90 ft to the east and 30 feet to the west, and stoped to the surface. I can not say whether or not there are any old records obtainable at this time to show early production, but there are people still living who worked the mine and who hold it in very high regard, although they have no interest in the mine. There is now two men working on this property as leasers, and are mining and shipping ore to the



smelter, which I am told pays them better than \$27.00 per ton net. This ore is being mined in Adit No. 2

#### Topography and Climate:

The property lies in rugged mountains, above the East Verde River, and is crossed by two creeks, which provide water for milling purposes throughout the year. There is a very fine camp site, located in a regular little park, on a creek bottom, just high enough to be safe from cloudburst floods. The climate is ideal for year round operation, and the property being at an altitude of more than 4,000 feet it is not too hot in Summer nor is it too cold in Winter, and I am told that there is never enough snow at this point to interfere with operations.

#### Geology:

The geology of the district is fully covered by Bulletin # 120 Geological series #4 of the Arizona Bureau of Mines, a copy of which can be obtained by writing the Arizona Bureau of Mines, University of Arizona, Tucson, Arizona

#### Labor Conditions :

There is plenty of experienced labor to be had at Payson, and wages for underground miners is \$5.00 per day and for hoist men, and the more skilled men, \$6.00.

#### Water

There is an abundant water supply on the property, for both camp and any kind of mill operation. The water for the camp is from a good spring, and can be piped down to the camp by gravity, a distance of about 300 feet from the present cabin. A large supply of mill water can be pumped from the creek to the main shaft, a distance of some sever or eight hundred feet.

#### Timber

There is a plentiful supply of timber on the property to take care of all mine timbering for a long time to come. This timber consists for the most part of cypress and has proven to be very fine timber for mining purposes, since there is cypress timbers in old mines in this vicinity, which have been in the mines for fifty and sixty years and is still solid.

#### Vein Structure:

The main vein strikes three degrees south of west and dips 70 degrees to the north. The vein is traceable for the entire length of the property or 4500 feet and runs in a straight course for the full distance and is easy to trace on the surface. The vein where opened, shows commercial ore in widths of from 18 inches to 4 feet. The values are for the most part gold and silver, but in some places the ore carries as much as 15% lead. There is another unexplored vein running to the northeast, and appears to contact the main vein at the old dump where sample #9 was taken, and it was on this vein, in a small open pit that sample #10 was taken and this sample was cut over a width of 7 feet. It is for the purpose of exploring this vein that the additional claims to the North are being located.

### Development:

The development work consists of the main shaft as shown on the attached map. This is a two compartment shaft 208 feet deep, all well timbered. Mr. Lovelady informs me that he had this shaft unwatered some three years ago, and the timber was all in perfect condition (being cypress), and he also informs me that some 30 to 40 tons of good shipping ore is now in the bin on the 200 foot level. Since I was unable to get into this shaft on account of water, I can only be governed by information supplied me by people who I believe to be both truthful and sincere. The other development work consists of adit #1 which is about 60 feet long, from which samples # 12, 13, & 14 were taken, and #11 sample came from the dump of this adit. Adit #2 is about 200 feet long and is in ore for about 100 feet. This adit was driven by contract and the contractors got off the vein by making a turn in the drift, but it is my opinion that the vein can be picked up by crosscutting a few feet to the north, since the ore shoots all appear to run on a true course and in a straight line. It was from this adit #2 that samples #1,2,3,4,5,6,7 & 8 were taken, the location of which are clearly shown on the attached map. The only other development is a good cabin and ore bin.

### Assay Sheet:

The samples which are shown in the following assay sheet were cut by Lorry Lovelady, Walter L. Lovelady and Rudolph Zoffel, under my direction. These samples were expressed to Los Angeles, and assayed by the Western Assayers, 224 South Spring St., Los Angeles California.

Sample No	Width	Gold	Silver	Total
1	39"	\$26.60	\$1.46	\$28.06
2	5'	\$10.50	.51	11.01
3	57"	3.85	.39	4.24
4	63"	40.60	.65	41.25
5	18"	3.50	.41	3.91
6	29"	3.15	.42	3.57
7	37"	7.35	1.10	8.45
8	44"	22.75	2.61	25.36
9	Dump	32.55	.56	33.11
10	84"	3.50	.21	3.71
11	Dump	23.80	.09	23.89
12	48"	2.10	.24	2.34
13	45"	10.50	.21	10.71
14	41"	13.30	.32	13.62

A composit sample made from the rejects from the 14 above samples was quartered down for assay and shows Gold and Silver value of \$15.23, lead 8.07% trace copper

This report which was signed T.A. Rhodimer and which is now in the possession of Walter Lovelady was partially copied by me on Nov 9, 1943

B. W. Brown- FIELD

DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
FIELD ENGINEERS REPORT

Mine GRAND PRIZE

Date November 9, 1943

District Payson, Gila County, Arizona

Engineer B. W. Brown

Subject: MEMORANDUM

Attached is the partial copy of a report by engineer T. A. Rhodimer on the Grand Prize property. This report is now in the hands of Walter Lovelady in the form of a signed original. The copy was made from the signed original.

I made a brief visit to the property and have the following comments to offer on the Rhodimer report.

The main shaft is still in fairly good condition and the water still stands at the 70 foot level. I cannot report on the other workings as I did not visit them. The cabin he speaks of is not worth speaking of and the bins are in bad need of repair. The two creeks that cross the property were both dry at the time of my visit (November 9, 1943). The reports description of the water supply is a bit misleading. Otherwise the report seems to be fairly accurate in the physical description of the property.

I noted also that the terms of the sale agreement in 1940 were as follows: \$50,000 to be paid as 10% royalty with no monthly payment to be less than \$150.

/s/ B. W. Brown

ore in bin from 50' W of main shaft in 200 ft level  
from stope - 4 ft wide - sorted out high grade ore -  
about 1/3 - slabs of hematite & sulphide - which ran  
\$70.00 gold (@ 35) - 12% Cu & 12% Zinc. 2/3 of ore <sup>mined</sup>  
went into bin - High grade was in both walls. crushed  
Tom Russell states a sample of ore in bin - taken when  
it was being filled - ran \$14.35 in gold.

ore in bin from 50' W of main shaft in 200 ft level  
from stope - 4 ft wide - sorted out high grade ore -  
about 1/3 - slabs of hematite & sulphide - which ran  
\$70.00 gold (@ 35) - 12% Cu & 12% Zinc - . 2/3 of ore mined  
went into bin - High grade was in both walls.  
Tom Russell states a sample of ore in bin - taken  
when crushed and it was being filled ran \$14.35 in gold.

C O P Y

Preliminary Report on Grand Prize Mine, Payson, Ariz.  
by Thomas A. Rhodimer, consulting engineer, Hollywood, Cal.

FORWARD:

I visited this property on the 12th day of June 1940, for the purpose of determining whether or not I was interested in working the property, under a purchase and sale contract. I was accompanied on this examination by Larry Lovelady, Walter L. Lovelady and Rudolph Zoffel. We were unable to make any check on the old main shaft, as it is now under water, to within 70 feet of the surface.

THE PROPERTY:

The property consists of three lode mining claims now recorded, and six more claims lying directly to the North of the three Grand Prize claims, as shown on the attached map, which are to be located, which will then make a total of 180 acres.

TITLE:

The title to the three Grand Prize claims is by location, all federal and state laws being complied with, and rests with H. G. Harrison and Walter L. Lovelady, both of Payson, Arizona, and the property is now under option to purchase by T. A. Rhodimer of Hollywood, California.

LOCATION:

The Grand Prize mine is located in the Green Valley mining district, about 2 miles north-westerly from the town of Payson, Gila County, Arizona. The mine is reached by a good dirt and gravel road.

GENERAL INFORMATION:

The following is prepared from information I have been given by people who I believe to be both sincere and reliable. The Grand Prize Mine was discovered in the eighties, and I had a long conversation with the clerk of the District Court of Gila County, Arizona, who was one of the men who put down the original main shaft, as well as the 100 foot shaft which is now completely caved, but was where the dump sample No 9 was taken, as shown on my map attached to this report.

According to the story of this man, which I believe to be true, the 100 foot shaft, which is now caved, paid all the cost of sinking, from the gold taken out, and at the 100 foot level they run a short drift to the northeast, which was in very rich ore. The original main shaft, which is now open, expect for water, was sunk to a depth of 208 feet and at the bottom of this shaft they were still in good ore, which had turned to be almost pure metallic, carrying about 1/2 ounce of free gold and about 2 ounces of gold in the sulphides, which they were unable to recover, since they were only equipped to handle and extract the gold which was in a free milling state, this vein is said to average 4 ft in width at the bottom of the shaft, with ore in both faces of the east and west drift. There was a drift run 90 ft to the east and 30 ft to the west, and stoped to the surface. I can not say whether or not there are any old records obtainable at this time to show early production, but there are people still living who worked the mine and who hold it in very high regard, although they have no interest in the mine. There is now two men working on this property as leasers, and are mining and shipping ore to the smelter, which I am told pays them better than \$27.00 per ton net. This ore is being mined in Adit No. 2.

## TOPOGRAPHY AND CLIMATE:

The property lies in rugged mountains, above the East Verde River, and is crossed by two creeks, which provide water for milling purposes throughout the year. There is a very fine camp site, located in a regular little park, on a creek bottom, just high enough to be safe from cloudburst floods. The climate is ideal for year round operation, and the property being at an altitude of more than 4,000 feet it is not too hot in Summer nor is it too cold in Winter, and I am told that there is never enough snow at this point to interfere with operations.

## GEOLOGY:

The geology of the district is fully covered by Bulletin #120 Geological series #4 of the Arizona Bureau of Mines, a copy of which can be obtained by writing the Arizona Bureau of Mines, University of Arizona, Tucson, Arizona.

## LABOR CONDITIONS:

There is plenty of experienced labor to be had at Payson, and wages for underground miners is \$5.00 per day and for hoist men, and the more skilled men, \$6.00

## WATER:

There is an abundant water supply on the property, for both camp and any kind of mill operation. The water for the camp is from a good spring, and can be piped down to the camp by gravity, a distance of about 300 feet from the present cabin. A large supply of mill water can be pumped from the creek to the main shaft, a distance of some seven or eight hundred feet.

## TIMBER:

There is a plentiful supply of timber on the property to take care of all mine timbering for a long time to come. This timber consists for the most part of cypress and has proven to be very fine timber for mining purposes, since there is cypress timbers in old mines in this vicinity, which have been in the mines for fifty and sixty years and is still solid.

## VEIN STRUCTURE:

The main vein strikes three degrees south of west and dips 70 degrees to the north. The vein is traceable for the entire length of the property or 4500 feet and runs in a straight course for the full distance and is easy to trace on the surface. The vein where opened, shows commercial ore in widths of from 18 inches to 4 feet. The values are for the most part gold and silver, but in some places the ore carries as much as 15% lead. There is another unexplored vein running to the northeast, and appears to contact the main vein at the old dump where sample #9 was taken, and it was on this vein, in a small open pit that sample #10 was taken and this sample was cut over a width of 7 feet. It is for the purpose of exploring this vein that the additional claims to the north are being located.

## DEVELOPMENT:

The development work consists of the main shaft as shown on the attached map. This is a two compartment shaft 208 feet deep, all well timbered. Mr. Lovelady informs me that he had this shaft unwatered some three years ago, and the timber was all in perfect condition (being cypress), and he also informs me that some 30 to 40 tons of good shipping ore is now in the bin on the 200 foot level. Since I was unable to get into this shaft on account of



water, I can only be governed by information supplied me by people who I believe to be both truthful and sincere. The other development work consists of adit #1 which is about 60 feet long, from which samples #12, 13, & 14 were taken, and #11 sample came from the dump of this adit. Adit #2 is about 200 feet long and is in ore for about 100 feet. This adit was driven by contract and the contractors got off the vein by making a turn in the drift, but it is my opinion that the vein can be picked up by crosscutting a few feet to the north, since the ore shoots all appear to run on a true course and in a straight line. It was from this adit #2 that samples #1, 2, 3, 4, 5, 6, 7 & 8 were taken, the location of which are clearly shown on the attached map. The only other development is a good cabin and ore bin.

#### ASSAY SHEET:

The samples which are shown in the following assay sheet were cut by Lorry Lovelady, Walter L. Lovelady and Rudolph Zoffel, under my direction. These samples were expressed to Los Angeles, and assayed by the Western Assayers, 224 South Spring Street, Los Angeles, California.

<u>Sample No</u>	<u>Width</u>	<u>Gold</u>	<u>Silver</u>	<u>Total</u>
1	39"	\$26.60	\$1.46	\$28.06
2	5'	10.50	.51	11.01
3	57"	3.85	.39	4.24
4.	63"	40.60	.65	41.25
5	18"	3.50	.41	3.91
6	29"	3.15	.42	3.57
7	37"	7.35	1.10	8.45
8	44"	22.75	2.61	25.36
9	Dump	32.55	.56	33.11
10	84"	3.50	.21	3.71
11	Dump	23.80	.09	23.89
12	48"	2.10	.24	2.34
13	45"	10.50	.21	10.71
14	41"	13.30	.32	13.62

A composit sample made from the rejects from the 14 above samples was quartered down for assay and shows Gold and Silver Value of \$15.23, lead 8.07% trace copper.

This report which was signed T. A. Rhodimer and which is now in the possession of Walter Lovelady was partially copied by me on Nov 9, 1943

B. W. Brown-FIELD

No. 231 De

Phoenix, Arizona,

CHAS. A. DIEHL

May 6, 1947.

# ARIZONA ASSAY OFFICE

Mail: P. O. Box 1148

815 North First Street


Phone 3-400

THIS CERTIFIES That samples submitted for assay by Department of Mineral Resources contain as follows per ton of 2000 lb

MARKS	SILVER		VALUE (OZ.)		GOLD		VALUE (OZ.)		TOTAL VALUE Of Gold & Silver		PERCENTAGE			
	Ounces	Tenths			Ounces	Tenths								
No.1 dump Shaft #1		.3				.27		\$9.45						
Lackawana Shaft dump		.2				.03		\$1.05						
Development material-Shaft #1		.4				.24		\$8.40						
Sulphide zone" #1 ledge--filling-only.		.3				.04		\$1.40						
Hematite & Quartz Small amounts "#1		.3				1.97		\$68.95						

Charges \$ 6.25

Assayer ARIZONA ASSAY OFFICE



# WICKENBURG ORE MARKET

## ASSAY CERTIFICATE

JOHN C. HERR, Assayer

WICKENBURG, ARIZONA NOV., 19 43

B. W. Brown.

Prescott, Ariz.

Samp. No.	Owner's Mark on Sample	GOLD		SILVER		Percent of		Total Value	
		Ozs. Ton	Val. Ton	Ozs. Ton	Val. Ton	Cop'r	Lead	Per Ton	
	Sample	0.16	\$5.15						
	<del>Thought you were going to call for this.</del>								
	Sam:								
	This is from a grab sample taken by myself from the ore bin of the Grand Prize Mine, Payson Ariz. These rocks were reported to have been mined in the main shaft at about 150 level.								

Gold at \$..... per Oz.

Copper at Smelter Settlement

*John C. Herr*

*B. W. Brown - Field*

ASSAYER



1938 Write up Grand Prize *Tyrone Miller* G. 1/2 City

	Gold per ton		Silver per ton	
	oz. troy	value	oz. troy	value
No. 1. North 50' Draft	0.26	\$9.10	Trace	\$9.10
No. 2. North dump	0.04	\$1.40	0.20	\$0.14
No. 3. South dump	0.42	\$14.20	0.82	\$0.58
Ore from new vein Payson	1.02	\$35.70	0.92	\$0.65
Mine- From roof 150 ft. Level				

Total Gold  
and Silver  
\$36.35

This ore was floated and made concentrate with 26 tons into one, which should make a concentrate around \$900.00 per ton assay will follow.

800 pound head sample for smelter heads control	Gold per ton	Silver per ton	Total
	\$80.50	\$2.07	\$82.57
Smelter slag from mine smelter	\$ 9.80	\$0.76	\$10.50

Metals --- Gold	Amount per ton	Value per ton
	7.52	\$263.20

	per ton	Value per ton
Gold (Grand Prize)	.56	\$19.60
Silver	.90	.59
Gold (Grand Prize)	2.20	\$77.00

Metals	Amount per ton	Value per ton
Sample Marks #10		
Gold	\$64.	\$22.40

Sample Marks	Amount per ton	Value per ton
#12 Gold	1.96	\$68.60
#13 Gold	1.78	\$62.30
#14 Gold	.24	\$8.10

Gold	Amount per ton	Value per ton
	.84	\$30.10

	Gold		Silver		Copper
Smelter lot 479	oz per ton	Value	oz per ton	Value	
	0.60	\$21.00	0.70	\$0.45	car is 201 5/2/38

No Mark

Gold  
\$7.00

No Mark 10 ft. deep South end shaft Vanadium

1.39%

Sample	oz per ton	Gold	Value
#1 Bin	1.32		\$53.20
#2 Tines	0.52		\$18.20
#3 Coarse	1.20		\$42.00
#4 50' level	0.18		\$ 6.30

Sample	oz per ton	Gold	Value
#1 S end 150 ft.	0.48		\$16.80
#2 S end 50 ft.	0.20		\$ 7.00

Sample	oz. per ton	Gold	Value	Copper	Led
Int'l Smelter lot	0.60		\$21.00	#533	6/9/38

Sample	oz per ton	Gold	Value	Copper
#1 S underhand	0.40		\$14.00	150' level
#2 Shute	0.08		# 2.80	
#3 North back	0.02		# 0.70	
#4 South 30' level	0.08		# 2.80	
#5 Crosscut	0.54		#18.90	
#6 North raise	0.20		# 7.00	


Sample	oz per ton	Gold	Value	Bin Sample
	0.68		#23.80	

Sample	oz per ton	Gold	Value	Silver
#1 Crosscut	0.06		# 2.10	20ft. level
#2 Bin sample	0.64		#22.40	12 tons
#3 1/2 mile North	0.26		# 9.10	
#4 XX South end	0.12		\$ 4.20	Drift 100' level
#5 <del>WAA</del> Raise	0.04		\$ 1.40	100' lever

Sample	oz per ton	Gold	Value	oz per ton	Silver	Value
Interna'l Lot 584	0.58		\$20.30	0.22		\$0.14

Car is 204 7/5/38

Tennis doubles  
 extra 0



Terning Samples				
	width	Acid	Ag. on	Value
1	43	.16	.5	5.47
2	48	.49	.8	16.26
3	38	.41	.6	14.50
4	21	.35	.5	11.55
5	28	.45	.6	14.82
6	30	1.46	.4	47.00
7	23	.25	.5	8.35
8	23	.57	.4	18.52
9	66	.32	.7	11.05
10	30	.49	.2	15.82
11	24	1.02	.2	32.78
12	24	.52	.8	17.20
13	21	.32	.1	10.31

✓  
Grand Prize Sept 6/1947 ~~CMA~~

① 50 level S between Tenny D+B-12-13  
36" - Am 2.10 Ag. 29

2 - broken on site - 60 tons  
Am 12.25 Ag. 18

3. at Tenny #6 - 48"  
Am 24.85 Ag. 28

4. Additions 36" at face So draft  
in addition to Tenny #1 Am 1.75  
Ag. 57  
Shows in bottom only.

5 - Side stringer 8" at mark  
Am 59.52 Ag. 15  
anc 35%

Smelt's note

Shrinkage slope with rotation  
1-3 g/mile.

Very conservative sampling

" " estimates { other are  
to be included

Dilution

# DEPARTMENT OF MINERAL RESOURCES


## State of Arizona

### MINE OWNER'S REPORT

Date 7-5-58

1. Mine: Grand Prize
2. Location: Sec. 30 Twp. 11 N Range 9 N Nearest Town Payson Distance 12 North  
Direction S Nearest R.R. 1 Mesa Distance 85  
Road Conditions 7 miles paved toward Pine 4 miles dirt road
3. Mining District and County: Green Valley, Gila Co.
4. Former Name of Mine: \_\_\_\_\_
5. Owner: Cady (H.G. Harrison) Walter & Son  
Address: Payson Arizona Box 113
6. Operator: None  
Address: \_\_\_\_\_
7. Principal Minerals: Gold and Copper
8. Number of Claims: Lode 9 Patented \_\_\_\_\_ Unpatented ✓  
Placer \_\_\_\_\_ Patented \_\_\_\_\_ Unpatented \_\_\_\_\_
9. Type of Surrounding Terrain: Canyons and ridges - not too steep -

10. Geology and Mineralization: #7 claim 100' wide vein (Au-Cu) in diorite porphyry country rock, Main vein 1-2-3. Gold. Fed vein 7-9 claims (N 45° E) quartz with included country rock with fasson - Gold free



#2 adit = values in B.  
#1 " values in B.

11. Dimension and Value of Ore Body: Not Known exactly.

Please give as complete information as possible and attach copies of engineer's reports, shipment returns, maps, etc. if you wish to have them available in this Department's files for inspection by prospective lessors or buyers.

(over)

12. Ore "Blocked Out" or "In Sight": *Not known*

Ore Probable: *Considerable*

13. Mine Workings—Amount and Condition:

No.	Feet	Condition
Shafts <i>#6</i> <i>clear</i>	<i>40'</i>	
Raises <i>#4</i>	<i>200'</i> <i>50'</i>	<i>Copper (80' originally)</i>
Tunnels <i>Sunset I</i>	<i>200'</i>	
<i>Sunset 2</i>	<i>150'</i>	
Crosscuts <i>Sunset 4</i>	<i>150'</i>	<i>42" ore</i>
Stopes		

14. Water Supply:


15. Brief History: *Paul Vogt and William Craig originally worked it 1880's & 1890's. Lovelady owned it for many years and Harrison & Lovelady owned it since 1937. Tom Russee put in the mill (1937-1938) closed down because of world war 2.*

16. Remarks: *N Payson 12 miles on Cashes Creek. Ore shoot 12" wide in bottom shaft.  $12^{\circ}$ - $15^{\circ}$  steeped up from bottom in shafts - Option to Mark Lintz.*

*Report by F.A. Rhodemer, 613 North Lowell Ave, Hollywood California (Consulting Eng)*

17. If Property for Sale, List Approximate Price and Terms:

18. Signature: *Walter L Lovelady*



ARIZONA DEPARTMENT OF MINERAL RESOURCES  
MINERAL BUILDING, FAIRGROUNDS  
PHOENIX, ARIZONA

December 10, 1937  
February 6, 1958

To the Owner or Operator of the Arizona Mining Property named below:

BUCK	GOLD COPPER
(Property)	(ore)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

*Mailed a copy to Mr. Knight 2/24/58*

FRANK P. KNIGHT,  
Director.

Enc: Mine Owner's Report

*I do not own or claim  
any Mining Property by the Name of Buck*

*Walter L. Lovelady - 2/24/58*



DEPARTMENT OF MINERAL RESOURCES  
STATE OF ARIZONA  
OWNERS MINE REPORT

Date June 29, 1939

Mine BUCK

District Green Valley

Location

Former name Grand Prize

Owner H. G. Harrison, W. L. Lovelady,  
Lane Russell

Address W. L. Lovelady, Box 113, Payson, Ariz.  
Harrison + Russell, Payson, Ariz.

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold and copper

Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present Assessment work.

Operations Planned Driving tunnel.

Number Claims, Title, etc. Six.

Description: Topog. & Geog.

Mine Workings: Amt. & Condition 200 ft. shaft; double compartment good timber and lagging.  
30 in. of \$20 ore on 85 foot level.

## Geology & Mineralization

Ore: Positive & Probable, Ore Dumps, Tailings Ore dumps value from \$15 to \$9 in gold; about 200 tons.

## Mine, Mill Equipment & Flow Sheet

Road Conditions, Route 1.2 miles north of Payson; five miles of rough road.

Water Supply Pumped from spring, 700 ft.

Brief History Worked in 1880; worked again in 1891; and in 1934.

## Special Problems, Reports Filed

## Remarks

If property for sale: Price, terms and address to negotiate.

Signed.....WALTER L. LOVELADY

Use additional sheets if necessary.