



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 09/21/2001

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: HUACHUCA PROPERTY

ALTERNATE NAMES:
BROKEN ARROW

COCHISE COUNTY MILS NUMBER: 734

LOCATION: TOWNSHIP 23 S RANGE 20 E SECTION 13 QUARTER SE
LATITUDE: N 31DEG 25MIN 32SEC LONGITUDE: W 110DEG 15MIN 44SEC
TOPO MAP NAME: MILLER PEAK - 7.5 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:
GOLD

BIBLIOGRAPHY:
ADMMR HUACHUCA PROPERTY FILE

12/18/86

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES FILE DATA

PRIMARY NAME: HUACHUCA PROPERTY

ALTERNATE NAMES:


COCHISE COUNTY MILS NUMBER: 734

LOCATION: TOWNSHIP 23 S RANGE 20 E SECTION 13 QUARTER SE
LATITUDE: N DEG MIN SEC LONGITUDE: W DEG MIN SEC
TOPO MAP NAME: MILLER PEAK - 7.5 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:
GOLD

BIBLIOGRAPHY:
ADMMR HUACHUCA PROPERTY FILE



(HEREFORD 1:25,000) 1 CARCES 2.1 MI.
BISSIEE 26 MI.

25'

T. 23 S.

T. 24 S.

31°22'30"
110°15'

17°30'

Miller Peak 7 1/2 quad

INTERIOR GEOLOGICAL SURVEY, WASHINGTON, D. C. - 1953 R. 20 E. R. 21 E.

ARIZONA DEPARTMENT OF MINERAL RESOURCES

Mineral Building, Fairgrounds

Phoenix, Arizona

MILS # 734

1. Information from: Mrs. Ruth Compton
- Address: P.O. Box 522, Pearce, AZ 85625; Phone 826-3433
2. Mine: HUACHUCA ^{MC} 3. No. of Claims - Patented _____
(Cochise Co.) Unpatented Huachuca 1-7
4. Location: On Miller Canyon Rd., approx. 1.2 miles west of State Highway 92
5. ^{SE $\frac{1}{4}$} Sec. 13 Tp. 23S Range 20E 6. Mining District Hartford
7. Owner: Mrs. Ruth Compton
8. Address: Same as above
9. Operating Co.: _____
10. Address: _____
11. President: _____ 12. Gen. Mgr.: _____
13. Principal Metals: Gold 14. No. Employed: _____
15. Mill, Type & Capacity: _____
16. Present Operations: (a) Down (b) Assessment work (c) Exploration
(d) Production (e) Rate _____ tpd.
17. New Work Planned: Several located samples will be taken across vein widths and submitted for fire assay.
18. Misc. Notes: Precambrian granite (with minor schist) containing numerous veins and stringers of milky white bull-quartz. Veins are highly variable in thickness and attitude; a single vein may range from a few inches to 6-8 feet in thickness and from a nearly horizontal dip to almost vertical dip in a relatively short distance. Fracture or joint surfaces are commonly iron stained; veins are frequently vuggy and locally contain clots of galena and/or pyrite. Mine workings consist of flooded adits and shallow (?) shafts and prospect pits. The most extensive work (production?) appears to have been on a flat vein on the west side of the property.
- There is no record of this property in DMR files.

Date: September 21, 1983

(Signature)

Michael W. Greeley

(Field Engineer)