



## **CONTACT INFORMATION**

Mining Records Curator  
Arizona Geological Survey  
1520 West Adams St.  
Phoenix, AZ 85007  
602-771-1601  
<http://www.azgs.az.gov>  
[inquiries@azgs.az.gov](mailto:inquiries@azgs.az.gov)

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

## **ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

## **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

## **QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 11/20/2001

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: LORRAINE PLACER

ALTERNATE NAMES:

COCHISE COUNTY MILS NUMBER: 847

LOCATION: TOWNSHIP 14 S RANGE 28 E SECTION 29 QUARTER SW  
LATITUDE: N 32DEG 11MIN 00SEC LONGITUDE: W 109DEG 30MIN 10SEC  
TOPO MAP NAME: DOS CABEZAS - 7.5 MIN


CURRENT STATUS: RAW PROSPECT

COMMODITY:

STONE MARBLE  
CALCIUM MARBLE

BIBLIOGRAPHY:

ADMMR LORRAINE PLACER FILE  
SILVER, D.B., 1980, U OF A MS THESIS



Cedar Log Spring

Government Peak

Mexican Spring

Siphon Canyon

White Rock Spring

Cottonwood

Lorraine Place

(BOWIE MTN. NORTH)  
4148 III NW

24

19

20

3564

3563

25

30

3561

36

31

32

3560

T 14 S

10'

T 15 S

1

6

5

3559

3558

5135

5139

5178

5328

5368

5250

5202

5295

5716

5602

6271

6997

6562

6292

6504

6400

7000

6000

6600

7000

5800

5400

5600

5800

5800

5400

5200

5200

5200

W

W

W

W

- MS 2991 Lorraine Placer (Sec. 29 & 32, T14S, R28E)  
Marble quarries surveyed by John G. Kerr. Copy of plat obtained.
- MS 2365 Pavonzzo Placer (Secs. 17, 20 & 21, T15S, R29E)  
Pentellicus Placer  
Marble quarries or cuts in marble at discovery sites. Most of value listed in notes was for road improvements. Copy of plat obtained.
- MS 2741 A & B Collard (Sec. 21, T15S, R29E )  
Collard Millsite  
Notes and MS do not provide any data other than value of discovery shaft and cut. NO COPY NECESSARY.
- MS 2988 Lamartine Placer (Secs. 28 & 33 T14S R28E)  
Marble quarries surveyed for the Arizona Marble Co. Copy of plat and surveyor's notes pages 9, 10 & 16 obtained.
- MS 3046 Lorraine Placer (Secs. 29 & 32 [uns] T14S, R28E)  
Surveyed June 12, 1913. Marble quarries surveyed for Arizona Marble Co. Apparently some survey as MS 2991, but value of same improvements reduced to \$562.50.
- MS 2742 Bowie Marble Placer (Sec. 28,29 & 30, T15S, R29E)  
Surveyed Dec. 1909. Owned by Thomas J. Riggs at time of survey. Notes mention quarries and presence of workable marble. Dimension stone placer containing marble and 2 small quarries. Copy of plat obtained.
- MS 2368 Siena Placer (Sec. 35, T14S, R28E  
Sec. 1 & 2, T15S, R 28E)  
Surveyed Dec. 1906. Owned by John G. Kerr and William Schafer at time of survey. Dimension stone placer for marble. Copy of plat obtained.
- MS 2989 Hillside No. 1 (Sec. 35, 14S, R28E)  
Surveyed May 1912. Owned by J.D. Prewitt at time of survey. Survey notes list only dimensions of tunnels shown on map. Shafts are very shallow, less than 10 ft deep except discovery shaft (No. 1 on map which was 38 ft deep) Tunnel is described as shown on the survey plat which was copied.
- MS 506 Somet (Sec. 29, T14S, R28E)  
Surveyed May 1883. Owned by S. J. Wright and H. W. Reese at time of survey. Shaft #1 and tunnel 4 X 6 X 101 feet deep, tunnel 4 X 6 X 30 feet deep intersects shaft. Shaft #2 4 X 6 X 30 feet deep, then 20 feet for incline. Copy of plat obtained.
- MS 507 Eller (Sec. 29, T14S, R28E)  
Surveyed May 1883. Owned by S.J. Wright and H.W. Reese at time of survey. Map shows a few hundred feet of workings. Notes describe physical dimensions of workings. Pertinent parts of both were copied.
- MS 508 Lucky (Sec. 29 & 32, T14S, R28E)  
Surveyed May 1883. Owned by S.J. Wright and H.W. Reese at time of survey. Map shows the location of the collar of a shaft and drift. Notes describe one shaft 4 X 6, 65' deep and one drift - north 4 x 6, 20' long.

JUN 25 1912

# LORRAINE PLACER

(4-683.)

Mineral Survey No. 2991

Lot No. \_\_\_\_\_

Arizona Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John G Kerr

KNOWN AS THE

Lorraine Placer  
Wilkinson Mining District.

Cochise County, Arizona

Sections 20 & 32 Township 14 S Range 28 E

Surveyed under instructions dated May 13, 1912

by Shirley A. Lockwood  
U. S. Deputy Mineral Surveyor

Claim located See Notice . 1

Survey commenced May 15 . 1912

Survey completed May 23 . 1912

Address of Claimant John G. Kerr  
Bowie Arizona

Address of Claimants Attorneys  
Morrison & De Soto  
Denver Colo.

Beginning at Cor No. 1, identical with Cor. No. 10, Lamartine placer claim Sur. 2988, a marble stone 12x12ins 15 ins; above ground, chiseled a cross (X) at exact point add 1-2991 L.R. also chiseled 10-2988 L. Witnessed by a monument of stone alongside.

Whence:

The closing corner between Secs. 22-33 Tpl4S, R2EE, on the West boundary of the Abandoned Camp Bowie Military Reservation, bears S86° 51'E - 3988.5 ft.

X B R 1-2991 chiseled on limestone bedrock exposing 50x24 ins. bears S14° 04'W - 23.65 ft.

X B R 1-2991 chiseled on limestone bedrock exposing 36x36 ins. bears S86° 23'W - 15.1 ft.

Thence South Va. 13° 35'E.

615.00 Center of gulch, 5 ft. wide. Course S.E.

879:20 To Cor. No. 2, identical with Cor. No. 9, Lamartine placer Sur. No. 2988, a porphyry rock 10x5 ins., 12 ins. above ground, chiseled a cross (X) at exact point. Add 2-2991 L.R. also chiseled 9-2988L. Witnessed by a monument alongside.

Whence:

X B R 2-2991 chiseled on a porphyry rock 12x12x6 ins. above ground, bears N71° 30'W - 22.8 ft.

X B R (not smooth space for more) chiseled on a limestone rock 20x12x10 ins. bears S28° 40'E - 8.75 ft.

Thence West Va 14° 00'E.

1320.00 To Cor. No. 3, a quartzite rock 8x6 ins. 12 ins. above ground, chiseled a cross (X) at exact point. Add 3-2991 L.R.

Whence:

X B R 3-2991, chiseled on porphyry outcrop 24x24x10 ins. bears N69° 15'W - 4.65 ft.

X B R 3-2991 chiseled on porphyry outcrop 30x24x12 ins. bears N38° 06'K - 17.7 ft.

Thence North Va.  $13^{\circ} 30' E$

1520.00 To Cor. No. 4, a porphyry rock  $12 \times 10$  ins. 13 ins. above ground, chiseled a cross (X) at exact point. Add 4-2991 L.R.

Thence:

X B R 4-2991 chiseled on a porphyry face  $24 \times 18$  ins. bears  $N54^{\circ} 02' W - 7.85$  ft.

X B R 4-2991 chiseled on limestone bedrock, exposing  $36 \times 10$  ins. bears  $S14^{\circ} 20' E - 8.8$  ft.

Thence West Va.  $13^{\circ} 35' E$ .

594.5 To Cor. No. 5, a cross (X) chiseled on a sloping surface  $30 \times 24$  ins of a porphyry reef. Witnessed by a monument of stone alongside. Add to chiseling 5-2991 L.R.

Thence  $N36^{\circ} 46' W$  Va.  $13^{\circ} 35' E$

1123.50 To Cor. No. 6, a cross (X) chiseled on limestone bedrock. Witnessed by a monument of stone alongside. *And to chiseling 6-2991 L.R.*

Thence North Va  $13^{\circ} 45' E$

850.00 Center of gulch 6 ft. wide Course S.W.

1060.00 To Cor. No. 7 a porphyry rock  $8 \times 6$  ins., 14 ins. above ground, chiseled a cross (X) at exact point. Add 7-2991 L.R. Witnessed by a monument of stone alongside.

Thence:

X B R 7-2991 chiseled on a porphyry face  $18 \times 12$  ins. bears  $N62^{\circ} 40' E - 15.0$  ft.

X B R 7-2991 chiseled on a porphyry outcrop  $60 \times 30 \times 30$  ins. bears  $N78^{\circ} 00' W - 28.4$  ft.

An old shaft caved but apparently once of considerable depth bears  $S88^{\circ} 10' W - 137.0$  ft. Near shaft is monument <sup>containing</sup> two notices of lode locations. One dated January 1, 1905, by P. Thompson, J.F. Gardner, Al James under name "Enterprise No. 2". The other dated March 1, 1911 by T.J. Quillen. Under name "Silver Bell" No. 7". No work of late date apparent.

The center of cut and tunnel (old work) bears

S50° 28'W - 226. ft. Course Northerly.

Thence S45° 00'E Va 13° 55'E

2398.7 To Cor. No. 8, a marble stone, 12x6 ins., 12 ins. above ground, chiseled a cross (X) at exact point. Add 8-2991 L.R.. Witnessed by a monument alongside.

Whence:

X B R 8-2991 chiseled on limestone outcrop bears N47° 23'E - 10.65 ft.

X B R 8-2991 chiseled on limestone bedrock, 16x14 ins. bears S45° 02'W - 15.65 ft.

A stone monument bears S50° 50'E - 143.8 ft.

Thence S55° 38'E Va. 13° 35'E.

937.5 To Cor. No. 9, a cross (X) chiseled on limestone outcrop 6x3x2 ft. Witnessed by a monument alongside. Add to chiseling 9-2991 L.R.

Thence S33° 41'E Va. 13° 35'E

211.0 To Cor. No. 1, the place of beginning.

This Survey is identical with location

A R E A ----- 75.389 Acres,

L O C A T I O N .

This claim is located in the unsurveyed Secs. 29 & 32 Tpl4S, R28E, in Cochise County Arizona.

The greater portion lies on the East slope of the Chiricahua Mountains, North of Apache Pass, Sometimes called Dos Cabezas Mountains; The West end of claim is on West slope of main divide.

Mining District unknown, probably both Tevis and Dos Cabezas.

A D J O I N I N G C L A I M S .

On the North

Hard Luck lode claim, unsurveyed, J.E. Lawhon and W.E. Smith claimants.

Other lode claims, unsurveyed, names unknown, claimants unknown.

On the East

Lamartine placer Sur. No. 2988. J.D.Kerr claimant.

On the west

Lode claims unsurveyed, same as above, location unknown.

-----  
EXPENDITURE OF \$500.

Note: In calculating the value of work the basis is this;

1st. Clearing away surface, trees brush, earth and rock, estimate for each particular case.

2nd. Marble removed by blasting without great care being exercised as to size of pieces 20 cents per cu. ft.

3rd. Marble removed "in form" by plugging and feathering 50 cents to \$1.00 per cu. ft..

I certify that the value of labor and improvements made upon this claim by the claimant or his grantors is not less than five hundred dollars, and the said improvements consists of marble quarries as follows:

From Cor. No.8.

No. 1 dis. Marble Quarry ~~No. 1~~, the S.W. corner of which bears  $S27^{\circ} 53'E - 200.5$  ft. Width of quarry 65 ft. E.N.E., irregular work.

Value, scalping and clearing	\$20.00
400 cu. ft. marble removed	80.00
387 cu. ft. marble removed by plugging and feathering	<u>197.50</u>

Total

\$297.50

No. 2) Marble Quarry ~~No. 2~~, the N.E. Cor. of which bears  $N73^{\circ} 10'W - 152.$  ft. Width of quarry 30 ft. N.W.

Value, scalping and clearing	\$20.00
1120. cu. ft. of marble removed	<u>224.00</u>

Total

\$244.00

From a point on line 7-8 at  $S45^{\circ} 00'E - 1112.7$  ft.  
Cor.  
from No. 7.

a) This claim occupies the Westerly end of a marble zone which extends with well defined boundaries, from 100 to 300 feet apart, for a distance of four miles or more. The region is very steep and mountainous. There is little soil, the bedrock being exposed. There is some cedar and considerable piñon or scrub pine.

b) There are no living streams.

c) The quarry workings are described under the head of Improvements.

d) The nearest railroad town is Bowie, about 13 miles distant. A wagon road from this point ends about 3 miles from this claim. There are no engineering difficulties in the way of continuing to the claim.

On the West a road to Dos Cabezas and Willcox, on the S.P.R.R. passes within a mile and a spur ~~at~~ ~~to~~ could be built to within a short distance of the claim.

Willcox is distant by wagon road about 20 miles on a down grade.

e) At one time considerable mining activity existed north and west of the marble zone embraced in this claim many locations were made and much prospecting done. The boundaries mentioned follow approximately the change in formation between the marble bearing limestone and the mineral bearing porphyry. There are many stone monuments north and west of the boundaries, and some within.

There are no claimants on the ground and it is impossible to identify these monuments. Residents of the district state that practically all these adjoining claims have been allowed to lapse.

The town of Dos Cabezas on the southerly edge of a large group of well known mines lies about 5 miles west.

The gold mines of old Camp Bowie are about 3½ miles in a S.S. Easterly direction.

- f) The marble appears on the surface and is easily quarried and removed, owing to the steep slopes.
- g) See "Expenditure of \$500.."
- h) So far as known there are no mines, salt licks, salt springs, or mill seats within the boundaries of the claim.


*John A. Rockefeller*  
U.S. Mineral Surveyor.

Subscribed and sworn to before me this 18 day of  
June 1912.

*Flora A. Rockefeller*  
Notary Public.

My commission expires April 25, 1915.

used 10/1



Area deposited \$20.50  
Cost of C.W. & S. 29.50

Sec. 29 & 32 Uns  
T. 14 S., R. 28 E.

Claim Am'd. November 1912  
 Mineral Survey No 3046  
 Lot No Arizona Land District  
**PLAT**  
 OF THE CLAIM OF  
**The Arizona Marble Co.**  
 KNOWN AS THE  
**Lorraine Placer**


IN **Dos Cabezas** MINING DISTRICT,  
**Cochise** COUNTY, **Arizona**  
 Containing an Area of **75389** Acres.  
 Scale of **300** Feet to the inch.  
 Variation **13°30'14" E**  
 SURVEYED February 21<sup>st</sup> 28, 1913 BY  
**John A. Rockfellow** U.S. Mineral Surveyor.

The Original Field Notes of the Survey of the Mining Claim of  
**The Arizona Marble Co.**  
 known as the  
**Lorraine Placer**

from which this plat has been made under my direction, have been examined and approved, and are on file in this office, and I hereby certify that they furnish such an accurate description of said Mining Claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.  
 I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon said Mining Claim by claimant or its grantors, and that said improvements consist of 3 quarries, total value \$562.50

that the location of said improvements is correctly shown upon this plat, and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.  
 And I further certify that this is a correct plat of said Mining Claim made in conformity with said original field notes of the survey thereof, and the same is hereby approved.

U.S. Surveyor General's Office. **Frank D. Ingalls**  
 Phoenix, Arizona. U.S. Surveyor General for  
 June 12 1913 Arizona.



Am't deposited \$50.00  
Cost of Q.W. & S. 50.00

Secs. 29 & 32 Uns.  
**T. 14 S., R. 28 E.**

**Lorraine**

**Placer**

Area 75.389 Acres

Claim Located Amended April 30, 1912

Mineral Survey No. **2991**

Arizona Lot No. Land District.

**PLAT**  
OF THE CLAIM OF  
**John G. Kerr**  
KNOWN AS THE

**Lorraine Placer**

IN Unknown MINING DISTRICT,  
Cochise COUNTY, Arizona  
Containing an Area of 75.389 Acres.  
Scale of 300 Feet to the inch.  
Variation 13° 30' - 14° E.

SURVEYED May 15-23 1912 BY  
John A. Rockfellow,  
U.S. Mineral Surveyor.

The Original Field Notes of the Survey of the Mining Claim of  
John G. Kerr  
known as the Lorraine Placer

from which this plat has been made under my direction, have been examined and approved, and are on file in this office, and I hereby certify that they furnish such an accurate description of said Mining Claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

I further certify that Five Hundred Dollars worth of labor has been expended or improvements made upon said Mining Claim by claimant or his grantors, and that said improvements consist of 3 quarries, total value \$1100.00

that the location of said improvements is correctly shown upon this plat, and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

And I further certify that this is a correct plat of said Mining Claim made in conformity with said original field notes of the survey thereof, and the same is hereby approved.

U.S. Surveyor General's Office. *Frank D. Ingalls*  
Phoenix, Arizona. U.S. Surveyor General for  
September 11, 1912. **Arizona.**

Patent Date 5-28-1914  
Patent No. 409031  
Serial No. 023009  
(See M.S. 3046 reser.)

