



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 01/30/2002

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: LUCKY STRIKE CLAIMS

ALTERNATE NAMES:

A J HALL'S LEAD PROPERTY

PIMA COUNTY MILS NUMBER: 552

LOCATION: TOWNSHIP 11 S RANGE 18 E SECTION 29 QUARTER SW
LATITUDE: N 32DEG 26MIN 53SEC LONGITUDE: W 110DEG 31MIN 55SEC
TOPO MAP NAME: BELLOTA RANCH - 15 MIN

CURRENT STATUS: EXP PROSPECT

COMMODITY:

LEAD
COPPER
SILVER
GOLD

BIBLIOGRAPHY:

USBM FILE NO. 463.2/15122 AND 464.2/1900
ADMMR LUCKY STRIKE CLAIMS FILE

NUMBER	FILE	CONT	CONT1	PRINAME					
552	F	0	N	LUCKY STRIKE CLAIMS					
ALTNAME1				ALTNAME2					
A J HALL'S LEAD PROPERTY				ALTNAME4					
ALTNAME3				ALTNAME6					
ALTNAME5									
CURSTAT	MNAME			NLATDEG	NLATMIN				
EXP PROSPECT	BELLOTA RANCH - 15 MIN			32	26				
NLATSEC	WLONGDEG	WLONGMIN	WLONGSEC	TOWN	RANGE	SECTION	QUARTER	COM1	
53	110	31	55	11 S	18 E	29	SW	PB	
MODI1	COM2	MODI2	COM3	MODI3	COM4	MODI4			
	CU		AG		AU				
COM5	MODI5	COM6	MODI6	COM7	MODI7				
BIB1									
USBM FILE NO. 463.2/15122 AND 464.2/1900									
BIB2									
ADMMR LUCKY STRIKE CLAIMS FILE									
BIB3									
BIB4									

PHOF

RETURNED TO WRITER
Mr. A. Judd Hall
P. O. Box 1647
Tucson, Arizona

Hall
J. Floyd Bingham
Redington, Ariz
via Benson

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

April 4, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Lucky Strike No. L	Molybdenum, Vanadium, Lead, Gold, Silver
(Property)	(ore)
formerly Silver Strike	

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

Frank P. Knight

FRANK P. KNIGHT,
Director.

Enc: Mine Owner's Report

U.S. B.M. "U" File Reports Vanadium Miner

DEPARTMENT OF MINERAL RESOURCES

REPORT TO OPA ON ACTIVE MINING PROJECT

Date..... 4/25/45

Name of Mine..... Lucky Strike

Owner or Operator..... A. Judd Hall

Address..... PO Box 1647, Tucson, Ariz.

Mine Location..... Redington May East

Filing Information

File System.....

File No.....

This chart to be used for gallons of gasoline required per month.

PRESENT OPERATIONS: (check X)

Production.....; Development.....; Financing.....; Sale of mine.....;

Experimental (sampling).....; Owner's occasional trip.....;

Other (specify).....

PRODUCTION: Past and Future.

Tons

Approx. tons last 3 months

Approx. present rate per 3 months

Anticipated rate next 3 months

If in distant future check (X) here

EQUIPMENT OPERATED:

Type	Quantity or Horse Power	Miles or Hours Per Month	Gallons Required Per Month
Personal Cars			
Light or Service Trucks	<u>Cher 35 1/2 ton die</u>	<u>1800 mi</u>	<u>120 gal per mth</u>
Ore Hauling Trucks			
Compressors			
Other Mine or Mill Eqpt.			

PRODUCT PRODUCED OR CONTEMPLATED: Name metals or minerals.

Copper lead vanadium

REMARKS:

This property is being developed and
production is expected to start soon

ARIZONA DEPARTMENT OF MINERAL RESOURCES

By [Signature]

FILE: BDD

Office of Price Administration
War Price and Rationing Board 81.7.1
Ellis Building
Phoenix, Arizona

Gentlemen:

Mr. A. Judd Hall, Apt. 202E Alzona Park, Phoenix, is making application for a special supplemental supply of gasoline in order to go to the ~~Lucky Strike~~ vanadium property located near Reddington, Pima County, about 45 miles N. E. from Tucson.

Mr. Hall is arranging to ship a test lot of vanadium ore from the mine to the Mammoth-St. Anthony plant at Tiger.

I have known Mr. Hall for a number of years in connection with his mining work and also in connection with his preliminary work on this property and can certify for the need of the gasoline for this particular trip in order to get out the shipment of vanadium. Vanadium is one of the critical war minerals and this preliminary shipment will permit him to develop plans for increased and further production.

Very truly yours,

J. S. Coupal

JSC:JES

February 8, 1944

Office of Price Administration
War Price and Rationing Board 31.7.1
Ellis Building
Phoenix, Arizona

Gentlemen:

Mr. A. Judd Hall, 212 Apartment D, Alizona Park, Phoenix, Arizona, is making application for special mileage ration of gasoline for 30 gallons to be used on a trip to the Lucky Strike Vanadium Mine located in the Reddington District, about 48 miles east of Tucson, Pima County.

Mr. Hall is the owner of this property and is contemplating certain preliminary work and it is necessary to visit the mine, check up on the equipment, and file the necessary papers to hold the property. Mr. Hall does not at present own a car and is borrowing the car for this purpose from Mary Dorner, 202 Apartment E, Alizona Park, Phoenix.

I can certify as to the need of this gasoline due to the fact that Mr. Hall is the owner and has operated the property for many years. For this reason, and as vanadium is still considered one of the critical minerals, I can certify as to the need of the gasoline.

Very truly yours,

J. S. Coupal
Director

JSC:JES

BOARD OF GOVERNORS:
CHARLES F. WILLIS, PHOENIX
CHAIRMAN
DR. N. H. MORRISON, PHOENIX
VICE-CHAIRMAN
SHELTON G. DOWELL, DOUGLAS
L. V. ROOT, KINGMAN
LOYDE C. EDMONSON, GLOBE

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
518 TITLE AND TRUST BUILDING
PHOENIX, ARIZONA

J. S. COUPAL, PHOENIX
DIRECTOR
W. J. GRAHAM, PHOENIX
ASSISTANT TO THE DIRECTOR
AND SECRETARY TO THE
BOARD OF GOVERNORS
FIELD OFFICES AT
GLOBE - KINGMAN
PRESCOTT - TUCSON



May 20, 1942

REPLY TO

We have submitted your Mine Owner's Report to Mr. G. Donald Emigh, who is representing the U. S. Vanadium Corporation, with present headquarters at the Pioneer Hotel, Tucson, Arizona as being one of the properties from which vanadium production may be obtained.

The following item will explain our reason for so doing:

The U. S. Vanadium Corporation has been designated by the Metals Reserve Company to increase the production of lead vanadates and they are working in the southwest.

G. Donald Emigh, Pioneer Hotel, Tucson, is their representative, and Arthur L. Flagg, 29 W. Holly Street, Phoenix, is their field manager.

They are seeking small vanadium properties and are ready to handle them on almost any kind of a deal except actually buying properties. They will put money into development, they will lease, they will build small mills, they will work out processes, they will cooperate with the man to develop his own property. They will pay premium prices for that which they get. They will do almost anything and everything designed to bring out increased vanadium production.

An office is going to be established in Tucson and we will let you know the address as soon as we get it. Any occurrences of lead vanadates should be promptly reported to either Mr. Emigh or Mr. Flagg, or anyone who has vanadium properties should be referred to them.

We would suggest that you contact these parties at once and if you can furnish any information in addition to that which occurs in your Mine Owner's Report on file with us that you do so at once. Please advise us of your action.

With best wishes and hoping you get your property into early production, I am

Yours very truly,

J. S. Coupal
J. S. Coupal,
Director

JSC:IP

COPY

METALS RECOVERY CORPORATION

Producers and Refiners
of Precious Metals

812 South San Pedro Street, Phone Vandike 7513, Los Angeles, California

April 15, 1941

Mr. J. S. Coupal, Director
Department of Mineral Resources
State of Arizona - Capitol Building
Phoenix, Arizona

Dear Mr. Coupal:

We acknowledge receipt of your sample from the Lucky Strike Mine, to which we have given due consideration, and are glad to give you the following report:

The first outstanding point is that the V_2O_5 and MoO_3 contents of the concentrate is high enough to justify a recovery on a profitable basis. The low amount of iron and calcium found is most desirable for successful work. Lead is present in a high amount and its recovery should occur without difficulty.

The chemical analysis of the concentrate has shown the following results:

Siliceous material (SiO_2)	10.87%
Iron - aluminum oxide (Fe_2O_3)	3.26%
Calcium oxide (CaO)	1.90%
Lead (Pb)	61.23%
Vanadium oxide (V_2O_5)	2.24%
Molybdenum oxide (MoO_3)	10.02%
Gold	0.29 oz. per ton i.e. \$10.15 per ton

The sample received was a very small quantity, and therefore, in my opinion, should not be the final results of this material. About 10 or 15 pounds of this concentrate would probably be a better representative sample, whereby a real determination could be made.

By the first of May, we expect to add additional equipment to our analytical laboratory which will make it possible for us to make tests on a larger scale, and by that time, I think it would be to our mutual advantage if we could get a representative sample of a given material of about 10 to 25 pounds.

I didn't write directly to Mr. A. J. Hall because no permission was given us by you to write him direct. I am therefore sending you a duplicate report, and if you desire to give a copy to Mr. Hall, you can do so. We would like very much to get a chance to test some black sands from Arizona because some of the sands that we tested from Arizona are quite interesting.

Assuring you our earnest desire to cooperate with you and trusting that this report has given you an idea of our work, and thanking you for the opportunity given us, we are

PJR:lr
Encl.

Very truly yours,
METALS RECOVERY CORPORATION
(SIGNED) By Philip J. Ragooland, Secretary

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Date June 24, 1940.

Mine Lucky Strike No 1.

Engineer Miles M. Carpenter, E. M.

District Redington, Pima County

Location (4 mi N W from Redington
(46 mi E from Tucson.

Former name Silver Strike.

Owner A. J. Hall

Address (Sunshine Rooms, Tucson
(R 1, Box 842, Phoenix.

~~Wm E. Simson~~

Address

Operator Same.

Gen. Mgr.

President No corporation

Mill Supt.

Mine Supt.

Principal Metals Molyb, Vanadium, lead, gold,
silver.

Men Employed

Production Rate Not established.

Mill: Type & Cap.

Power: Amt. & Type None

Operations: Present Idle.

Operations Planned Not known

Number Claims, Title, etc. One unpatented lode claim presumed to be on public domain. Property was previously located as Silver Strike and was under that name at the time of examination, March 1, 1940. Owners advise of relocation under the name Lucky Strike No 1. Records have not been checked.

Description: Topog. & Geog. Sharply cut rocky hills near the San Pedro river is the locus of this property.

Mine Workings: Amt. & Condition 1 incline shaft 12 ft, one 25 ft and one 10 ft in depth. These workings are not badly caved but have been standing for years and have no collars or ladders.

Geology & Mineralization The country rock is igneous, consisting of a number of porphyritic rocks, mainly intermediate in acidity, and limestone. The vein strikes N 45 deg W and dips at about 45 deg to the N E and is in the limestone, which is here silicified and iron stained. Minerals recognized included carbonates of copper, Wulfenite, Vanadinite (scarce) and Descloisite. Mineralization is Ore: Positive & Probable, Ore Dumps, Tailings (strongest on the footwall and extends into Just a few tons of ore (the vein matter. The total width of vein are left on the dump. (is 3 ft or more, but mineralization is Owner's sample assayed (scant on the hanging wall side. by E. A. Jacobs showed: Gold .09 oz, Silver 2.2 oz, Vanadium pentoxide 1.63%, Molybdenum trioxide 3.91%

Mine, Mill Equipment & Flow Sheet

None.

Road Conditions, Route The road from Tucson to Redington is over the pass between the Catalina and Rincon mountains and is listed as a graded road, low type. The road from Redington to Mammoth about 20 miles long is very poor. This property is a short mile off the Redington-Mammoth road from a point about 4 miles north from Redington.

Water Supply There is believed to be a substantial supply of water close to this property where one of the large canyons running eastward from the north end of the Catalina mountains spreads before emptying into the San Pedro river. There is a shallow well used for watering stock but no information was obtained as to ultimate supply.

Brief History

This property was located and developed by one or more of the present owners about 1917 and the small amount of development work listed was done at that time. The property had been located previously. A one ton shipment of ore was made to the Hayden

Special Problems, Reports Filed smelter in 1917, it is reported.

No reports on this property have been filed and so far as known none have been made.

Remarks It is quite probable that the sample result shown above will prove higher than the average ore mined from this vein, and it is a certainty that the ore will have to be concentrated before it can be marketed for the rare metals. This condition will make it necessary to develop enough tonnage of ore ahead to justify the milling plant.

If property for sale: Price, terms and address to negotiate.

The property is understood to be for sale, but the owners have not filed price of property or terms.



Signed *Miles M. Carpenter, E.M.*

Use additional sheets if necessary. Separate sheets on each problem.

ML-24

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date 2/12/40

Mine Lucky Strike
District Old Hat & Reddington Dists.
Former name

Vanadium
Location $3\frac{1}{2}$ miles west of Reddington -
Copper- $3\frac{1}{2}$ miles SW of Reddington -

Owner Wm. E. Simson

Address Rt. 1, Box 842
3724 N. 38th St., Phoenix

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold, silver, molybdenum, vanadium
& copper

Men Employed


Production Rate None

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present Prospect

Operations Planned



Number Claims, Title, etc. 5 claims

Description: Topog. & Geog. Foothills of Santa Catalina on east side

Mine Workings: Amt. & Condition Location work - 9 shafts from 7 to 30 ft. deep
1 50 ft. shaft

Geology & Mineralization Limestone & porphyry contact

Ore: Positive & Probable, Ore Dumps, Tailings 50 tons

Mine, Mill Equipment & Flow Sheet

Road Conditions, Route Good to 1/2 mile of vanadium property
" " 1 " " copper property

Water Supply Plenty - Elgin Creek - on vanadium
copper - water developed, or can be developed

Brief History Old Corn Cob Mine is about 2 miles further west of property.
Mammoth St. Anthony is about 25 miles due north

Special Problems, Reports Filed Road from from good road to property

Remarks

If property for sale: Price, terms and address to negotiate. See owner.

Signed Wm. E. Simson

Use additional sheets if necessary.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Date June 24, 1940.

Mine Lucky Strike No. 1

Engineer Miles M. Carpenter, E. M.

District Redington, Pima County

Location (4 mi. N. W. from Redington
(46 Mi. E. from Tucson)

Former name Silver Strike.†

Owner A. J. Hall
Wm. E. Simson

Address Sunshine Rooms, Tucson
R1, Box 842, Phoenix

Operator Same

Address

President No Corporation

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Molyb, Vanadium, Lead, Gold,
Silver.

Men Employed

Production Rate Not established.

Mill: Type & Cap.

Power: Amt. & Type None

Operations: Present Idle

LUCKY STRIKE MINE

Mo., Vanadium, Pb, Au, Ag

Pima 10 -

T 11 S, R 19 E

Operations Planned Not known

A. J. Hall, Box 1647, Tucson

'45

Number Claims, Title, etc. One unpatented lode claim presumed to be on public domain. Property was previously located as Silver Strike and was under that name at the time of examination, March 1, 1940. Owners advise of relocation under the name Lucky Strike No. 1. Records have not been checked.

Description: Topog. & Geog. Sharply cut rocky hills near the San Pedro river is the locus of this property.

Mine Workings: Amt. & Condition 1 incline shaft 12 ft. one 25 ft. and one 10 ft. in depth. These workings are not badly caved but have been standing for years and have no collars or ladders.

The country rock is igneous, consisting of a number of porphyritic rocks, only intermediate in activity, & limestone. The vein strikes 45 deg. W and dips at about 45 deg to the NE and is in the limestone, which is here silicified and iron stained. Minerals recognized included carbonates of copper: Wulfenite, Vanadinite (scarce) and Descloisite. Mineralization is strongest on the footwall and extends into the vein matter. The total width of vein is 3 ft. or more, but mineralization is scant on the hanging wall side.

Ore: Positive & Probable, Ore Dumps, Tailings Just a few tons of ore are left on the dump. Owner's samples assayed by E. A. Jacobs showed: Gold .09 oz, Silver 2.2 oz, Vanadium pentoxide 1.63%, Molybdenum trioxide 3.91%

Mine, Mill Equipment & Flow Sheet
None

Road Conditions, Route The road from Tucson to Redington is over the pass between the Catalina and Rincon mountains and is listed as a graded road, low type. The road from Redington to Mammoth about 20 miles long is very poor. This property is a short mile off the Redington-Mammoth road from a point about 4 miles north from Redington.

Water Supply There is believed to be a substantial supply of water close to this property where one of the large canyons running eastward from the north end of the Catalina mountains spreads before emptying into the San Pedro river. There is a shallow well used for watering stock but no information was obtained as to ultimate supply.

Brief History This property was located and developed by one or more of the present owners about 1917 and the small amount of development work listed was done at that time. The property had been located previously. A one ton shipment of ore was made to the Hayden smelter in 1917, it is reported.

Special Problems, Reports Filed No reports on this property have been filed and so far as known none have been made.

Remarks It is quite probable that the sample result shown above will prove higher than the average ore mined from this vein, and it is a certainty that the ore will have to be concentrated before it can be marketed for the rare metals. This condition will make it necessary to develop enough tonnage of ore ahead to justify the milling plant.

If property for sale: Price, terms and address to negotiate. The property is understood to be for sale, but the owners have not filed price of property or terms.

Signed..... Miles M. Carpenter, E. M.

ML-24

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Geology & Mineralogy

Date 2-12-40

Mine Lucky Strike
District Old Hat + Readington dists

Location 3 1/2 mi west of Readington +
3/2 mi SW of Readington.

Former name
Owner Wm E. Simson

Address Rt 1 Box 842
3724 N 38th St Phoenix

Operator -

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals gold, silver, molybdenum, vanadium + copper

Men Employed

Production Rate none 10000 production

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present - Prospect -

Operations Planned

Number Claims, Title, etc. 5 claims

Description: Topog. & Geog. foothills of Santa Catalina
on east side.

Mine Workings: Amt. & Condition location work -
4 (discovery) shafts - 7 to 30 ft depth
copper - gold - silver

1 (about 50 ft shaft)
(over)
vanadium - molybdenum - gold - silver

Geology & Mineralization

limestone & schist contact.

Ore: Positive & Probable, Ore Dumps, Tailings

50 tons

Mine, Mill Equipment & Flow Sheet

Road Conditions, Route

Good to 1/2 mi of Vanadium property
" " " " copper property

Water Supply

Plenty - Elgin creek, on Vanadium
copper - no water developed. can be
developed.

Brief History

old iron col mine is about 2 miles
further west of property, Mammoth St Anthony
is about 25 mi due north.

Special Problems, Reports Filed

- Road from good road to
property -

Remarks

If property for sale: Price, terms and address to negotiate.

See owner.

Signed

Wm E. Simpson

Use additional sheets if necessary.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA

ML-24

OWNERS MINE REPORT

Date 2/12/40

1. Mine Name **Lucky Strike #1**
2. Mining District & County **Redington Dist.
Pima Co.**
3. Former name **Silver Strike**
4. Location **4 miles N.W. of Redington**
5. Owner **A. J. Hall and Wm. E. Simson**
6. Address (Owner) **R. 1, Box 842
Phoenix, Arizona**
7. Operator
8. Address (Operator)
9. President **No Corp.**
10. Gen. Mgr.
11. Mine Supt.
12. Mill Supt.
13. Principal Metals **Molybdenum, vanadium, lead,
gold, silver**
14. Men Employed
15. Production Rate **Not established**
16. Mill: Type & Cap.
17. Power: Amt. & Type
18. Operations: Present **Prospect idle**

19. Operations Planned **Nothing definite**

20. Number Claims, Title, etc. **One unpatented**

21. Description: Topography & Geography **Sharply cut, rocky hills near San Pedro River**

22. Mine Workings: Amt. & Condition **One inclined shaft 12 ft.
One 25 ft. and
One 10 ft. in depth
Not badly caved, no timber.**

23. Geology & Mineralization **Phyritic rocks and limestone ve strikes N 45° W
dips 45° NE. Replacement**

49-111

24. Ore: Positive & Probable, Ore Dumps, Tailings **Few tons gold 0.09 oz. Silver 2.2 oz.
Vanadium pentoxide 1.63%, Molybdenum trioxide
3.91%**

24-A Vein Width, Length, Value, etc. **Vein width 3 ft.**

25. Mine, Mill Equipment & Flow Sheet **None**

26. Road Conditions, Route **Fair.**

27. Water Supply **None developed**

28. Brief History **Located 1917 by present owners, one ton shipped in 1917 to Hayden.**

29. Special Problems, Reports Filed

30. Remarks

31. If property for sale: Price, terms and address to negotiate.

See owner.

32. Signed.....**Wm. E. Simson**.....

33. Use additional sheets if necessary.

ML 24

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date

June 2/12/40

- 1. Mine *Lucky Strike # 1*
- 2. Mining District & County *Beddington, Pima*
- 3. Former name *Silver strike*
- 4. Location *4 miles NW of Beddington*
- 5. Owner *A.J. Hall & Wm E. Simson*
- 6. Address (Owner) *21 Box 842 Phu*
- 7. Operator
- 8. Address (Operator) *-*
- 9. President *No Corp.*
- 10. Gen. Mgr. *-*
- 11. Mine Supt.
- 12. Mill Supt. *-*
- 13. Principal Metals *Molybdenum, Vanadium*
- 14. Men Employed *-*
- 15. Production Rate *Lead, Gold, Silver*
- 16. Mill: Type & Cap. *-*
- 17. Power: Amt. & Type
- 18. Operations: Present *Prospect idle*

19. Operations Planned *Nothing definite*

20. Number Claims, Title, etc. *1 unpatented*

21. Description: Topography & Geography *sharply cut rocky hills near San Pedro River.*

22. Mine Workings: Amt. & Condition
*1 inclined shaft 12' - one 25' x one 10' in depth
not badly caved - no timber -*

23. Geology & Mineralization

Porphyritic rocks and Limestone
vein strikes N45W dips 45° NE
replacement

24. Ore: Positive & Probable, Ore Dumps, Tailings

Few Tons Gold 0.0902
Silver 2.2 oz. Vanadium pentoxide 1.63% Molybdenum
trioxide 3.91%

24-A Vein Width, Length, Value, etc.

vein width 3'

25. Mine, Mill Equipment & Flow Sheet

None

26. Road Conditions, Route

Fair

27. Water Supply

None developed

28. Brief History

Located 1917 by present owners
One ton shipped in 1917 to Hayden

29. Special Problems, Reports Filed

30. Remarks

31. If property for sale: Price, terms and address to negotiate.

See owner

32. Signed

Wm. E. Simson

33. Use additional sheets if necessary.