



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 11-24-2006

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: MOHAWK 3 AND 4

ALTERNATE NAMES:

YAVAPAI COUNTY MILS NUMBER: 1067C

LOCATION: TOWNSHIP 13 N RANGE 1 W SECTION 32 QUARTER W2
LATITUDE: N 34DEG 27MIN 50SEC LONGITUDE: W 112DEG 23MIN 40SEC
TOPO MAP NAME: GROOM CREEK - 7.5 MIN

CURRENT STATUS: EXP PROSPECT

COMMODITY:
GOLD
SILVER

BIBLIOGRAPHY:
BLM MINING DISTRICT SHEET 227
ADMMR MOHAWK NO'S 3 AND 4 FILE
CLAIMS EXTEND INTO SEC. 31

WISU
MOMHANK 3-11

CROWN CREEK - 1.2 WIM

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Date March 9, 1940

Mine Mohawk

Engineer

District Walker

Location 2 miles above Walker on
west slope of Lynx Creek and
north of Sheldon Mine.

Former name

Owner Al Avolock

Address Walker

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold, Silver, Lead.

Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present None

Operations Planned

MOHAWK
Au, Ag, Pb
Yavapai 13 - 4 T 13 N, R 1 W
Al Avolock, Walker

Number Claims, Title, etc.

Four (4) Possessory Title.

Parallel vein to the Curtis Property and said to have been encountered through Curtis Crosscut.

Description: Topog. & Geog.

Rugged steep slope of western bank of Lynx Creek

Mine Workings: Amt. & Condition

Several tunnels now in accessible.

Geology & Mineralization

North-south striking veins in schist area adjacent to Granodiorite dipping approximately vertical or slightly westward.
Galena-Pyrite-Sphalerite in Quartz gangue.

Ore: Positive & Probable, Ore Dumps, Tailings

None

Mine, Mill Equipment & Flow Sheet

Road Conditions, Route

14 miles from Prescott over Black Canyon and Walker Roads to Walker.
Good County Roads.

Water Supply

Unknown

Brief History

None available.

Special Problems, Reports Filed

Remarks

As reported to have been intersected by the Curtis Crosscut is if values are encountered an interesting location.

If property for sale: Price, terms and address to negotiate.

Not for sale at present.

Signed Carl G. Barth, Jr.

Use additional sheets if necessary. Separate sheets on each problem.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA

FIELD ENGINEERS REPORT

Date March 9, 1940

Mine Mohawk

Engineer

District Walker

Location 2 miles above Walker on west slope of Lynx Creek and north of Sheldon Mine

Former name

Owner Al Avolock

Address Walker

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold, Silver, Lead.

Men Employed

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present None

Operations Planned

Number Claims, Title, etc. Four (4) Possessory Title.

Parallel vein to the Curtis Property and said to have been encountered through Curtis Crosscut.

Description: Topog. & Geog.

Rugged steep slope of western bank of Lynx Creek

Mine Workings: Amt. & Condition

Several tunnels now inaccessible.

Signed Carl G. Barth, Jr.

Geology & Mineralization

North-south striking veins in schist area adjacent to Granodiorite dipping approximately vertical or slightly westward. Galena-Pyrite-Sphalerite in Quartz gangue

Ore: Positive & Probable, Ore Dumps, Tailings

None
Location 3 miles above Walker west slope of Lynx Creek and north of Sheldon Mine

Mine, Mill Equipment & Flow Sheet
14 miles from Prescott over Black Canyon and Walker Roads to Walker Good county roads

Road Conditions, Route
Unknown

Water Supply
None available

Brief History

Special Problems, Reports Filed

Remarks

As reported to have been intersected by the Curtis Crosscut is, if values are encountered, an interesting location. Parallel vein to the Curtis Property and said to have been encountered through Curtis Crosscut.

If property for sale: Price, terms and address to negotiate.

Not for sale at present

Signed Carl G. Barth, Jr.

Use additional sheets if necessary. Separate sheets on each problem.

May 27, 1957

HARD CASH & HARD CASH #2,
MOHAWK NO'S 3 & 4
Survey #4263, Sec.31-32-T13N-RLW

YAVAPAI COUNTY

This property inactive.

MARK GEMMILL

HOURLIHAN, ELISA L. (OWNER) 5-21-45
120 So. Grand Ave., Los Angeles 12, Calif.

MINE - ✓ MOHAWK NO'S 3 and 4 - Patented and
HARD CASH &
HARD CASH #2, Walker Mining Dist., Yavapai County
(4 claims) Prescott - nearest town.

DEPARTMENT OF MINERAL RESOURCES

State of Arizona

DEPARTMENT OF MINERAL RESOURCES

MINE OWNER'S REPORT

MINERAL BUILDING

FAIR GROUNDS

PHOENIX, ARIZONA

Date

1. Mine: **MOHAWK** NOS 3 AND 4 PATENTED AND HARD CASH } HARD CASH # 2
 SURVEY # 4263 SEC 31+32 TOWNSHIP 13 NORTH OF RANGE ONE WEST OF HILA SALT RIVER M,
 2. Location: Sec. **YAVAPAI** Twp COUNTY **YAVAPAI** Range **ARIZONA** Nearest Town **PRESCOTT**

Distance **8 MILES** Direction **S. EASTERLY** Road Condition **GOOD**

3. Mining District & County: **WALKER**

4. Former Name of Mine: **SAME AS NSW**

5. Owner: **ELISA L. HOURIHAN**

Address: **120 So. GRAND AVE LOS ANGELES 12 CALIF**

6. Operator: **NOT OPERATING**

Address:

7. Principal Minerals: **GOLD - SILVER - LEAD**

8. Number of Claims: **4** Lode **YES** Placer

Patented **MOHAWK 3+4** Unpatented **HARD CASH**

9. Type of Surrounding Terrain: **MOUNTAINOUS**

10. Geology & Mineralization: (**SIX FOOT VEIN AVERAGE**
1500 PER TON EXCELLENT MILLING PROPOSITION)

THE ABOVE IS FROM (~~ENGINEER~~ **ASSAYER & CHEMIST** **C. H. FULLER**
REPORT of 5-21-45 **RICO, COLORADO.**)

11. Dimension & Value of Ore Body:

12. Ore "Blocked Out" or "In Sight": AS A WOMAN I DO NOT KNOW

Ore Probable: SUFFICIENT FOR YEARS ACCORDING TO MY TULLER'S REPORT

13. Mine Workings—Amount and Condition: 160' TUNNEL SOME CAVING

No.	Feet	Condition
Shafts		WAS HIGH GRADED BY CHINESE AND INDIANS.
Raises		
Tunnels		
Crosscuts		
Stopes		

14. Water Supply: GOOD - FROM WELLS.

15. Brief History: PREVIOUS TO MY PURCHASE 10 YEARS AGO THIS WAS HIGH GRADED BUT NO MILLING WAS DONE. AS I KNOW NOTHING OF MINING AND BELIEVE FROM ALL REPORTS THAT THIS IS A GOOD MILLING PROPOSITION I AM ANXIOUS TO SELL SAME TO SOME ONE IN THE MINING BUSINESS.

16. Signature: Eliza L. Howrhan.

17. If Property for Sale, List Approximate Price and Terms: PROPERTY WAS VALUED AT \$25000 AT TIME OF MY PURCHASE. BUT WILL ACCEPT REASONABLE OFFER ON SALE OR LEASE.

Map

Scale
Date

31  32

Section

Scale
Date

MISCELLANEOUS

11/11/11

Scale
Date

11/11/11

Section

Scale
Date

November 1st 1950.

My dear Mr. Dunning,

Thank You very much for your letter of Oct. 23rd 1950.

I did answer some questions to the form but as I am not a mining woman, you could fill out the form much better than I could, with Mr. Tuller's report on my property. Will you kindly do it please? Mr. Tuller is the assayer for the Argentina Mining Co. Pico, Colo. He has been in that post for many years. What he says is true. He has a very good reputation. So I thought his report might help in selling my land.

Mr. Lyman in Prescott is the attorney who secured a patent for me, and Dick Merritt, county engineer is the man who surveyed my land for patent.

I would be very grateful to you Mr. Dunning, if you could help me in this matter, as I do not know where to turn.

Respectfully yours.
(Mrs.) Elisa L. Hourihan

2524 De La Vina Str.
Santa Barbara, Calif.

DEPARTMENT OF MINERAL RESOURCES
State of Arizona
MINE OWNER'S REPORT

Date *November 1st 1950*

1. Mine: *Mohawk N^o 3 and Mohawk N^o 4*
2. Location: Sec..... Twp..... Range..... Nearest Town *Prescott, Ariz.*
Distance..... Direction..... Road Condition.....
3. Mining District & County:.....
4. Former Name of Mine:.....
5. Owner *(Mrs.) Elisa L. Hourihan formerly Bragonier*
Address: *2524 De La Vina Street, Santa Barbara, California.*
6. Operator:.....
Address:.....
7. Principal Minerals: *Gold, Silver, some lead*
8. Number of Claims:..... Lode..... Placer.....
Patented *yes*..... Unpatented.....
9. Type of Surrounding Terrain: *Mountainous*
10. Geology & Mineralization:.....
11. Dimension & Value of Ore Body:.....

C. H. TULLER
ASSAYER ** CHEMIST

Rico, Colorado

5/21/45

Here are my results on samples taken on the Bragonier property, in Yavapai County, Arizona, on my recent visit to the property May 8th and 9th.

You will please note samples marked A and B above the gold assay. These were large samples cut down and divided into two parts as a check assay, so as to make no error in sampling.

			Silver	A. Gold	B. Gold
Mohawk No. 3	Tunnel Dump	Sample No. 1	1.20	.20	.23
Mohawk No. 3	Small Dump	Sample No. 2	1.40	.86	.83
Mohawk No. 3	Small Pile	Sample No. 3	.35	.15	.13
Mohawk No. 3	Open Cut	Sample No. 4	1.00	.32	.36
Mohawk No. 3	Large Pieces	Sample No. 5	1.20	.40	.40
Mohawk No. 4	See below	Sample No. 6	2.00	.72	.75
Mohawk No. 4	See below	Sample No. 7	.60	.23	.25

Sample No. 4 was taken on top of the mountain as vein drops over the saddle on top. This was 32 inches in width.

Sample No. 5 was from large pieces of iron quartzite, characteristic of vein material; which will be encountered at depth, from all indications; which is better than average run of mill ore.

Sample No. 6 was cut across 18 inches; the richer ore of the vein on the surface. This could be sunk on from the surface.

Sample No. 7 was taken across exactly 6 feet in width, taking in the 18 inches of the higher grade in Sample No. 6. In other words, 18 inches of the 6-foot vein on the surface was high grade; taking it completely across the full width of the vein, which is 6 feet, gives good mill ore.

All assay above is figured in troy ounces per ton of 2000 pounds.

In my conclusions on this property, I would say it is an excellent milling proposition, good strong vein that can be traced for about two miles, and from which adjoining properties on the same vein system have produced heavily in gold. More claims on

FROM C. H. TULLER

Assayer, Chemist - Rico, Colo., 5/21/45

Page Two

the same vein system as the Bragonier, probably could be acquired, as development progressed; thus making the operation large, or small, as one might prefer. The Mohawk No. 3 and Number 4 probably would produce mill ore of good grade for many years to come, as depth was attained.

The property is easily accessible over good roads. It is about 9 miles from Prescott, of which about 6 miles are paved, or oiled surface highway, called Senator Highway. The balance is a good gravel mountain road to the property. Power line crosses the Bragonier claims.

If I can answer any further questions, I shall be glad to endeavor to do so.

Yours very truly,

(Signed) C. H. TULLER

Assay Values

<u>Silver</u>		<u>Gold</u>	
No. 1	.90	No. 1	\$ 7.00
" 2	.75	" 2	30.00
" 3	.26	" 3	5.25
" 4	.75	" 4	11.20
" 5	.90	" 5	14.00
" 6	1.50	" 6	25.20
" 7	.45	" 7	8.05
Total	\$5.45		\$100.70

Gold Average per Ton \$14.38
 Silver " " " .78

Gold & Silver Av. Per Ton \$15.16

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

June 4, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Mohawk No's 3 & 4, (Yavapai County) Gold, silver, lead

(Property) (ore)
Hard Cash & Hard Cash #2

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

Frank P. Knight

FRANK P. KNIGHT,
Director.

Enc: Mine Owner's Report

Faint, illegible text covering the majority of the page, possibly bleed-through from the reverse side.

3
2
1

FOR SALE or TRADE

Gold property - 4 claims - 9 miles
from Prescott, Arizona. Six ft. vein
averages \$15.00 per ton. Developed
by 150 ft. tunnel.

Mi. 0243

E. L. Hourihan
120 S. Grand Ave.
Los Angeles 12

Please contact at above address

June 30th 1950
State Dept. of Mat. Res.
Phoenix, Ariz.

Gentlemen,

Would appreciate your
posting the enclosed card on your
Bulletin Board as I am desirous of
selling this mining property.

Respectfully yours.

(Mrs.) Elisa L. Hourihan

120. South Grand Av.

Los Angeles 12. Calif.



no submit note to 122310

Mrs. Elisa L. Hourihan
120 So. Grand Ave.
Los Angeles 12, Calif.

