



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

06/04/86

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES FILE DATA

PRIMARY NAME: RESCUE MINE

ALTERNATE NAMES:

GILA COUNTY MILS NUMBER: 151

LOCATION: TOWNSHIP 1 N RANGE 15 E SECTION 1 QUARTER SE
LATITUDE: N 33DEG 27MIN 20SEC LONGITUDE: W 110DEG 46MIN 30SEC
TOPO MAP NAME: GLOBE - 7.5 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:

SILVER
COPPER
GOLD

BIBLIOGRAPHY:

ADMMR RESCUE MINE FILE
BLM MINING DISTRICT SHEET 161
PETERSON, N P "GEOL & ORE DPSTS GLOBE-MIAMI
DIST" USGS PP 342, P 131; 1962
ADMMR "U" FILE AG 2
IN 1939 8 UNPAT CLAIMS & THE RESCUE MADE UP
THE RESCUE MINE GROUP

161

NE 1/4 T. 1 N., R. 15 E
GLOBE DIST.

Sec. 1

PAT. RESCUE
313

VACK CONSTANCE
2618 PAT.

PAT. IRON HIVE
2618

IRON HIVE No. 2
PAT. 2618

BIG IRON No. 4
2618 PAT.

BIG IRON No. 3
PAT. 2618

BIG IRON No. 1
PAT. 2618

Sec. 12

PAT. BIG IRON No. 5
2618


PAT. BIG IRON No. 2
2618

PAT. MINERAL FARM No. 5
2618 PAT.

PAT. MINERAL FARM No. 2
2618

PAT. ANGEL No. 1
2618

PAT. ANGEL No. 2
2618



N A U F O R E S T

Ramboz Peak

Ramboz Spr

Copper H

Rescue Spr

Rescue Mine
TIN RIBS 500' L. SE

Iron Spr

Black Peak

MINERS TUNNELS

Iron Cap Shaft

VA 4792

4228

4300

4400

4500

4600

4700

4800

4900

5000

5100

5200

5300

5400

5500

5600

5700

5800

5900

6000

6100

6200

6300

6400

6500

6600

6700

6800

6900

7000

7100

7200

7300

7400

7500

7600

7700

7800

7900

8000

8100

8200

8300

8400

8500

8600

8700

8800

8900

9000

9100

9200

9300

9400

9500

9600

9700

9800

9900

10000

10100

10200

10300

10400

10500

10600

10700

10800

10900

11000

11100

11200

11300

11400

11500

11600

11700

11800

11900

12000

12100

12200

12300

12400

12500

12600

12700

12800

12900

13000

13100

13200

13300

13400

13500

13600

13700

13800

13900

14000

14100

14200

14300

14400

14500

14600

14700

14800

14900

15000

15100

15200

15300

15400

15500

15600

15700

15800

15900

16000

16100

16200

16300

16400

16500

16600

16700

16800

16900

17000

17100

17200

17300

17400

17500

17600

17700

17800

17900

18000

18100

18200

18300

18400

18500

18600

18700

18800

18900

19000

19100

19200

19300

19400

19500

19600

19700

19800

19900

20000

20100

20200

20300

20400

20500

20600

20700

20800

20900

21000

21100

21200

21300

21400

21500

21600

21700

21800

21900

22000

22100

22200

22300

22400

22500

22600

22700

22800

22900

23000

23100

23200

23300

23400

23500

23600

23700

23800

23900

24000

24100

24200

24300

24400

24500

24600

24700

24800

24900

25000

25100

25200

25300

25400

25500

25600

25700

25800

25900

26000

26100

26200

26300

26400

26500

26600

26700

26800

26900

27000

27100

27200

27300

27400

27500

27600

27700

27800

27900

28000

28100

28200

28300

28400

28500

28600

28700

28800

28900

29000

29100

29200

29300

29400

29500

29600

29700

29800

29900

30000

30100

30200

30300

30400

30500

30600

30700

30800

30900

31000

31100

31200

31300

31400

31500

31600

31700

31800

31900

32000

32100

32200

32300

32400

32500

32600

32700

32800

32900

33000

33100

33200

33300

33400

33500

33600

33700

33800

33900

34000

34100

34200

34300

34400

34500

34600

34700

34800

34900

35000

35100

35200

AL RESOURCES

ona
irgrounds
ONA?



REASON CHECKED
Unclaimed..... Refused
Unknown.....
Insufficient address.....
Moved, Left no address.....
No such office in state.....
Do not remain in this envelope

Mr. Jacob Judesh

~~Globe~~

Arizona

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

July 14, 1958

To the Owner or Operator of the Arizona Mining Property named below:

<u>Rescue Mine (Gila Co.)</u>	<u>silver, gold</u>
(Property)	(ore)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

Frank P. Knight

FRANK P. KNIGHT,
Director.

Enc: Mine Owner's Report

See: USGS P.P. # 342 - Page 131

SPECIMEN S-5

Cabinet	Presented by	Jacob Judesh
Section	Collected by	Newton Wolcott
Shelf	Date received	January 4, 1940

Class (principal mineral)	Silver	Name of mine or claim	Rescue
Other minerals	Cerargyrite, malachite, chalcocite, gold	Group	Rescue
		District	Globe
Gangue	Quartz	County	Gila
Depth at which specimen taken	150 feet	Location (distance and direction by highway from what town)	4 miles northeast of Globe
Approximate mineral content (in terms of average per ton)			
Quantity	Value \$	Mine active or inactive	Active
Silver	3000-5000 oz.	If inactive, when operated	
Gold	.10-.50 oz.	Owner	Jacob Judesh
Copper	7-14%	Operator	Jacob Judesh

Notes: This property was located and worked in the eighties and has been worked spasmodically ever since. Over three million dollars reported to have been produced from operations.

MINERAL SPECIMEN FOR DEPARTMENT OF LIBRARY AND ARCHIVES

(Do not write
in this space)

Ore _____

Cabinet _____

No. _____

(Wrap each specimen separately, or place it in a substantial
bag, by itself, with a number attached, identical with the
number on this card.)Specimen No. 5, collected by Newton Wolcott Field EngineerName of ore Silver, copper, goldMinerals contained Argentite, cerargyrite,malachite and chalcocite. GoldGangue QuartzDepth at which taken 150 feetApproximate mineral content (in terms of
average per ton) 3000 to 5000 ozs. silver7 to 14 % copper, 0.10 to 0.50 ozs. goldName of mine or claim RescueGroup RescueDistrict Globe Mining DistrictLocation (distance and direction by high-
way from what town 4 Mi. N.E. of GlobeOwner of property Jacob JudeshOperator Jacob JudeshMine active or inactive Active

If inactive, when operated _____

Specimen presented by Jacob JudeshDate Sept. 29, 1939.Notes (Any general information regarding
the history of the property.) This propertywas located and worked in the eighties and hasbeen worked sporadically ever since. Over threemillion dollars reported to have been produc-ed from operations.If more space is desired for notes, use
other side.

1-4-40

DEPARTMENT OF MINERAL RESOURCES

News Items

Date

4/23

Mine

RESERVE

Location

5 MI. N.E. - GLOBE

Owner

JACK JUDESH

Address

GLOBE

Operating Co.

LEASE TO M.G. CARMART

Address

HOTEL DOMINION

GLOBE -

Pres.

Genl. Mgr.

Mine Supt.

Mill Supt.

Principal Metals

SILVER (COPPER)

Men Employed

5

Production Rate

HAVE SHIPPED 23 CARS

Mill, Type & Capacity

DUMPS & STORAGE FILLS

TUNNEL - OPEN - HAVE NEW ONE

Power, Amt. & Type

LINE - 4/1. 25 OR. CAP.

Signed

V.J.C.

(Over)

DEPARTMENT OF MINERAL RESOURCES.

News Items

Date December 12, 1939.

Mine Rescue

Location 6 Miles NE of Globe

Owner Jacob Judesh

Address Globe, Arizona.

Operating Co. Reported that Judesh has just

Address closed a deal for the sale of the

Rescue property to California interests.

Pres. Sale price not disclosed, but a cash

Genl. Mgr. payment has been made. The trans-

Mine Supt. action also includes an option

Mill Supt. on the adjoining Rambo or Silver

Principal Metals Glance Group, of which Judesh

Men Employed is a part owner. Active oper-

Production Rate ations are supposed to start

Mill, Type & Capacity in the near future.

(A man named Carhart - connected with

Power, Amt. & Type Williams, Badger et al

made the deal) Not for publication.

Signed

(Over)

DEPARTMENT OF MINERAL RESOURCES

News Items

Date Jan 19, 1940.

Mine Rescue

Location 6 Miles NE of Globe

Owner Jacob Judesh

Address Globe, Arizona.

Under lease & option to M.G. Carhart,

Operating Co.

Address Auburn, Calif.

Pres.

Genl. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Silver, gold.

Men Employed 3 or 4

Production Rate

Mill, Type & Capacity

Power, Amt. & Type

Signed

Wolcott

(Over)

News Items

Date Jan 18, 1940

Mine Name

Location 6 Miles NE of Globe

New Work Planned
Owner Jacob Joseph

Address Globe, Arizona

Under lease & option to M.G. Carhart

Operating Co.

Address Auburn, Calif.

Misc. Notes Initial operations consisted in shipping five cars of material from the dumps on the property to the International Smelter at Miami. Further shipments have been held up pending results on the first lot. Meanwhile some work is being done around the margin of the old stopes on the 200 foot level.

Production Rate

Mill Type & Capacity

Power Amt & Type

Signed

(over)

60

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

MRJ
Mine Rescue

Date Sept. 30, 1939.

Engineer Newton Wolcott

District Globe Mining District

Location 4 Miles N.E. of Globe.

Former name

Owner Jacob Judesh

Address Globe, Arizona.

Operator " "

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold, silver, copper

Men Employed 1

Production Rate Production intermittent

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present

Owner drifting on shallow, un-worked portion of vein. Getting out a small amount of high-grade argentite ore occasionally.

Operations Planned

Wants to get down below old stoped area, but unable to accomplish the work alone and without financial assistance.

Number Claims, Title, etc.

Two claims, one of which is patented.

Description: Topog. & Geog.

Steep, but not very high hills northeast of Globe. Scanty vegetation.

Mine Workings: Amt. & Condition

Approximately 2600 feet of tunnels, with various winzes, large stopes and numerous open cuts. Most of the workings with the exception of a portion of the lowest tunnel and the winzez therein are open and accessible. Gob which was let down from the stoped ground above has cut off the last named workings.

(over)

Geology & Mineralization

The Rescue vein has apparently been formed along a fault fissure which traverses diorite and diabase country rock. The vein varies in width from 2 to 15 feet, and the walls are strong and well defined. Quartz is the predominant gangue mineral, while the ore consists of argentite, chalcocite and copper carbonates. The gold values are probably carried in the sulphides. Where the vein enters the diabase on the east end of the property, it appears to branch and weaken in character, but this feature applies to only a very small area on the property. The main ore shoot has been stoped for approximately 400 feet horizontally and nearly 300 feet vertical.

Ore: Positive & Probable, Ore Dumps, Tailings

Mine, Mill Equipment & Flow Sheet

Several thousand tons of ore have been shipped to the smelter in recent years from old dumps on the property, and several hundred tons still remain, although the grade of this material is problematical. Some ore still remains on the hanging wall of the old stope. Impossible to estimate quantity or grade.

No equipment remains on the property.

Road Conditions, Route

The present road to the property is steep and rough, but it could be put into fairly good shape at not a great deal of expense. Inquire in Globe for route.

Water Supply

All winzes in lower tunnel are filled with water at present, but old timers who worked here say that the flow is not heavy.

Brief History

This is one of the oldest mines in the district, and is reported to have produced approximately three million dollars worth of ore. Operations were suspended here in the nineties, and since that time there has been no attempt to carry development below the level of the lower tunnel. Specimens of the ore taken from these workings show argentite running several thousand ounces per ton.

Special Problems, Reports Filed

The present owner is physically and financially unable to carry on anything more than light and shallow prospecting, and high-grading of the smaller streaks near the surface.

Remarks

To de-water and open up the lower workings would entail considerable expense; but it might prove to be profitable, as the ore was stoped down to this level, and there is no evidence that it has been stoped any deeper. It is also reported that the high-grade argentite ore was exposed all the way to the bottom of one of the winzes from this level, a distance of eighty feet.

If property for sale: Price, terms and address to negotiate.

Because of ill health and financial circumstances, the owner is willing to offer very reasonable terms to anyone who will open up the property. Communicate with owner for terms.

\$20,000 - 10% royalty - 100 per cent ownership

Signed

Arthur Wolcott

Use additional sheets if necessary. Separate sheets on each problem.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Date Sept. 30, 1939

Mine Rescue

Engineer Newton Wolcott

District Globe Mining District

Location 4 mi. NE of Globe

Former name

Owner Jacob Judesh

Address Globe, Arizona

Operator " "

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Gold, silver, copper

Men Employed 1

Production Rate Production intermittent

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present Owner drifting on shallow, un-worked portion of vein. Getting out a small amount of high-grade argentite ore occasionally.

Operations Planned Wants to get down below old stoped area, but unable to accomplish the work alone and without financial assistance.

Number Claims, Title, etc. Two claims, one of which is patented.

Description: Topog. & Geog. Steep, but not very high hills northeast of Globe. Scanty vegetation.

Mine Workings: Amt. & Condition Approximately 2600 feet of tunnels, with various winzes, large stopes and numerous open cuts. Most of the workings with the exception of a portion of the lowest tunnel and the winzes therein are open and accessible. Gob which was let down from the stoped ground above has cut off the last named workings.

Geology & Mineralization The Rescue vein has apparently been formed along a fault fissure which traverses diorite and diabase country rock. The vein varies in width from 2 to 15 ft. and the walls are strong and well defined. Quartz is the predominant gangue mineral, while the ore consists of argentite, chalcocite and copper carbonates. The gold values are probably carried in the sulphides. Where the vein enters the diabase on the east end of the property, it appears to branch and weaken in character, but this feature applies to only a very small area on the property. The main ore shoot has been stoped for approximately 400 feet horizontally and nearly 300 feet vertically.

Ore: Positive & Probable, Ore Dumps, Tailings Several thousand tons of ore have been shipped to the smelter in recent years from old dumps on the property, and several hundred tons still remain, although the grade of this material is problematical. Some ore still remains on the hanging wall of the old Mine, Mill Equipment & Flow Sheet stopes. Impossible to estimate quantity or grade.

No equipment remains on the property.

Road Conditions, Route The present road to the property is steep and rough, but it could be put into fairly good shape at not a great deal of expense. Inquire in Globe for route.

Water Supply All winzes in lower tunnel are filled with water at present, but old timers who worked here say that the flow is not heavy.

Brief History This is one of the oldest mines in the district, and is reported to have produced approximately three million dollars worth of ore. Operations were suspended here in the nineties, and since that time there has been no attempt to carry development below the level of the lower tunnel. Specimens of the ore taken from these workings show argentite running several thousand ounces per ton.

Special Problems, Reports Filed The present owner is physically and financially unable to carry on anything more than light and shallow prospecting, and high-grading of the smaller streaks near the surface.

Remarks To dewater and open up the lower workings would entail considerable expense; but it might prove to be profitable, as the ore was stoped down to this level, and there is no evidence that it has been stoped any deeper. It is also reported that the high grade argentite ore was exposed all the way to the bottom of one of the winzes from this level, a distance of eighty feet.

If property for sale: Price, terms and address to negotiate. Because of ill health and financial circumstances, the owner is willing to offer very reasonable terms to anyone who will open up the property. Communicate with owner for terms.

\$20,000 - 10% royalty - \$100 per month minimum.

Signed.....Newton Wolcott.....

Use additional sheets if necessary. Separate sheets on each problem.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date 6/29/39

Mine Rescue

District Globe Mining District

Location 5 miles north of Globe

Former name

Owner Jacob Judesh

Address Box 1401, Globe Ariz.

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Silver, Gold Copper ✓

Men Employed 2

Production Rate

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present Crosscut 200' level

Operations Planned Cut to end of ore

Number Claims, Title, etc. 1 patented
8 unpatented

Description: Topog. & Geog. Rolling hills

Mine Workings: Amt. & Condition Shaft 200'

Tunnel - 300' on 50' level

" - 900' on 200' "

" - 1200' on 350' level

(over)

Geology & Mineralization Diorite - diabase - porphyry contact

Ore: Positive & Probable, Ore Dumps, Tailings Over 2000 tons on dump (low grade)
Few hundred pounds - high grade - mined & sacked
" " tons - low grade mined
(character - argentite & chloride) - copper stained

Mine, Mill Equipment & Flow Sheet 500' track & cars - 2 Irish buggies

Road Conditions, Route Through O.D. mine road - 5 miles from courthouse at Globe

Water Supply plenty

Brief History Records show - \$3,000,000 produced from this mine

Special Problems, Reports Filed Owner lacks capital for development & health is failing

Remarks

If property for sale: Price, terms and address to negotiate. Would sell 1/2 interest or all -
reasonably priced. Would appreciate inquiries

Signed.....Jacob Judesh.....

Use additional sheets if necessary.