CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.



MAP OF CLAIMS

SCALE: 1"=400'

LINCOLN ISSUES CO.

PINAL COUNTY ARIZONA

Reynert Mine

LONGITUDINAL SECTION OF REYMERT VEIN

SHOWS KNOWN AND PROBABLE RELATIONS OF DIORITE TO SCHIST

Scale: 1" = 200'





REYMERT MINE
SECTION ALONG VEIN
LOOKING WESTERLY
5/8/37 Scale 1" = 50'





E-W VERTICAL SECTION
THRU LOCATION No.1



E-W VERTICAL SECTION
THRU LOCATION No.2

No 1

SKETCH SHOWING
PLAN AND SECTIONS OF
PROPOSED DIAMOND DRILL HOLES
AT REYMERT MINE

SCALE PLAN 1"=400' SEC'S 1"=200'

OCT. 11, 1919

Payment Mine Prints
Assay Maps + Reserve ore.
Nº 157
22 Prints





ASSAY MAP
SURFACE
REYMERT MINE
EAGLE-PICHER M&S Co.
Scale: 1" = 50'

E 5800
E 6200
N 5400
N 5000
N 4600
N 4200
N 3800
#181 - 6.0' - 8.0 oz
182 - 5.0' - 12.0 "
183 - 5.0' - 8.0 "
184 - 5.5' - 6.2 "
#107 - 4.0' - 1.9 oz.
108 - 5.0' - 7.6 "
109 - 4.5' - 1.5 "
110 - 4.5' - 1.4 "
111 - 5.5' - 4.1 "
112 - 5.5' - 3.2 "
113 - 3.5' - 1.5 "
114 - 3.5' - 3.0 "
#115 - 5.0 - 3.0 oz.
116 - 4.0 - 7.2 "
117 - 4.0 - 10.8 "
118 - 3.5 - 4.0 "
119 - 7.5 - 13.4 "
120 - 4.5 - 5.0 "
121 - 4.5 - 5.0 "
#122 - 7.0' - 6.2 oz.
#175 - 5.5' - 3.6 oz.
176 - 3.5' - 6.6 "
177 - 3.5' - 7.0 "
178 - 5.0' - 3.6 "
179 - 4.0' - 6.8 "
180 - 5.5' - 18.4 "
#163 - 2.0' - 0.6 oz.
164 - 4.5' - 3.2 "
165 - 5.5' - 4.0 "
166 - 5.0' - 3.2 "
#96 - 2.5' - 1.0 oz.
97 - 4.0' - 2.8 "
98 - 1.0' - 4.8 "
99 - 4.5' - 4.4 "
100 - 3.5' - 6.2 "
101 - 4.0' - 8.0 "
102 - 4.5' - 5.8 "
el.-3248
el.-3313
el.-3316
el.-3373
el.-3416
el.-3368
el.-3317
el.-3295
el.-3247
el.-3283
el.-3225


E 5000
E 5400
N 8600
N 8200
N 7800
N 7400
N 7000
el.-3036
el.-3095
el.-3100
el.-3118
el.-3150
el.-3097
Alaska shaft - el.-3097
el.-3098
el.-3103
el.-3104
#232 - 5.0' - 2.0 oz.
233 - 5.0' - 3.8 "
234 - 5.0' - 7.4 "
235 - 4.5' - 10.5 "
236 - 5.0' - 3.8 "
237 - 4.0' - 4.6 "
238 - 5.0' - 7.0 "
239 - 2.0' - 4.0 "
240 - 4.0' - 8.6 "
241 - 6.0' - 12.4 "
#226 - 7.0' - 8.0 oz.
227 - 5.0' - 2.8 "
228 - 4.0' - 1.6 "
229 - 8.0' - 1.0 "
230 - 4.5' - 0.8 "
231 - 5.0' - 1.8 "
#216 - 2.0' - 7.2 oz.
217 - 5.5' - 3.0 "
218 - 5.0' - 2.2 "
219 - 5.0' - 4.2 "
220 - 4.5' - 2.6 "
221 - 5.5' - 4.2 "
222 - 5.5' - 0.8 "
223 - 5.2 "
224 - 3.0' - 3.6 "
225 - 1.6' - 7.4 "
#208 - 4.5' - 2.2 oz.
209 - 5.2' - 4.4 "
210 - 4.5' - 4.2 "
211 - 4.2' - 9.6 "
212 - 5.0' - 2.4 "
213 - 3.0' - 8.4 "
214 - 4.0' - 4.4 "
215 - 5.0' - 5.8 "
209-A-5.2' - 4.4 oz.
209-B-5.0' - 3.8 oz.
#209-C-4.5' - 5.6 oz.
209-D-1.0' - 3.2 "
209-E-3.5' - 5.6 "



Vein in crosscut at 390' level:
8.0'-1.8 oz.-L.I.

REYMERT MINE
SECTION ALONG VEIN
LOOKING WESTERLY
5/8/37 Scale 1" = 50'

L.I. - Lincoln Issues assays


N 5300
N 5400
N 5800
N 6200
N 6600
N 6900
21.5'-8.4 oz
or:
16'-9.2 oz
& 5.5'-6.2 oz
5510 - Shaft
7.5'-7.5 oz
5.5'-32.5 oz
5590 - Tunnel
AUSTRALIA
ASIA
Blue Vein
Black Vein
possible
BLOCK F
No values
No values
5.5'-8.0 oz
11.7'-12.4 oz
5.7'-5.6 oz
12.8'-9.3 oz
BLOCK G
possible
probable
No Shipping ore - 4-6 oz
6540 - Tunnel
6660 - Shaft
Elev. 3100
Elev. 3100
4½'
9.5'-22.4 oz
3.5'-6.8 oz
7'-20.4 oz
possible
10" ore



LONG SECTION
N-S
REYNERT MINE
EAGLE PICHER M&S Co
scale 1"=50'


E 5400
E 5800
N 7000
el.-3168
el.-3200
N 6600
el.-3180
#200 - 4.0'- 4.6 oz.
201 - 2.5'- 2.8
202 - 2.5'- 6.4
203 - 5.0'- 4.0 "
204 - 5.0'- 8.2 "
205 - 6.5'- 5.8
el.-3203
el.-3214
el.-3263
#167 - 4.1'- 8.6 oz.
168 - 4.1'- 8.6 "
169 - 4.6'- 10.6 "
170 - 5.0'- 3.4 "
171 - 5.0'- 2.6 "
172 - 4.6'- 1.0 "
el.-3273
#173 - 6.0'- 8.0 oz.
174 - 6.0'- 8.0 "
el.-3219
#192 - 4.2'- 2.8 oz.
193 - 5.9'- 2.0 "
194 - 3.7'- 2.2 "
195 - 0.9'- 1.6 "
196 - 6.8'- 0.6 "
197 - 6.6'- 3.0 "
198 - 5.7'- 5.6 "
el.-3208
N 6200
el.-3163
#158 - 4.0'- 2.6 oz.
159 - 4.5'- 1.8 "
160 - 3.0'- 4.8 "
161 - 3.5'- 8.0 "
162 - 3.5'- 4.8
el.-3180
#137 - 4.5'- 0.8 oz.
138 - 4.5'- 1.4 "
139 - 4.0'- 2.0 "
140 - 2.5'- 2.8 "
141 - 3.0'- 3.2 "
el.-3250
N 5800
el.-3213
#185 - 2.5'- 7.4 oz.
186 - 5.0'- 10.6 "
187 - 6.0'- 3.2 "
188 - 6.0'- 5.2 "
189 - 6.0'- 0.8 "
190 - 3.5'- 33.4 "
191 - 2.0'- 31.0 "
el.-3246
N 5400
E 5400
E 5800


N3700
N3800
N4200
N4600
N5000
3760 - Tunnel
Elev. 3300
EUROPE
AFRICA
4030 - Tunnel
12.0'- 6.7 oz.
No values
4730 - Tunnel
4580 - Tunnel
2.3'- 5.9 oz.
4'
4'
3'- 5'
No values
21.5'- 9.02 oz.
7'- 6.8 oz.
9.5'- 13.5 oz.
AFRICA
AUSTRALIA
U.S.L.M. Nº 2878A
BLOCK E
possible
7'- 6.2 oz.
5150 - Tunnel
4'
5200 - Tunnel
5.0'- 7.6 oz.
6.0'- 9.0 oz.
7.5'- 13.4 oz.
8.0'- 5.0 oz.
or 26.0'- 8.27 oz.
Elev. 3300