



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: RICHINBAR

ALTERNATE NAMES:

GOLD NOTE
ZYKE SHAFT
PATENTED CLAIMS MS 1470
PATENTED CLAIMS MS 1286

YAVAPAI COUNTY MILS NUMBER: 471

LOCATION: TOWNSHIP 10 N RANGE 2 E SECTION 36 QUARTER SW
LATITUDE: N 34DEG 12MIN 06SEC LONGITUDE: W 112DEG 06MIN 06SEC
TOPO MAP NAME: JOES HILL - 7.5 MIN


CURRENT STATUS: PAST PRODUCER

COMMODITY:


GOLD
SILVER
LEAD SULFIDE
COPPER SULFIDE
ZINC SULFIDE

BIBLIOGRAPHY:

USGS JOES HILL QUAD
BLM MINING DISTRICT SHEETS 39 & 43
LINDGREN, W. ORE DEPTS JEROME & BRADSHAW MTN
QUADS USGS BULL 782 1926 P 157
ADMMR RICHINBAR MINE FILE
WILSON, E.D. AZ LODE GOLD MINES AZBM BULL 137
1967 P 54
CLAIMS EXTEND INTO SEC. 24-T9.5N-R2E
JAGGER, T.A. JR. AND C. PALACHE USGS BRADSHAW
MT FOLIO 1905 P 7
ADMMR RICHINBAR MINE COLVO FILE




3788
3787
3786
12'30"
3785
PHOENIX 54 MI.
BLACK CANYON CITY 9 MI.
3552 II NW
(BUMBLE BEE)
3783
3782



**Richinbar
TION. R2E. Sect. 30**

JOES HILL 7.5 MIN



RICHENBAR MINE

YAVAPAI COUNTY
BLACK CANYON DISTRICT
T10N R2E Sec 36 W $\frac{1}{2}$

MILS Yavapai Index #471

USGS Bull. 782, p. 157

ABM Bull. 137, p. 54

IC #6905, p. 26

See Mineral Museum specimen MM K152

USGS Bradshaw Mt. Folio, 1905, p. 7

AKA: Gold Note, Zyke Shaft

Rich inbar
Fran Andrews
480-945-6239
Mineral Museum
3/2002

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES

INFORMATION FROM MINE CARDS IN MUSEUM

ARIZONA

MM-K152 Gold ore

Yavapai County
Black Canyon District

Richinbar Mine.

MILS # 471

3-AKA's

Richinbar (file)

MINE AND PROSPECT FIELD VISIT DATA SUMMARY

Sheet 1 of 2

COMMODITIES Gold, Silver, Copper, Lead

MILS ID No. 471

Date 10/23/84

ENGINEER Nyai J. Niemuth, Ken A. Phillips

INFORMATION FROM: Same

PROPERTY SUMMARY

I. MINE NAME Richinbar OTHER POSSIBLE NAMES Gold Note, Zyke Shaft
INCLUDING ANY CLAIM NAMES NOTED

II. LOCATION: T 10N (9½)R 2E SEC(S) 36 (24) MINE DISTRICT Black Canyon
ELEV. 3400 COUNTY Yavapai TOPO QUAD. Joes Hill

DIRECTIONS Access as on topo, on attached map note locked gate - keys are
controlled by El Paso Natural Gas Co. and Cross Y Ranch.

MAP ATTACHED Yes

MINERALS OWNED BY:

III. ~~XXXXXXXXXXXX~~ 9 heirs of estate of Velma D Seaman PHONE _____

ADDRESS: % Valley National Bank, P.O. Box 71, Phoenix, 85001

COMPANY NAME IF ANY: Listed as in care of Velma D. Martin and V. F. Andrew

~~XXXXXXXXXXXX~~

SURFACE OWNED BY: Food City Inc., P.O. Box 20187, Phoenix, AZ 85036

IV. PROPERTY AND HOLDINGS: 12 patented claims (MDS sheets attached) surface & minerals severed

V. PAST PRODUCTION - NOTED, KNOWN, PROBABLE, UNKNOWN, NONE Noted past producer, recorded
production totals in file

VI. CURRENT STATUS: Inactive

VII. WORKINGS: 3 production shafts, collars now sloughing and mostly inaccessible,
numerous prospects over 2500' of strike length

VIII. GEOLOGY AND MINERALOGY: DEPOSIT TYPE: Vein

LENGTH: +2,500' WIDTH: 1-5' VEIN STRIKE N20E DIP Vertical

HOST ROCK: vein is in schist, schist appears to be remnant in granite

ECONOMIC MINERALS: No sulphides seen on property. However specimen in collection
contains chalcopyrite, galena, pyrite

COMMENTS: gangue minerals seen quartz (often with oxides or box work) siderite, hematite

IX. EQUIPMENT ON SIGHT: None, foundations remain of hoist house and two flotation mills -
locations shown on map

X. SAMPLING: NOTE TYPE IF ANY, DRILLING? Main flotation tailings were surveyed and
tonnage calculated. Main tailings estimated at 12,000 tons. There were additional
isolated tailings which were not measured or included in the tonnage estimate. (See maps)
1 sample was taken of the tailings. It was cut vertically down the edge of about
the top 20' of tailings.

XI. REFERENCES AND REMARKS _____

8. RICHIN BAR (Figure 2): Yavapai County, T.10N., R.2E.,
Sec. 36, AZ 247

The Richin Bar mine is on a north-striking Precambrian vein that dips steeply westward. Wall rocks include schist, diorite, and granite, with schist being the most common. Gangue minerals include massive, glassy quartz, with some tourmaline and carbonate. The ore is oxidized to the 200-foot level but locally shows pyrite, chalcopyrite, galena, and sphalerite. Ore shoots were generally lenticular, the largest stope being approximately 65-feet long, 55-feet high and 14-feet wide (Wilson, et al, 1934).

Between 1905 and 1908, the Richin Bar reportedly produced 8,000 tons of ore grading \$6.00 (0.3 O/T in gold (Wilson, et al, 1934). There has apparently been an additional 24,000 tons produced since then.

According to ADMR, the current owners (as of October, 1984) are the heirs of Velma D. Seaman, in care of Velma D. Martin and V. F. Andrew. There has been no recent production or exploration.

The property was examined by P. C. Benedict of the United Verde Copper Company in March, 1928. He concluded that a significant amount of the precious metal mineralization is secondary and that only one ore shoot had any remaining potential. He recommended that the property receive no further consideration.

It appears that the Richin Bar mine has very little remaining potential. The presence of lead and zinc in the ore would hinder its use as flux. No further work is warranted.

9. RED ROVER (Figure 3): Maricopa County, T.8N., R.5E.,
Sec. 28, AZ 248

According to a report by E. V. Ciancanelli, of Western Exploration, mineralization at the Red Rover mine occurs in a northeast trending fault zone that dips 60°NW. The fault is between Precambrian schist and Laramide latite porphyry. Ore minerals include bornite, chalcopyrite, tetrahedrite, chalcocite, cuprite, cerargyrite, and possibly gold. Mineralization occurs in a jasperoid vein that occupies the fault zone and in the footwall of diabase dikes in schist. The jasperoid vein apparently varies in width from a few feet up to approximately 30 feet.

The mine was worked primarily in the 1930's and 1940's and has seen only limited exploration and production since then. Some gob from old stopes was shipped to Inspiration at Miami in the late 1960's. According to ADMR files, Mr. Bill Brauner obtained an option on the property in mid-1984. He apparently talked with

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Geology & Mineralization

Date *Oct. 10, 1939*

Mine *Richinbar*

Engineer *T. J. ...*

District *Black Canon*

Location *12 miles S.E. Cordes*

Former name *"*

Owner *Sterling Gold Mining Corp*

Address *Cordes*

Operator *"*

Address

President *W.S. Quinlan*

Gen. Mgr. *J.F. Hamilton*

Mine Supt. *✓*

Mill Supt. *✓*

Principal Metals *Gold*

Men Employed *10*

Production Rate *✓*

Mill: Type & Cap.

Power: Amt. & Type *Purchased electric cells - 150 tons*
Flotation - Fahrenwald

Operations: Present *Development work.*

Operations Planned

Number Claims, Title, etc.

20 Patented & unpatented

Description: Topog. & Geog.

West brink Agua Fria River

Mine Workings: Amt. & Condition

2 shafts 500' - 300'
4000' drifts etc - open

Geology & Mineralization

Crooks Complex - Quartz Diorite
Pre-Cambrian Quartz Vein.
Pyrite & Galena

Ore: Positive & Probable, Ore Dumps, Tailings

Mine, Mill Equipment & Flow Sheet

Electric Hoist - Sullivan Compressor
Crusher - Hardinge Mill - Classifier - Fahrenwald
Cells - Oliver Filter

Road Conditions, Route

12 miles S.E. Cordes - Good dirt
road.

Water Supply

Agua Fria River 1500' lift.

Brief History

Richinbar Mines Co. 1905 - 08 20 Stamp Mill
1933 - R. Sterling Gold Mining Corp. - Bankrupt
1936 - Now working under 77B re-organization

Special Problems, Reports Filed

Remarks

If property for sale: Price, terms and address to negotiate.

Signed Lure G. Barilgo

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Geology & Mineralization

24
No. 2.

Date Jan. 1, 1940

Mine Richen bar

Engineer

District Black Canon

Location

Former name "

12 mi S.E. of Cordes
on Black Canon Road

Owner Sterling Gold Mng Corp

Address Cordes, Ariz.

Operator "

Address Houston, Texas

President W. J. Quinlan

Gen. Mgr. J. A. Hamilton

Mine Supt.

Mill Supt.

Principal Metals Gold.

Men Employed None

Production Rate

Mill: Type & Cap. 125 Ton

Power: Amt. & Type Ariz. Power Corp.

Flotation (Denver Cells)

Operations: Present

None (Closed down)

Operations Planned

77 B - Reorganization
Operations not successful
Awaiting decision of Court.

Number Claims, Title, etc.

12 Patented Claims

Description: Topog. & Geog.

Edge of Agua Fria Canon.

Mine Workings: Amt. & Condition

2 Major Shafts - 500' & 325'
3000' lateral work on 5 levels

Geology & Mineralization

Pre-Combrrian Quartz vein
in Shear Zone - Quartz Diorite

Ore occurs in secondary mineralization
Galena pyrite

Ore: Positive & Probable, Ore Dumps, Tailings

Mine, Mill Equipment & Flow Sheet

Sullivan Compressor - Electric Hoist
Hardinge 6' Ball Mill - Dorr Classifier
6 Fabronwald Cells - Thickener & Filter

Road Conditions, Route

Crushing & Sorting Belt
Graded County Road
12 miles out of Cordes.

Water Supply

Agua Fria River 1000' below
side of Mill.

Brief History

See Bulletin 782 U.S.G.S.
Ariz. Lode Gold Mines Bulletin 137
Ariz. Bureau of Mines

Special Problems, Reports Filed

Remarks

If property for sale: Price, terms and address to negotiate.

No.

Signed

Carl E. Barst Jr

Use additional sheets if necessary. Separate sheets on each problem.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date July 6, 1939

1. Mine **Richenbar**
2. Mining District & County **Black Canyon**
3. Former name **Same**
4. Location **Cordes, Arizona**
5. Owner **Sterling Gold Mining Corp.**
6. Address (Owner) **934 Electric Bldg.
Houston, Texas**
7. Operator " " " "
8. Address (Operator)
9. President **W. J. Wuinlan**
10. Gen. Mgr. **J. A. Hamilton**
11. Mine Supt.
12. Mill Supt.
13. Principal Metals **Gold**
14. Men Employed
15. Production Rate **50 tons**
16. Mill: Type & Cap. **125 ton flotation**
17. Power: Amt. & Type **300 H. P. purchased electric**
18. Operations: Present **Preparing to operate on 2 shift basis**
19. Operations Planned **Mining & Milling**
20. Number Claims, Title, etc. **12 claims**
21. Description: Topography & Geography **Edge of Agua Fria Canyon**
22. Mine Workings: Amt. & Condition **500' shaft
325' " 3000' lateral work**

23. Geology & Mineralization **Pre Cambrian Vein in Quartz Diorite, pyrite, galena**

24. Ore: Positive & Probable, Ore Dumps, Tailings ?

24-A Vein Width, Length, Value, etc.

25. Mine, Mill Equipment & Flow Sheet **Crush, sort grind (Ball Mill, Classifier Electric)
Hoist Hardings 6' dia.
Sullivan Compressor**

26. Road Conditions, Route **12 miles S. E. Cordes, dirt road**

27. Water Supply **Agua River 1000' below camp.**

28. Brief History **Old history of record in Bulletin 782 U.S.G.S.**

29. Special Problems, Reports Filed

30. Remarks **Recently reorganized under 77B Act.**

31. If property for sale: Price, terms and address to negotiate.

32. Signed..... **J. A. Hamilton**.....

33. Use additional sheets if necessary. **By Carl G. Barth, Jr.**

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date July 6, 1939

Mine Richen bar

District Black Canon

Location Cordes, Ariz.

Former name Same

Owner Sterling Gold Mining Corp.

Address 934 Electric Bldg.,
Houston, Texas

Operator "

Address

President W. J. Quinlan

Gen. Mgr. J. A. Hamilton

Mine Supt. —

Mill Supt.

Principal Metals Gold

Men Employed

Production Rate 50 tons

Mill: Type & Cap.

Power: Amt. & Type 300 HP

125 ton Flotation

Operations: Present Purchased electric
Preparing to operate
on 2 shift Basis.

Operations Planned

Mining & Milling

Number Claims, Title, etc.

12 Claims

Description: Topog. & Geog.

Edge of Agua Fria Canon

Mine Workings: Amt. & Condition

500' Shaft
325' "

3000' lateral work

Geology & Mineralization

Pre Cambrian Vein in Quartz Diorite
Pyrite, Galena

Ore: Positive & Probable, Ore Dumps, Tailings

?

Mine, Mill Equipment & Flow Sheet

Crush, Sort Grind (Ball Mill) - Classifier
Electric Hoist - Hardinge 6' Dia
Sullivan Compressor

Road Conditions, Route

12 miles S. E. Cordes - Dirt Road

Water Supply

Agua Fria River 1000' below
Camp.

Brief History

Old History of record in
Bulletin 782 U.S. G. S.

Special Problems, Reports Filed

Remarks

Recently reorganized under 77 B Act.

If property for sale: Price, terms and address to negotiate.

Signed J. F. Hamilton by

Carl G. Burdick

Use additional sheets if necessary.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date July 6, 1939

Mine Richenbar

District Black Canyon

Location Cordes, Arizona

Former name Same

Owner Sterling Gold Mining Corp.

Address 934 Electric Bldg.,
Houston, Texas.

Operator " " " "

Address

President W. J. Quinlan

Gen. Mgr. J. A. Hamilton

Mine Supt. -----

Mill Supt.

Principal Metals Gold

Men Employed

Production Rate 50 tons

Mill: Type & Cap. 125 ton flotation

Power: Amt. & Type 300 H.P. - purchased electric

Operations: Present Preparing to operate on 2 shift basis

Operations Planned Mining and Milling.

Number Claims, Title, etc. 12 claims.

Description: Topog. & Geog. Edge of Agua Fria Canyon.

Mine Workings: Amt. & Condition 500' shaft.
325' " 3000' lateral work.

Geology & Mineralization Pre Cambrian Vein in Quartz Diorite, Pyrite, Galena

Date

Ore: Positive & Probable, Ore Dumps, Tailings ?

Location

Mine

District

Former name

Mine, Mill Equipment & Flow Sheet
Crush, sort grind (Ball Mill - Classifier Electric)
Hoist - Hardinge 6' Dia
Sullivan Compressor

Owner

Operator

President

Road Conditions, Route 12 miles S.E. Cordes - dirt road

Men Employed

Mine Super

Principal Metals

Production Rate

Water Supply Agua Fria River 1000' below comp.

Power: Amt. & Type

Operations: Present

Brief History Old history of record in Bulletin 782 U.S.G.S.

Mineral and Milling

Operations Planned

Special Problems, Reports Filed

Number Claims, Title, etc.

Remarks Recently reorganized under 77B Act.



Description: Topog. & Geog.

If property for sale: Price, terms and address to negotiate.

Mine Workings: Amt. & Condition

Signed J. A. Hamilton
By Carl G. Barth, Jr.

Richinbar 1940





IRON KING ASSAY OFFICE ASSAY CERTIFICATE

BOX 56 — PHONE 632-7410
HUMBOLDT, ARIZONA 86329



ASSAY
MADE
FOR

Arizona Dept. of Mines & Mineral Resources
Mineral Bldg Foregrounds
Phoenix, AZ 85007

REF. NO.	DESCRIPTION	oz/ton Au	oz/ton Ag	% Fe	% Pb	% Zn	% Cu
12-21-7	COD stockpile	.098	6.81		12.20	2.30	1.00
8	Richmond #2	Nil	.67				
9	Clementine 40	Tr	Nil				
10	Clementine #2	.024	Nil				
11	Richinbar tails	Tr	Nil				
12	Moon Anchor Calcite Vein	Nil	Nil		1.98		
13	Joe Smith	Nil	Nil				Nil

CHARGES None

ASSAYER _____

G-15 *5 X 2 X 4 cm* MINERAL SPECIMEN FOR DEPARTMENT OF LIBRARY AND ARCHIVES

MM K152

file

(Do not write in this space)

(Wrap each specimen separately, or place it in a substantial bag, by itself, with a number attached, identical with the number on this card.)

Ore _____

Cabinet _____

No. _____

Specimen No. 7, collected by Carl G. Barth, Jr.
Field Engineer

Name of ore Gold Ore

Operator Sterling Gold Mining Corp.

Minerals contained Galena, Pyrite, Gold

Mine active or inactive Inactive

Silver

If inactive, when operated 1939

Gangue Quartz

Specimen presented by _____

Depth at which taken 300 level

Date 1939

Approximate mineral content (in terms of average per ton) _____

Notes (Any general information regarding the history of the property.) _____

1905 Richinbar Mines Co., Idle many years.

Name of mine or claim _____

Opened 1935 by Sterling Gold Mining Corp.

Group Richinbar Mine

District Black Canon

Location (distance and direction by highway from what town) 12 miles S Cordes.

Owner of property Same

If more space is desired for notes, use other side.

This specimen is now in the ADMR Museum - see K number.

MM K152

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Richenbar
District Black Canyon
Former name "
Owner Sterling Gold Mng. Corp.
Operator "
President W. J. Quinlan
Mine Supt.
Principal Metals Gold
Production Rate
Power: Amt. & Type Arizona Power Corp.
Operations: Present None (Closed down)

Date Jan. 1, 1940
Engineer
Location 12 mi. S.E. of Cordes on
Black Canyon Road
Address Cordes, Ariz.
Address Houston, Texas
Gen. Mgr. J. A. Hamilton
Mill Supt.
Men Employed None
Mill: Type & Cap. 125-ton
Flotation (Denver Cells)

Operations Planned 77 B - Reorganization operation not successful - awaiting decision of
Court

Number Claims, Title, etc. 12 patented claims

Description: Topog. & Geog. Edge of Agua Fria Canyon

Mine Workings: Amt. & Condition

2 Major shafts - 500' and 325'
3000' lateral work on 5 levels

Geology & Mineralization Pre-Cambrian Quartz vein in shear zone - quartz diorite ore occurs in secondary mineralization - galena - pyrite

Ore: Positive & Probable, Ore Dumps, Tailings

Mine, Mill Equipment & Flow Sheet

Sullivan compressor - electric hoist - Hardinge 6' Ball Mill - Dorr classifier - 6 Fahrenwald Cells - thickener and filter - crushing and sorting belt.

Road Conditions, Route Graded county road - 12 miles out of Cordes

Water Supply Agua Fria River 1000' below site of mill

Brief History See Bulletin 782 U.S.G.S. Ariz. Lode Gold Mines Bulletin 137 - Arizona Bureau of Mines

Special Problems, Reports Filed

Remarks

If property for sale: Price, terms and address to negotiate.

No.

Signed Carl G. Barth, Jr.

Use additional sheets if necessary. Separate sheets on each problem.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Date Jan. 1, 1940

Mine Richenbar

Engineer Over: Positive & Probable Ore Dumps, Tailings

District Black Canyon

Location 12 mi. S.E. of Cordes on
Black Canyon Road

Former name "

Owner Sterling Gold Mng. Corp.

Address Cordes, Ariz.

Operator "

Address Houston, Texas

President W. J. Quinlan

Gen. Mgr. J. A. Hamilton

Mine Supt.

Mill Supt. Road Conditions, Route Cordes

Principal Metals Gold

Men Employed None

Production Rate

Mill: Type & Cap. 125-ton
Flotation (Denver Cells)

Power: Amt. & Type Arizona Power Corp.

Water Supply

Operations: Present None (Closed down)

Operations Planned 77 B - Reorganization operation not successful - awaiting decision of
Court

Number Claims, Title, etc. 12 patented claims

Description: Topog. & Geog. Edge of Agua Fria Canyon

Mine Workings: Amt. & Condition

2 Major shafts - 500' and 325'
3000' lateral work on 5 levels

Richin Bar

DATE: January 18, 1985
TO: Mr. F. J. Menzer, Chief Geologist ✓
FROM: J. A. Waegli, Geologist
SUBJECT: Arizona Department of Mineral Resources
List of Flux Properties

In early October, 1984, Mr. John Robertson, Ore Buyer for Phelps Dodge Corporation, requested that the Arizona Department of Mineral Resources (ADMR) compile a list of properties in the state that could produce material grading +80% SiO₂ and +1/3 O/T Au. In response, Mr. Nyal Niemuth, Mineral Resources Specialist with the ADMR, compiled a list of 16 properties (attached) that he feels are capable of producing +70% SiO₂ with \$100.00 metal credits. (He stated that he did not know of any mines capable of meeting Mr. Robertson's criteria.)

November 19-21 were spent in Phoenix examining ADMR files to obtain information on each of the mines. Mr. J. E. DuHamel of Western Exploration screened their files and compiled the resulting information in a memo dated November 27 (attached). Based on his memo, pertinent reports were copied from the Western Exploration files on December 3 and 4.

The following is a listing of these 16 properties arranged in order by quad number. A brief description of each property is given, with information on current activity and a summary of past work conducted by Phelps Dodge Corporation. Recommendations based on information compiled to date are also given. Table 1 summarizes information compiled in this report.

This property inactive. Mark Gemmill
May 27, 1957

Whitelock Corp., 33 E. Lexington, Phoenix, Vance Thornburg, Pres. reportedly leased Richinbar mine. Stock apparently will be promoted by Continental American Securities, William Strawther, Jr., Pres. 9-72 - Note JHJ

The gate to the Richinbar was locked (5 locks) but there was no recent tracks. GW WR 5-16-73

KP/WR 8/9/79 - Bill Waldeck, Jr. reported he has submitted formal application for two prospecting permits to the State Land Department. The one for 35 acres is at the sight of the Richenbar Mine, Yav. Co.

Telephone Call 4/30/80/AT - Mrs. Francis M. Andrews, 3105 N. 61st Street, Phoenix, Arizona 85018 called to ask what information we had on the Richinbar Mine, Yavapai County. She stated that her father's estate was owner of the mine which has some patented claims.

AT/Office Visit/ 7/22/80 Mr. C. T. Henderson, 3311 W. Camelback Road, Phoenix 85017 (phone) 973-5980 was in and said that he had leased the Richinbar mine from the owners. He said they were having trouble getting access to the property.

KAP WR 10/26/84: In the company of Nyal Niemuth, a visit was made to the Richinbar Mine (file) Yavapai County. A sample of floatation mill tailings was obtained. Additionally, the current condition of the property was noted, an approximate survey of the tailings pile was made, access verified and the Department file updated and reorganized. The rancher controlling access from the I-17 Freeway is Lonnie Kennedy, Cross Y Ranch, P O Box 433, Black Canyon City, Arizona 85324.

RRB WR 5/20/88: Frances Andrews, 945-6239, reports that she owns the Richinbar Mine (file) Yavapai County and it is for sale. Twelve patented claims, past producer of gold, silver, copper and lead. Vein deposit in schist. Estimated 12,000 tons of tails.

File with Richardson Mio

No. 1975 Bkcy.

IN THE DISTRICT COURT OF THE UNITED STATES
FOR THE SOUTHERN DISTRICT OF TEXAS
HOUSTON DIVISION

In the Matter of Sterling Gold Mining Corporation, Debtor. | Notice of an Order Fixing Hearing For Adjudication and Dismissal.

All Creditors and Stockholders of and claimants against Sterling Gold Mining Corporation, Debtor, the Secretary of the Treasury of the United States, and the Securities and Exchange Commission:

Please take notice that on March 4, 1940, an order was entered in the above numbered and entitled proceedings, which, in words and figures, reads as follows:

"On this, the 4th day of March, 1940, came on for consideration the Debtor's petition for hearing upon adjudication and dismissal, wherein the Debtor prays that after hearing, upon notice to the stockholders, creditors, indenture trustees, and such other persons as the Judge may designate, for the Court to enter an order either adjudging the Debtor a bankrupt and directing that bankruptcy be proceeded with pursuant to the provisions of the Bankruptcy Act, 1938, or dismissing the proceeding, as, in the opinion of the Judge, may be in the interest of the creditors and stockholders.

"IT IS HEREBY ORDERED that the Debtor, within five days, notify the stockholders of the debtor as the same appear on the books of the Debtor, all known creditors of the Debtor at his last known post office address, the Securities and Exchange Commission, and the Secretary of the Treasury of the United States, of a hearing to be held before a Judge of this Court in the Courtroom of the United States Post Office Building, at Houston, Texas, on the 6th day of April, 1940, at 9:30 o'clock a.m. at which time the Court will take up and consider whether it will enter an order either adjudging the Debtor a bankrupt and direct that bankruptcy be proceeded with pursuant to the provisions of this Act, or dismiss the proceeding, as, in the opinion of the Judge, may be in the interest of the creditors and stockholders.

(Signed) "T. M. Kennerly, United States District Judge."

Thus done by the undersigned at Houston, Texas, this 6th day of March, A. D., 1940.

STERLING GOLD MINING CORPORATION,
Debtor

By *H. J. Zimmerman*
President

ATTEST:

W. B. [Signature]
Secretary

DEPARTMENT OF MINERAL INDUSTRIES
STATE OF ARIZONA
CARL G. BARTH, JR.
FIELD ENGINEER
PRESCOTT, ARIZONA

Arizona State Mine Inspector
Health and Safety

News

Published by
Douglas K. Martin,
Arizona State Mine Inspector




July, 1994
Volume 2 No. 3

AZ State Mine Inspector's Office Conducts Abandoned Mine Tour

by Kelly McCracken

On Wednesday, May 18th, the Arizona State Mine Inspector's Office officiated a tour of the Richinbar Mine for a national hazardous materials conference which included 42 representatives from many branches of the United States Department of the Interior. Traveling north from Phoenix to Flagstaff, located on Black Mesa just north of Sunset Point rest area, the Richinbar Mine is a patented gold mine that has not been active in almost 50 years. Currently, Richinbar mine contains some physical hazards and potential environmental hazards.



Above: Looking east from Black Mesa toward Perry Mesa in the distance. The waste pile near the center marks the site of the Zyke Shaft. This was the main access to the underground workings at Richinbar Mine and once the site of hoist. Today none of the buildings remain.

XXXXXXXXXX

Two main shafts are at the site, along with a collapsed stope and several other shallow, collapsed shafts. The main shaft, known as the Zyke shaft, is over 500' deep. In 1934 it was reported flooded to the 200' level. Today it is still open, though partially collapsed, and is only fenced on three sides. The other main shaft is to the north and is 325' deep. The entire mine consisted of over 3,000' of lateral workings on five levels.


In 1940 the mine was equipped with a Sullivan compressor, an electric hoist, a 6' ball mill, a classifier, six Fahrenwald cells, a thickener and filter, a crushing and sorting conveyor belt, and a 125 ton flotation mill. Of these, all that remains at the site is the ruins of the hoist house and the foundations of two mills.

Near the remains of the mill are several ruptured tanks and over 200 tons of tails scattered down the hill. Farther down the slope, along the floor of the wash, is the main tailings pile. It is thought to contain over 12,000 tons of material. These red tails which flow directly into the Agua Fria River and from there to Lake Pleasant pose the potential environmental threat that makes the Richinbar Mine noteworthy. *— unsupported by documentation*

3552 I
MAYER 1 62 5000

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

BILLY CARL WALDECK
BOX 584
CAVE CREEK, ARIZ. 85331
JULY 17, 1979



SMALL
ARROWS
POINT
TO
WORKINGS
(DEEP SHAFTS AND CUTS)

SQUARE
INDICATES
BULLDOZED
AREA
30' X 30'
SMALL
CIRCLES
INDICATE
10' TO 20'
WORKINGS

30'
SHAFT
WITH BULLDOZED
SURFACE CUTS
SURROUNDING IT
FOR 50'-95'

BORROW PIT
IS LARGE BULLDOZED AREA
AND CUTS IN MOUNTAIN SIDE
150' X 100' 50' DEEP

This application must be accompanied by \$25.00 filing fee. Applications must not cover more than ONE section.

P.P. - 7722

All questions must be answered.

4. Attach a scaled plat for answers to numbers 4, 5, 7, 8. (Preferably a U.S. G.S. Topo Ma

RICHINBAR MINE

STATE LAND DEPARTMENT
1624 West Adams
Phoenix, Arizona 85007

APPLICATION FOR MINERAL PROSPECTING PERMIT

I/WE BILLY CARL WALDECK (Name)
of P.O. Box 584, Cave Creek, Arizona 85331 (Address) 488-3780 (Telephone Number)

do hereby make application for a mineral exploration or prospecting permit on the State Land hereinafter described, in accordance with the provisions of Title 27, Chapter 2, Article 4 Arizona Revised Statutes, such rules and regulations as the Commissioner may prescribe and the terms of the permit. Submit any additional information the Commissioner deems necessary, and to follow whatever steps that may be prescribed to protect the fresh water-bearing formations from contamination.

LEGAL DESCRIPTION:	SECTION	TOWNSHIP	RANGE	ACRES	COUNTY	GRANT
(2) 10 blocks, (3) 5 blocks, (1) 1 block	36	T10N	R.2E.	35	Yavapai	S
(2) W ¹ / ₂ SE ¹ / ₄ SW ¹ / ₄ (3) NW ¹ / ₄ SW ¹ / ₄		SENE NW		80.00		
(4) W ¹ / ₂ SE ¹ / ₄ SW ¹ / ₄ (5) NW ¹ / ₄ SW ¹ / ₄		SE NW				
(4) W ¹ / ₂ SE ¹ / ₄ SW ¹ / ₄ (5) NW ¹ / ₄ SW ¹ / ₄		N2NE SW, SW NESW				

- (See attached maps & Plat).
1. State whether individual, partnership or corporation: Individual
 2. If an individual, are you a citizen of the United States? Yes Age 24 Married? Single? Yes
 3. Are there valid mineral locations, claims or leases on this Section? No
 4. Are there any abandoned workings on this Section? Yes (Shown on attached map)
 5. Will it be necessary to cross other State Lands to reach the land under application? Yes
 6. Are there improvements or crops on the land under application? No
 7. Indicate on plat the routes of ingress and egress to land under application.
 8. Indicate primary type of mineral for which exploration is being conducted. Gold
 9. What is the anticipated depth to the top of the ore body? Zero to 50 feet
 10. Which type mining operation do you anticipate for the extraction and/or removal of ore and/or mineral? Open Pit Underground in situ leaching other DUMP/TAILINGS removal and milling.
 11. Indicate the type of exploratory method or methods to be employed: Blasting and Bulk Sampling
 - a. EXCAVATIONS: Backhoe () Bulldozer () Other (X) Specify _____
 - b. GEOPHYSICAL: (type) _____ Geological () Geochemical (X)
 - c. DRILLING: () Location: Show location(s) feet to nearest Section lines on plat. Indicate each location on plat, the elevation, hole size, and anticipated T/D. (No drilling shall be commenced without written approval from the Department; a scaled plat showing above information shall be filed with the request for such approval.)

CERTIFICATION

I/WE hereby certify under penalty of perjury that the information contained and statements herein made are to the best of (my/our) knowledge and belief true, correct and complete.

Dated this 17 day of JULY, 1979

Billy Carl Waldeck
Applicant

By: _____

3

FOR DEPARTMENTAL USE ONLY

In my opinion the present land market value of the above described parcel is \$ _____
per acre. _____

Appraisal Section Signature _____

Fee Received 7,1779 Amount 25. — Receipt No. 5556

Approved for the period of _____ Beginning _____ Expiring _____

Recorded by DAIS Approved or Denied by _____ Date _____

If Denied, Cause: _____


Special provisions to be added to Permit _____

Last P.P. Filing Whitelock Corp. 10/19/73
G-354 Food City Inc.

STATE LAND
1970 JUL 17 PM 2:48
DEPARTMENT

SLC.....	P&R.....
ADM SER.....	Appis'l.....
CA&R.....	S & Ex.....
C.E.....	RES MGT.....
Leas'g.....	Forestry.....
St Inf.....	Mineral.....
	Rge & H.....
	Water.....

BLACK CANYON DIST.



M.D.S # 39

SE 1/4, T. 9 1/2 N., R. 2 E.
BLACK CANYON DIST.

Sec. 24

Sec. 25

Sec. 25

MDS # 43
SECTION R2E
BLACK CANYON DIST.
HARPER DIST.

Sec. 36

BLACK HESSA
1888 P.A.T.

P.A.T. 1888

CORNER

LUTE
1888

P.A.T.

30
50
100
150
200
250
300
350
400
450
500
550
600
650
700
750
800
850
900
950
1000
1050
1100
1150
1200
1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
2850
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
3400
3450
3500
3550
3600
3650
3700
3750
3800
3850
3900
3950
4000
4050
4100
4150
4200
4250
4300
4350
4400
4450
4500
4550
4600
4650
4700
4750
4800
4850
4900
4950
5000
5050
5100
5150
5200
5250
5300
5350
5400
5450
5500
5550
5600
5650
5700
5750
5800
5850
5900
5950
6000
6050
6100
6150
6200
6250
6300
6350
6400
6450
6500
6550
6600
6650
6700
6750
6800
6850
6900
6950
7000
7050
7100
7150
7200
7250
7300
7350
7400
7450
7500
7550
7600
7650
7700
7750
7800
7850
7900
7950
8000
8050
8100
8150
8200
8250
8300
8350
8400
8450
8500
8550
8600
8650
8700
8750
8800
8850
8900
8950
9000
9050
9100
9150
9200
9250
9300
9350
9400
9450
9500
9550
9600
9650
9700
9750
9800
9850
9900
9950
10000

30
50
100
150
200
250
300
350
400
450
500
550
600
650
700
750
800
850
900
950
1000
1050
1100
1150
1200
1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
2850
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
3400
3450
3500
3550
3600
3650
3700
3750
3800
3850
3900
3950
4000
4050
4100
4150
4200
4250
4300
4350
4400
4450
4500
4550
4600
4650
4700
4750
4800
4850
4900
4950
5000
5050
5100
5150
5200
5250
5300
5350
5400
5450
5500
5550
5600
5650
5700
5750
5800
5850
5900
5950
6000
6050
6100
6150
6200
6250
6300
6350
6400
6450
6500
6550
6600
6650
6700
6750
6800
6850
6900
6950
7000
7050
7100
7150
7200
7250
7300
7350
7400
7450
7500
7550
7600
7650
7700
7750
7800
7850
7900
7950
8000
8050
8100
8150
8200
8250
8300
8350
8400
8450
8500
8550
8600
8650
8700
8750
8800
8850
8900
8950
9000
9050
9100
9150
9200
9250
9300
9350
9400
9450
9500
9550
9600
9650
9700
9750
9800
9850
9900
9950
10000

30
50
100
150
200
250
300
350
400
450
500
550
600
650
700
750
800
850
900
950
1000
1050
1100
1150
1200
1250
1300
1350
1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900
1950
2000
2050
2100
2150
2200
2250
2300
2350
2400
2450
2500
2550
2600
2650
2700
2750
2800
2850
2900
2950
3000
3050
3100
3150
3200
3250
3300
3350
3400
3450
3500
3550
3600
3650
3700
3750
3800
3850
3900
3950
4000
4050
4100
4150
4200
4250
4300
4350
4400
4450
4500
4550
4600
4650
4700
4750
4800
4850
4900
4950
5000
5050
5100
5150
5200
5250
5300
5350
5400
5450
5500
5550
5600
5650
5700
5750
5800
5850
5900
5950
6000
6050
6100
6150
6200
6250
6300
6350
6400
6450
6500
6550
6600
6650
6700
6750
6800
6850
6900
6950
7000
7050
7100
7150
7200
7250
7300
7350
7400
7450
7500
7550
7600
7650
7700
7750
7800
7850
7900
7950
8000
8050
8100
8150
8200
8250
8300
8350
8400
8450
8500
8550
8600
8650
8700
8750
8800
8850
8900
8950
9000
9050
9100
9150
9200
9250
9300
9350
9400
9450
9500
9550
9600
9650
9700
9750
9800
9850
9900
9950
10000

NOTE
P.A.T.

1888

P.A.T.

1888

P.A.T.

1888

BY NJN DATE 10/24/84


SUBJECT RICHINBAR TAILINGS FROM MAIN FLOTATION MILL

SHEET NO. OF JOB NO.

RICHINBAR TAILINGS



ESTIMATED TONNAGE 12,000 TONS



HIGH POINT OF TAILINGS PILE

UNMEASURED ISOLATED TAILINGS PILES (NOT INCLUDED IN TONNAGE ESTIMATE)

1" = 50'

D = MEASURED THICKNESS OF TAILINGS

RICHINBAR MINE

Maricopa County Pine Grove Dist

The Richinbar mine is at an altitude of 3,500 feet on the western brink of Agua Fria Canyon, about 4 miles east of Bumblebee and 9 miles by road from Cordes.

From about 1905 to 1908, the Richinbar Mines Company carried on extensive development work at this property, built a 20-stamp mill, and, according to local reports, mined some 8,000 tons of ore that contained about \$6 per ton in gold together with a little silver. Lindgren states that, prior to 1922, the mine was operated by three different companies and, in 1917, was unwatered and retimbered. Early in 1933, the Sterling Gold Mining Corporation obtained control of the property and, prior to May, 1934, made some surface improvements and carried on a little underground work. Eight men were employed.

Here, the Agua Fria River has carved a meandering canyon 1,000 feet deep through the mesa basalt and into the underlying pre-Cambrian complex of schist, diorite, and granite.

The Mine is on a vein that strikes north, dips almost vertically westward, and occurs principally in schist. Its main or Zyke shaft is 500 feet deep and is reported to connect with several thousand feet of workings that extend northward. When visited in May, 1934, the workings below the 200-foot level were under water. The upper workings are reached by two other shafts north of the Zyke shaft.

As seen in the accessible workings, the gangue consists mainly of coarse, massive, glassy quartz with some tourmaline and carbonate. In the ore shoots, the quartz tends to be more or less cellular to platy. From the surface to the 200-foot level, the ore is mostly oxidized but locally contains pyrite, chalcopyrite, galena, and sphalerite. Most of the ore mined was from three irregularly lenticular vertical shoots. The largest stope seen, which is on the 140-foot level, was about 65 feet long by 55 feet high by 14 feet wide. Throughout its exposures, the vein pinches and swells abruptly.

The schist wall rock shows considerable sericitization and locally contains limonite pseudomorphs after pyrite. Lindgren regards the vein as pre-Cambrian in age.

THIS WAS TAKEN OUT OF #137 BULL. AZ. BUREAU OF MINES,
QUOTED FROM LINDGREN

MR-5 RICHENBAR, Sterling G. Mg. Corp., 934 Electric Bldg.,
Houston, Texas.

Copy of Mine Owners Report covering property listed with the
Department of Mineral Resources has been furnished to -

Chas. E. Lees, 240 N. Cliffwood Ave., Los Angeles, Calif.

DEPARTMENT OF MINERAL RESOURCES
J. S. Coupal, Director

DEPARTMENT OF MINERAL RESOURCES

STATE OF ARIZONA

FIELD ENGINEERS REPORT

Mine Richinbar

Date 10/24/84

District Black Canyon

Engineer Nyal J. Niemuth

Subject: Production

Recorded production from the Black Canyon mining district,
Yavapai County according to an abstract of U. S. Bureau of Mines
data was obtained from the Arizona Bureau of Geology and Mineral Technology.

Production is recorded for the period 1905-1948

Cumulative totals are:

Tons of ore	31,833
Pounds of copper	7,352
Pounds of lead	6,947
Troy ounces of gold	4,616
Troy ounces of silver	1,425

The following mines or mining claims in the district contributed to the
production: Richinbar

RICHINBAR MINE

The Richinbar mine is at an altitude of 3,500 feet on the western brink of Agua Fria Canyon, about 4 miles east of Bumblebee and 9 miles by road from Cordes.

From about 1905 to 1908, the Richinbar Mines Company carried on extensive development work at this property, built a 20-stamp mill, and, according to local reports, mined some 8,000 tons of ore that contained about \$6 per ton in gold together with a little silver. Lindgren states that, prior to 1922, the mine was operated by three different companies and, in 1917, was unwatered and retimbered. Early in 1933, the Sterling Gold Mining Corporation obtained control of the property and, prior to May, 1934, made some surface improvements and carried on a little underground work. Eight men were employed.

Here, the Agua Fria River has carved a meandering canyon 1,000 feet deep through the mesa basalt and into the underlying pre-Cambrian complex of schist, diorite, and granite.

The Mine is on a vein that strikes north, dips almost vertically westward, and occurs principally in schist. Its main or Zyke shaft is 500 feet deep and is reported to connect with several thousand feet of workings that extend northward. When visited in May, 1934, the workings below the 200-foot level were under water. The upper workings are reached by two other shafts north of the Zyke shaft.

As seen in the accessible workings, the gangue consists mainly of coarse, massive, glassy quartz with some tourmaline and carbonate. In the ore shoots, the quartz tends to be more or less cellular to platy. From the surface to the 200-foot level, the ore is mostly oxidized but locally contains pyrite, chalcopyrite, galena, and sphalerite. Most of the ore mined was from three irregularly lenticular vertical shoots. The largest stope seen, which is on the 140-foot level, was about 65 feet long by 55 feet high by 14 feet wide. Throughout its exposures, the vein pinches and swells abruptly.

The schist wall rock shows considerable sericitization and locally contains limonite pseudomorphs after pyrite. Lindgren regards the vein as pre-Cambrian in age.

DEPARTMENT OF MINERAL RESOURCES

News Items

Date Aug 3, 39Mine Richenbar

Location _____

Owner Sterling G. Mining Corp.

Address _____

Operating Co. _____

Address _____

Pres. _____

Genl. Mgr. J. A. Hamilton

Mine Supt. _____

Mill Supt. _____

Principal Metals AuMen Employed 28

Production Rate _____

Mill, Type & Capacity _____

Power, Amt. & Type PurchasedSigned Barth

(Over)

DEPARTMENT OF MINERAL RESOURCES

News Items

Date July 7, 39Mine RichenbarLocation 12 miles S.E. CordasOwner Sterling Gold Mining CorpAddress CordasOperating Co. SameAddress "Pres. W. S. QuintanGenl. Mgr. J. A. HamiltonMine Supt. Roy BrazelMill Supt. Geol. G. W. WheelerPrincipal Metals AuMen Employed 20

Production Rate _____

Mill, Type & Capacity FlotationPower, Amt. & Type 300 HPPurchased electricSigned Gene S. Bartlett

(Over)

Present Operations

Mining Milling
2 Shifts.

Expect car conc. this

New Work Planned

next week

Diamond Drill
Exploration

Misc. Notes

UNAVAILABLE

110
300

1000000

1000000

Present Operations

Diamond Drilling
Preparing Stopes
Tuning up Mill

New Work Planned

2 Shift Mining
& Milling

Misc. Notes

Repaired after
2 years idleness.

77 B - Bankruptcy
Act

Office
934 Electric Bldg
Houston, Texas



Richinbar Property

~~8~~ 10 acre blocks. ~~Numbered 1, 2, 3, 4, 5.~~

~~5~~ acre blocks. ~~Numbered 1, 2, 3, 4, 5.~~

SEC 36 TWP 10N
RGE 2E

ARIZONA STATE LAND DEPT.



WALDECK MINING

Box 584
CAVE CREEK, ARIZONA 85331



BILL C. WALDECK

488-3780

DEPARTMENT OF MINERAL RESOURCES

News Items

Date Dec 6, 1939

Mine Richinbar

Location

Owner Sterling Gold Mining Corp

Address Cordes

Operating Co.

Address

Closed

Pres.

Genl. Mgr.

Mine Supt.

Mill Supt.

Principal Metals

Men Employed

Production Rate

Mill, Type & Capacity

Power, Amt. & Type

Signed

Barth

(Over)

DEPARTMENT OF MINERAL RESOURCES

STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine Richinbar Mine
District Black Canon - Yavapai County
Subject: Sterling G. M. Corp.


Date Jan. 1, 1940
Engineer Carl G. Barth, Jr.

Photos, Newspaper Articles and Maps

Courtesy of Anita Underwood and Carlton Wheeler

Courtesy of Larry Gauthier


Photographs – Interview #1



(Courtesy of Carlton Wheeler)




Richinbar Mine Power Plant—ca 1900
(Courtesy of Sharlot Hall Museum)



PUMP HOUSE 1934


(Courtesy of Carlton Wheeler)



Surveying in Canyon 1933

Unknown Person

(Courtesy of Carlton Wheeler)



MANAGERS RESIDENCE & OFFICE 1934

J. A. Hamilton, Mrs. Hamilton, W. J. Coulson


(Courtesy of Carlton Wheeler)



Bud & Carol Wheeler Wedding – August 1947 Phoenix, AZ


(Beth, Carol & Bud, Warren Cordes)

(Courtesy of Carlton Wheeler)




MANAGERS RESIDENCE & OFFICE 1934

Hamilton House
(Courtesy of Carlton Wheeler)




Agua Frio River 1934

Unknown Woman and Dog in River
(Courtesy of Carlton Wheeler)



(Courtesy of Carlton Wheeler)




J. A. Hamilton – Mine Manager

(Courtesy of Carlton Wheeler)



(Courtesy of Carlton Wheeler)



(Courtesy of Carlton Wheeler)




Richinbar Mine Revisited – 1957
(Courtesy of Carlton Wheeler)




Richinbar Mine Revisited – 1957
(Courtesy of Carlton Wheeler)



Carol & Lee Wheeler and Patsy Cordes – 1957
(Courtesy of Carlton Wheeler)




Carol & Lee Wheeler and Patsy Cordes – 1957
(Courtesy of Carlton Wheeler)




(Courtesy of Carlton Wheeler)



Back Row: Henry Cordes, Carol & Bud Wheeler
Center Row: Thora & Patsy Cordes
Front Row: Carl & Lee Wheeler
Cordes, AZ - 1958
(Courtesy of Carlton Wheeler)



J. A. and Mrs. Hamilton
(Courtesy of Carlton Wheeler)




J. A. Hamilton and W. J. Coulson
(Courtesy of Carlton Wheeler)



JAH, MRS WJC, WJC 1934

(Courtesy of Carlton Wheeler)



**MRS WJC, WJC, MRS JAH AT POWDER
MAGAZINE 1934**

(Courtesy of Carlton Wheeler)

1935

STERLING GOLD MINING CORPORATION

MINE *Rich. N. Gar*

FOR PERIOD ENDING *1/31/35*

NAMES	Check	Kind of Work	FOR PERIOD ENDING												Total	Rate	Credit Earned	MOSBY'S Cash	MOSBY'S Transfer	Total Credit		
			1	2	3	4	5	6	7	8	9	10	11	12							13	14
JOHN MYRMO		Hoist	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.70	6.75	1.50	1.50	51.00
ANDY CARTROLL		Hoist	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.70	36.00	8.00	8.00	26.50
GROVER POWELL		TOP	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.00	4.00	60.00	1.00	1.00	44.00
NEWTON BATES		TOP	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.00	4.00	44.00	1.00	1.00	32.00
FRED HYSIIP		TOP	X	X	X	X	X	X	X	X	X	X	X	X	X	X	1.50	4.00	56.00	1.50	1.50	40.50
CON JOHANSON		MINE	X	X	X	X	X	X	X	X	X	X	X	X	X	X	1.00	4.00	28.00	1.00	1.00	20.00
JOE CRANE		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	44.00
ANDY POWERS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.00	4.00	60.00	1.00	1.00	43.50
MELVIN KIND		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
ROTT BURMEISTER		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	61.75	1.50	1.50	43.25
CECIL BURMEISTER		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.00	4.00	60.00	1.00	1.00	44.00
WIMPARKER		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
CARR ANDERSON		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
LEON POLLEY		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
ROTT MERDOWS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
ARTHUR SANDIN		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
W HENDERSON		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
RICHARD BROOKS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
W. T. GOSTYMAN		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
FRANK STONE		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
CHARLES DAVIS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
WALDOXLEY		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
EARL SMITH		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
BERT BRIDGES		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
W HENDERSON		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
J SCORDEE		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
ROCKFELLY		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
PARKER WRIGHT		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
OSWALD ANDERSON		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
CAS HASTINGS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
G. J. SANDERS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
HERMAN JOHANSON		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
BERT MARCHELLO		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
ROTT CORLEY		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
GEO PETERS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
EMMET BRADY		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
JACK JUSTICE		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
CHARS NEIS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
ED ARNE		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	1.50	4.00	60.00	1.50	1.50	43.50
																	1.50	28.94	28.94	5.00	5.00	172.06

1935

STERLING GOLD MINING CORPORATION

MINE RICHMOND

FOR PERIOD ENDING

MAR

15th

NAMES	Check	Kind of Work	FOR PERIOD ENDING												Total	Rate	Credit Earned	No. of Cash Cards	Transfer	Total Credit			
			1	2	3	4	5	6	7	8	9	10	11	12							13	14	15
John Myrno		Hoist	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
ANDY CARROLL		TOP	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
NEWTON BATES		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
ORLEN ANDERSON		MINE	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
ANDY POWERS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
EMMET BRYAN		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
ROBT BURNBISTER		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
CECIL BURNBISTER		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
W.M. PARKER		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
TOM POLEY		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
ROBT MEREDERS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
JOE LEE		Blacksmith	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
GUY ANDERSON		MINE	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
PARKER WRIGHT		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
JAS GUTHRIE		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
ROBT DOUGLAS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
HARRY DODDINS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
MERRY GIBBELL		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
A.R. TAYLOR		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
CLAU ALPHESEN		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
CHAS BLY		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
L.M. SEAT		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
JAS WHITE		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
CLAU DISKIN		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
RICHARD BROOKS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
FLOYD BURNBISTER		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
ALBERT MORGERS		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
JOE COANE		"	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
L.J. BRASSTON		Fireman	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
CHAS HASTINGS		Mechanic	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
CHAS NEIS		Surface	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
EARL SPILLER		Carpenr	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
HUI SPANDERS		Truck	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
RAET CROGGY		Subst	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	15	4.00	60.00	1.00	15.00	75.00
TOTAL																		1594.38	1994.38	7800	430.50	1380.00	
RECAPITULATION																		1413.25			* CASM 30.00		
Cash + Hospital																		373.13					
RECAP																		60.00					
CHECKS																		7800					
																		1380.00					
																		1380.00					

(Courtesy of NAU—Cline Library)

2
STERLING GOLD MINING CORPORATION

1935

MINE *Richinkar*

FOR PERIOD ENDING *Dec 31*


NAMES	Check	Kind of Work																	Total	Rate	Credit Earned	Cash	Transfer	Total Credit
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15							
			16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31						
<i>F. M. Sharp</i>	<i>102</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>11</i>	<i>4.00</i>	<i>44.00</i>		<i>11.00</i>	<i>33.00</i>						
<i>Bill Jensen</i>	<i>103</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>6</i>	<i>4.00</i>	<i>24.00</i>		<i>6.00</i>	<i>18.00</i>											
<i>B. F. Pattison</i>	<i>104</i>		<i>1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>13</i>	<i>4.00</i>	<i>52.00</i>		<i>10.00</i>	<i>31.00</i>							
<i>Tom Coley</i>	<i>105</i>		<i>1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>12</i>	<i>4.00</i>	<i>48.00</i>		<i>11.00</i>	<i>37.00</i>							
<i>Ray Hanson</i>	<i>106</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>10</i>	<i>4.00</i>	<i>40.00</i>			<i>40.00</i>
<i>J. M. Champic</i>	<i>107</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>2</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>11</i>	<i>4.00</i>	<i>44.00</i>	<i>73.00</i>		<i>32.00</i>
<i>E. B. Williams</i>	<i>108</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>2</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>13</i>	<i>4.00</i>	<i>52.00</i>	<i>73.00</i>		<i>39.00</i>
<i>T. G. Sims</i>	<i>109</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>10</i>	<i>4.00</i>	<i>40.00</i>	<i>10.00</i>		<i>30.00</i>
<i>Melvin Hendrix</i>	<i>110</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>2</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>13</i>	<i>4.00</i>	<i>52.00</i>			<i>52.00</i>
<i>Robert Corley</i>	<i>111</i>		<i>1</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>12</i>	<i>4.00</i>	<i>48.00</i>	<i>12.00</i>		<i>36.00</i>							
<i>Parker Wright</i>	<i>112</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>2</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>11</i>	<i>4.00</i>	<i>44.00</i>	<i>11.00</i>		<i>38.00</i>						
<i>I. E. Kimberlin</i>	<i>113</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>2</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>11</i>	<i>4.00</i>	<i>44.00</i>	<i>Gen. 2.00</i>		<i>42.00</i>
<i>A. M. Crosby</i>	<i>114</i>		<i>1</i>	<i>1</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>1</i>	<i>0</i>	<i>6</i>	<i>4.00</i>	<i>24.00</i>			<i>24.00</i>								
<i>Joe Crane</i>	<i>129</i>		<i>1</i>	<i>16</i>	<i>4.25</i>	<i>68.00</i>	<i>16.00</i>		<i>109.00</i>															
																					<i>679.00</i>			

(Courtesy of NAU—Cline Library)


The Carlton Wheeler Interviews

Interview #2 – October 7, 2008

Photographs – Interview #2




(Courtesy of Carlton Wheeler)



Members of Crew Unknown
(Courtesy of Carlton Wheeler)



Identities Unknown
(Courtesy of Carlton Wheeler)




(Courtesy of Carlton Wheeler)



Modern Graffiti in Petroglyph Area
(Courtesy of Larry Gauthier)




Indian Lookout 1934
Identity Unknown
(Courtesy of Carlton Wheeler)




Govt Benchmark 1934

Location Unknown
(Courtesy of Carlton Wheeler)




**OLD LAND MARK 1934
(ABOUT 1870)**

(Courtesy of Carlton Wheeler)




Portion of 1942 Yavapai County Map
 (Courtesy of Sharlot Hall Museum)




Road to Richinbar 1934

(Courtesy of Carlton Wheeler)




Canyon View 1933

(Courtesy of Carlton Wheeler)




(Courtesy of Carlton Wheeler)




(Courtesy of Carlton Wheeler)



(Courtesy of Carlton Wheeler)




Left: J. A. Hamilton; Right: Identity Unknown
(Courtesy of Carlton Wheeler)



TRIP DOWN CANYON 1934

Identity Unknown
(Courtesy of Carlton Wheeler)




TRIP DOWN CANYON 1934

Identity Unknown
(Courtesy of Carlton Wheeler)


The Carlton Wheeler Interviews

Interview #3 – October 22, 2008


Photographs – Interview #3



“I have walked over most of the area enclosed in orange”—Carlton Wheeler




“The line coming from the right in the pump house picture is a dead line that was part of the old power house”—Carlton Wheeler



HEADFRAME & ORE BIN 1935

(Courtesy of Carlton Wheeler)




NO 6 BUNKHOUSE 1935


(Courtesy of Carlton Wheeler)




Identity Unknown
(Courtesy of Carlton Wheeler)



Identities Unknown
(Courtesy of Carlton Wheeler)




(Courtesy of Carlton Wheeler)




Richinbar Mine—March 2008

(Courtesy of Larry Gauthier)



(Courtesy of Carlton Wheeler)



(Courtesy of Carlton Wheeler)