



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 06/20/2002

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: ROSE #1 & 2

ALTERNATE NAMES:


MOHAVE COUNTY MILS NUMBER: 578A

LOCATION: TOWNSHIP 21 N RANGE 15 W SECTION 32 QUARTER SE
LATITUDE: N 35DEG 09MIN 25SEC LONGITUDE: W 113DEG 53MIN 32SEC
TOPO MAP NAME: RATTLESNAKE HILL - 7.5 MIN

CURRENT STATUS: RAW PROSPECT

COMMODITY:
FELDSPAR

BIBLIOGRAPHY:
USGS RATTLESNAKE HILL QUAD
ADMMR ROSE #1 & 2 MINE FILE
AZ. STATE LAND DEPT. MASTER LEASE FILE, 1979,
P. 1053
ADDITIONAL WORKINGS SEC. 33-SW



234 55' HUALAPAI MTN. COUNTY PARK 1.6 MI. 236 INTERIOR—GEOLOGICAL SURVEY, WASHINGTON, D. C. — 1971 237000m. E. 113° 52' 30" 35° 07' 30"

1 MILE
EET

ROAD CLASSIFICATION

Heavy-duty ——— Light-duty - - - - -
 Medium-duty ——— Unimproved dirt =====

Interstate Route U. S. Route

(DEAN PEAK)
3254 III SE

49-A

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

8-9

Mine Rose I & 2, Feldspar

Date Jan 7th, 1948.

District Maynard (Haulpai)

Engineer A.C. Nebeker

Subject: Report

Location:

This property consisting of two lode locations, the Rose I and Rose 2 and is in Sec. 32, T 21 N, R. 15 W. Mohave County, Ariz. and is 14 miles by road east of Kingman. The road to the property is very good auto road.

Title:

The property is held by Mrs Lily C Smith of Hackberry, Ariz. who has a 5 year lease from the State of Arizona.

Water: No water on the property, but windmill wells are ~~near~~ close by.

Topography & Geology:

The claims being located at the base of the mountains, the topography is low rolling hills with gentle slopes and covered with brush and small trees.

The formation consists of granite-gneiss and mica schist, through which are exposed three or four croppings of feldspar and white quartz. These croppings show along the ridge as separate lenses for about 500 feet. Due to the overburden between the croppings, one can not tell whether the feldspar is continuous from one cropping to the other, or just lenses. This could be determined by cleaning off the overburden in a place or two. At the point where the feldspar is opened up, the overburden is a foot thick but it will be much thicker as one goes up the hill.

Vein:

At the lower end of the deposit, where it is opened up, the face shows 8 feet of white feldspar, some what stained with iron, which could be removed, and 4 feet of white quartz on the north wall. This face has been broken for a height of six feet. Here the spar can be mined free of quartz. The croppings up the hill show some quartz mixed with the spar.

Market:

There is no local market for any sizeable tonnage that can be depended upon. The Consolidated Feldspar Co offered to take 500 tons, quartz free, delivered at the plant, at \$4.00 per ton.

Remarks:

Before going to much expense in equipping this property a market should be found, and some of the overburden removed from the other croppings, to get a line on probable tonnage and quality of feldspar.

ACN

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

July 14, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Rose 1 & 2 (Mohave County)
(Property)

feldspar
(ore)

RETURNED TO WRITER
REASON CHECKED
Unclaimed
Unknown
For better address
Moved, left no address
No such office in state

RECEIVED
JUL 21 1958
DEPT. MINERAL RESOURCES
PHOENIX, ARIZONA

PHOENIX, ARIZ.
JUL 14
7:30 PM
1958

~~Mrs. Lily C. Smith
Hackberry
Arizona~~

which we would like to have

that form with as complete detail
assay returns, shipment returns
and which might interest a

Frank P. Knight

FRANK P. KNIGHT,
Director.

Enc: Mine Owner's Report

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

July 14, 1958

To the Owner or Operator of the Arizona Mining Property named below:

<u>Rose 1 & 2 (Mohave County)</u>	<u>feldspar</u>
(Property)	(ore)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

Frank P. Knight

FRANK P. KNIGHT,
Director.

Enc: Mine Owner's Report

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

8-9

Mine Rose I & 2, Feldspar

Date Jan 7th, 1948.

District Maynard (Hualpai)

Engineer A.C. Nebeker

Subject: Report

Location:

This property consisting of two lode locations, the Rose I and Rose 2 and is in Sec. 32, T 21 N, R. 15 W. Mohave County, Ariz. and is 14 miles by road east of Kingman. The road to the property is very good auto road.

Title:

The property is held by Mrs Lily C Smith of Hackberry, Ariz. who has a 5 year lease from the State of Arizona.

Water: No water on the property, but windmill wells are ~~near~~ close by.

Topography & Geology:

The claims being located at the base of the mountains, the topography is low rolling hills with gentle slopes and covered with brush and small trees.

The formation consists of granite-gneiss and mica schist, through which are exposed three or four croppings of feldspar and white quartz. These croppings show along the ridge as separate lenses for about 500 feet. Due to the overburden between the cropings, one can not tell whether the feldspar is continuous from one cropping to the other, or just lenses. This could be determined by cleaning off the overburden in a place or two. At the point where the feldspar is opened up, the overburden is a foot thick but it will be much thicker as one goes up the hill.

Vein:

At the lower end of the deposit, where it is opened up, the face shows 8 feet of white feldspar, some what stained with iron, which could be removed, and 4 feet of white quartz on the north wall. This face has been broken for a height of six feet. Here the spar can be mined free of quartz. The cropings up the hill show some quartz mixed with the spar.

Market:


There is no local market for any sizeable tonnage that can be depended upon. The Consolidated Feldspar Co offered to take 500 tons, quartz free, delivered at the plant, at \$4.00 per ton.

Remarks:

Before going to much expense in equipping this property a market should be found, and some of the overburden removed from the other cropings, to get a line on probable tonnage and quality of feldspar.

ACN

ES



RECEIVED
JUL 21 1958
DEPT. MINERAL RESOURCES
PHOENIX, ARIZONA

PHOENIX, ARIZ.
JUL 14
730PM
79 58

REASON CHECKED
Unclaimed Returned
Unknown
For better address
Moved, left no address
No such office in state

Mrs. Lily C. Smith

Hackberry

Arizona

locations, the Rose I
Mohave County, Ariz.
road to the property

of Hackberry, Ariz.
wells are main close

the mountains, the
slope and covered with

brush and small trees.
The formation consists of granite-gneiss and mica schist,
through which are exposed three or four cropings of feldspar and
white quartz. These cropings show along the ridge as separate lenses
for about 500 feet. Due to the overburden between the cropings, one
can not tell whether the feldspar is continuous from one cropping to
the other, or just lenses. This could be determined by cleaning off
the overburden in a place or two. At the point where the feldspar is
opened up, the overburden is a foot thick but it will be much thicker
as one goes up the hill.

Vein:

At the lower end of the deposit, where it is opened up, the
face shows 8 feet of white feldspar, some what stained with iron,
which could be removed, and 4 feet of white quartz on the north wall.
This face has been broken for a height of six feet. Here the spar can
be mined free of quartz. The cropings up the hill show some quartz
mixed with the spar.

Market:

There is no local market for any sizeable tonnage that can be
dependent upon. The Consolidated Feldspar Co offered to take 500
tons, quartz free, delivered at the plant, at \$4.00 per ton.

Remarks:

Before going to wash expense in equipping this property a
market should be found, and some of the overburden removed from
the other cropings, to get a line on probable tonnage and quality
of feldspar.

221