

| No. of Sample | Width | Au. oz. | Ag. oz. | Pb % | Cu % | Total Value | Description of Sample | Character of Ore |
|---------------|--------|---------|---------|------|------|-------------|-----------------------------|-----------------------|
| 16 375 | 3' | 0.02 | 9.04 | | | 3.20 | Sublevel drift Root | Base (Sampling) Ore |
| 16 376 | 1' 4" | 0.12 | 19.16 | | | 12.00 | Southwall Stop top | Bottom party |
| 16 377 | 2' 2" | 0.01 | 0.60 | | | | " " bottom | amenable to treatment |
| 16 378 | 2' 4" | 0.18 | 36.76 | | | 21.60 | " " top | Treatment |
| 16 379 | 1' - | 0.02 | 8.00 | | | 4.40 | " " bottom | " |
| 16 380 | 1' 7" | 0.05 | 3.12 | | | 2.55 | " " " | " |
| 16 381 | 1' 6" | 0.18 | 27.24 | | | 17.20 | " " Roof | CU |
| 16 382 | 10' | 0.02 | 2.00 | | | 1.70 | " " " | " |
| 16 383 | 2' 2" | 0.60 | 20.00 | | | 24.80 | " " Roof | " |
| 16 384 | 1' - | 0.02 | 8.00 | | | 4.80 | " " " | " |
| 16 385 | 1' 5" | 0.05 | 3.48 | | | 1.75 | Northwall Stop drift | CU |
| 16 386 | 1' 8" | 0.08 | 8.72 | | | 6.00 | " " bottom | " |
| 16 387 | 4' - | 0.02 | 4.60 | | | 2.70 | Southwall Stop drift | " |
| 16 388 | 11' | 0.14 | 82.00 | | | 44.00 | " " top | " |
| 16 389 | 2' 6" | 0.12 | 18.40 | | | 11.60 | " " " | CU |
| 16 390 | 8' | 0.05 | 57.32 | | | 29.65 | " " Stop | CU |
| 16 391 | 1' 8" | 0.02 | 2.00 | | | 8.70 | Eastwall small Stop | " |
| 16 392 | 1' 10" | 0.07 | 4.00 | | | 8.35 | Southwall Stop middle | CU |
| 16 393 | 10' | 0.02 | 3.72 | | | 2.20 | " " " | CU |
| 16 394 | 2' 2" | 0.02 | 2.80 | | | | " " bottom | " |
| 16 395 | 1' - | 0.04 | 2.36 | | | | Roof at breast drift drift | CU |
| 16 396 | 2' 10" | 0.06 | 7.04 | | | 5.10 | Roof between Pillars | CU |
| 16 397 | 2' 1" | 0.10 | 14.40 | | | 11.70 | Westwall Pillar top | CU |
| 16 398 | 1' 3" | 0.07 | 11.68 | | | 7.25 | Northwall " bottom | CU |
| 16 400 | 1' 5" | 0.07 | 1.88 | | | 1.65 | Northwall Stop bottom | " |
| 16 401 | 2' 11" | 0.03 | 2.00 | | | 8.15 | " " " | " |
| 16 402 | 1' 2" | 0.07 | 12.68 | | | 22.20 | " " top | CU |
| 16 403 | 10' | 0.08 | 40.20 | | | 21.35 | " " bottom | " |
| 16 404 | 1' - | 0.16 | 37.32 | | | 14.90 | " " bottom | " |
| 16 405 | 1' 10" | 0.13 | 24.64 | | | 19.45 | " " bottom | " |
| 16 406 | 1' 11" | 0.18 | 31.70 | | | 14.60 | " " bottom | " |
| 16 407 | 1' - | 0.20 | 21.28 | | | 20.75 | " " top | " |
| 16 408 | 11' | 0.10 | 37.56 | | | 12.40 | " " bottom | " |
| 16 409 | 1' 7" | 0.04 | 23.20 | | | 9.90 | " " Stop drift top | " |
| 16 410 | 8' | 0.12 | 58.76 | | | 29.75 | Southwall Stop top | " |
| 16 411 | 6' | 0.04 | 36.20 | | | 18.90 | Northwall Stop drift bottom | CU |
| 16 412 | 1' 5" | 0.04 | 36.20 | | | 1.80 | " " Roof | " |
| 16 413 | 10' | 0.03 | 4.00 | | | 5.85 | " " bottom | " |
| 16 414 | 1' 4" | 0.03 | 10.56 | | | 10.00 | Northwall Stop top | " |
| 16 415 | 1' 4" | 0.04 | 18.52 | | | 25.15 | " " Stop drift | " |
| 16 416 | 3' 2" | 0.18 | 43.12 | | | 36.75 | Roof | " |
| 16 417 | 3' - | 0.01 | 1.50 | | | 9.35 | Roof | " |
| 16 418 | 1' - | 0.20 | 65.92 | | | 6.45 | " NE corner bottom | " |
| 16 419 | 2' 5" | 0.04 | 17.16 | | 8.80 | | " " " | Pb |
| 16 420 | 10' | 0.01 | 0.50 | | | 2.20 | " " " | " |
| 16 421 | 1' 2" | 0.02 | 1.64 | | | 6.80 | " " top | " |
| 16 422 | 1' 8" | 0.04 | 2.88 | | | 6.95 | " " " | " |
| 16 423 | 2' 2" | 0.04 | 12.04 | | | 10.72 | " " " | " |
| 16 424 | 1' 10" | 0.08 | 10.72 | | | 10.20 | " " " | " |
| 16 425 | 1' - | 0.16 | 10.20 | | | 12.20 | " " " | " |
| 16 426 | 2' 2" | 0.03 | 12.20 | | | 6.70 | Southside of Pillar | " |
| 16 427 | 2' 8" | 0.13 | 25.44 | | | 15.80 | Small chamber in South | " |
| 16 428 | 1' 6" | 0.03 | 5.44 | | | 3.30 | " " " | " |
| 16 430 | 1' 1" | 0.22 | 20.38 | | | 14.60 | Southwall of Stop | " |
| 16 431 | 2' 4" | 0.12 | 11.56 | | | 8.20 | Westend of Pillar bottom | " |
| 16 432 | 1' 2" | 0.10 | 17.88 | | | 11.00 | Southside " " | " |
| 16 433 | 1' - | 0.10 | 14.16 | | | 18.00 | Southwall of Stop | " |
| 16 434 | 1' 11" | 0.12 | 1.60 | | | 3.20 | " " " | " |
| 16 435 | 1' - | 0.07 | 0.80 | | | 17.60 | Small drift in 1st level | " |
| 16 436 | 2' 1" | 0.18 | 28.00 | | | 7.20 | Southwall of Stop | CU |
| 16 437 | 1' 2" | 0.09 | 10.80 | | | 1.90 | Southwall of Pillar | CU |
| 16 438 | 1' 2" | 0.03 | 3.36 | | | 3.60 | Southwall of Stop | CU |
| 16 439 | 2' - | 0.02 | 6.36 | | | 25.20 | Southside of Pillar | CU |
| 16 440 | 10' | 0.09 | 10.64 | | | 7.10 | Southwall Stop bottom | CU |
| 16 442 | 10' | 0.03 | 4.96 | | | 3.10 | " " " | CU |
| 16 443 | 1' 1" | 0.14 | 27.60 | | | 17.60 | Westside Pillar | CU |
| 16 444 | 1' 11" | 0.28 | 39.60 | | | 23.25 | Roof between Pillars | CU |
| 16 445 | 1' 2" | 0.32 | 33.60 | | | 14.75 | Eastside of Pillar | CU |
| 16 446 | 10' | 0.12 | 25.68 | | | 16.70 | " " bottom | CU |
| 16 447 | 1' 3" | 0.16 | 20.96 | | | 25.00 | Roof between Pillars | CU |
| 16 448 | 1' 8" | 0.10 | 40.16 | | | 4.45 | Southwall Stop | CU |
| 16 450 | 1' 7" | 0.02 | 3.08 | | | 7.90 | " " " | CU |
| 16 451 | 1' 11" | 0.06 | 10.88 | | | 6.25 | " " " | CU |
| 16 452 | 1' 11" | 0.28 | 39.60 | | | 25.00 | " " Roof | CU |
| 16 453 | 2' 8" | 0.08 | 21.36 | | | 24.40 | " " " | CU |
| 16 454 | 10' | 0.02 | 45.64 | | | 4.615 | " " " | " |
| 16 455 | 10' | 1.24 | 34.68 | | | 14.50 | Northside of Pillar | " |
| 16 456 | 2' 8" | 0.18 | 2.88 | | | 21.00 | Westend " " | " |
| 16 457 | 1' 5" | 0.17 | 35.00 | | | 39.50 | Roof of Stop | " |
| 16 458 | 1' 2" | 0.20 | 20.96 | | | 6.80 | Westend Pillars | CU |
| 16 459 | 10' | 0.02 | 12.80 | | | 15.20 | Small chamber drift | " |
| 16 460 | 1' 2" | 0.02 | 6.76 | | | 13.00 | " " " | " |
| 16 461 | 1' 9" | 0.01 | 0.80 | | | 7.60 | " " " | " |
| 16 462 | 1' - | 0.12 | 21.12 | | | 19.50 | " " " | " |
| 16 463 | 3' - | 0.08 | 12.08 | | | 12.75 | " " " | " |
| 16 464 | 1' 9" | 0.20 | 31.04 | | | 17.20 | Roof between Pillars | " |
| 16 465 | 10' | 0.14 | 12.80 | | | 14.15 | Northside of Pillar top | CU |
| 16 467 | 1' 10" | 0.07 | 25.44 | | | 3.35 | " " bottom | CU |
| 16 468 | 1' 11" | 0.02 | 6.92 | | | 13.00 | " " " | " |
| 16 469 | 3' - | 0.08 | 13.20 | | | 10.30 | Southside of Pillar | " |
| 16 470 | 10' | 0.08 | 17.60 | | | 16.80 | Northwall of Stop | CU |
| 16 471 | 2' 6" | 0.03 | 8.64 | | | 6.55 | " " top | " |
| 16 472 | 2' 3" | 0.06 | 10.72 | | | 16.40 | " " " | " |
| 16 473 | 1' 6" | 0.20 | 24.32 | | | 13.50 | " " " | " |
| 16 474 | 1' 3" | 0.08 | 23.84 | | | | " " " | " |
| 16 475 | 3' 6" | 0.01 | 1.44 | | | 37.60 | " " " | CU |
| 16 476 | 2' 7" | 0.08 | 22.00 | | | 39.80 | " " Roof | " |
| 16 477 | 2' 2" | 0.06 | 16.32 | | | 3.90 | " " top | " |
| 16 478 | 10' | 0.02 | 5.90 | | | 1.90 | " " " | " |
| 16 480 | 1' 6" | 0.12 | 3.00 | | | 12.10 | " " " | " |
| 16 481 | 2' 8" | 0.12 | 11.44 | | | 5.90 | " " " | " |
| 16 482 | 1' 6" | 0.07 | 3.56 | | | | " " " | " |

| No. of Sample | Width | Au. oz. | Ag. oz. | Pb % | Cu % | Total Value | Description of Sample | Character of Ore |
|---------------|------------|---------|---------|------|------|-------------|-----------------------------|------------------------------------|
| 16 483 | 1' 5" | 0.02 | 2.72 | | | 3.65 | Westend Pillar top | Base (Sampling) Ore |
| 16 484 | 1' 2" | 0.07 | 4.98 | | | 11.20 | Bottom in West side Pillar | Bottom party amenable to treatment |
| 16 485 | 1' - | 0.08 | 19.24 | | | 6.85 | Northside Pillar | CU |
| 16 486 | 3' - | 0.09 | 10.12 | | | 11.30 | " " " | CU |
| 16 487 | 1' - | 0.04 | 5.04 | | | 4.25 | Southwall of Stop | CU |
| 16 488 | 1' 3" | 0.07 | 1.00 | | | 3.10 | Southwest end of Stop drift | " |
| 16 489 | 2' 1" | 0.02 | 3.36 | | | 14.65 | " " " | " |
| 16 491 | 1' - | 0.24 | 19.70 | | | 5.35 | " " " | " |
| 16 492 | 1' 11" | 0.03 | 4.98 | | | 7.60 | " " " | " |
| 16 493 | 2' 2" | 0.10 | 11.16 | | | 2.35 | " " " | " |
| 16 494 | 1' 8" | 0.02 | 3.20 | | | 37.10 | Chimney of Pillar | " |
| 16 495 | 1' - | 0.44 | 56.60 | | | 5.00 | Branch in drift West | " |
| 16 496 | 1' 7" | 0.06 | 7.60 | | | 6.72 | Northwall of drift West | " |
| 16 497 | 1' 9" | 0.02 | 6.72 | | | 5.50 | " " " | " |
| 16 498 | 1' 2" | 0.09 | 6.60 | | | 5.10 | Southwall " " | " |
| 16 500 | 2' - | 0.26 | 19.82 | | | 15.10 | Northwall " " | " |
| 16 501 | 1' 2" | 0.08 | 8.64 | | | 5.90 | " top " " | " |
| 16 502 | 10' | 0.02 | 2.70 | | | 1.75 | " " " " | " |
| 16 503 | 1' 6" | 0.12 | 6.30 | | | 5.55 | Southwall " " | " |
| 16 504 | 1' 6" | 0.04 | 2.52 | | | 3.05 | " " " " | " |
| 16 505 | 1' 1" | 0.03 | 3.36 | | | 2.30 | " " " " | " |
| 16 506 | 1' 6" | 0.22 | 38.50 | | | 23.65 | Branch in drift West | " |
| 16 507 | 1' 1" | 0.16 | 12.64 | | | 9.50 | " " " " | CU |
| 16 508 | 3' 6" | 0.02 | 2.56 | | | 1.70 | Northwall of Chimney | " |
| 16 509 | 4' - | 0.12 | 14.88 | | | 9.80 | Eastwall of Pillar drift | " |
| 16 510 | 1' 6" | 0.42 | 31.44 | | | 24.40 | Branch in Main Stop Pillar | CU |
| 16 511 | 1' 1" | 0.14 | 15.36 | | | 11.50 | Southwall Main Stop bottom | " |
| 16 512 | 1' 4" | 0.05 | 3.88 | | | 2.95 | Small chamber top Southwall | " |
| 16 513 | 1' 5" | 0.02 | 8.76 | | | 1.80 | Northwall West to 1st level | CU |
| 16 514 | 1' 6" | 0.04 | 4.84 | | | 3.20 | Southwall " " | " |
| 16 515 | 3' - | 0.03 | 40.72 | | | 7.65 | Roof Sublevel Drift | " |
| 16 516 | 2' 4" | 0.04 | 65.60 | | | 8.60 | Northwall " " | " |
| 16 517 | 1' 8" | 0.05 | 6.30 | | | 4.15 | Roof " " | " |
| 16 518 | 3' 4" | 0.07 | 18.96 | | | 10.90 | " " " | " |
| 16 519 | 4' 6" | 0.07 | 12.72 | | | 8.15 | " " " | " |
| 16 520 | 3' - | 0.06 | 14.40 | | | 8.40 | Northwall " " | " |
| 16 521 | 1' 6" | 0.13 | 30.36 | | | 17.80 | Southwall " " | " |
| 16 522 | 1' 10" | 0.02 | 5.72 | | | 3.55 | Northwall " " | " |
| 16 523 | 1' 10" | 0.02 | 6.96 | | | 3.90 | " " " | " |
| 16 524 | 1' 0" | 0.08 | 28.68 | | | 16.00 | Small Stop " " | " |
| 16 525 | 1' 9" | 0.28 | 72.60 | | | 42.00 | " " " | " |
| 16 527 | 1' 4" | 0.04 | 21.12 | | | 11.40 | Roof of Drift West | " |
| 16 528 | 1' 6" | 0.04 | 6.70 | | | 4.15 | Northwall bottom " " | " |
| 16 529 | 1' 2" | 0.01 | 2.40 | | | | " " " " | " |
| 16 530 | 1' - | 0.06 | 7.36 | | | 4.90 | " " " " | " |
| 16 532 | Screenings | 0.04 | 15.36 | | | 3.00 | Subsample 176.40 | " |
| 16 533 | Screenings | 0.02 | 9.60 | | | 7.90 | " 16.387 | " |
| 16 534 | Screenings | 0.04 | 11.80 | | | 6.20 | Subsample of Ore | " |
| 16 535 | Screenings | 0.03 | 16.00 | | | 8.60 | Run # 4.181 to base | " |
| 16 536 | Screenings | 0.01 | 6.40 | | | 1.40 | Subsample of Ore | " |
| 16 537 | Screenings | 0.01 | 6.52 | | | 3.45 | Run # 56.47 + 16.421 | " |
| 16 538 | Screenings | 0.10 | 17.10 | | | 16.60 | Subsample group of | " |
| 16 539 | Screenings | 0.03 | 7.32 | | | 6.20 | Run # 116.57 + 16.416 | " |
| 16 540 | Screenings | 0.02 | 18.00 | | | 7.40 | Subsample of Ore | " |
| 16 541 | Screenings | 0.05 | 12.00 | | | 6.35 | Run # 16.390 | " |
| 16 542 | Screenings | 0.05 | 15.56 | | | 8.80 | Subsample of Ore | " |
| 16 543 | Screenings | 0.06 | 17.00 | | | 7.70 | Run # 16.407 | " |
| 16 544 | Screenings | 0.06 | 1.12 | | | | Run # 16.410 | " |
| 16 545 | Screenings | 0.06 | 13.84 | | | 8.10 | Subsample between | " |
| 16 546 | Screenings | 0.04 | 6.88 | | | 4.25 | " 16.398 + 16.445 | " |
| 16 547 | Screenings | 0.10 | 17.80 | | | 10.10 | Subsample between | " |
| 16 548 | Screenings | 0.04 | 7.56 | | | 6.40 | " 16 | |