



Footage	% Copper	Weighted Average
14 - 24	0.68	
24 - 34	0.57	
34 - 44	0.57	
44 - 54	0.57	
54 - 64	1.48	5.1-100%
64 - 74	0.17	
74 - 84	0.17	
84 - 94	0.17	
94 - 104	1.05	15'
104 - 114	1.20	1.22%
114 - 124	0.86	
124 - 134	0.86	
134 - 144	1.59	
144 - 154	1.19	
154 - 164	1.85	
164 - 174	1.85	
174 - 184	1.85	
184 - 194	0.94	
194 - 204	2.74	17'
204 - 214	2.74	
214 - 224	2.07	2.34%
224 - 234	1.32	
234 - 244	0.97	
244 - 254	0.97	
254 - 264	0.97	
264 - 274	1.18	1.60%
274 - 284	1.18	
284 - 294	1.56	
294 - 304	1.56	
304 - 314	0.98	
314 - 324	0.98	
324 - 334	1.56	2.4%
334 - 344	1.56	
344 - 354	0.87	
354 - 364	0.87	
364 - 374	1.07	1.6-100%

Department of Interior  
 Bureau of Mines  
 Section Thru Drill Hole  
 130  
 Project 1419  
 Christmas, Arizona  
 July 30, 1943 Scale 1:20'  
 □ Diorite □ Limestone  
 □ Shale □ Garnet  
 Dip Base: 21/16; Dip: 2/16; Dip: 2/16; Dip: 2/16  
 Col. Base: 21/16; Dip: 2/16; Dip: 2/16; Dip: 2/16  
 Dip: 21/16; Dip: 2/16; Dip: 2/16; Dip: 2/16