



FOOTAGE	CORE					SLUDGE				
	%Cu	%Mn	%Fe	%Zn	%Pb	%Cu	%Mn	%Fe	%Zn	%Pb
37-41	90	5.8	77	0.78		30	2.5	77	1.00	
42-47	62	NONE				100	19.9	0.01	1.20	


FOOTAGE	CORE					SLUDGE				
	%Cu	%Mn	%Fe	%Zn	%Pb	%Cu	%Mn	%Fe	%Zn	%Pb
354-375	100	6.9	0.02	7.60						
0'-8'	100	76.6	77	4.98						NONE



FOOTAGE	CORE					SLUDGE				
	%Cu	%Mn	%Fe	%Zn	%Pb	%Cu	%Mn	%Fe	%Zn	%Pb
40'-42'	100	6.9	77	0.68						
43'-45'	100	17.6	77	0.68						



FOOTAGE	CORE					SLUDGE				
	%Cu	%Mn	%Fe	%Zn	%Pb	%Cu	%Mn	%Fe	%Zn	%Pb
0'-8'	80	9.2	0.01	1.70						



FOOTAGE	CORE					SLUDGE				
	%Cu	%Mn	%Fe	%Zn	%Pb	%Cu	%Mn	%Fe	%Zn	%Pb
168-169	100	5.0	77	0.60						
171-173	100	12.91	77	1.80						
178-183	100	2.7	0.01	1.08						
177-216	100	11.7	0.01	2.65						
225-227	100	6.1	77	0.50						

DEPARTMENT OF THE INTERIOR
 BUREAU OF MINES
 PROJECT 322
**SECTIONS AND ASSAYS
 OF DIAMOND DRILL HOLES
 7, 8, 9, 10 & 11
 OREGON MINE**
 TOMBSTONE, ARIZONA

DATE: 10-27-41 SCALE: 1"=20'