



CONTACT INFORMATION

Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

09/25/85

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES FILE DATA

PRIMARY NAME: SCOTT

ALTERNATE NAMES:

MOHAVE COUNTY MILS NUMBER: 456A

LOCATION: TOWNSHIP 15 N RANGE 13 W SECTION 23 QTR. SW
LATITUDE: N 34DEG 37MIN 18SEC LONGITUDE: W 113DEG 35MIN 39SEC
TOPO MAP NAME: GREENWOOD PEAK - 7.5 MIN

CURRENT STATUS: UNKNOWN

COMMODITY:

COPPER-PRIMARY

BIBLIOGRAPHY:

USGS GREENWOOD PEAK QUAD
ADMR SCOTT MINE FILE

STATES
OF THE INTERIOR
AL SURVEY

261

262

263

35'

264

R. 13 W.

3253 II
(WIKIEL



SCOTT MINE

MOHAVE COUNTY

Arkla still have option on Scott Group (Blevins-Benegas Claims). They are in Secs. 22 & 23, T15N, R13W. Partners in the Scott Group are: Dick Benegas, Jim Benegas, Leo Salizar, Emery Blevins and Mrs. Hill. Arkla drilled one hole - future plans are not indicated. FTJ WR 3-8-68

Pan American Industries, Inc. were starting a heap leaching operation southwest of Wikieup on the Blevins-Benegas claims called the Scott mine. FTJ QR 7-1-70

To Benegas-Blevins claims (Scott Mine) - optioned to Pan American Industries, Inc. Their leaching operations were started but I was not impressed. FTJ WR 7-11-70

Mr. Blevins said Southern Union Production Co. of Dallas is drilling the Scott property after making arrangements with Pan American of Phoenix. They are also attempting to heap leach some ore Pan Am mined. FTJ WR 11-6-70

To Scott mine - drill inactive - frozen pipelines. Southern Union Production Corp. of Dallas financing the drilling. FTJ WR 1-8-71


Byron Kirby of Southern Union Production stated that their drilling on the Scott mine was finished and claims relinquished to Pan American Corp. FTJ WR 1-15-71

Southern Union Production Co. of Dallas were drilling the Blevins-Benegas - Scott mine southwest of Wikieup - results were not revealed. FTJ QR 1-13-71

To Kingman. Stopped at Benegas ranch near Wikieup - Scott mine exploration ceased. No other activity in the vicinity. FTJ WR 5-10-71


RAY DIRT 6/22/70

1/4 COR



22 23
27 24

1/4 COR

LEAD ANOMALY MAP
 RED KING CLAIMS
 SEC.'S 22 & 23 T15N-R13W
 MOHAVE CO. ARIZ.
 scale 1" = 200'

- Above 2000 ppm
- 1000 - 2000 ppm
- 500 - 1000 ppm

1/4 COR



22 23
27 26

ZINC ANOMALY MAP
RED KING CLAIMS
SEC.'S 22 & 23 T15N R13W
MOHAVE CO. ARIZ
Scale 1" = 200'

■ Above 1000 ppm
■ 500-1000 ppm
■ 100-500 ppm

1/4 COR.