CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 03-18-2009

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: SILVER GLANCE

ALTERNATE NAMES:
- DYNOMITE
- RAMBO GROUP 1
- RACINE MINES GROUP
- RAMBOZ

GILA COUNTY MILS NUMBER: 168D

LOCATION: TOWNSHIP 1 N RANGE 15.5E SECTION 3 QUARTER SW
LATITUDE: N 33DEG 27MIN 15SEC LONGITUDE: W 110DEG 46MIN 12SEC
TOPO MAP NAME: GLOBE - 7.5 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:
- MANGANESE
- SILVER
- GOLD
- COPPER
- ZINC

BIBLIOGRAPHY:

- ADMMR SILVER GLANCE FILE
- FARNHAM L L ETAL MANG DEPTS EASTERN AZ USBM IC 7990 1961 P 57
- PETERSON N P GEOL & ORE DEPTS GLOBE-MIAMI DIST USGS PP 342 1962 P130-131(RAMBOZ)



Silver Glance
T. 1 N. R. 15.5E Sec. 3

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES

INFORMATION FROM MINE CARDS IN MUSEUM

ARIZONA MM-K117 Sphalerite

Gila Co
4 mi. NE of Globe
Globe Mining Dist
Silver Glance Group
Silver Glance #2 Mine MILS # 168 D

Silver Glance (fill)
3-AKA's
Silver Glance (fill)

NAME OF MINE: RAMBO

COUNTY: GILA
DISTRICT:
METALS: MN Cu Ag

OPERATOR AND ADDRESS: DATE:		MINE STATUS DATE:	
5/1/44	W.F.Scholl, Box 128, Globe	5/1/44	Developing
5/45	L.W. Racine, 115 Central Ave, Globe	1/45	Idle
		5/45	Developing
		4/46	Idle

Z-2

MINERAL SPEC N FOR DEPARTMENT OF LIBRARY AN RCHIVES K 117

(Do not write in this space)

Ore _____

Cabinet _____

No. _____

(Wrap each specimen separately, or place it in a substantial bag, by itself, with a number attached, identical with the number on this card.)

Specimen No. 6, collected by Newton Wolcott
Field Engineer

Name of ore Zinc, silver, gold.

Minerals contained Sphalerite, argentite, gold.

Gangue Quartz

Depth at which taken 35 feet

Approximate mineral content (in terms of average per ton) 40% zinc, 50 ozs. silver, 0.20 ozs. gold.

Name of mine or claim Silver Glance No.2

Group Silver Glance Group

District Globe Mining District

Location (distance and direction by highway from what town 4 Mi. N.E. of Globe

Owner of property Jacob Judesh & Mrs. Thomas

Operator None at present

Mine active or inactive Inactive

If inactive, when operated 1938.

Specimen presented by Jacob Judesh

Date Sept. 29, 1939.

Notes (Any general information regarding the history of the property.) This is another property where work has been carried on intermittently over many years. Other places on the same vein only a short distance away show no traces of zinc, but contain lead instead.

If more space is desired for notes, use other side.

This specimen is now in the ADMR/Museum - see K number. 13.5 x 10.0 x 6.5 cm 1-4-40

SPECIMEN Z-2

Cabinet

Section

Shelf

Presented by Jacob Judesh

Collected by Newton Wolcott

Date received January 4, 1940

Class (principal mineral) Zinc

Other minerals Sphalerite, argentite, gold

Gangue Quartz

Depth at which specimen taken 35 feet

Approximate mineral content (in terms of average per ton)

Quantity	Value $
Zinc 40%	
Silver 50 oz.	
Gold .20 oz.	

Name of mine or claim Silver Glance No. 2

Group Silver Glance

District Globe

County Gila

Location (distance and direction by highway from what town) 4 miles northeast of Globe.

Mine active or inactive Inactive

If inactive, when operated 1938

Owner Jacob Judesh and Mrs. Thomas

Operator None at present

Notes: This is another property where work has been carried on intermittently over many years. Other places on the same vein only a short distance away show no traces of zinc, but contain lead instead.

Rambo Group

DEPARTMENT OF MINERAL RESOURCES
State of Arizona
MINE OWNER'S REPORT

RECEIVED
AUG 12 1958
DEPT. MINERAL RESOURCES
PHOENIX, ARIZONA

Date Aug 10 — 1958

1. Mine: Rambo Group
2. Location: Sec. SWSW3 Twp. 1N Range 15½E Nearest Town ..... Distance .....
   Direction ..... Nearest R.R. ..... Distance .....
   Road Conditions .....
3. Mining District and County: Globe Mining Disct. Gila Co.
4. Former Name of Mine: Rambo Mine
5. Owner: Inez Thomas Estate
   Address: 385 So Broad St Globe Ariz
6. Operator: Ida M. O'Neil Administrix
   Address: 385 So Broad St
7. Principal Minerals: Manganese, Silver, Copper
8. Number of Claims: Lode 8 Patented ..... Unpatented ✓
   Placer ..... Patented ..... Unpatented .....
9. Type of Surrounding Terrain: .....
10. Geology and Mineralization: .....
11. Dimension and Value of Ore Body: .....

Please give as complete information as possible and attach copies of engineer's reports, shipment returns, maps, etc. if you wish to have them available in this Department's files for inspection by prospective leasors or buyers.

(over)

12. Ore "Blocked Out" or "[illegible]ight":

Ore Probable:

13. Mine Workings—Amount and Condition:

	No.	Feet	Condition
Shafts	2	300	FAIR
Raises	1	30	NOT GOOD
Tunnels		10	GOOD
Crosscuts		3	GOOD
Stopes		✓	

14. Water Supply: MODERATE —

15. Brief History:

HAS PRODUCED HIGH GRADE SILVER ORES. AT ONE TIME IN THE EARLY 80s AND EARLY 90s A LARGE GROUP OF MEN WERE EMPLOYED AT PRESENT SITE

16. Remarks:

FURTHER INFORMATION INCLOSED IN LETTER FROM MR. STORMS.
MR LYNN OF WICKENBURG WILL, I BELIEVE, WILL FURNISH FURTHER INFORMATION.

17. If Property for Sale, List Approximate Price and Terms:

WILL CONSIDER ANY REASONABLE PROPOSITION — LEASE OR SALE.

18. Signature: Mrs Ita McDonald Admin. Estate of Mrs Inez Thomas 385 So. Broad St. Globe, Arizona

STATE OF ARIZONA
DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

August 12, 1958

COPY

Mrs. Ida M. O'Neil, Administratrix
Estate of Inez Thomas
385 South Broad Street
Globe, Arizona

Dear Mrs. O'Neil:

Thank you very much for your letter of August 11th. The letters from Messrs. Storms and Lynn and the report on the Silver Glance, which were attached to your letter, are being returned herewith. We have made copies for our files, which we hope may be of some assistance in connection with your property.

Sincerely yours,

FRANK P. KNIGHT
Director

FPK/H
Encls.

ES

REASON CHECKED

Unclaimed.....Refused.....
Unknown.....
Insufficient address.....
Moved, Left no address.....
No such office in state.....
Do not remail in this envelope

Mr. L.W. Racine

~~115 Central Ave.~~

~~Globe~~, Arizona

7/52

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

July 11, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Rambo Group (Gila County)	Manganese, Copper, Silver
(Property)	(ore)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

Frank P. Knight

FRANK P. KNIGHT,
Director.

Enc: Mine Owner's Report

OURCES

ds

REASON CHECKED
Unclaimed.....Refused....
Unknown.....
Insufficient address.....
Moved, Left no address.....
No such office in state.....
Do not remail to this envelope

Mr. W.F. Scholl

Box 128

Globe, Arizona

ES

REASON CHECKED

Unclaimed.....Refused.....
Unknown.....
Insufficient address.....
Moved, Left no address.....
No such office in state.....
Do not remail in this envelope

Mr. L.W. Racine

~~115 Central Ave.~~

~~Globe~~, Arizona

7/54

ARIZONA DEPARTMENT OF MINERAL RESOURCES
MINERAL BUILDING, FAIRGROUNDS
PHOENIX, ARIZONA

July 11, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Rambo Group (Gila County)	Manganese, Copper, Silver
(Property)	(ore)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

Frank P. Knight

FRANK P. KNIGHT,
Director.

Enc: Mine Owner's Report

RECEIVED
AUG 1 3 1958
DEPT. MINERAL RESOURCES
FLORENCE, ARIZONA

COPY

MOHAVE MINING & MILLING CO.

P. O. Box 1106, Wickenburg, Arizona

Phone Mutual 4-5457

February 3, 1958

Mrs. Ida M. O'Neil, Administratrix
Estate of Inez Thomas
385 South Broad Street
Globe, Arizona

Dear Mrs. O'Neil:

Due to the high carrying charges on the RAMBO group of claims, it is necessary to request Mr. Jonas to attempt to reduce royalties to a carrying charge of One Hundred Dollars ($100.00) per month, and reduce the earned royalties to One Dollar ($1.00) per long dry ton; the latter to accrue on the former, and the former to be accrued against the latter.

I am enclosing a note of agreement to this proposal.

Very truly yours,

MOHAVE MINING & MILLING CO.

H. F. LYNN
H. F. Lynn
President

HFL:ch
cc: Mr. Chas. H. Jonas
Phoenix, Arizona

Mr. Charles Thomas
Florence, Arizona

RECEIVED
AUG 13 1958
DEPT. MINERAL RESOURCES
PHOENIX, ARIZONA

C O P Y

UNITED STATES

DEPARTMENT OF THE INTERIOR

BUREAU OF MINES

Southwest Experiment Station

Box 4097
University Station
Tucson, Arizona

August 8, 1957

Mrs. Margarite Webb

Globe, Arizona

Dear Madam:

In the near future the Bureau of Mines expects to publish an Information Circular on "Manganese Deposits of Eastern Arizona". The attached sheets give a brief description of your manganese deposit which we would like to publish in our circular.

If the attached report has your approval, you need not return it as we will assume that we have your consent for publication. However, if you wish to make any changes please return the attached description with your comments and suggested alterations.

Sincerely yours,

WALTER R. STORMS
Walter R. Storms, Superintendent
Southwest Experiment Station

DEPARTMENT OF MINERAL RESOURCES

REPORT TO OPA ON ACTIVE MINING PROJECT

Date May 5th, 1945

Name of Mine Racine Mines Ramsbo

Owner or Operator L.W. Racine

Address 115 Central Ave. Globe, Arizona.

Filing Information

File System.....

File No.....

This chart to be used for gallons of gasoline required per month.

Mine Location About 8 miles northeast of Globe, Gila County, Arizona.

PRESENT OPERATIONS: (check X)

Production X; Development X; Financing.....; Sale of mine.....;

Experimental (sampling).....; Owner's occasional trip X;

Other (specify).....

PRODUCTION: **Past and Future.**

	Tons
Approx. tons last 3 months	
Approx. present rate per 3 months	
Anticipated rate next 3 months	100
If in distant future check (X) here	

EQUIPMENT OPERATED:

Type	Quantity or Horse Power	Miles or Hours Per Month	Gallons Required Per Month
Personal Cars			
Light or Service Trucks			
Ore Hauling Trucks			
Compressors	58	140	420
Other Mine or Mill Eqpt. Hoist	12 1/2	150	300

PRODUCT PRODUCED OR CONTEMPLATED: Name metals or minerals. Manganese & Copper

Reccomended ..... 720 gals per mo.

REMARKS:

ARIZONA DEPARTMENT OF MINERAL RESOURCES

By A. MacFarlane

July 28, 1943

RAMBO MANGANESE

MEMORANDUM

TO: Andrew Macfarlane

FROM: J. S. COUPAL

I have just been advised by the Grazing Service than an access road for two miles has been approved on the Rambo Manganese.

The Grazing Service office have had no contact for some time with W. F. Scholl and L. V. Racine, both at P. O. Box 128, Globe, nor with Ed Weiderbrand, also of Globe, all three of which names occurred in the application for the access road on the Rambo Manganese.

If you can contact any one of these three, please have him contact the Grazing Service so that arrangements may be made to start the road.

September 25, 1942

Mr. U. F. Scholl
P. O. Box 128
Globe, Arizona

Dear Mr. Scholl:

Many thanks for your report on the Rambo Group. We will file this in our records and will be glad to refer it to anyone who is interested in this particular type of property.

I am enclosing two additional blanks so that you may fill them out on the Bronco Group and the other nearby group which you state you have located. There will be no need of making a carbon copy unless you so desire, as we will make several copies of your report and forward a typed copy to you.

With best wishes and kindest regards, I am

Yours very truly,

J. S. Coupal, Director

JSC:LP
Enc.

October 2, 1942

INCREASE PRODUCTION SURVEY

RAMBO GROUP

By: FRED H. PERKINS

PROBLEMS:

This, as in many cases, is where two determined men with mining experience and a little money have been struggling on, shipping a little ore and waiting for a R. F. C. loan so they can go ahead in a business like way.

There are parts of this ore body that will not be bothered by an excess in zinc content but there also is excessive zinc in other portions.

I call this a pyrolusite ore and the Government seems reluctuant to buy this mineral if it needs concentrating.

Two car loads a week could be produced here if the owners had the funds to work on.

Globe Ariz - Sept 18, 1942

Mr. Chas F. Willis, Chairman
Board of Directors
Department of Mineral Resources.
518 Title and Trust Bldg.
Phoenix
Ariz

Dear Mr Willis

Answering yours of 17th inst asking for more information as to nature of diamond drilling we would like to have done - We are developing a vein of Manganese ore - Have already shipped about 150 tons some to stock pile Phoenix some to stock pile Deming N.M. running from 27% to 38% Mn.

This vein runs throug our property definitely traced by outcropping for certainly 3000 ft and probably 6000 ft

Vein averages about 4 ft in width but in some places is not all shipping ore - Strike is 27° East of North almost vertical, slight dip to Southwest pitch of stratification in vein to Northeast

All indications including considerable

development work done at various points years past looking for high-grade silver seem to give reason to believe it is true fissure vein. contact diabase with quartzite and schist intruding in some places.

Some parts of vein are covered by eroded material to such a depth as to make prospecting and opening up ore very costly.

Also before starting to develop manganese we have shipped to International Smelter Miami considerable tonnage for silver and copper mostly silver values. silver running from 15 to 60 ounces and copper not often above 2 or 3 % but have taken out some copper in spots up to 12%.

One tunnel particularly from which we shipped silver and copper ore is in about 100 ft then cross cut 75 ft, and we think from this tunnel diamond drilling might encounter a large body of fairly high grade copper ore.

This ore is all highly silicious which smelter wants.

Our greatest wish however at present would be to have diamond drilling for development of manganese ore.

Thanking you for the prompt attention given us I am

Very truly yours

W. F. Schock
P. O. Box 125
Globe
Ariz.

Property is in Copper Hill district of Globe Mining District and about 3 miles North West of old Superior and Boston Shafts.

September 21, 1942

Mr. W. F. Scholl,
P.O.Box 128
Globe, Arizona.

Dear Mr. Scholl:

I have your letter of September 18 relative to diamond drilling your manganese property.

The U. S. Bureau of Mines, which office is in Tucson, is the government agency that is doing primary prospecting work, but it would strike me from the description of your property that it was beyond the primary prospecting stage. However, if you care to write to them, telling them you would like to have them look at your property with a view to doing some work on it, it would be all right to do so. Your letter should be addressed to J. H. Hedges.

Reading over your letter carefully, however, it would appear to me that your best bet would be a government loan for development purposes; that is, the Class "B" loan where you can get up to $20,000 for development. I am enclosing a circular which tells about the government loan program.

If we can be of any assistance to you we would appreciate being called upon.

Yours very truly,

CHARLES F. WILLIS, Chairman
Board of Governors

CFW:MH

September 22, 1942

Mr. W. F. Scholl
P. O. Box 128
Globe, Arizona

Dear Mr. Scholl:

We are enclosing mine owner's report blanks in duplicate which we would like to have you file with this Department.

Will you please fill these out in complete detail on your manganese property and return the original to us at your earliest convenience.

Yours very truly,

Earl F. Hastings, Assistant Director
and Projects Engineer

EFH:LP
Enc.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA

MR-43

OWNERS MINE REPORT

Date September 23, 1942

1. Mine Rambo Group
2. Mining District & County Globe Mining District, Gila County
3. Former name
4. Location Copper Hill District, 3 miles northwest of old Superior and Boston Shaft
5. Owner Margaret Harding
6. Address (Owner) County Assessor, Globe, Arizona
7. Operator L. W. Racine and W. F. Scholl
8. Address (Operator) P. O. Box 128, Globe, Arizona
9. President Partnership
10. Gen. Mgr.
11. Mine Supt.
12. Mill Supt.
13. Principal Metals Manganese, silver, and copper
14. Men Employed Three
15. Production Rate 2 tons per day
16. Mill: Type & Cap.
17. Power: Amt. & Type None
18. Operations: Present Open cuts. Shafts with hand windlass and drifts.

RAMBO GROUP

Mn, Ag, Cu

Gila 4 - 4 T 1 N, R 16 E

Margaret Harding, Box 128, Globe '42

19. Operations Planned Timbering
compressor and air drills.

20. Number Claims, Title, etc. 8 claims--2 year lease.

21. Description: Topography & Geography Near Rambo Peak about 8 miles northwest of Globe, Arizona. Elevation 4000 to 4500 feet. Broken country, hills, and canyons.

22. Mine Workings: Amt. & Condition Present workings for manganese, one shaft 20 foot depth, drift east 20 feet, drift west 20 feet, two open cuts in about 20 feet with 15 foot face. Old workings, various shafts, tunnels, drifts, and cross-cuts--not much work done below 100 foot level.

(over)

23. Geology & Mineralization ...base with quartzite intrusion ...ing one wall in some places, some places schist, some places both wall diabase, manganese, silver, copper, lead, and zinc.

24. Ore: Positive & Probable, Ore Dumps, Tailings Manganese vein 3000 feet long, average 4 foot width, some places full 4 feet, runs 25 to 30% Manganese, some places 1/4 to 3/4 is waste or very low grade. Always some high grade up to 42% Manganese.

24-A Vein Width, Length, Value, etc. Vein runs 27 degrees east of north, almost vertical pitch to N.E. Values in silver and copper shown in old workings to depth of 100 feet. Old workings also indicate that manganese goes to that depth.

25. Mine, Mill Equipment & Flow Sheet Everything done in development work and surface outcrops would indicate a true fissure vein.

26. Road Conditions, Route Copper Hill road kept in good condition by Gila County. 3 miles of road from there to workings not good. Application for road work through Graziers and associated Federal agencies. Examination made by Engineer Stewart of Tucson approved by him for $3000.00 expenditure on road.

27. Water Supply Vein makes water at all places at depth 20 to 50 feet.

28. Brief History Much high grade silver produced in past.

29. Special Problems, Reports Filed Diamond drilling would seem to be the logical and economical method of locating valuable ore deposits. Old workings make this feasible at many points.

30. Remarks Application made for Federal Loan of $20,000. Engineer Rockwood of RFC, 325 Heard Building, Phoenix was instructed August 22 to make examination for report. Examination not yet made.

31. If property for sale: Price, terms and address to negotiate. Our lease price is $15,000. We will answer any inquiry and would make price and terms according to status of property at time.

32. Signed W. F. Scholl and L. W. Racine
P. O. Box 128, Globe, Arizona

33. Use additional sheets if necessary.

Globe Ariz - Sept 23, 1942

Mr. Carl F. Hastings Assistant Director and Project Engineer.
Dept. of Mineral Resources -
Phoenix Ariz.

Dear Mr. Hastings -

Enclosed are reports on Rambo Group of claims + We have lease and option on Bronco Group - adjoining the Rambo Group - Also lease and option on other nearby groups and some claims located by ourselves +

If you wish report on these I will make out if you send blanks -

Thanking you I am

Yours very truly

L. F. Scholl -
P. O. Box 128
Globe
Ariz.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine RAMBO MINE GROUP Date October 2, 1942

District Globe Engineer Fred H. Perkins

Subject: Increase Production Survey

W. F. Scholl, L. W. Racine, Lessees; address, Globe, Arizona. Mrs. Margarite Harding, Owner.

This group of eight claims is located seven miles northwest of Globe and in the early days over a thousand feet of shafts and drifts was made in mining the high grade silver ore which occured on the wall between the manganese ore and the diabase.

The manganese vein has an average thickness of four feet and a strike of N. 27° E.

This is a fissure vein in diabase. However, at the northeasterly end of the group one of the walls is changed to quartzite.

Since July 1941 the owners have produced 180 tons of manganese ore, having shipped fifty tons to Phoenix Stock Pile and 130 tons to Deming, New Mexico stock pile.

Ore in this vein runs from 25% to 38% and averaging about 30% manganese. An average of four men have been working along on this project by hand and while no ore is actually blocked out, the owners feel assured a large tonnage is in sight and if it could be mined in a modern way, make the owners a profit.

The owners made an application for a "B" loan of "20,000 and this business has been completed up to the point where the Government has had their engineer on the ground and the final answer is expected daily.

PROBLEMS: This, as in many cases, is where two determined men with mining experience and a little money have been struggling on, shipping a little ore and waiting for a R.F.C. loan so they can go ahead in a business like way.

There are parts of this ore body that will not be bothered by an excess in zinc content but there also is excessive zinc in other portions.

I call this a pyrolusite ore and the Government seems reluctuant to buy this mineral if it needs concentrating.

Two car loads a week could be produced here if the owners had the funds to work on.

(Fred H. Perkins)

MS-24

MS-24

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Date Sept. 30, 1939.

Mine Silver Glance Group

Engineer Newton Wolcott

District Globe Mining District

Location 4 Miles N.E. of Globe

Former name

Owners Jacob Judesh, Mrs. Thomas (mail ret. 7/14/58 Rescue mine)

Address Globe, Arizona. " "

Operator

Address

President

Gen. Mgr.

Mine Supt.

Mill Supt.

Principal Metals Silver, gold, copper, lead, zinc.

Men Employed None

Production Rate Property inactive.

Mill: Type & Cap.

Power: Amt. & Type

Operations: Present

None

Operations Planned

SILVER GLANCE Cambria Group

Ag, Au, Cu, Pb, Zn

Gila 4 - 4

Jacob Judesh (deceased) '39

Number Claims, Title, etc.

Five unpatented claims.

Description: Topog. & Geog.

Steep hills, but not very high. Vegetation scanty. In country beyond old Copper Hill district.

Mine Workings: Amt. & Condition

Total of approximately 500 feet of tunnels.
One shaft, 105 feet deep. (Caved at collar)
One shaft 65 " " Open.
Various open cuts and assessment pits.

(over)

Geology & Mineralization

Workings on this property are along a fissure vein in diorite. The vein can be traced on the surface for a long distance, but has been developed over only a small portion of its length. The strike is E-W and the dip is to the South at a very steep angle (from 65 to 85 degrees). The width varies from one to five feet, and the walls are well defined. One tunnel on this vein shows a shoot of argentiferous sphalerite; but at all other points the zinc is practically nil, and the ore minerals consist of argentite, galena and copper carbonates. Gangue is largely quartz with hematite and a little pyrolusite.

Ore: Positive & Probable, Ore Dumps, Tailings

The old stopes are caved, and no tonnage estimate is possible. There are probably 200 tons of mixed ore and waste on one dump.

Mine, Mill Equipment & Flow Sheet

No equipment of any kind on the property.

Road Conditions, Route

Road very steep and rough, but could be greatly improved at little expense. Inquire in Globe for route.

Water Supply

None developed.

Brief History

This is another property which was worked a great many years ago, stoped practically to the surface, and upon which there has been very little work done in recent years. The extremely high tenor of the ore where it occurs, and the lack of development work leaves room for further prospecting. No records are available on past shipments; but it is stated that a considerable quantity of rich ore has been taken from the old workings.

Special Problems, Reports Filed

Owners have no funds with which to develop property.

Remarks

This property adjoins the Rescue Mine on the east. The main vein is roughly parallel to and of the same character as the Rescue vein, although probably narrower in width. This property can be grouped with the Rescue under the same terms if desired.

If property for sale: Price, terms and address to negotiate.

For sale or lease. Communicate with owners for terms.

Signed.....

Use additional sheets if necessary. Separate sheets on each problem.

RECEIVED
AUG 12 1958
DEPT. MINERAL RESOURCES
PHOENIX, ARIZONA

COPY

Gila County, Ariz.

Silver Glance

The Silver Glance #1 claim, once known as the Dynamite, is a member of a group of 8 unpatented claims often called the Rambo group. The subject claim contains the principal manganese deposit and adjoins the patented Vacy Constance claim on the northeast. It lies in the SW¼ SW¼ sec. 3, T. 1N., R. 15½ E. and is accessible from Globe by a westerly trending graded road about a mile in length that branches left from the Copper Hill road about 5 miles north-northeast of the intersection of Yuma Street in Globe and U. S. Highway 60-70.

The claims originally were located as silver prospects during the early days of the district. Subsequently they were acquired and held for many years by the late Inez Thomas of Globe. At the present time the group is owned by the Inez Thomas estate of which Mrs. Ida M. O'Neil, of 385 S. Broad St., Globe, Ariz., is the Adminx. of the Estate of Inez Thomas.

The first manganese ore was produced during World War II by lessees, W. T. Scholl and L. V. Racine. Records show that a total of 288 tons of ore, containing about 30 percent manganese, had been shipped up to January 25, 1943. Some work was continued after that time and it appears probable that additional ore was produced during 1943. However, there are no available records covering such shipments. The next known production was made in 1953 and 1954 by lessee John Duber of Globe, Ariz. During that interval, 1,204 long tons of ore, averaging 24.1 percent manganese, was shipped to the Government purchasing depot in Deming, N. Mex. All the equipment had been removed and no workwas in progress when the property was visited in February, 1957.

The deposit occurs along the same fissure zone from which the ore was mined on the Vacy Constance and Iron Hive claims to the southwest. The zone on the subject property lies in diabase, strikes about N. 25° E., and dips vertically. It can be traded rather continuously for the entire length of the claim and for several hundred feet farther to the northeast into the adjoining Big Lead claim. The zone is more or less manganiferous in most of the exposures. In some places the manganese minerals occur in widely spaced seams and narrow stringers forming low-grade areas several tens of feet in width. In other places these seams and stringers are more numerous and closely spaced forming bands and lenses of ore ranging from 1 to several feet in width.

Most of the production from the claim was mined from a lense of ore lying along the western side of the zone. This ore body was approximately 180 feet in length and ranged from 1 to 6 feet in width. It was exploited from shaft workings to a depth of some 60 feet. The underground work was inaccessible at the time of the visit, but, according to John Duber, the best ore gave place to much lower grade material in lower part of the underground workings. The

ore was mined in open stopes which in many places extended to and along the surface for over 100 feet north of the shaft and for about 50 feet to the south. The other work consisted of a few shallow open-cuts scattered along the outcrop of the zone. Some of these openings may have yielded a carload or so of ore.

The manganese minerals consisted essentially of pyrolusite and wad with some psilomelane. The gangue was composed of iron oxides, quartz and calcite.