CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
1520 West Adams St.
Phoenix, AZ 85007
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.



ASSAY					
SAMPLE	AU	AG	CU	PB	ZN
TN-1	.011	0.50	0.11	0.47	1.91
TN-2	.004	0.73	0.06	0.86	1.89
TN-3	.005	0.91	0.05	0.81	0.64
TN-4	.004	0.78	0.08	0.95	2.84
TN-5	.002	0.35	0.06	0.32	0.64
TN-6	.003	0.33	0.02	0.25	0.55
TN-7	.012	0.45	0.04	0.61	1.15
TN-8	.013	0.30	0.03	0.12	0.99

TOTAL WEIGHTED AVERAGE ASSAY					
	.008	.54	.07	.55	1.33
AMEND	.007	.45	.06	.55	1.33

TOTAL TONS 60,162
TOTAL REJECTS + 2" 12,106
TOTAL TONAGE - 2" 48,058

LEGEND	
T.	TOE
C.	CREST
GI.	GROUND INTERSECTION
-----	TRENCH
⊼	TRANSIT

AMEND VOLUMES
TOTAL TONS 53,337
TOTAL REJECTS + 2" 10,667
TOTAL TONAGE - 2" 42,670

Tennessee Mine Dump

Wallapai Ming. Dist.

Sec.3-T23N-R18W

Mohave County Mine Study

June 1977 DRAWN BY Ken Lewellen

Scale 1"= 20" 0 20 40

ADMMR 0123-002

TENNESSEE MILL TAILS

WALLAPAI MING. DIST.

SEC.3-T23N-R18W

MOHAVE COUNTY MINE STUDY

AUG. 1976

REVISED 1-78 BY Ben Lavallee

Scale 1"=30'

0 20 40 60

DEPTH & SAMPLE		ASSAY AU	AG	CU	PB	ZN
A1	12.6	.012	0.31	0.03	0.19	0.82
A2	14.0	.004	0.32	0.02	0.13	1.08
A3	15.1	.015	0.33	0.02	0.15	1.56
B1	19.8	.005	0.15	0.02	0.15	0.90
B2	24.2	.010	0.39	0.02	0.15	1.11
B4	13.0	.015	0.44	0.02	0.17	1.07
C1	33.0	.011	0.28	0.03	0.21	0.98
C2	28.1	.015	0.31	0.03	0.28	0.74
C4	15.5	.010	0.33	0.03	0.12	1.12

TOTAL WEIGHTED AVERAGE ASSAY					
SAMPLE	AU	AG	CU	PB	ZN
	.011	0.32	.024	.172	1.04

238807 TOTAL TONS

LEGEND	
T.	TOE
C.	CREST
GI.	GROUND INTERSECTION
●	AUGER HOLES
⊼	TRANSIT LOCATION

T&I-82.6
T&I-86.0
C-88.3
C-91.1
T-72.3
T-72.5
C-86.8
C-1 AUGER HOLE 87.0
POWER POLE
GI-91.4
B-4 AUGER HOLE 91.0
GI-95.0
GI-97.9
GI-95.6
GI-94.0
T-61.7
T-46.4
C-83.0
C-3 AUGER HOLE 81.8
④ 100.0
A-3 AUGER HOLE 91.6
GI-92.0
B-2 AUGER HOLE 88.5
GI-91.6
A-4 AUGER HOLE 84.1
C-82.5
GI-89.4
T-48.5
C-83.1
③ C-4 AUGER HOLE 82.6
C-82.6
C-64.0
B-1 AUGER HOLE 82.5
C-86.9
T-81.0
C-85.5
② 84.4
C-86.1
A-1 AUGER HOLE 85.1
B POWER POLE 86.5
C-85.8
T-79.4
T-53.2
T-73.4
T-61.4
GI-73.7
C-58.4
T-47.5
T-50.7
C-61.5
C-66.0
T-56.8
T-60.3
C-65.0
T-65.9

ADMR 0123-003

REV.	DESCRIPTION	DATE	BY

Great Lead Shaft

100 LEVEL Seven DRIFT

100 LEVEL NORTH DRIFT

Great Long Drift

3 SHAFT

2 SHAFT

1 SHAFT

500' LEVEL

X-Cut 1478

X-Cut 1444

X-Cut Main Station

X-Cut 1400

700 Level South Drift

700 LEVEL North Drift

Abandoned

900' LEVEL North Drift

610 Raise

500 Winze

1000 Level South Drift

1000 Level North Drift

610 RAISE

1100 LEVEL

12/31/14

S2R

S4R

430 RAISE

1400 Level

420 Winze

1600 Level

THE NEEDLE'S MINING & SMELTING CO.

Tennessee Properties

Plan Map of

Tennessee & Great Lead Mines

Scale 1" = 90'

Date Dec. 31=1914

ITEM	REQ.	PART NO./DWG. NO.	DESCRIPTION	MATERIAL

AOMMR 0188 - 004

ADMMR 0193-005

SCHUYLKILL MINE DUMP

WALLAPAI MING. DISTR.

SEC.34-T24N-R18W

MOHAVE COUNTY MINE STUDY

OCT. 76 DRAWN BY Ken Lewellen

SCALE 1"= 20' 0 20 40



ASSAY					
SAMPLE	AU	AG	CU	PB	ZN
20	0.021	0.71	0.03	0.87	0.51
21	0.034	0.50	0.04	0.53	1.67
22	0.045	0.44	0.02	0.86	0.51
23	0.029	0.37	0.02	0.41	0.32
24	0.006	0.45	0.01	0.54	0.10
25	0.017	0.58	0.02	0.60	0.14

TOTAL WEIGHTED AVERAGE ASSY					
SAMPLE	AU	AG	CU	PB	ZN
	.025	.508	.023	.645	.525

1081	TOTAL TONS	(REVISED 12-27-77)
902	TOTAL TONS - 2"+ REJECTS	
179	TOTAL 2"+ REJECTS	

LEGEND	
T.	TOE
C.	CREST
GI.	GROUND INERSECTION
- - - -	DITCH
A	TRANSIT LOCATION

MOHAVE COUNTY HISTORICAL SOCIETY NO 83-37

ELKHART MINE
CHLORIDE ARIZONA
S ← SECTION → N
SCALE 1"=50 FEET
JUNE 1916 TUCSON
(RETRACE FROM ELKHART MINE BLUE PRINT)



Date on ore in Lower workings from O'neals Letters in 1902 mine was CLOSED down MAY 26 1902. No Effort made to develope ore found. NONE SHIPPED FROM BELOW UPPER WORKINGS

DATE ON ORE FROM SUIT BARNARD REPORTS - DEC 1902 & SEPT 1903
WIDTH OF ORE: 4 FT SEVERAL THOUSAND TONS TAKEN OUT PAST FEW MONTHS (1903) AVERAGED $900 PER TON
ORE IS LARGELY STOPED ABOVE 400' L. ESTIMATED 20,000 TONS LEFT IN MINE ABOVE 500' LEVEL

NR= NO DISTANCE Given

ITEM	REQ.	PART NO./DWG. NO.	DESCRIPTION	MATERIAL

MOHAVE COUNTY HISTORICAL SOCIETY NO 83-37

ADMR 0183-006