

CONTACT INFORMATION

Mining Records Curator Arizona Geological Survey 1520 West Adams St. Phoenix, AZ 85007 602-771-1601 http://www.azgs.az.gov inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 09/05/2002

ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: VINDICATOR GROUP

ALTERNATE NAMES:

GILA COUNTY MILS NUMBER: 55

LOCATION: TOWNSHIP 2 S RANGE 15 E SECTION 18 QUARTER SE LATITUDE: N 33DEG 15MIN 25SEC LONGITUDE: W 110DEG 50MIN 55SEC

TOPO MAP NAME: PINAL PEAK - 7.5 MIN

CURRENT STATUS: PAST PRODUCER

COMMODITY:

SILVER GOLD LEAD

BIBLIOGRAPHY:

USGS PINAL PEAK QUAD ADMMR VINDICATOR GROUP FILE

Geology & Mineralization - Country rocks are granite, rhyolite, disbase and

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
OWNERS MINE REPORT

Date March 29, 1941

Ore: Positive & Probable, Ore Dumps, Tailings. - Not sufficient deviced to Mine

Mining District & County - Pioneer District Gila County

Location - Approximately 17 miles southwest of Globe.

Former Name Vein Width, Length, Value, etc. -Some of the veins can be traced for a leng

40.00

Owner - John A. Clark

. deel 000 Address - Box 659, Globe, Arizona

Operator - John A. Clark

Address - Box 659, Globe, Arizona

President

Gen. faed wolf & Flow Equipment & Flow

Mine Supt.

Mill Supt.

Principal Metals - Silver, Gold, Lead

Men Employed - One anoithbaco baca

Production Rate - Intermittent Mill: Type & Cap.

Power: Amt. & Type

Operations: Present - Starting tunnel along vein to replace shaft caved by recent rains.

Brief History - Fresent owner has made 3 shipments within the past year.

Operations: Planned - Continue development and ship when possible.

Special Problems, Reports Filed - No reports on property. Main problem is to finance development.

Number Claims. Title, etc. - 7 unpatented lode claims - all on Forest.

Remarks

Description: Topography & Geography - Property situated in Pinal Mts. Approximately 5200 ft. elevation. Typical mountainous topography. Oak brush and other small vegetation. On SW slope of mountains.

Mine Workings: Amt. & Condition - 5 shafts from 15 ft. to 60 ft. in depth. Approximately 160 ft. of tunnels. Only one tunnel is accessible at present.

Box 659, Globe, Arizona

Geology & Mineralization - Country rocks are granite, rhyolite, diabase and porphyry. Two or three veins - formed along fault fissures. Average width 7 ft. Dips are approximately 700. Ore minerals are stephanite, argentite, galena and free gold. Assays have run as high as 6000 ozs. in silver. Mores Se. 1841

Ore: Positive & Probable, Ore Dumps, Tailings. - Not sufficient development to to claim any blocked out ore, but ore is showing in all working faces. Pails VI wiedenkowah - noldeon

Wile County

Wiley duncer to berno

- 1 dellar o alla della della managaraga alla della della

draff . A mill . hodrese

ugobirsus.

. sept ball

entire a sime resume

. Váraszotő 6 západy est tankinitatora

Vein Width, Length, Value, etc. -Some of the veins can be traced for a length of 2000 feet. Ata(0 . 4 said + + http:

Mine, Mill Equipment & Flow Sheet - None

the servers and tent of being the

internal or color in depth. I'd the of brevelou

Adries a Per been Grebe. Artrens.

Label O'To decoding

Road Conditions, Route - Pioneer Pass road for 15 miles from Globe, then turn at sign "Clark Mine." Road leads to center of property.

Water Supply - Domestic supply developed, and all workings show water.

TOTAL


Brief History - Present owner has made 3 shipments within the past year.

Special Problems, Reports Filed - No reports on property. Main problem is to finance development. Restor Claims, Wille, and Restoring Various Viscondia and Archiel Service.

Remarks

If property for sale: Price, terms and address to negotiate - For sale. Communicate with owner for price and terms. gasticolumno de espeia la Ad

> TANA PERMIT SIGNED - John A. Clark Box 659, Globe, Arizona



ARIZONA DEPARTMENT OF MINERAL RESOURCES MINERAL BUILDING, FAIRGROUNDS PHOENIX, ARIZONA

August 12, 1958

To the Owner or Operator of the Arizona Mining Property named below:

Vindicator Group (Gila County) silver, gold, lead (Property) (ore)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

> Frank P. Knight FRANK P. KNIGHT,

Director.

Enc: Mine Owner's Report

along fault fissures. Average width 7 ft. Dips are approximated to. Dre windles are stephants argentile galues and free god Assays have run as high as 6000 ozs. in silver. 24. Ore: Positive & Probable, Ore Dumps, Tailings Not sufficient development to claim any blocked out ore, but ore is showing in all working foreses.
24-A Vein Width, Length, Value, etc. Some felt.
25. Mine, Mill Equipment & Flow Sheet
None
26. Road Conditions, Route Pismeer Pass road for 15 miles for Glab, Then born up at sign "Clark Mine", Road leads to center of property. 27. Water Supply
27. Water Supply Donestic supply developed, and all workings show water.
28. Brief History Present owner has made 3 shipments within
29. Special Problems, Reports Filed
is to finance development. The property, wai problem
30. Remarks
31. If property for sale: Price, terms and address to negotiate. For sale. Communation with some for price of the price o
32. Signed John A Clark Box 659 Blok Aryona
33. Use additional sheets if necessary.