

#### **CONTACT INFORMATION**

Mining Records Curator Arizona Geological Survey 1520 West Adams St. Phoenix, AZ 85007 602-771-1601 http://www.azgs.az.gov inquiries@azgs.az.gov

The following file is part of the

Arizona Department of Mines and Mineral Resources Mining Collection

#### **ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

#### **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

### **QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

PRINTED: 09/06/2002

#### ARIZONA DEPARTMENT OF MINES AND MINERAL RESOURCES AZMILS DATA

PRIMARY NAME: WHITE KING GROUP

**ALTERNATE NAMES:** 

IRA ROMINE CLAIMS

PINAL COUNTY MILS NUMBER: 88A

LOCATION: TOWNSHIP 1 S RANGE 12 E SECTION 14 QUARTER NW LATITUDE: N 33DEG 20MIN 52SEC LONGITUDE: W 111DEG 06MIN 24SEC

TOPO MAP NAME: SUPERIOR - 7.5 MIN

**CURRENT STATUS: PAST PRODUCER** 

COMMODITY:

GOLD SILVER

COPPER

**LEAD** 

**BIBLIOGRAPHY**:

ADMMR WHITE KING GROUP FILE

#### D\_PARTMENT OF MINERAL RESOURCES STATE OF ARIZONA . 18802 543 Values occur in galena

On this amoparty the ore occul

## FIELD ENGINEERS REPORT allew and the total of earlite and sphalerite. There is probably sout totalerite. esent, although nond was ob

from old workings

the property.

Ty some the parecent, eronough none was constructed to any great depth any of the specime . Hame enew setenodree regree bas a Date on February 25, 1940. se sere sint at

Mine

White King Group

e value of these

District Pioneer Mining District

nd silver. There is no belooked on at storic, . maylis br Former name

Owner s L. N. Caudle and John George Harry Valentine

Operator

President

Mine Supt.

lead. don silver, Principal Metals Gold, copper,

Production Rate

Not in production

Power: Amt. & Type

There is a good domestic supply available no Operations: Present

A limited amount of development work only.

It is reported that high grade ore has been chipped from this ground since

et was first worked in the carry days; but there are no recere to any sort of the Operations Planned and the sesses and the work other than assessment has the sulphents.

Further development when financially able to accomplish.

Transportation facilities and finances for development one faithful are many

Number Claims, Title, etc.

Four unpatented lode claims.

Description: Topog. & Geog.

Rather steep, but not very high hills with sparse growth of desert vegetation. Elevation above sea level approximately 3000 feet. The property lies well down on the slope of a ridge which forms one side of a branch of Queen Creek.

Mine Workings: Amt. & Condition

1 Vertical Shaft 90 feet in depth (Caved at Collar) Approximately 825 feet of tunnels, cross-cuts and drifts. (Mostly accessible) 1 Winze approximately 50 feet in depth (Accessible with rope) Various shallow cuts and pits.

Engineer is Newton Welcott dor a service of a service of the Country of the Engineer is a service of the Country of the Countr

Location 32 Miles NW of Superior and about 12 miles NW of the old Silver King Mine. Pinal County.

Geology & Mineralization

Road Conditions, Route

in recent years.

problems,

Address Superior, Arizona, angiup HiM aniM Phoenix, Arizona.

There is a ver

.beroleveb toM

Address yes to the reliepe of

Gen. Mgr.

Mill Supt.

Men Employed ent to someled ent liert bas

directly in to some of the v Mill: Type & Cap.

(over)

On this property the ore occu. in fault fissure veins which cut le and rhyolite country rocks. he veins strike almost north Geology & Mineralization and south, and the dip is practically vertical. Widths vary from three to six feet, and the walls are fairly well defined. Values occur in galena, pyrite and sphalerite. There is probably some tetrahedrite present, although none was observed in any of the specimens examined. Oxidation has evidently not extended to any great depth in this area as the amounts of iron oxides and copper carbonates were small.

Ore: Positive & Probable, Ore Dumps, Tailings

Phoenix, Arizona.

There are some small dumps from old workings, but the average value of these is not known. The owners state that they have gotten assays of from \$3 to \$15.70 from vein samples, the values being mostly in gold and silver. There is no blocked out tonnage of ore.

Mine, Mill Equipment & Flow Sheet 1000 220166 A

No equipment of any sort on the property.

Gen. Mgr.

Operator

Power: Amt. & Type

White King Group

Owner & L. N. Caudle and John George

& Harry Valentine

Road Conditions, Route

There is a very good road to within less than one half mile of the property, and trail the balance of the way. It would not be expensive to complete a passable road directly in to some of the workings.

Water Supply

Not developed. There is a good domestic supply available nearby.

A limited emount of development work only.

Brief History

It is reported that high grade ore has been shipped from this ground since it was first worked in the early days; but there are no records of any sort to indicate the quantity or value of the shipments. No work other than assessment has been done here in recent years.

Special Problems, Reports Filed

Transportation facilities and finances for development are the owners main problems.

Number Claims, Title, etc.

Description: Topog. & Geog.

Remarks

Four unpatented lode claims.

If property for sale: Price, terms and address to negotiate. . notisted and transfer of the sale and the sale

flow self wiregord self . jeet 0002 vietsmirordes fevel ses evods notifically and terms. Property is for sale or lease. Communicate with owners for price and terms.

Further development when financially able to accompl

Mine Workings: Amt. & Condition

l Vertical Shaft 90 feet in depth (Saved at Collar) Approximately 825 feet of tunhelm, cross-cuts and drifts, (Mostly accessible) 1 Winze approximately 50 feet a fact (1000) blebrigg rope) Verious shallow cuts and p≤ts.

Use additional sheets if necessary. Separate sheets on each problem.

# DEPARTMENT OF MINERAL RESOURCES STATE OF ARIZONA FIELD ENGINEERS REPORT

MW-14

White King Group

Date

February 25, 1940

District

Mine

Pioneer Mining District

Engineer

Newton Wolcott

Subject:

Location:  $3\frac{1}{2}$  miles NW of Superior and about  $1\frac{1}{2}$  miles NW of the old Silver King Mine. Pinal County.

Owners: L. N. Caudle and John George, Harry Valentine

Address: Superior, Arizona, and Phoenix, Arizona.

Principal Metals: Gold, silver, copper, lead.

Production Rate: Not in production.

Operations: Present: A limited amount of development work only.

Operations Planned: Further development when financially able to accomplish.

Number Claims, Title, etc.: Four unpatented lode claims.

Description: Topog. & Geog.: Rather steep, but not very high hills with sparse growth of desert vegetation. Elevation above sea level approximately 3000 feet. The property lies well down on the slope of a ridge which forms one side of a branch of Queen Creek.

Mine Workings: Amt. & Condition: 1 vertical shaft 90 feet in depth (Caved at Collar) Approximately 825 feet of tunnels, cross-cuts and drifts. (Mostly accessible) 1 winze approximately 50 feet in depth (Accessible with rope) Various shallow cuts and pits.

Geology & Mineralization: On this property the ore occurs in fault fissure veins which cut shale and rhyolite country rocks. The veins strike almost north and south, and the dip is practically vertical. Widths vary from three to six feet, and the walls are fairly well defined. Values occur in galena, pyrite and sphalerite. There is probably some tetrahedrite present, although none was observed in any of the specimens examined. Oxidation has evidently not extended to any great depth in this area as the amounts of iron oxides and copper carbonates were small.

Ore: Positive & Probable, Ore Dumps, Tailings: There are some small dumps from old workings, but the average value of these is not known. The owners state that they have gotten assays of from \$3 to \$15.70 from vein samples, the values being mostly in gold and silver. There is no blocked out tonnage of ore.

Mine, Mill Equipment & Flow Sheet: No equipment of any sort on the property.

Road Conditions, Route: There is a very good road to within less than one half mile of the property, and trail the balance of the way. It would not be expensive to complete a passable road directly in to some of the workings.

Water Supply: Not developed. There is a good domestic supply available nearby.

Brief History: It is reported that high grade ore has been shipped from this ground since it was first worked in the early days; but there are no records of any sort to indicate the quantity or value of the shipments. No work other than assessment has been done here in recent years.

Special Problems, Reports Filed: Transportation facilities and finances for development are the owners main problems.

If property for sale: Price, terms and address to negotiate: Property is for sale or lease. Communicate with owners for price and terms.

WHITE KING GROUP

August Kaempf was present at Conference and since 2 men are working at the Ira Romine Claims (Approximately 2 miles west of the Silver King). Kaempf said he would run out there and get what information che could about the operation. Two men work for Allan Chappo who has a lease on property. Chappo was out of town.

LAS Conf. 2/17/65

WHITE KING GROUP

Au, Ag, Cu, Pb

Pinal

11 - 1

T 1S, R 12 E

Harry Valentine, 207 1st National Bank, Phoenix

140

L. N. Caudle and John George
Superior, Arizona
and Harry Valentine, 207 First Nat'l Bank
Phoenix, Arizona 1324 E. Thomas Road (2-25-40)

White King Group

See MW-14 - Re Field Engineers Report - Superior, Pinal Co.

WHITE KING GROUP, Pinal Co.

MS-8 V

Dec. 19, 1939

OR

GOLD - SILVER - 5 claims unpatented; good roads, 22 miles south of Superior; near smelter; ample water;

Finance to operate, small amount of capital wanted;

Pinal County

MS-8



## ARIZONA DEPARTMENT OF MINERAL RESOURCES MINERAL BUILDING, FAIRGROUNDS PHOENIX, ARIZONA

August 13, 1958

To the Owner or Operator of the Arizona Mining Property named below:

White King Group (Pinal County)

We have an old listing of the above property which we would like to have brought up to date.

Please fill out the enclosed Mine Owner's Report form with as complete detail as possible and attach copies of reports, maps, assay returns, shipment returns or other data which you have not sent us before and which might interest a prospective buyer in looking at the property.

Frank P. Knight

FRANK P. KNIGHT, Director.

Enc: Mine Owner's Report

	· Walnumperson
DEPARTMENT OF MINERAL I	RESOURCES
News Items reduction bas juo 30	y horam F
nwob setton eveH .v Date .v Date	2/40- 40-
Min. Tim At man	The second secon
The state of the s	DERMITTOTOM B
Owner Tohn Connection	mids [[ens
Owner John George & L.N. Caud	
Address Superior, Arizona	eft Bedromer
the time they were closed down	worldnes at
Operating Co. godf anob good and	irov og Bro
Address	ALL ONLES
Pres.	Misel Notes
Genl. Mgr.	
Mine Supt.	
Mill Supt.	
Principal Metals Silver, gold	
Men Employed ??	
Production Rate	
Mill, Type & Capacity	
	CAS-pt-
Power, Amt. & Type	
V. C.	
Signed Wolung	
(Over)	

die 1
Present Operations LANGUM TO THERAL PROPERTY OF THE PROPERTY O
Are cleaning out and re-timbering and old
shaft on the property. Have gotten down
approximately 90 feet. They have made a
snall shipment of silver ore from the dum
New Work Planned at these workings. It is
reported that valuable ore was left in the
workings at the time they were closed down
and no work has been done there since.
Address
Pres. Gend. Mgr. Mine Supt.
Mill Supt.
Principal Metals Stiver gold
Men Employed 99
Production Rate
Mill, Type & Capacity
Power, Amt. & Type
Signed Colored

in in