



CONTACT INFORMATION  
Mining Records Curator  
Arizona Geological Survey  
416 W. Congress St., Suite 100  
Tucson, Arizona 85701  
602-771-1601  
<http://www.azgs.az.gov>  
[inquiries@azgs.az.gov](mailto:inquiries@azgs.az.gov)

The following file is part of the Doug K. Martin Mining Collection

#### **ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

#### **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

#### **QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

Oil Morgan

~~7N - 13W~~

~~see 35-36~~

6N 13W

1-2

6N 12W

61 nothing in 6

7N 12W

31 nothing in 31

6N 13W

~~6~~ 6 nothing

7N - 14W

35-36 nothing

7N 13W

31 nothing

6N - 14W

1-2, 12 nothing

6 - 13

7 nothing

35	36	31	<del>Ad</del> <del>nothing</del>
7N-13		7N 13W	
2	6N-14	6N 13	

18/13 201  
967912  
1149282

Xerox Copy

SILAS C. BROWN & ASSOCIATES  
GEOLOGICAL CONSULTANTS

A GENERAL GEOLOGICAL STUDY  
OF PATENTED CLAIMS IN THE  
HARCUVAR MOUNTAINS  
YUMA COUNTY, ARIZONA

For:

Mr. Alfred T. Morgan  
Yuma, Arizona

By:

Silas C. Brown, Geologist  
Tempe, Arizona  
June 1976

SILAS C. BROWN & ASSOCIATES  
GEOLOGICAL CONSULTANTS

A GENERAL GEOLOGICAL STUDY  
OF PATENTED CLAIMS IN THE  
HARCUVAR MOUNTAINS  
YUMA COUNTY, ARIZONA

INTRODUCTION

At the request of Mr. Alfred T. Morgan, a general geological study was made of 15 patented mining claims situated in the Harcuvar Mountains. The primary purpose of the study was to determine if minerals of commercial value may be present and attempt to locate the claims in relation to U. S. M. M. 2927. A plane-table survey showed that many of the corners were difficult to ascertain because of the many conflicting monuments present. No new mining activity was observed on any of the patented or adjacent claims.

The classification of rocks on the Yuma County geological map is only approximate as the map is based on reconnaissance work only. All of the patented claims are in the relatively complex pre-Cambrian schist and associated crystalline rocks. Some Quaternary and Tertiary consolidated gravels crop out in the wash on the Bullock claim which may have a placer gold potential. No attempt was made to map the geology in detail as such a survey would take weeks or even months to complete.

LOCATION AND ACCESSIBILITY

The Harcuvar Range is a prominent mountain range which trends in a northeast-southwest direction and is in northeastern part of Yuma County. The highest point in the range is Harcuvar Peak with an elevation of 4618 feet

above sea level. This is in contrast to Butler Valley to the northwest with elevations below 1500 feet and McMullen valley on the southeast with an elevation of about 1800 feet near Centennial Wash about 2 miles southeast of Salome. The Patented claims have elevations ranging between 2000 and 2400 feet above sea level.

The area studied is situated on the northwest flank and in the western part of the Harcuval Mountains. More specifically, the claims confined to Sections 35 & 36, Township 7 North, Range 14 West, and Sections 1, 2, & 12, Township 6 North, Range 14 West, Yuma County, Arizona.

The area is accessible by a fairly well maintained road from Salome northward through Tank Pass, a distance of about 10 miles then about 3 to 4 miles of jeep trails.

#### GENERAL GEOLOGY

The area consists of a relatively complex series of igneous and metamorphic rocks with pre-Cambrian schist being the most prominent. Tertiary-Cretaceous granites and associated intrusive crystalline rocks crop out west of the claim area. These younger rocks have been intruded into the pre-Cambrian schist and associated rocks near Cunningham Pass to the east as well as to the west. All of the claims are situated in the pre-Cambrian schist.

Gravel mantled pediments are trenched by arroyos which expose steeply dipping metamorphosed schist in a few places. The most prominent outcrop is in the wash running through the Bullock claim. The basal channel sand in the gravels and the bedrock riffles of the wash should be a good place to check for placer gold.

The pre-Cambrian rocks are predominantly mica schist, however, related crystalline rocks are present to a lesser degree. Granite gneiss is present but the larger

outcrop area lies to the east of the Patented claims. smaller areas of altered granite are present but they are spotty. The pre-Cambrian rocks have been intruded by dikes and veins of Tertiary-Cretaceous age. The dikes range from N 25° to 45° W. with local variations. The quartz veins have no particular pattern except where they occur as part of the dike material.

One small patch of Tertiary-Cretaceous extrusive andesite was observed near the U.S.M.M. 2927. It appeared to be a small volcanic plug with a minor flow.

#### Dikes and Veins

The dikes and veins in the pre-Cambrian schist are intrusives from the main Tertiary-Cretaceous intrusive mass to the west and from another mass near the Cunningham Pass area on the east. These intrusive masses are probably interconnected under the older schist.

Several prominent iron-oxide dikes pass through the area. Abundant quartz is generally associated and are part of these dikes. The iron-rich dikes range up to about 10 feet in thickness but average 2 to 3 feet for the most part. Quartz veins are abundant and have a general northwest trend, however, they strike in every direction. Most quartz veins are 1 to 3 feet wide but are up to 20 or 25 feet wide locally, or they may have a plug-like occurrence where a whole hill is composed of broken quartz.

On the Bullock and Bullock #1 claims, the dike is quartz-iron oxide with some druzy quartz. The dike is about 8 feet wide at the old mine operation which consists of a shaft and several cuts. The presence of fire brick indicates the mine was worked for gold and possibly silver. Some copper oxide and barite was also present.

The dikes and veins are the main mineralized rocks, however, fault zones and contact metamorphics also have potential. Copper oxides occur on the surface in many places. Primary minerals such as chalcopyrite, cuprite, bornite, etc. may occur below the water table which fluctuates widely with the seasons.

PATENTED CLAIM SURVEY - 1911 to 1913

All of the Patented claims were surveyed between July 1911 and July 1913 and marked with a stone about 12 inches average above the ground and a rock cairn built around it. Chisel markings show a cross at the exact claim corner, the corner number, claim designation and the survey number.

The mineral survey gave an approximate location of the claims in the Section, Township and Range but these were generally incorrect since the survey was made prior to the land survey.

Township 7 North was surveyed in 1914, at which time brass caps were set at the section corners. Township 6 North has not been surveyed to date.

PLANE TABLE SURVEY - 1976

Two Section corners along the Township line between 6 and 7 North were shot-in. The U.S.M.M. 2927 was tied to these corners and properly located in Section 1-T6N-R14W.

Shot point #6 was on the discovery monument for Cottonwood Pass and shot point #10 was on the northwest corner (corner #1 of Grand Prize. Shot point #22 was on the common corners of Nevin #2, 3 & 5. The upright rock corner marker had chisel marks 3N3, 4N5 - 3066 & 2982 which indicates corner #3 of Nevin 3 and corner #4 of Nevin 5 tied by surveys numbered 3066 and 2982. The abstract shows this to be the common corner with Nevin #2.

### CLAIM CONFLICTS

The Grand Prize and Grand View claims are in conflict with the Good Hope and Whitehouse claims. These latter claims are shown on the map as dashed lines. It is not known if the Good Hope and Whitehouse are Patented, however, they were unsurveyed in May 1913 when Grand Prize and Grand View were surveyed.

No mining activity has taken place on the Patented or adjacent claims in the past several years.

The overlap of the Up To Date and Geronomo 5 claims appear relatively unimportant since both are in the Morgan Patented group. The abstract shows the Up To Date claim as having 20.611 acres and the Geronomo 5 with 20.660 acres indicating this conflict was at least partially taken into consideration at the time of the survey.

### CONCLUSIONS & RECOMMENDATIONS

All of the claims have dike and vein material present. Many shafts and cuts have been worked and some dumps indicate considerable ore has been mined locally. Please see Table 1 for mining activity prior to April 1913. Some mining no doubt took place after that date, however, no activity has taken place during the past several years. With the higher prices paid for gold, silver, copper, tungsten and associated minerals, many of the old prospects should be revalued. This can only be done by more detailed geological, geophysical, geochemical and other studies which will determine the size of a core drilling program.

It is recommended the claims be presented to major mining companies, allowing their geologists free access to the property for preliminary mineral evaluation studies. It should be agreed that copies of all geological and geophysical reports, maps, assays and other data be given to

the claim owner whether or not a lease purchase agreement is negotiated.

Any cash payments made to the claim owner by the mining company should be treated as advanced royalty payments for tax purposes.

If a lease purchase agreement is negotiated, a reasonable minimum footage should be drilled per year. The size of the drilling program, i.e., the number and depth of the holes, will depend on the results of the surface evaluation.



TABLE 1.

MINING ACTIVITY STATUS TO APRIL 1913

Name	Mining Activity	Strike of main dike or vein	Acreage
Driscoll #1	2 shafts, Max. 20'	N 25° W	20.661
Driscoll	6 shafts, Max. 26'	N 25° W	20.661
Grand Prize	1 shaft, Max. 33' 1 cut 1 drift	N 35° W	17.063
Grandview	2 shafts, Max. 14' 1 Tunnel 9' 2 cuts	N 35° W	20.640
Bullock	1 shaft Max. 63'? 1 or 2 cuts	N 35° W	20.661
Bullock #1	1 cut	N 35° W	20.661
Bullock #2	1 shaft, Max 7' 1 drift	N 35° W	20.661
Bullock #3	2 shafts, Max. 17'	N 35° W	20.661
Nevin #2	1 shaft, Max. 20' 1 cut	N 35° W	20.661
Nevin #3	5 shafts, Max. 6' 3 or 4 cuts	N 35° W	20.661
Nevin #5	5 or 6 shafts, Max. 12'	N 35° W	20.661
Cottonwood Pass	4 shafts, Max. 22'?	N 35° W	20.641
Up To Date	4 shafts, Max. 16'? 2 cuts	N 35° to 45° W	20.611
Geronomo #5	1 shaft, Max. 8'	N 35° W	20.660
Total ac.			306.225

Note: Location of old camp site, since fallen down,  
is on the Bullock claim.

ALFRED T. MORGAN  
317 20TH AVE.  
YUMA, ARIZ.  
85364



1776-1976

PHONE 966-6567

MON.-FRI. 8:30-5:30

SAT. 9:00-12:00

**XEROX COPIES 5c**

---

*No Minimum*

**MARICOPA COPIES**

720 MILL AVE.

TEMPE, ARIZONA 85281

Xerox

copy

SILAS C. BROWN & ASSOCIATES  
GEOLOGICAL CONSULTANTS

A GENERAL GEOLOGICAL STUDY  
OF PATENTED CLAIMS IN THE  
HARCUVAR MOUNTAINS  
YUMA COUNTY, ARIZONA

For:

Mr. Alfred T. Morgan  
Yuma, Arizona

By:

Silas C. Brown, Geologist  
Tempe, Arizona  
June 1976

SILAS C. BROWN & ASSOCIATES  
GEOLOGICAL CONSULTANTS

A GENERAL GEOLOGICAL STUDY  
OF PATENTED CLAIMS IN THE  
HARCUVAR MOUNTAINS  
YUMA COUNTY, ARIZONA

INTRODUCTION

At the request of Mr. Alfred T. Morgan, a general geological study was made of 15 patented mining claims situated in the Harcuvar Mountains. The primary purpose of the study was to determine if minerals of commercial value may be present and attempt to locate the claims in relation to U. S. M. M. 2927. A plane-table survey showed that many of the corners were difficult to ascertain because of the many conflicting monuments present. No new mining activity was observed on any of the patented or adjacent claims.

The classification of rocks on the Yuma County geological map is only approximate as the map is based on reconnaissance work only. All of the patented claims are in the relatively complex pre-Cambrian schist and associated crystalline rocks. Some Quaternary and Tertiary consolidated gravels crop out in the wash on the Bullock claim which may have a placer gold potential. No attempt was made to map the geology in detail as such a survey would take weeks or even months to complete.

LOCATION AND ACCESSIBILITY

The Harcuvar Range is a prominent mountain range which trends in a northeast-southwest direction and is in northeastern part of Yuma County. The highest point in the range is Harcuvar Peak with an elevation of 4618 feet

above sea level. This is in contrast to Butler Valley to the northwest with elevations below 1500 feet and McMullen valley on the southeast with an elevation of about 1800 feet near Centennial Wash about 2 miles southeast of Salome. The Patented claims have elevations ranging between 2000 and 2400 feet above sea level.

The area studied is situated on the northwest flank and in the western part of the Harcuval Mountains. More specifically, the claims confined to Sections 35 & 36, Township 7 North, Range 14 West, and Sections 1, 2, & 12, Township 6 North, Range 14 West, Yuma County, Arizona.

The area is accessible by a fairly well maintained road from Salome northward through Tank Pass, a distance of about 10 miles then about 3 to 4 miles of jeep trails.

#### GENERAL GEOLOGY

The area consists of a relatively complex series of igneous and metamorphic rocks with pre-Cambrian schist being the most prominent. Tertiary-Cretaceous granites and associated intrusive crystalline rocks crop out west of the claim area. These younger rocks have been intruded into the pre-Cambrian schist and associated rocks near Cunningham Pass to the east as well as to the west. All of the claims are situated in the pre-Cambrian schist.

Gravel mantled pediments are trenched by arroyos which expose steeply dipping metamorphosed schist in a few places. The most prominent outcrop is in the wash running through the Bullock claim. The basal channel sand in the gravels and the bedrock riffles of the wash should be a good place to check for placer gold.

The pre-Cambrian rocks are predominantly mica schist, however, related crystalline rocks are present to a lesser degree. Granite gneiss is present but the larger

outcrop area lies to the east of the Patented claims. smaller areas of altered granite are present but they are spotty. The pre-Cambrian rocks have been intruded by dikes and veins of Tertiary-Cretaceous age. The dikes range from N 25° to 45° W. with local variations. The quartz veins have no particular pattern except where they occur as part of the dike material.

One small patch of Tertiary-Cretaceous extrusive andesite was observed near the U.S.M.M. 2927. It appeared to be a small volcanic plug with a minor flow.

#### Dikes and Veins

The dikes and veins in the pre-Cambrian schist are intrusives from the main Tertiary-Cretaceous intrusive mass to the west and from another mass near the Cunningham Pass area on the east. These intrusive masses are probably interconnected under the older schist.

Several prominent iron-oxide dikes pass through the area. Abundant quartz is generally associated and are part of these dikes. The iron-rich dikes range up to about 10 feet in thickness but average 2 to 3 feet for the most part. Quartz veins are abundant and have a general northwest trend, however, they strike in every direction. Most quartz veins are 1 to 3 feet wide but are up to 20 or 25 feet wide locally, or they may have a plug-like occurrence where a whole hill is composed of broken quartz.

On the Bullock and Bullock #1 claims, the dike is quartz-iron oxide with some drusy quartz. The dike is about 8 feet wide at the old mine operation which consists of a shaft and several cuts. The presence of fire brick indicates the mine was worked for gold and possibly silver. Some copper oxide and barite was also present.

The dikes and veins are the main mineralized rocks, however, fault zones and contact metamorphics also have potential. Copper oxides occur on the surface in many places. Primary minerals such as chalcopyrite, cuprite, bornite, etc. may occur below the water table which fluctuates widely with the seasons.

PATENTED CLAIM SURVEY - 1911 to 1913

All of the Patented claims were surveyed between July 1911 and July 1913 and marked with a stone about 12 inches average above the ground and a rock cairn built around it. Chisel markings show a cross at the exact claim corner, the corner number, claim designation and the survey number.

The mineral survey gave an approximate location of the claims in the Section, Township and Range but these were generally incorrect since the survey was made prior to the land survey.

Township 7 North was surveyed in 1914, at which time brass caps were set at the section corners. Township 6 North has not been surveyed to date.

PLANE TABLE SURVEY - 1976

Two Section corners along the Township line between 6 and 7 North were shot-in. The U.S.M.M. 2927 was tied to these corners and properly located in Section 1-T6N-R14W.

Shot point #6 was on the discovery monument for Cottonwood Pass and shot point #10 was on the northwest corner (corner #1 of Grand Prize. Shot point #22 was on the common corners of Nevin #2, 3 & 5. The upright rock corner marker had chisel marks 3N3, 4N5 - 3066 & 2982 which indicates corner #3 of Nevin 3 and corner #4 of Nevin 5 tied by surveys numbered 3066 and 2982. The abstract shows this to be the common corner with Nevin #2.

### CLAIM CONFLICTS

The Grand Prize and Grand View claims are in conflict with the Good Hope and Whitehouse claims. These latter claims are shown on the map as dashed lines. It is not known if the Good Hope and Whitehouse are Patented, however, they were unsurveyed in May 1913 when Grand Prize and Grand View were surveyed.

No mining activity has taken place on the Patented or adjacent claims in the past several years.

The overlap of the Up To Date and Geronomo 5 claims appear relatively unimportant since both are in the Morgan Patented group. The abstract shows the Up To Date claim as having 20.611 acres and the Geronomo 5 with 20.660 acres indicating this conflict was at least partially taken into consideration at the time of the survey.

### CONCLUSIONS & RECOMMENDATIONS

All of the claims have dike and vein material present. Many shafts and cuts have been worked and some dumps indicate considerable ore has been mined locally. Please see Table 1 for mining activity prior to April 1913. Some mining no doubt took place after that date, however, no activity has taken place during the past several years. With the higher prices paid for gold, silver, copper, tungsten and associated minerals, many of the old prospects should be revalued. This can only be done by more detailed geological, geophysical, geochemical and other studies which will determine the size of a core drilling program.

It is recommended the claims be presented to major mining companies, allowing their geologists free access to the property for preliminary mineral evaluation studies. It should be agreed that copies of all geological and geophysical reports, maps, assays and other data be given to

the claim owner whether or not a lease purchase agreement is negotiated.

Any cash payments made to the claim owner by the mining company should be treated as advanced royalty payments for tax purposes.

If a lease purchase agreement is negotiated, a reasonable minimum footage should be drilled per year. The size of the drilling program, i.e., the number and depth of the holes, will depend on the results of the surface evaluation.



TABLE 1.

MINING ACTIVITY STATUS TO APRIL 1913

Name	Mining Activity	Strike of main dike or vein	Acreage
Driscoll #1	2 shafts, Max. 20'	N 25° W	20.661
Driscoll	6 shafts, Max. 26'	N 25° W	20.661
Grand Prize	1 shaft, Max. 33' 1 cut 1 drift	N 35° W	17.063
Grandview	2 shafts, Max. 14' 1 Tunnel 9' 2 cuts	N 35° W	20.640
Bullock	1 shaft Max. 63'? 1 or 2 cuts	N 35° W	20.661
Bullock #1	1 cut	N 35° W	20.661
Bullock #2	1 shaft, Max 7' 1 drift	N 35° W	20.661
Bullock #3	2 shafts, Max. 17'	N 35° W	20.661
Nevin #2	1 shaft, Max. 20' 1 cut	N 35° W	20.661
Nevin #3	5 shafts, Max. 6' 3 or 4 cuts	N 35° W	20.661
Nevin #5	5 or 6 shafts, Max. 12'	N 35° W	20.661
Cottonwood Pass	4 shafts, Max. 22'?	N 35° W	20.641
Up To Date	4 shafts, Max. 16'? 2 cuts	N 35° to 45° W	20.611
Geronomo #5	1 shaft, Max. 8'	N 35° W	20.660
Total ac.			306.225

Note: Location of old camp site, since fallen down,  
is on the Bullock claim.

TABLE I.

MINING ACTIVITY STATUS TO APRIL 1913

Name	Mining Activity	Strike of main dike or vein	Acreage
Driscoll #1	2 shafts, Max. 20'	N 25° W	20.661
Driscoll	6 shafts, Max. 26'	N 25° W	20.661
Grand Prize	1 shaft, Max. 33' 1 cut 1 drift	N 35° W	17.063
Grandview	2 shafts, Max. 14' 1 Tunnel 9' 2 cuts	N 35° W	20.640
Bullock	1 shaft Max. 63'? 1 or 2 cuts	N 35° W	20.661
Bullock #1	1 cut	N 35° W	20.661
Bullock #2	1 shaft, Max 7' 1 drift	N 35° W	20.661
Bullock #3	2 shafts, Max. 17'	N 35° W	20.661
Nevin #2	1 shaft, Max. 20' 1 cut	N 35° W	20.661
Nevin #3	5 shafts, Max. 6' 3 or 4 cuts	N 35° W	20.661
Nevin #5	5 or 6 shafts, Max. 12'	N 35° W	20.661
Cottonwood Pass	4 shafts, Max. 22'?	N 35° W	20.641
Up To Date	4 shafts, Max. 16'? 2 cuts	N 35° to 45° W	20.611
Geronomo #5	1 shaft, Max. 8'	N 35° W	20.660
Total ac.			306.225

Note: Location of old camp site, since fallen down,  
is on the Bullock claim.

Original

$$\begin{array}{r} 1200 \\ 200 \\ \hline \end{array}$$

$$\begin{array}{r} 1000 \\ 250 \\ \hline 250- \end{array} \quad \begin{array}{r} 750 \\ 525 \\ \hline 225 \end{array}$$

12.55

1023.23

2235.78

1023.23

223.23

Expenses

Savings

800.00

Jan to Feb

SILAS C. BROWN & ASSOCIATES  
GEOLOGICAL CONSULTANTS

A GENERAL GEOLOGICAL STUDY  
OF PATENTED CLAIMS IN THE  
HARCUVAR MOUNTAINS  
YUMA COUNTY, ARIZONA

For:  
Mr. Alfred T. Morgan  
Yuma, Arizona

By:  
Silas C. Brown, Geologist  
Tempe, Arizona  
June 1976

SILAS C. BROWN & ASSOCIATES  
GEOLOGICAL CONSULTANTS

A GENERAL GEOLOGICAL STUDY  
OF PATENTED CLAIMS IN THE  
HARCUVAR MOUNTAINS  
YUMA COUNTY, ARIZONA

INTRODUCTION

At the request of Mr. Alfred T. Morgan, a general geological study was made of 15 patented mining claims situated in the Harcuvar Mountains. The primary purpose of the study was to determine if minerals of commercial value may be present and attempt to locate the claims in relation to U. S. M. M. 2927. A plane-table survey showed that many of the corners were difficult to ascertain because of the many conflicting monuments present. No new mining activity was observed on any of the patented or adjacent claims.

The classification of rocks on the Yuma County geological map is only approximate as the map is based on reconnaissance work only. All of the patented claims are in the relatively complex pre-Cambrian schist and associated crystalline rocks. Some Quaternary and Tertiary consolidated gravels crop out in the wash on the Bullock claim which may have a placer gold potential. No attempt was made to map the geology in detail as such a survey would take weeks or even months to complete.

LOCATION AND ACCESSIBILITY

The Harcuvar Range is a prominent mountain range which trends in a northeast-southwest direction and is in northeastern part of Yuma County. The highest point in the range is Harcuvar Peak with an elevation of 4618 feet

above sea level. This is in contrast to Butler Valley to the northwest with elevations below 1500 feet and McMullen valley on the southeast with an elevation of about 1800 feet near Centennial Wash about 2 miles southeast of Salome. The Patented claims have elevations ranging between 2000 and 2400 feet above sea level.

The area studied is situated on the northwest flank and in the western part of the Harcuval Mountains. More specifically, the claims confined to Sections 35 & 36, Township 7 North, Range 14 West, and Sections 1, 2, & 12, Township 6 North, Range 14 West, Yuma County, Arizona.

The area is accessible by a fairly well maintained road from Salome northward through Tank Pass, a distance of about 10 miles then about 3 to 4 miles of jeep trails.

#### GENERAL GEOLOGY

The area consists of a relatively complex series of igneous and metamorphic rocks with pre-Cambrian schist being the most prominent. Tertiary-Cretaceous granites and associated intrusive crystalline rocks crop out west of the claim area. These younger rocks have been intruded into the pre-Cambrian schist and associated rocks near Cunningham Pass to the east as well as to the west. All of the claims are situated in the pre-Cambrian schist.

Gravel mantled pediments are trenched by arroyos which expose steeply dipping metamorphosed schist in a few places. The most prominent outcrop is in the wash running through the Bullock claim. The basal channel sand in the gravels and the bedrock riffles of the wash should be a good place to check for placer gold.

The pre-Cambrian rocks are predominantly mica schist, however, related crystalline rocks are present to a lesser degree. Granite gneiss is present but the larger

outcrop area lies to the east of the Patented claims. smaller areas of altered granite are present but they are spotty. The pre-Cambrian rocks have been intruded by dikes and veins of Tertiary-Cretaceous age. The dikes range from N 25° to 45° W. with local variations. The quartz veins have no particular pattern except where they occur as part of the dike material.

One small patch of Tertiary-Cretaceous extrusive andesite was observed near the U.S.M.M. 2927. It appeared to be a small volcanic plug with a minor flow.

#### Dikes and Veins

The dikes and veins in the pre-Cambrian schist are intrusives from the main Tertiary-Cretaceous intrusive mass to the west and from another mass near the Cunningham Pass area on the east. These intrusive masses are probably interconnected under the older schist.

Several prominent iron-oxide dikes pass through the area. Abundant quartz is generally associated and are part of these dikes. The iron-rich dikes range up to about 10 feet in thickness but average 2 to 3 feet for the most part. Quartz veins are abundant and have a general northwest trend, however, they strike in every direction. Most quartz veins are 1 to 3 feet wide but are up to 20 or 25 feet wide locally, or they may have a plug-like occurrence where a whole hill is composed of broken quartz.

On the Bullock and Bullock #1 claims, the dike is quartz-iron oxide with some druzy quartz. The dike is about 8 feet wide at the old mine operation which consists of a shaft and several cuts. The presence of fire brick indicates the mine was worked for gold and possibly silver. Some copper oxide and barite was also present.

The dikes and veins are the main mineralized rocks, however, fault zones and contact metamorphics also have potential. Copper oxides occur on the surface in many places. Primary minerals such as chalcopyrite, cuprite, bornite, etc. may occur below the water table which fluctuates widely with the seasons.

#### PATENTED CLAIM SURVEY - 1911 to 1913

All of the Patented claims were surveyed between July 1911 and July 1913 and marked with a stone about 12 inches average above the ground and a rock cairn built around it. Chisel markings show a cross at the exact claim corner, the corner number, claim designation and the survey number.

The mineral survey gave an approximate location of the claims in the Section, Township and Range but these were generally incorrect since the survey was made prior to the land survey.

Township 7 North was surveyed in 1914, at which time brass caps were set at the section corners. Township 6 North has not been surveyed to date.

#### PLANE TABLE SURVEY - 1976

Two Section corners along the Township line between 6 and 7 North were shot-in. The U.S.M.M. 2927 was tied to these corners and properly located in Section 1-T6N-R14W.

Shot point #6 was on the discovery monument for Cottonwood Pass and shot point #10 was on the northwest corner (corner #1 of Grand Prize. Shot point #22 was on the common corners of Nevin #2, 3 & 5. The upright rock corner marker had chisel marks 3N3, 4N5 - 3066 & 2982 which indicates corner #3 of Nevin 3 and corner #4 of Nevin 5 tied by surveys numbered 3066 and 2982. The abstract shows this to be the common corner with Nevin #2.

### CLAIM CONFLICTS

The Grand Prize and Grand View claims are in conflict with the Good Hope and Whitehouse claims. These latter claims are shown on the map as dashed lines. It is not known if the Good Hope and Whitehouse are Patented, however, they were unsurveyed in May 1913 when Grand Prize and Grand View were surveyed.

No mining activity has taken place on the Patented or adjacent claims in the past several years.

The overlap of the Up To Date and Geronomo 5 claims appear relatively unimportant since both are in the Morgan Patented group. The abstract shows the Up To Date claim as having 20.611 acres and the Geronomo 5 with 20.660 acres indicating this conflict was at least partially taken into consideration at the time of the survey.

### CONCLUSIONS & RECOMMENDATIONS

All of the claims have dike and vein material present. Many shafts and cuts have been worked and some dumps indicate considerable ore has been mined locally. Please see Table 1 for mining activity prior to April 1913. Some mining no doubt took place after that date, however, no activity has taken place during the past several years. With the higher prices paid for gold, silver, copper, tungsten and associated minerals, many of the old prospects should be revalued. This can only be done by more detailed geological, geophysical, geochemical and other studies which will determine the size of a core drilling program.

It is recommended the claims be presented to major mining companies, allowing their geologists free access to the property for preliminary mineral evaluation studies. It should be agreed that copies of all geological and geophysical reports, maps, assays and other data be given to

the claim owner whether or not a lease purchase agreement is negotiated.

Any cash payments made to the claim owner by the mining company should be treated as advanced royalty payments for tax purposes.

If a lease purchase agreement is negotiated, a reasonable minimum footage should be drilled per year. The size of the drilling program, i.e., the number and depth of the holes, will depend on the results of the surface evaluation.



2401 W. Southern Ave., B-78  
Tempe, Ariz. 85282  
June 12, 1978

Mr. Alfred T. Morgan  
317 20th Avenue  
Yuma, Arizona 85364

Dear Mr. Morgan:

My records show that Jim Fulton and I made a reconnaissance field trip to your claims NW of Salome on May 6, 1976. You accompanied us and furnished transportation, meals and other expenses.

The reconnaissance survey showed that considerable time would be necessary to locate section corners, claim corners and the U.S. Mineral Monument in very rough terrain. We recommended you and your assistants locate and flag the above corners, etc prior to the plane-table survey in order to reduce professional fees and expenses.

From May 17 thru May 20, 1976, you, Mr. Fulton and I made the plane table survey. You had found and flagged some of the claims corners, section corners and U. S. Mineral Monument 2927. This was tedious and time consuming work because of conflicts with patented and unpatented claims and of course the rough terrain.

Mr. Fulton made a field check on June 3rd to clarify a possible conflict between certain claims and to confirm certain field data. Food and miscellaneous expenses were included in my statement of June 20, 1976. A photostat copy is enclosed for your information. I can't remember if you met Mr. Fulton when he was in the field that trip.

These expenses and professional fees are subject to Income Tax write-off. I hope this clarifies our account on this project, however, if you have other questions please contact me.

Sincerely,

S. C. Brown

Encl:

2401 W. Southern Ave. B-78  
Tempe, Ariz. 85282

Ph: (602) 966-7874

June 20, 1976

STATEMENT

Mr. Alfred T. Morgan  
P. O. Box 851  
Yuma, Ariz. 85364

Professional Services: May & June, 1976

General geological study, plane-table  
survey and report on 15 Patented Claims  
in the Harcuvar Mts., Yuma Co., Ariz.

Services ----- \$2000.00

Expenses:

Truck rental - 4 days	\$118.64	
Gas	30.40	
Lodging & some food	53.09	
Add'l food & groceries	19.15	
Bal. of food Pd by ATM		
BLM Plats	6.00	
Phone	\$ 8.40	
	<u>\$235.78</u>	----- \$ 235.78
Total due		<u>\$2235.78</u>

Thank you,

*S. C. Brown*  
S. C. Brown

*Rec'd CK #1225*

*July 1, 1976*

*Pd in full.*

# NOBLE TRANSPORT, INC.

a wholly owned subsidiary of B. F. WALKER, inc.

1555 TREMONT PLACE ■ DENVER, COLORADO 80202 ■ PHONE 303 892-1200

*Secret*

Rockchip Geochem. IP and surface assays samples.

It should be agreed that copies of all reports, maps, assays be given to the claim owner whether not a lease purchase agreement is assumed at.

Mr Alfred T. Morgan

P.O. Box 857

Yuma, Ariz

783-3624 ← Phone

Silas C. Brown, Geologist

1855 TREMONT PLACE DENVER, COLORADO 80202 PHONOS 885-1500  
Proj Services — 2000<sup>00</sup>  
S.E. Brown + J.T. Fulton

Expenses:

Car Rental

Meals<sup>gas</sup>

Bal. of meals pd by ALM

Hotel

317 - 20 <sup>th</sup> Ave

Yuma, 85364

\$250 day

8		2000	
		16	
		<u>400</u>	
		40	

a loan purchase agreement.

Flexibility in necessary regarding the amount of each + GRN + other toward

2401 W. Southern Ave. B-78  
Tempe, Ariz. 85282  
June 22, 1976

Mr. Alfred T. Morgan  
317 - 20th Avenue  
Yuma, Arizona 85364

Dear Al:

Enclosed are two copies of the report on the patented claims in the Harcuvar Mountains of Yuma County. Also enclosed is a Statement for services rendered. We shall be glad to answer any questions should you have any.

The U.S.M.M. 2927 was on top of the hill to the east of the rock cairn flagged. It is well marked and is only about 550 feet from our shot point #10 and this shot point is a corner for the Grand Prize claim. This puts the marker found by Jimmie at shot point #22 as being a correct location and is the common corner of Nevin 2, 3 & 5. This throws the big mine off your claims but does put the old mine camp and "gold" dike on the Bullock claim.

There are several geologists with the majors staying in Wickenburg and I think we can get some of them interested in making a preliminary study for their company. We shall be glad to make the approach if you so desire.

I have been busy but mostly on income tax. My accountant came up with a large amount due when I thought I had paid plenty in on the estimate. Anyway I have a very short time to come up with a pot full of money to take care of it. Possibly I need a new accountant but he's the only one who knows my business after 25 years.

Hope to see you soon. Come up when you have the time - its going to be cool this week.

Sincerely,



# NOBLE TRANSPORT, INC.

a wholly owned subsidiary of B. F. WALKER, inc.

1555 TREMONT PLACE ■ DENVER, COLORADO 80202 ■ PHONE 303 892-1200

*Courtesy Egan Rentals*

TRUCK RENTAL 4 DAY	118.64
GAS-	30.40
LOADING FOOD	58.09
Food	14.65
Tele.	JIF { 6.45
	sum } 2.00
	<u>8.45</u>

423 miles

GEN Groc 4.50

BLM Plale 6.00

10.50

Phone 2.00

12.50

GAS 850

650

660

880

3040


FOOD

512

953

1465

HEAVY SPECIALIZED TRANSPORTATION



QTs Quaternary-Tertiary sediments  
 pCs Pre-Cambrian schist & related crystalline rocks  
 TKv Tertiary-Cretaceous volcanics


**ALFRED T. MORGAN**

**A GENERAL GEOLOGICAL STUDY  
 OF PATENTED CLAIMS IN THE  
 HARCUVAR MOUNTAINS  
 YUMA COUNTY, ARIZONA**

SCALE: 1 inch = 1000 feet  
 0 1000 2000 3000ft.

SILAS C. BROWN & ASSOCIATES      TEMPE, ARIZONA  
 SILAS C. BROWN, GEOLOGIST      JUNE 1976





QTs Quaternary-Tertiary sediments  
 pCs Pre-Cambrian schist & related crystalline rocks  
 TKv Tertiary-Cretaceous volcanics

**ALFRED T. MORGAN**

**A GENERAL GEOLOGICAL STUDY  
 OF PATENTED CLAIMS IN THE  
 HARCUVAR MOUNTAINS  
 YUMA COUNTY, ARIZONA**

SCALE: 1 inch = 1000 feet  
 0      1000      2000      3000ft.

SILAS C. BROWN & ASSOCIATES      TEMPE, ARIZONA  
 SILAS C. BROWN, GEOLOGIST      JUNE 1976

