CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
416 W. Congress St., Suite 100
Tucson, Arizona 85701
520-770-3500
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the

Richard Mieritz Mining Collection

**ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

**CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

**QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

Fred S. Hofman off - 685-1837
hm - 922-7001
Chuck Haggerty 398-2304 -

REPLY TO:
~~XXXXXXXXXXXXXXXXXX~~
PHOENIX, ARIZONA 850~~XX~~16
TELEPHONE (602) 277-6053
2940 N. Casa Tomas

# Richard E. Mieritz

MINING CONSULTANT

ARIZONA REGISTERED
MINING ENGINEER AND GEOLOGIST

GEOLOGY
EXPLORATION
EVALUATION
FEASIBILITY
OPERATION

September 27, 1976

## LETTER OF CERTIFICATION

I, Richard E. Mieritz of 2940 N. Casa Tomas, Phoenix, Arizona, Maricopa County, do hereby certify that:

(1) I am a mining engineer, graduated from the University of Wisconsin with the degree of Bachelor of Science in 1939.

(2) I have practised my profession continuously since then, receiving my Arizona State Registration as a Mining Engineer in 1956 and my Arizona State Registration as a Geologist in 1970, being a member in good standing.

(3) The report to which this letter is attached and part of, has been prepared on the basis of personal observations on and of the property, on the writer's general knowledge of the area and the review and study of available factual data.

(4) I have no direct nor indirect interest in the property.

(5) I have no direct nor indirect interest, nor do I expect to receive any interest, direct or indirect, in the properties or the securities of Pacific Resources Development Ltd., Vancouver, B. C., Canada, or its affiliates.




Respectfully submitted,

R. E. Mieritz
Mining Consultant
Phoenix, Arizona

A

# GEOLOGIC and EVALUATION REPORT

on the

# BRICK SILVER CLAIMS

in the

Oro Blanco Mining District

Santa Cruz County, Arizona

by

Richard E. Mieritz
Mining Consultant
Phoenix, Arizona

September 27, 1976

TABLE of CONTENTS


| | Page |
|---|---|
| INTRODUCTION | 1 |
| PROPERTY, LOCATION and ACCESSIBILITY | 1 |
| FACILITIES | 2 |
| HISTORY, DEVELOPMENT and PRODUCTION | 2 |
| GENERAL GEOLOGY | 3 |
| MINERALIZATION | 4 |
| EXPLORATION | 5 |
| PROJECT POTENTIAL | 5 |
| EXPLORATION REQUIREMENTS and COSTS | 5 |


Included Exhibits:

Assay Certificate - Jacobs Assay Office
Map No. 1 - INDEX Map - Southwest Arizona
Map No. 2 - REGIONAL GEOLOGIC Map - Portion of Santa Cruz County, Arizona
Map No. 3 - CLAIM Map - Brick Claims
Map No. 4 - MAP of UNDERGROUND WORKINGS - Brick Mine
Map No. 5 - V.L.F.-EM MAP - Brick Mine Area

INTRODUCTION:

At the request of and authorization by Pacific Resources Development Ltd. through Mr. Fred S. Hofman, Director, both of Vancouver, B.C., the writer examined the Brick group of silver claims in the Oro Blanco Mining District, Santa Cruz County, Arizona.

This report is based on the writer's field examination completed on September 13th and 14th, on factual data provided by the owners of the claims and on the writer's geologic knowledge and experience of the general area in which the property is located.

PROPERTY, LOCATION and ACCESSIBILITY:

The property consists of 26 standard unpatented lode mining claims held by right of location. Assessment work is current as indicated by the latest Affidavit of proof of labor, thus the claims should be legally valid. Twenty-five claims are owned by Mr. Charles Hagerty, Arivaca, Arizona, and one claim - the Brick - is owned by Mr. A. L. Grasmoen, Prescott, Arizona.

Claims statistics are:

| Claim Name | Date Located | Recorded Book - Page |
|---|---|---|
| Brick Am'd. | August 1939 | 147 - 644 |
| Triple H #30 | 12/17/63 | 49 - 602 |
| Triple H #31 | 12/18/63 | 49 - 603 |
| Triple H #51 | 11/7/63 | 48 - 456 |
| Triple H #52 | 11/4/63 | 48 - 457 |
| Triple H #53 | 11/6/63 | 48 - 370 |
| Triple H #55 | 11/6/63 | 48 - 372 |
| Triple H #56 | 11/6/63 | 48 - 373 |
| Triple H #57 | 11/7/63 | 48 - 374 |
| Triple H #58 | 11/4/63 | 48 - 375 |
| Triple H #59 | ~~11/8/63~~ | ~~48 - 452~~ |
| Triple H #60 | ~~11/8/63~~ | ~~48 - 459~~ |
| Triple H #61 | 11/8/63 | 48 - 460 |
| Triple H #62 | 11/8/63 | 48 - 461 |
| Triple H #66 | 11/11/63 | 48 - 554 |
| Triple H #67 | 11/11/63 | 49 - 24 |
| Bell | 9/2/72 | 147 - 643 |
| ~~La Paz~~ | ~~9/2/72~~ | ~~147 - 645~~ |
| Rubiana N. Frac. Annex | 9/2/72 | 147 - 646 |
| Rubiana Am'd. | 9/2/72 | 147 - 647 |
| Santa Clara Am'd. | 9/2/72 | 147 - 648 |
| Brown Dog | 9/2/72 | 148 - 103 |
| Protection NW Ex. | 9/2/72 | 148 - 104 |
| ~~Ruff & Ready No. 1~~ | ~~9/2/72~~ | ~~148 - 105~~ |
| R. K. Horse | 2/15/39 | 211 - 258 |
| L. B. B. No. 4 | | 211 - 257 |

Due to overlapping of claims to cover open fractions, the effective acreage is somewhat reduced to perhaps ~~475~~ acres rather than ~~320~~ acres for the ~~26~~ claims.

The claims lie in parts of Sections 31 and 32, T. 22 S., and Sections 5 and 6, T. 23 S., all in R. 11 E., G. & S. R. B. & M., Oro Blanco Mining District, Santa Cruz County, Arizona. This location is approximately 60 airline miles south-southwest of Tucson and/or 22 airline miles west-northwest of Nogales, Arizona.

Road-wise, distances are longer, but the property is accessible by passenger car vehicles. From Tucson, travel south toward Nogales on Interstate I-19 for 37 miles to Arivaca Junction, one mile north of Amado. Here a County paved road leads southwesterly (right turn at Junction) to Arivaca, a small community of mostly retired persons. The last two miles to Arivaca are gravel but County maintained. At the west end of Town, Main Street dead ends with either a left or right turn. Taking the left fork, travel the gravel type, County maintained road towards Ruby - currently a Mining Camp ghost town. The main travelled road (several minor junctions both left and right) junctions with Forest Service Road 217, 9.9 miles from the center of Arivaca. Continued travel on the main road for one (1) mile brings one to the Brick claim and mine - a pink painted shaft head frame is visible on the right from the road. A trailer house sits immediately below the head frame.

It is also possible to reach the property by passenger car vehicles from Nogales. Approximately 8 or 9 miles northward travel on I-19 toward Tucson, County Highway 289, also known as the Pena Blanca Lake Road, junctions with I-19. Westerly travel (left turn at off ramp) over 10.5 miles of paved road and 15.8 miles more over gravel County maintained road takes one past the Ruby Mine ghost camp and on to the Brick claim and mine. The gravel road begins at Pena Blanca Lake. It is a road of many curves, up and down grades and is a typical mountain type road. It is relatively slow, consuming slightly more than one hour for the travel from Nogales to the mine or property, a distance of 35 miles.

## FACILITIES:

There are several cattle ranches between the property and Arivaca which do have electric power but probably of low kilowatt rating. No nearby high transmission lines were noticed.

Natural gas is not available, the present mine operation using bottled (medium size tank) propane - butane gas to run a small power generating plant.

The mine makes water, the writer estimates about 10 to 15 gallons a minute. Although not tested, it could be good water for domestic purposes, certainly good enough for industrial - milling purposes.




## HISTORY, DEVELOPMENT and PRODUCTION:

The Brick claim was first located in April 1926 and Amended in August 1939 at which time earnest mine operation started, at least record-wise, by Hanson and Miller. Mine production and shipments

to the smelter in El Paso, Texas, began in September 1939 and were continuous through April 1940. Production resumed again in July 1941 and was continuous through October 1943, perhaps longer.

During the above production period, 2,556.4545 dry tons, according to record, were shipped. The low silver value was 6.45 ounces per ton, the high was 34.27 ounces. The lowest gold value was 0.03 ounces per ton, the high was 0.210 ounces. The highs in both cases were from the same railroad car shipment on March 11, 1943. Without completing the exercise of weighting the gold and silver values for each shipment to obtain a weighted average, the writer estimates an average ore content to be 0.06 ounces gold and 17.0 ounces silver per ton. At today's prices of $110.- for gold and $4.20 for silver, this is an $80.- value per ton - in place. Copper content appears to average about 0.27% for much of the ore shipped during 1942. The writer cannot determine from the prepared tabulated shipment log, in hand, whether payment was made for the contained copper - probably not, however, that was a war year and copper was in great demand.

Early in 1976, Mr. A. L. Grasmoen, et al, dewatered the mine and shipped crude ore to the A. S. & R. smelter at El Paso, Texas. Mr. Grasmoen's records indicate 246 dry tons were shipped with an average of 0.063 ounces gold and 14.8 ounces silver per ton - weighted. This production has come from the lower levels of the mine.

Heavy rainfalls in the area the early part of August this year have caused a rapid influx of water into the mine through the underground route. This influx could not be handled by the low capacity pump and the end result was flooding to the 30 or 40 foot level. The writer did get down to about the 75 foot level. (See Map No. 4 - Mine Section Map.)

Development of the mine has been carried on by the mining process, a day to day situation, and not necessarily systematically - rather haphazardly.

GENERAL GEOLOGY:

The general geology of the area in which the property is located is one of complex Mesozoic volcanics, Tertiary rhyolite, granite and granitic to dioritic dikes and plugs with a sprinkling of Carboniferous and Cretaceous sediments as remnants in some of the valleys and upper reaches of the Oro Blanco Mountains.

Locally, the writer observed Cretaceous sediment outcrops on the hanging wall side (N.E. side) of the mineralized structure as well as Laramide or Tertiary granite. The footwall rocks, as limitedly observed by the writer, consist of Mesozoic volcanics, mostly rhyolite with small dikes and/or plugs of Laramide granite.

Occasional faults or strong fractures were observed which trend N. 30° W. and N. 50° E., probably the local fracture pattern of the volcanics - igneous rocks.

MINERALIZATION:

The silver-gold mineralized zone being mined on the Brick claim trends about N. 65° W. and dips about 55°-60° N.E. In places on the surface, it would appear this zone might be a simple contact-fissure, replacement type mineralization. Observance of other criteria on the surface and underground, as much as the writer could observe, points to other thoughts.

Brecciation to a fair degree is quite noticeable underground, thus indicating a very strong fracture type structure which partly followed the original contact of two rocks exposed on the surface. There was some movement but not very much - only enough to create brecciation. Silver, gold and very little base metals with minor amounts of silica and calcite invaded the crushed zone creating the mineralization now being mined. The foot and hanging wall of the zone are rather indistinct. Granite, rhyolite, limestone, calcite and quartz crystals and veinlets are recognizable underground. Alteration and some bleaching of the structure have occurred and are occurring because of its dampness. It is also a good water channel.

The width of the zone varies up to 16 feet wide, record-wise (note on Mine Section Map), hearsay-wise, up to 25 feet. The writer could see a 12 foot width about the 75 foot level (in stope).

The mineral source of the silver values appears to be the chlorides, bromides and oxides, all not too distinguishable. Wire silver is present as is argentite, but only occasionally. Very small amounts of pyrite, chalcopyrite and galena were also noted.

Manganese as an accessory mineral is always quite noticeable as a heavy stain in the zone. This criteria might well be significant when exploring the area for other silver occurrences.

The writer took three samples merely to confirm the presence of silver mineralization. Location of two samples are shown on the Mine Section Map while the third sample was a grab of the remains of a stockpile after shipping the last car about four weeks ago.

Results and descriptions of the samples are:

| Sample Number | Description | % Lead | Per Ton Ounces Gold | Per Ton Ounces Silver |
|---|---|---|---|---|
| 1394 | 60 ft. level, west wall of station, 4 feet across structure starting at footwall, some gouge, altered, MnO, soft and hard. | 0.10 | Tr. | 1.60 |
| 1395 | about 75 ft. level, in stope, east of hoisting shaft, east wall of stope, 3½ foot chip across structure to footwall. | 0.05 | 0.02 | 8.30 |
| 1396 | Blind grab of small stockpile remaining after last shipment removed. | 0.10 | 0.16 | 20.70 |

A study of the Mine Section Map and the results of the writer's first two samples indicate that the better silver concentrations are near the hanging wall of the structure with lower grade material near the footwall.

Galena (lead) does not seem to be the carrier of the silver, nor does the copper, thus, a straight silver-gold ore.




EXPLORATION:

Exploration of the property now in progress is limited to geophysics and geo-chem surveys.

The writer was provided preliminary grid maps on a VLF-EM survey indicating various anomalous areas as well as a geo-chem rock chip sample grid map, also showing anomalous areas. (See Map No. 5.)

Both types of surveys were completed across the known ore body as well as unexplored portions of the property. The writer observed the surface at the ore body, along the projected strike of the ore body and where anomalous areas were located by the two surveys.

It appears that a structural zone, parallel to the main mineralized zone, exists approximately 700 feet southwest. A visit to this area indicates the presence of two strong fractures, (almost at right angles), the presence of live limonite and manganese staining. Existence of such criteria is worthy of further, more concentrated consideration.

Map-wise, the main mineralized structure has been traced by anomalous significance for about 2500 to 3000 feet. Although the writer cannot foresee continuous mineralization for this length, certainly other similar ore bodies could be a reality.

PROJECT POTENTIAL:

The observed criteria and evidence are credentials to establish a concentrated exploration program for the property.

At the moment, the present ore body does not appear to be "mined out." The limits, horizontally and vertically, have not been defined. The present ore body, thus far, has produced approximately 5,000 tons. It could conceivably produce that much more. Similar size ore bodies could exist in the known 3000 foot strike length with a possible potential of, say, 50,000 tons. This, of course, is hypothetical, but possible. One third this amount could also be credited to the parallel structure previously mentioned, or about 65-70,000 tons of ore similar in grade to what has been produced.

EXPLORATION REQUIREMENTS and COSTS:

Exploration of this project should take the form of (1) detailed

geological mapping and sampling along the strike of the main structure to isolate potential ore bodies utilizing, if possible, the indicators manganese, live limonites and structural features, (2) diamond drilling short (225 foot) holes in the areas isolated by number (1) above, and also in the immediate area of the present ore body beyond its known horizontal existence to extend same, as well as to gain some extension depth-wise, this latter requiring drill holes of approximately 300 to 350 feet when drilled at an angle for a more true intersection of the structure.

Some surface trenching (hand or dozer) along the main structure strike in the "isolated" areas would be advantageous and helpful to sampling.

The estimated costs for the above program could be as follows:

| | |
|---|---|
| Geologic surface mapping and limited sampling. | $ 5,000.- |
| Surface trenching and sampling. | 5,000.- |
| 2025 feet to diamond drill 9 holes @ $20.00/ft. including sampling, supervision, travel expenses, etc. | 40,500.- |
| 700 feet to diamond drill 2 holes @ $20.00/ft. including sampling, supervision, travel expenses, etc. | 14,000.- |
| Contingencies, over-runs, under estimates, delays, etc. | 9,500.- |
| Total Estimated Exploration Costs | $74,000.- |

The above is a Phase I program and financial requirement. If encouraging and successful, then a Phase II program might require $150,000.- or more for additional diamond drilling.




Respectfully submitted,

E. Mieritz
Mining Consultant
Phoenix, Arizona

September 27, 1976

1435 SOUTH 10TH AVENUE
TUCSON, ARIZONA 85713

# Jacobs Assay Office
## Registered Assayers

PHONE 622-0813

Tucson, Arizona, Sept 17, 1976

Sample Submitted by Mr. R. E. Meinitz Phx. Ariz.

| Sample Marked | GOLD Ozs. per ton ore | GOLD Value per ton ore* | SILVER Ozs. per ton ore | COPPER Per cent Wet Assay | LEAD Per cent Wet Assay | Per Cent Wet Assay | Per Cent Wet Assay | Per Cent Wet Assay |
|---|---|---|---|---|---|---|---|---|
| 1394 | Trace | | 1 9/10 | | 0.10 | | | |
| 1395 | 0.02 | 2 00 | 8 3/10 | | 0.05 | | | |
| 1396 | 0.16 | 16 00 | 20 7/10 | | 0.10 | | | |

*Gold Figured $100.00 per oz. Troy

Charges $ 21 00

Very respectfully,

Ben D. Jacobs




# INDEX MAP
## SOUTHWEST ARIZONA

**SCALE: 1" = 27.5 MILES**

JAN., 1962

R. E. MIERITZ, P.E. PHX, ARIZ

MAP No.




LEGEND

105 Qts. - Quaternary Sand, gravel, Cong.
193 Ta. - Tertiary Andesite.
187 Tr. - Tertiary Rhyolite.
121 Ldi. - Laramide diorite (porphyry)
124 Li. - Laramide dikes-plugs (Granitic to dioritic)
167 Ks. - Cretaceous Sediments.
187 Ka. - Cretaceous Andesite.
743 Mv. - Mesozoic volcanics.

REGIONAL GEOLOGIC MAP
)Portion of(
Santa Cruz County, Arizona

SCALE: 1" = 6 Miles

Sept., 1976 R.E. Mieritz

MAP No 2

Ariviaca
PE-YP-63 Tri-pole H #31 YP-C03




## NOTE

This Map has been traced from an old print dated October 31, 1942. From what little the writer observed while underground there are several errors in the underground workings as shown--principally, the raking position of Shaft No. 2. The writer descended this shaft to the 60 foot level. In that distance the Shaft did not have a rake as shown. It is not known what the map preparer had in mind. The Shaft is at an angle of -50 to 55°.

This old print does show where 62 car shipments were mined (not included on this Map). In place of the car number, the writer has substituted the Silver content of the shipment. This is the important information for the moment.

This Map also shows the approximate position of the two samples (#1394 and #1395) taken by the writer on September 14, 1976.

MAP OF UNDERGROUND WORKINGS
(In Plane of Structure)
BRICK MINE
Oro Blanco Mining District
Santa Cruz County, Arizona

SCALE: 1"= 20 Feet

Sept., 1976 R.E. Mieritz

MAP No 4

## LEGEND

Values of anomolous areas resulting from the VLF-EM Survey.

- 5-10 Contour
- 10-20 Contour
- 20-+ Contour

Arivaca Base Line

0 Line

10W.

5W.

5E.

10E.

24+00N.

5+00S.

10+00S

Brick

Triple H 58

Brown Dog

Triple H 56

Ruby & Nogales

Base Line

0 Line

T. 22. S.

T. 23 S.

R. 11 E.

U.S.M.M. No 3

# V.L.F. EM MAP

## Brick Mine Area

Oro Blanco Mining District

Santa Cruz County, Arizona

SCALE: 1" = 300 Ft.

Sept., 1976 R.E. Mieritz

MAP No 5

REPLY TO:
[redacted]
TELEPHONE (602) 277-6053
2940 N. Casa Tomas
Phoenix, AZ 85016

Richard E. Mieritz
MINING CONSULTANT
ARIZONA REGISTERED
MINING ENGINEER AND GEOLOGIST

GEOLOGY
EXPLORATION
EVALUATION
FEASIBILITY
OPERATION

A SUMMARY of the
GEOLOGIC and EVALUATION REPORT of the
BRICK CLAIMS, Santa Cruz County, Arizona
by R. E. Mieritz, dated September 27, 1976

On September 13 and 14, 1976, the writer field examined the surface and underground workings of the 22 mining claims of the Brick group in the Oro Blanco Mining District, Santa Cruz County, Arizona.

Mr. Charles Hagerty, Arivaca, Arizona, owns 21 claims and Mrs. Deeo V. Grasmoen and Edmond B. Grasmoen, Prescott, Arizona, own 1 claim. All claims appear to be valid and legal. Travel to the property south-southwest from Tucson or west-northwest from Nogales is possible by passenger car vehicles for 67 and 35 miles respectively.

Observed geologic evidence indicates silver, very minor gold, copper, lead and zinc mineralization occurs in strong N. 65° W., 60° N.E. dipping fault rock contact structures varying from three to tens of feet wide, strike length to 3000 feet and unknown depths beyond the 150 foot present depth. Known production to date is approximately 5000 tons averaging 17 ounces silver and 0.06 ounces gold.

Anomalous areas have been defined by geophysical and geochemical means along the present geologic structure as well as along a parallel structure heretofore unworked or undeveloped. The results of such exploration, the observed geologic evidence and the record of mine production are all worthy criteria justifying a positive type exploration program.

Geologic surface mapping, surface trenching and sampling, diamond drilling 2700 feet and sampling of the intersected mineralized zones, at an estimated cost of $74,000.- has been recommended.

Respectfully submitted,

Registered Professional Engineer (Mining) CERTIFICATE EXPIRES RICHARD E. MIERITZ DEC 31 19 ARIZONA, U.S.A.

REGISTERED GEOLOGIST CERTIFICATE NO. 7784 RICHARD E. MIERITZ Date Signed ARIZONA, U.S.A.

R. E. Mieritz
Mining Consultant
Phoenix, Arizona

10-21-76

INTRODUCTION:

At the request of and authorization by Pacific Resources Development Ltd. through Mr. Fred S. Hofman, Director, both of Vancouver, B.C., the writer examined the Brick group of silver claims in the Oro Blanco Mining District, Santa Cruz County, Arizona.

This report is based on the writer's field examination completed on September 13th and 14th, on factual data provided by the owners of the claims and on the writer's geologic knowledge and experience of the general area in which the property is located.

PROPERTY, LOCATION and ACCESSIBILITY:

The property consists of 22 standard unpatented lode mining claims held by right of location. Assessment work is current as indicated by the latest Affidavit of proof of labor, thus the claims should be legally valid. Twenty-one claims are owned by Mr. Charles Hagerty, Arivaca, Arizona, and one claim - the Brick - is owned by Mrs. Deeo V. Grasmoen and Edmond B. Grasmoen, Prescott, Arizona.

Claims statistics are:

| Claim Name | Date Located | Recorded Book - Page |
|---|---|---|
| Brick | August 1939 | 147 - 644 |
| Bell Clapper (Triple H #30) | 12/17/63 | 49 - 602 |
| Triple H #31 | 12/18/63 | 49 - 603 |
| Old China (Triple H #51) | 11/7/63 | 48 - 456 |
| Brick Ext. (Triple H #52) | 11/4/63 | 48 - 457 |
| Triple H #53 | 11/6/63 | 48 - 370 |
| Triple H #55 | 11/6/63 | 48 - 372 |
| Triple H #56 | 11/6/63 | 48 - 373 |
| Triple H #57 | 11/7/63 | 48 - 374 |
| Triple H #58 | 11/4/63 | 48 - 375 |
| Gladie (Triple H #61) | 11/8/63 | 48 - 460 |
| Davis (Triple H #62) | 11/8/63 | 48 - 461 |
| Triple H #66 | 11/11/63 | 48 - 554 |
| Triple H #67 | 11/11/63 | 49 - 24 |
| Bell | 9/2/72 | 147 - 643 |
| Rubiana N. Fra | 9/2/72 | 147 - 646 |
| Rubiana | 9/2/72 | 147 - 647 |
| Santa Clara | 9/2/72 | 147 - 648 |
| Brown Dog | 9/2/72 | 148 - 103 |
| Protection NW Ex. | 9/2/72 | 148 - 104 |
| R. K. Horse | 12/15/39 | 211 - 258 |
| L. B. B. No. 1 | | 211 - 257 |

Registered Professional Engineer (Mining) CERTIFICATE EXPIRES RICHARD E. MIERITZ DEC. 31, 19.... ARIZONA, U.S.A.

Due to overlapping of claims to cover open fractions, the effective acreage is somewhat reduced to perhaps 375 acres rather than 440 acres for the 22 claims.



10-22-76

2-25-80

REPLY TO:
2940 N. CASA TOMAS
PHOENIX, ARIZONA 85016
TELEPHONE (602) 277-6053

# Richard E. Mieritz

MINING CONSULTANT

ARIZONA REGISTERED
MINING ENGINEER AND GEOLOGIST

GEOLOGY
EXPLORATION
EVALUATION
FEASIBILITY
OPERATION

February 25, 1980

Arivaca Silver Mines Ltd.
213 - 475 Howe St.
Vancouver, B. C., V-6C-2B3
Canada

This will serve as authorization to Arivaca Silver Mines Ltd., Vancouver, B. C. to use the writer's Recommendation Report for an Underground Access Entry for the Brick Mine, Santa Cruz County, Arizona under date of February 25, 1980, in whole or part in any Prospectus so long as such use is a true copy without omissions, alterations or additions of any kind.

Sincerely,

Registered Professional Engineer (Mining) CERTIFICATE EXPIRES RICHARD E. MIERITZ DEC 31 19 ARIZONA U.S.A.

Richard E. Mieritz
Mining Consultant

REM:c

REPLY TO
2940 N. CASA TOMAS
PHOENIX, ARIZONA 85016
TELEPHONE (602) 277-6053

Richard E. Mieritz
MINING CONSULTANT
ARIZONA REGISTERED
MINING ENGINEER AND GEOLOGIST

GEOLOGY
EXPLORATION
EVALUATION
FEASIBILITY
OPERATION

February 25, 1980

## LETTER OF CERTIFICATION

I, Richard E. Mieritz of 2940 N. Casa Tomas, Phoenix, Arizona, Maricopa County, do hereby certify that:

(1) I am a mining engineer, graduated from the University of Wisconsin with the degree of Bachelor of Science in 1939.

(2) I have practised my profession continuously since then, receiving my Arizona State Registration as a Mining Engineer in 1956 and my Arizona State Registration as a Geologist in 1970, being a member in good standing.

(3) The report to which this letter is attached and part of has been prepared on the basis of personal observations on and of the property, on the writer's general knowledge of the area and the review and study of available factual data.

(4) I have no direct nor indirect interest in the property.

(5) I have no direct nor indirect interest, nor do I expect to receive any interest, direct or indirect, in the properties or the securities of Arivaca Silver Mines Ltd. and/or Yamoto Resources Ltd., both of Vancouver, B. C., Canada, or their affiliates.

Respectfully submitted,

Registered Professional Engineer (Mining) CERTIFICATE EXPIRES DEC 31, 19 RICHARD E. MIERITZ ARIZONA U.S.A.

R. E. Mieritz
Mining Consultant
Phoenix, Arizona

# A RECOMMENDATION REPORT

for an

# UNDERGROUND ACCESS ENTRY

# TO MINE THE EXPLORED

# BRICK VEIN MINERALIZATION

at the

BRICK MINE
Oro Blanco Mining District
Santa Cruz County, Arizona

by

Richard E. Mieritz
Mining Consultant
Phoenix, Arizona

February 25, 1980

TABLE of CONTENTS


| | Page |
|---|---|
| INTRODUCTION | 1 |
| GENERAL INFORMATION | 1 |
| AVAILABLE FACTUAL DATA | 1 |
| RESULTS of EXPLORATION | 1 |
| FEASIBLE ACCESS ENTRY | 2 |
| REHABILITATION | 2 |
| NEW SHAFT | 3 |
| FLAT DECLINE | 3 |
| ACCESS ENTRY COSTS | 3 |
| RECOMMENDATIONS | 4 |


Included Exhibits:

Map No. 1 - Index Map
Map No. 2 - Regional Geologic Map
Map No. 3 - Claim Map
Map No. 4 - Surface Map
Map No. 5 - Cross-sections
Map No. 6 - Map of Underground Workings

INTRODUCTION:

At the verbal request of and authorization by Mr. Steve Radvak, Exploration Manager, Yamoto Resources, Ltd., 213-475 Howe St., Vancouver, B. C., Canada, the writer has completed an investigation and study of factual data available on the Brick Silver Mine - Arivaca Silver Mines Ltd. - to determine the feasibility of underground access to the silver mineralization as defined by an earlier exploration drilling-sampling project.




The writer visited the property and the area of concern on February 18, 1980. This report is based on observations during the visit and a study of the factual data available.

GENERAL INFORMATION:

The Brick silver property consists of 25 unpatented lode mining claims about 10.5 miles southeast of Arivaca, Arizona. (See Maps 1, 2 and 3 for location and claim positions.)

The mine has produced good silver ore at various times and by various operators since year 1926. As a result, a fair amount of underground drifting and stoping had been completed. (See Map No. 6 for details.)

In late 1976 and early 1977, Pacific Resources Development Ltd., Vancouver, B. C. conducted an exploration program utilizing diamond drills and down-the-hole hammer drills.

AVAILABLE FACTUAL DATA:

Mr. Radvak caused to be provided the assay results of 6 diamond drill holes and 3 hammer drill holes. Such assay results were reported as silver PPM (parts per million) and/or ounces silver per ton. A drill hole location map (no collar elevations) and one section - similar to the writer's Section 3+00 - were provided. No geologic logs were available to assess rock competency nor was a topographic map available to determine surface features, etc. Lack of such information affects in depth analysis as to a feasible underground access plan to the mineralization indicated by the exploration program of 1976-77.

RESULTS of EXPLORATION:

The initial target of the 1976-77 exploration program was to test the downward extension of the Brick vein below the present 150 foot Level. (See Map No. 6.)

As can be seen in Sections 2+00, 3+00, 4+00 and 5+00 (Map No. 5) the Brick vein structure was intersected and penetrated by five drill holes on three Sections and at depths to match the straight line projection of a 55° dip.

This same drilling has also indicated another mineralized zone some

40 to 50 feet higher than the hanging wall of the Brick vein. Five drill holes intersected this zone of mineralization in Sections 2+00, 3+00 and 4+00. (See Map No. 5.) The size, shape and/or configuration of this zone has not been determined or delimited.

The deepest penetration of the Brick vein structure is approximately 210 feet down dip below the 150 foot Level. (See Section 2+00.) Section 3+00 indicates a similar penetration at but 180 feet down dip from the 150 foot Level.

It is reported that each drill hole encountered water. In Septe[illegible] 1976, the writer descended No. 2 Shaft to approximately the 80 foot level - just above the back of the 100 foot Level.




FEASIBLE ACCESS ENTRY:

Entry to the "mineable" area to a depth of approximately 300 feet below the surface is likely by:

(1) rehabilitation of either Shaft No. 2 or No. 3 and deepening same to the desired depth
(2) sinking a new vertical shaft from some position or location northeast of the "main" raod passing through the area, or
(3) driving a flat decline (10%) from some low topographic surface point to the desired target area.

These routes have advantages and disadvantages such as locations, economics, etc. All will have a water problem.

REHABILITATION:

During the writer's 1976 visit to the property, it was possible to reach a depth just above the "back" of the 100 foot Level using the ladderway in Shaft No. 2. Water stopped possible entry to that level. The shaft condition then was good. The condition of Shaft No. 3 was not determined.

Shaft No. 3 is in an ideal position to service the "new" mineralized zone which is some 40-50 feet vertically above the hanging wall of the Brick vein zone and appears to be concentrated between Sections 3+00 and 4+00. This new zone is 40 to 50 feet northeast of the Brick zone and at, or slightly below, the elevation of the 150 foot Level - the present bottom of Shaft No. 3.

Shaft No. 3 appears to be on the footwall of the Brick zone. Were this shaft to be deepened, it would require 210 feet of new shaft down dip to intersect the mineralization encountered in D.D.H. 1. Deepening of this shaft would also permit "development" of the Brick vein.

NEW SHAFT:

A new vertical shaft to service the same point of interest encountered in D.D.H. 1 would require sinking a distance of approximately 370 feet. A suitable location for this shaft would be northeast of the "main road" and northeast of D.D.H. 1 and H.D.H. 3 about midway between Sections 3+00 and 4+00.

Because of County road right-of-way regulations, a shaft location would probably have to be 100 feet northeast of the "main road." The shaft bottom at this location would be approximately 100 feet northeast of the D.D.H. 1 Brick zone intersection. A 100 foot crosscut would be required to reach the Brick zone.




FLAT DECLINE:

A flat decline as an access entry is quite popular, however, should only used where an ore body is completely delimited and the "bottom" positively known. To reach the Brick zone intersection of D.D.H. 1 or D.D.H. 2 would require a depth gain of 300 to 350 feet below the elevations of the present shafts. Using a 15% grade (somewhat steep), a decline of 2,000 to 2,300 feet in length would be required.

The topography northwest and southeast of the Brick shaft area is not particularly conducive to gaining depth by seeking a lower surface elevation. At best, a vertical distance of 50 feet might be gained by having a "portal" location southeast (downstream) of the Brick shaft area. Such a location would reduce the length of the decline by 300 feet or to 1,700 feet and 2,000 feet for the desired depths previously mentioned. A straight line decline should be collared about 2,500 feet southeast of the shaft area on the western half of the Ruff & Ready No. 1 claim or the eastern portion of the Protection N.W. Ext. claim. (See Map No. 3.)

An alternative to the straight line direction is a "spiral" or "oval" decline. A collar location could be about 250 feet southeast of the shaft area near, but higher than, the road and wash, progress southwesterly and west, curving to the northwest and straightlining, then curving to the northeast and east and straightlining southeast, repeating the oval to the target elevation - Brick zone intersection in D.D.H. 1 - the distance being the same as the "straight-line" route. (See Map No. 4.) This plan assumes rubber tired vehicles.

ACCESS ENTRY COSTS:

Each of the three access entry routes has costs which can vary with unknown conditions, rock competency, etc., however, the costs herein stated are what the writer believes to be reasonable in variance.

Rehabilitation:

No. 2 Shaft

| | |
|---|---|
| Rehabilitate collar and 100 feet shaft to the 100 Lv. @ $200.-/ft. | $ 20,000.- |

| | |
|---|---|
| Sink 10′ X 12′ shaft 300 feet @ $1,000.-/ft. | 300,000.- |
| TOTAL | $320,000.- |
| **No. 3 Shaft** | |
| Rehabilitate collar and 160 feet shaft to 150′ Lv. @ $200.-/ft. | $ 32,000.- |
| Sink 10′X 12′ shaft 260 feet @ $1,000.-/ft. | 260,000.- |
| TOTAL | $292,000.- |

**New Shaft:**

| | |
|---|---|
| Prepare collar, headframe, and sink 12′X 16′ shaft 370 feet @ $2,000.- | $740,000.- |
| Drive 100 foot crosscut @ $100.-/ft. | 10,000.- |
| TOTAL | $750,000.- |

**Decline:**

**Straight-line or Oval-spiral**

| | |
|---|---|
| Sink 10′X 9′- 15% grade 2,100 feet @ $1,700.-/ft. | $3,570,000.- |

Since a water problem will exist, pumping costs must be added to the totals indicated.

RECOMMENDATIONS:

The writer has considered all the physical advantages and disadvantages as well as the cost of each type entry. In the writer's opinion, it would be best to utilize Shaft No. 3 if possible. If that is not possible, then utilize Shaft No. 2 as an alternative.

The use of this route for access to the mineralization at depth (below the 150 ft. Lv.) is a time saver, has few operational problems and is by far the least expensive to complete.

Respectfully submitted,




R. E. Mieritz
Mining Consultant
Phoenix, Arizona

February 25, 1980




# INDEX MAP
## SOUTHWEST ARIZONA

**SCALE: 1" = 27.5 MILES**

JAN., 1962

R. E. MIERITZ, P.E. PHX, ARIZ

MAP No




LEGEND

- Qts. - Quaternary Sand, gravel, Cong.
- Ta. - Tertiary Andesite.
- Tr. - Tertiary Rhyolite.
- Ldi. - Laramide diorite (porphyry)
- Li. - Laramide dikes-plugs (Granitic to dioritic)
- Ks. - Cretaceous Sediments.
- Ka. - Cretaceous Andesite.
- Mv. - Mesozoic volcanics.

REGIONAL GEOLOGIC MAP
)Portion of(
Santa Cruz County, Arizona

SCALE: 1" = 6 Miles

Sept., 1976 R.E. Mieritz

MAP No 2




## LEGEND

H.D.H.2 — Hammer Drill Hole.

D.D.H.2 — Diamond Drill Hole.

F — Fault.

N

# SURFACE MAP

## BRICK MINE

Santa Cruz County, Arizona

SCALE: 1" = 100 Ft.

Feb., 1980 — R.E. Mieritz

MAP No 4




## Section 5+00




## Section 4+00




## Section 3+00




## Section 2+00

Scale: 1" = 50 Ft. (all Sections)

Feb., 1980 R.E. Mieritz

MAP No. 5




## NOTE

This Map has been traced from an old print dated October 31, 1942. From what little the writer observed while underground there are several errors in the underground workings as shown--principally, the raking position of Shaft No. 2. The writer descended this shaft to the 60 foot level. In that distance the Shaft did not have a rake as shown. It is not known what the map preparer had in mind. The Shaft is at an angle of -50 to 55°.

This old print does show where 62 car shipments were mined (not included on this Map). In place of the car number, the writer has substituted the Silver content of the shipment. This is the important information for the moment.

This Map also shows the approximate position of the two samples (#1394 and #1395) taken by the writer on September 14, 1976.

MAP OF UNDERGROUND WORKINGS
(In Plane of Structure)
BRICK MINE
Oro Blanco Mining District
Santa Cruz County, Arizona

SCALE: 1"= 20 Feet

Sept., 1976 R.E. Mieritz

MAP No. 2

# BRICK MINE

The Arizona Biltmore

Need Quoted

| | 1394 | 1395 | 1396 |
|---|---|---|---|
| Gold | Tr | 0.02 | 0.16 |
| Silver | 1.60 | 8.30 | 20.70 |
| Lead | 0.10 | 0.05 | 0.10 |

61

Bicknell — Gopher
Haggerty — other 25 claims } Sam Lagson - Dick Sherwood } B. & B.

EM - Dist. Lines.

Pumping down to 100 ft.
during operation

N-65°W.

# SOBOLEWSKI ANFIELD

BARRISTERS & SOLICITORS

S. DAVID ANFIELD, B.A., LL.B.
BARRY D. SPETON, B.A., LL.B.
STEVEN SOBOLEWSKI, B.A., LL.B.
LYLE G. WILSON, B.A., LL.B.
(ALSO MEMBER OF ALBERTA BAR)
LAWRENCE A. GOLD, B.A., LL.B.
JOSEPH W. TARNOWSKI, B.A., LL.B.
JAMES N. RODGERS, B.A., LL.B.
DONALD A. LYONS, B.COMM., LL.B.

7TH FLOOR STOCK EXCHANGE TOWER
609 GRANVILLE STREET
P. O. BOX 10068 PACIFIC CENTRE
VANCOUVER, B. C. V7Y 1C3

(604) 669-1322 TELEX 04-54207

March 30, 1982

Richard E. Mieritz, Esq.
2940 N. Casa Tomas
Phoenix, Arizona
85016

Dear Sir:

Re: Arivaca Silver Mines Ltd.

In connection with Arivaca listing its shares on the Vancouver Stock Exchange, the Exchange requires written consent from you that your engineering report, dated February 25, 1980 on the Brick Mine, may be used as part of the Listing Application and available to the public.

We would appreciate receiving your consent at your soonest convenience.

Yours truly,

SOBOLEWSKI ANFIELD

Per: 

B. D. SPETON

/sd

CONSENT

I, RICHARD E. MIERITZ, hereby consent to the use of and reference to my report dated February 25, 1980 on the Brick Mine property, Arizona in an application for the listing of Arivaca's shares on the Vancouver Stock Exchange and to make my report available to members of the public who may wish to see the copy filed with the Vancouver Stock Exchange.

DATED this 1st day of May, 1982




Richard E. Mieritz
Mining Consultant
Phoenix, Arizona

EXCEPTIONS: The dollar figures stated on pages "3" and "4" of the above referred to Report are no longer valid for this date and time, therefor, should not reflect the present day costs.

Richard E. Mieritz
Mining Consultant
Phoenix, Arizona,

BRICK GROUP of CLAIMS
Santa Cruz County, Arizona

| Claim Name | Date of Location | Recorded Book | Page | Bur. of Land Manage. Serial Number |
|---|---|---|---|---|
| Triple H # 53 | 11/ 6/63 | 48 | 370 | AMC - 70538 |
| Triple H # 55 | 11/ 6/63 | 48 | 372 | AMC - 70540 |
| Triple H # 56 | 11/ 6/63 | 48 | 373 | AMC - 70541 |
| Triple H # 57 | 11/ 7/63 | 48 | 374 | AMC - 70542 |
| Triple H # 58 | 11/ 4/63 | 48 | 375 | AMC - 70543 |
| Triple H # 59 | 11/ 8/63 | 48 | 452 | AMC - 70544 |
| Triple H # 51 | 11/ 7/63 | 48 | 456 | AMC - 70536 |
| Triple H # 52 | 11/ 4/63 | 48 | 457 | AMC - 70537 |
| Triple H # 60 | 11/ 8/63 | 48 | 459 | AMC - 70545 |
| Triple H # 61 | 11/ 8/63 | 48 | 460 | AMC - 70546 |
| Triple H # 62 | 11/ 8/63 | 48 | 461 | AMC - 70547 |
| Triple H # 66 | 11/11/63 | 48 | 554 | AMC - 70548 |
| Triple H # 67 | 11/11/63 | 49 | 2 | AMC - 70549 |
| Triple H # 30 | 12/17/63 | 49 | 602 | AMC - 70523 |
| Triple H # 31 | 12/18/63 | 49 | 603 | AMC - 70524 |
| Bell | 9/ 2/72 | 147 | 643 | AMC - 70564 |
| La Paz | 9/ 2/72 | 147 | 645 | AMC - 70565 |
| Rubiana N. Frac. Annex | 9/ 2/72 | 147 | 646 | AMC - 70566 |
| Rubiana Amended | 9/ 2/72 | 147 | 647 | AMC - 70567 |
| Santa Clara Amended | 9/ 2/72 | 147 | 648 | AMC - 70568 |
| Brown Dog | 9/ 2/72 | 148 | 103 | AMC - 70569 |
| Protection NW Extension | 9/ 2/72 | 148 | 104 | AMC - 70570 |
| R..K. Horse | 9/ 1/76 | 211 | 258 | AMC - 70558 |
| LBB # 4 | 9/ 1/76 | 211 | 257 | AMC - 70559 |
| Brick | 9/ 1/78 | 244 | 392 | AMC - 27414 |
| Ruff & Ready No. | 9/ 2/72 | 148 | 105 | AMC - 70571 |

Claims owned by Charles Hagerty, Arivaca, Arizona
Under lease and option to Arivaca Silver Mines Ltd, Vancouver, B. C., Canada

| AIR WAYBILL NUMBER | AIRPORT OF DEPARTURE | EXECUTION DATE DAY/MTH/YR | TC | CHGS CODE | CUR'CY CODE | FOR CARRIER USE ONLY | |
|---|---|---|---|---|---|---|---|
| AIRLINE PREFIX / SERIAL NO. | | | | | | FLIGHT/DAY | FLIGHT/DAY |
| 017-2696-2272 | PHX | 26/2/80 | | CC | CAD | | |

017-2696-2272

AIRPORT OF DEPARTURE (ADDRESS OF FIRST CARRIER) AND REQUESTED ROUTING: WESTERN AIRLINES PHOENIX

AIRPORT OF DESTINATION: YVE

FLIGHT/DAY | FLIGHT/DAY

BOOKED

ROUTING AND DESTINATION

| TO/BY | BY FIRST CARRIER | TO | BY | TO | BY | TO | BY |
|---|---|---|---|---|---|---|---|
| | WA | | | | | | |

NOT NEGOTIABLE

**AIR WAYBILL**

(AIR CONSIGNMENT NOTE)

ISSUED BY

**WESTERN AIR LINES, INC.**

LOS ANGELES, CALIF. 90009, U.S.A.

CONSIGNEE'S ACCOUNT NUMBER

CONSIGNEE'S NAME AND ADDRESS

STEVE RADYAK
YAMOTO RESOURCES LTD
312-475 HOWE ST
VANCOUVER B C CANADA

**If the carriage involves an ultimate destination or stop in a country other than the country of departure, the Warsaw Convention may be applicable and the Convention governs and in most cases limits the liability of carriers in respect of loss of or damage to cargo.** Agreed stopping places are those places (other than the places of departure and destination) shown under requested routing and/or those places shown in carriers' timetables as scheduled stopping places for the route. Address of first carrier is the airport of departure.
SEE CONDITIONS ON REVERSE HEREOF.

SHIPPER'S ACCOUNT NUMBER

SHIPPER'S NAME AND ADDRESS

R E MIERITZ
2940 N CASA TOMAS
PHOENIX AZ 85016

The shipper certifies that the particulars on the face hereof are correct and agrees to the CONDITIONS ON REVERSE HEREOF.

SIGNATURE OF SHIPPER

Richard E. Mieritz

BY BROKER/AGENT

ISSUING CARRIER'S AGENT, ACCOUNT NUMBER

ISSUING CARRIER'S AGENT, NAME AND CITY

Carrier certifies goods described below were received for carriage subject to the CONDITIONS ON REVERSE HEREOF, the goods then being in apparent good order and condition except as noted hereon.

EXECUTED ON 2/26 (Date) AT PHX (Place)

SIGNATURE OF ISSUING CARRIER OR ITS AGENT

AGENT'S IATA CODE

Copies 1, 2 and 3 of this Air Waybill are originals and have the same validity.

| CURRENCY | DECLARED VALUE FOR CARRIAGE | DECLARED VALUE FOR CUSTOMS | AMOUNT OF INSURANCE |
|---|---|---|---|
| CAD | NVD | NVD | |

INSURANCE—If shipper requests insurance in accordance with conditions on reverse hereof, indicate amount to be insured in figures in box marked 'amount of insurance'.

| WEIGHT CHARGE AND VALUATION CHARGE PREPAID | WEIGHT CHARGE AND VALUATION CHARGE COLLECT | ALL OTHER CHARGES AT ORIGIN PREPAID | ALL OTHER CHARGES AT ORIGIN COLLECT |
|---|---|---|---|
| | XX | | |

ACCOUNTING INFORMATION

| NO. OF PACKAGES RCP | ACTUAL GROSS WEIGHT | Kg./lb. | RATE CLASS | COMMODITY ITEM NO. | CHARGEABLE WEIGHT | RATE/CHARGE | TOTAL | NATURE AND QUANTITY OF GOODS (INCL. DIMENSIONS OR VOLUME) |
|---|---|---|---|---|---|---|---|---|
| 1 | 2 | lb | | 5100 | 2 lb | MIN | 19.50 | PRINTED MATERIAL NCV |

**PREPAID**

| PREPAID WEIGHT CHARGE | PREPAID VALUATION CHARGE | TOTAL OTHER PREPAID CHARGES | | TOTAL PREPAID | FOR CARRIER'S USE ONLY AT DESTINATION |
|---|---|---|---|---|---|
| | | DUE CARRIER | DUE AGENT | | |

OTHER CHARGES (EXCEPT WEIGHT CHARGE AND VALUATION CHARGE)

ISC CANADA 7.50

COLLECT CHARGES IN DESTINATION CURRENCY

COD AMOUNT

TOTAL CHARGES

**COLLECT**

| COLLECT WEIGHT CHARGE | COLLECT VALUATION CHARGE | TOTAL OTHER COLLECT CHARGES | | COD FEE | COD AMOUNT | TOTAL COLLECT |
|---|---|---|---|---|---|---|
| 19.50 | | DUE CARRIER 7.50 | DUE AGENT | | | |

These commodities licensed by the United States for ultimate destination . . . . . Diversion contrary to United States law prohibited.

TO EXPEDITE MOVEMENT, SHIPMENT MAY BE DIVERTED TO MOTOR OR OTHER CARRIER AS PER TARIFF RULE UNLESS SHIPPER GIVES OTHER INSTRUCTIONS HEREON.

HANDLING INFORMATION

PRINTED IN U.S.A. - FORM AC-13-SC-68 REV. 5-75

ORIGINAL 3 (FOR SHIPPER)

## CONDITIONS OF CONTRACT

(1) As used in this contract, 'Convention' means the Convention for the Unification of Certain Rules relating to International Carriage by Air, signed at Warsaw, October 12, 1929, or that Convention as amended by the Hague Protocol, 1955 which ever may be applicable to carriage hereunder. "air waybill" is equivalent to "air consignment note", "shipper" is equivalent to "consignor", "Carriage" is equivalent to "transportation" and "Carrier" includes the air carrier issuing this air waybill and all air carriers that carry the goods hereunder or perform any other services related to such air carriage. For the purposes of the exemption from and limitation of liability provisions set forth or referred to herein, "Carrier" includes agents, servants, or representatives of any such air carrier. Carriage to be performed hereunder by several successive carriers is regarded as a single operation.

(2) (a) Carriage hereunder is subject to the rules relating to liability established by the Convention, unless such carriage is not "international carriage" as defined by the Convention. (See Carrier's tariffs for such definition.)

(b) To the extent not in conflict with the foregoing, carriage hereunder and other services performed by each Carrier are subject to (i) applicable laws (including national laws implementing the Convention), government regulations, orders, and requirements, (ii) provisions herein set forth, and (iii) applicable tariffs, rules, regulations and timetables (but not the times of departure and arrival therein) of such carrier, which are made part hereof and which may be inspected at any of its offices and at airports from which it operates regular services.

(c) For the purposes of the Convention, the agreed stopping places (which may be altered by Carrier in case of necessity) are those places, except the place of departure and the place of destination, set forth on the face hereof or shown in Carrier's timetables as scheduled stopping places for the route.

(d) In the case of carriage subject to the Convention, the shipper acknowledges that he has been given an opportunity to make a special declaration of the value of the goods at delivery and that the sum entered on the face of the air waybill as "Shipper's/Consignor's Declared Value—For Carriage", if in excess of 250 French gold francs (consisting of 65½ milligrams of gold with a fineness of 900 thousandths) or their equivalent per kilogram, constitutes such special declaration of value.

(3) Insofar as any provision contained or referred to in this air waybill may be contrary to mandatory law, government regulations, orders, or requirements, such provision shall remain applicable to the extent that it is not overriden thereby. The invalidity of any provision shall not affect any other part hereof.

(4) Except as the Convention or other applicable law may otherwise require: (a) Carrier is not liable to the shipper or to any other person for any damage, delay or loss of whatsoever nature (hereinafter collectively referred to as "damage") arising out of or in connection with the carriage of the goods, unless such damage is proved to have been caused by the negligence or wilful fault of Carrier and there has been no contributory negligence of the shipper, consignee or other claimant; (b) Carrier is not liable for any damage directly or indirectly arising out of compliance with laws, government regulations, orders or requirements or from any cause beyond Carrier's control; (c) the charges for carriage having been based upon the value declared by the shipper, it is agreed that any liability shall in no event exceed the shipper's declared value for carriage stated on the face hereof, and in the absence of such declaration by shipper, liability of Carrier shall not exceed 250 such French gold francs, or their equivalent per kilogram of goods destroyed, lost, damaged or delayed; all claims shall be subject to proof of value; (d) a carrier issuing an air waybill for carriage exclusively over the lines of others does so only as a sales agent.

(5) It is agreed that no time is fixed for the completion of carriage hereunder and that Carrier may without notice substitute alternate carriers or aircraft. Carrier assumes no obligation to carry the goods by any specified aircraft or over any particular route or routes or to make connection at any point according to any particular schedule, and Carrier is hereby authorized to select, or deviate from, the route or routes of shipment, notwithstanding that the same may be stated on the face hereof. The Shipper guarantees payment of all charges and advances.

(6) The goods, or packages said to contain the goods, described on the face hereof, are accepted for carriage from their receipt at Carrier's terminal or airport office at the place of departure to the airport at the place of destination. If so specifically agreed, the goods, or packages said to contain the goods, described on the face hereof, are also accepted for forwarding to the airport of departure and for reforwarding beyond the airport of destination. If such forwarding or reforwarding is by carriage operated by Carrier, such carriage shall be upon the same terms as to liability as set forth in Paragraphs 2 and 4 hereof. In any other event, the issuing carrier and last carrier, respectively, in forwarding or reforwarding the goods, shall do so only as agents of the shipper, owner, or consignee, as the case may be, and shall not be liable for any damage arising out of such additional carriage, unless proved to have been caused by its own negligence or wilful fault. The shipper, owner and consignee hereby authorize such carriers to do all things deemed advisable to effect such forwarding or reforwarding, including, but without limitation, selection of the means of forwarding or reforwarding and the routes thereof (unless these have been herein specified by the shipper), execution and acceptance of documents of carriage (which may include provisions exempting or limiting liability) and consigning of goods with no declaration of value, notwithstanding any declaration of value in this air waybill.

(7) Carrier is authorized (but shall be under no obligation) to advance any duties, taxes or charges and to make any disbursements with respect to the goods, and the shipper, owner and consignee shall be jointly and severally liable for the reimbursement thereof. No Carrier shall be under obligation to incur any expense or to make any advance in connection with the forwarding or reforwarding of the goods except against repayment by the shipper; if it is necessary to make customs entry of the goods at any place, the goods shall be deemed to be consigned at such place to the person named on the face hereof as customs consignee or, if no such person be named, to the carrier carrying the goods to such place or to such customs consignee, if any, as such carrier may designate.

(8) At the request of the shipper, and if the appropriate premium is paid and the fact recorded on the face hereof, the goods covered by this air waybill are insured on behalf of the shipper under an open policy for the amount requested by the shipper as set out on the face hereof (recovery being limited to the actual loss or damage not exceeding the insured value) against all risks of physical loss or damage from any external cause whatsoever, except those arising directly or indirectly from war risks, strikes, riots, hostilities, legal seizure or delay or inherent vice, and subject to the terms and conditions of such open policy which is available for inspection by the shipper. Claims under such policy must be reported immediately to an office of Carrier.

(9) Except as otherwise specifically provided in this contract, delivery of the goods will be made only to the consignee named on the face hereof, unless such consignee is one of the Carriers participating in the carriage, in which event delivery shall be made to the person indicated on the face hereof as the person to be notified. Notice of arrival of the goods will, in the absence of other instructions, be sent to the Consignee, or the person to be notified, by ordinary methods; Carrier is not liable for non-receipt or delay in receipt of such notice.

(10) (a) No action shall be maintained in the case of damage to goods unless a written notice, sufficiently describing the goods concerned, the approximate date of the damage, and the details of the claim, is presented to an office of Carrier within 7 days from the date of receipt thereof, in the case of delay unless presented within 14 days from the date the goods are placed at the disposal of the person entitled to delivery, and in the case of loss (including non-delivery) unless presented within 120 days from the date of issue of the air waybill.

(b) Any rights to damages against Carrier shall be extinguished unless an action is brought within two years after the occurrence of the events giving rise to the claim.

(11) The shipper shall comply with all applicable laws, customs and other government regulations of any country to, from, through or over which the goods may be carried, including those relating to the packing, carriage or delivery of the goods, and shall furnish such information and attach such documents to this air waybill as may be necessary to comply with such laws and regulations. Carrier is not liable to the shipper or any other person for loss or expense due to shipper's failure to comply with this provision.

(12) No agent, servant or representative of Carrier has authority to alter, modify or waive any provision of this contract.

## CONDICIONES DEL CONTRATO

(1) Como se usa en este contrato, "Convention" significa la Convención para la Unificación de Ciertas Reglas relativas al Transporte Internacional Aéreo, firmada en Varsovia el 12 de octubre de 1929, o bien esa Convención reformada por el Protocolo de La Haya de 1955, según la que sea aplicable al transporte a que se refiere este contrato. "guía aérea," "remitente" y "Conducción," son equivalentes, respectivamente, a "nota de consignación," "consignador" y "transporte"; y el vocablo "Transportador" incluye el transportador aéreo que expida esta guía aérea y todos los transportadores aéreos que conduzcan la mercancía en virtud del presente o que presten cualesquiera otros servicios en relación con dicho transporte aéreo. A los fines de las cláusulas relativas a exención e limitación de responsabilidad, expresadas o referidas en el presente, el vocablo "Transportador" incluye los agentes, servidores o representantes de cualquiera de dichos transportadores aéreos. El transporte a efectuarse según el presente por varios transportadores sucesivamente, se estimará como una sóla operación.

(2) (a) El Transporte según el presente queda sujecto a las reglas relativas a responsabilidad, sentadas por la Convención, a no ser que dicho transporte no fuere "transportación internacional" según se define en la Convención. (Para dicha definición véanse las tarifas del Transportador)

(b) En cuanto no resultare contradictorio a lo antedicho, el transporte según el presente, y los demás servicios prestados por cada Transportador, quedan sujetos a (i) las leyes aplicables (inclusive las leyes nacionales que dan efectividad a la Convención) y los reglamentos, ordenanzas y requisitos gubernamentales pertinentes, (ii) las disposiciones aquí consignadas, y (iii) las tarifas, reglas, reglamentos y horarios aplicables (con exclusión de las horas de salida y llegada señaladas en los mismos) de tal transportador, los cuales se tendrán por parte del presente, y de los cuales existen ejemplaras para inspección en cualquiera de sus oficinas y en los aeropuertos desde los cuales presta servicios regulares.

(c) A los fines de la Convención, las escalas convenidas que pueden ser cambiadas por el Transportador en caso de necesidad) son los lugares, excepto el lugar de salida y el de destino, indicados en el anverso del presente, o señalados en los horarios del Transportador como escalas de itinerario en la ruta.

(d) En el caso de transporte que esté sujeto a la Convención, asegura el remitente habersele concedido oportunidad para hacer una declaración especial del valor de la mercancía al entregarse ésta, y que la suma anotada en el anverso de la guia aérea como el "Valor Declarado por el Remitente/Consignador—Para Transporte," si excediere de 250 francos oro franceses (con un peso de 65½ miligramos de oro y una ley de 0.900) o su equivalente, por kilógramo, constituye tal declaración especial de valor.

(3) En cuanto que cualquier disposición consignada o referida en la presente guía aérea resultare incompatible con las leyes obligatorias o con los reglamentos, ordenanzas o exigencias gubernamentales pertinentes, tal disposición quedará aplicable hasta dondeno resulte anulada por los mismos. La nulidad de cualquier disposición no influirá en la validez de cualquier otra parte del presente.

(4) A no ser que la Convención u otras leyes aplicables consignen disposiciones en contrario. (a) El Transportador no será responsable ante el remitente ni ante ninguna otra persona por cualquier daño, demora o pérdida de cualquier naturaleza que fuere (a que se refieren colectivamente en el presente documento como "daño") provententes del transporte de la mercancia, o en relación con ello, a menos que se compruebe que tal daño haya sido motivado por la negligencia o la falta voluntaria del Transportador, y que no haya habido ninguna negligencia accessoria por parte del remitente, consignatario u otra reclamante, (b) Transportador no se hace responsable por cualquier daño proveniente, directa o indirecramente, de cumplimiento de leyes, reglamentos, ordenanzas o requisitos gubernamentales, o de cualquier causa ajena a la voluntad del Transportador, (c) habiéndose computado los cargos por el transporte a base del valor declarado por el remitente, queda convenido que cualquier responsabilidad en ningún caso excederá del valor declarado por el remitente, según indicado en el anverso del presente, y que la responsabilidad del Transportador, en defecto de tal declaración por el remitente, no excederá de los mencionados 250 francos ora franceses, o su equivalente, por kilógramo de mercancia que fuere destruida, perdida, dañada o demorada; toda reclamación habrá de sustancairse mediante un comprobante del valor, (d) un transportador que expida una guía aérea para transporte exclusivamente sobre las lineas de otros lo hace únicamente en calidad de agente de ventas.

(5) Queda convenido que no se señalará ningún plazo en que deberá completarse el transporte según el presente, y que el Transportador podrá, sin previo aviso, sustituir transportadores o aviones alternos. El Transportador no asume compromiso alguno de transportar la mercencia por un avión determinado, o por una ruta o rutas determinadas, o de hacer conexiones en cualquier punto de acuerdo con determinado itinerario; quedando el Transportador autorizado por el presente para seleccionar, o desviarse de, la ruta o rutas de embarque, aunque las mismas se especifiquen en el anverso del presente. El remitente garantiza el pago de todos los cargos y anticipos.

(6) La mercancía, o los paquetes que dicen contenerla, según detallados en el anverso del presente, serán aceptados al recibirse en el punto terminal o en la oficina del aeropuerto del Transportador, en el lugar de salida, para transportarse de allí hasta el aeropuerto en el lugar de destino. Si así se conviniere expresamente, la mercencía, o los paquetes que dicen contenerla, según detallados en el anverso del presente, serán tambien aceptados para remitirse al aeropuerto de salida y para su re-expedición más alta del aeropuerto de destino. Si tal remisión o re-expedición hubiere de efectuarse mediante transportación prestada por el Transportador, ésta deberá efectuarsede conformidad con los mismos terminos y condiciones en lo tocante a responsabilidad que los expresados en los Párrafos 2 y 4 del presente documento. En cualquier otro caso, el transportador expedidor y el último transportador, respectivamete, al remitir o al re-expedir la mercancía, lo harán únicamente en calidad de agentes del remitente, dueño o consignatario, según sea el caso, y ellos no serán responsables por cualquier daño proveniente de tal transportación adicional, a no ser que se compruebe que tal daño haya sido motivado por su propia negligencia o falta voluntaria. El remitente, dueño y consignatario autorizan a tales transportadores por el presente a hacer todos los actos que estimen aconsejables para efectuar tal remisión o re-expedición, inclusive, pero sin limitación, la selección de los medios de transporte a usarse para la remisión o re-expedición y las rutas de los mismos (a menos que dichos medios y rutas se especifiquen en el presente por el remitente), así como el otorgamiento y la aceptación de los documentos de transporte (los cuales pueden comprender disposiciones estipulando exención o limitación de responsabilidad) y la consignación de mercancía sin declaración de valor, no obstante cualquier declaración de valor que figure en la presente guia aérea.

(7) El Transportador queda autorizado (pero no tiene obligación de hacerlo) a anticipar cualesquier derechos, impuestos o cargos, y a realizar cualesquier desembolsos en relación con la mercancía, que dando el remitente, dueño y consignatario mancomunada y solidariamente responsables del reembolso de los mismos. Ninguno de los Transportadores estará obligado a contraer gastos o a anticipar ningún dinero en relación con la remisión o la re-expedición de la mercancía salvo contra reembolso por parte del remitente; si fuere necesario hacer entrada de aduana de la mercancía en algún lugar, ésta se estimará consignada en dicho lugar a la persona designada en el anverso del presente como consignatario de aduana, o si no lo hubiere, al transportador que conduciere la mercancía a aquel lugar, o a aquel consignatario de aduana, si lo hubiere, que dicho transportador designe.

(8) A solicitud del demitente, y siempre que se haya pagado el premio debido y que dicho pago sea anotado en el nverso del presente, la mercancía amparada por esta guía aérea quedará asegurada a nombre del remitente bajo una póliza abierta por la cantidad especificada por el remitente, según anotada en el anverso del presente (limitándose la indemnización a la pérdida o daño real no excedente del valor asegurado), contra todos los riesgos de perdida o daño físico provenientes de cualquier causa extrna, a excepción de las que provengan, directa o indirectamente, de riesgos de guerra, huelgas, motines, hostilidades, secuestro legal, o demora, o de vicio inherente, y con sujection a los términos y condiciones de tal póliza abierta, la cual estará disponsible para el examen del remitente. Las reclamaciones conforme a la mencionada póliza deberán avisarse inmediatamente a una oficina del Transportador.

(9) A no ser que este contrato consignare disposiciones en contrario, la entrega de la mercancía se efectuará unicamente al consignatario nombrado en el anverso del presente, a menos que dicho consignatorio fuere uno de los Transportadores que intervinieren en el transporte, case en el cual la entrega deberá efectuarse a la persona indicada en el anverso del presente como la persona a quien deberá avisarse. El aviso de la llegada de la mercancía se enviará, en defecto de otras instrucciones, al Consignatario, o a la persona a ser avisada, por medios ordinarios; no será el Transportador responsable por el que no se hubiere recibido el aviso o por demora en la recepción de ello.

(10) (a) Ninguno de los Transportadores será responsable en ningun litigro que pudiera establecerse en el caso de daño sufrido por la mercancía, a menos que un aviso por escrito se hubiere dado a una oficina del Transportador, acompañandose una descripción adecuada de la mercancía de que se trate, así como la fecha aproximada en que hubiere ocurrido el daño, y las particularidades de la reclamacion, dentro de siete días a contar de la recepción de la mismo; o en caso de demora, dentro de catore dias a contar de la fecha en que la mercancía haya sido puesta a la disposición de la persona a quien debera entregarse; o en caso de pérdida (inclusive la no entrega), dentro de ciento veinte días a partir de la fecha de expedición de la guia aérea. (b) Cualquier derecho a reclamación contra el Transportador se extinguirá a menos que se hubiere esatblecido una deman dadentro de dos años a contar de la fecha en que ocurrieren sucesos que hayan motivado la reclamación.

(11) El remitente quedará obligado a dar cumplimiento a todas las leyes, usos y demás reglamentos gubernamentales pertinentes de cualquier pais al cual, o desde, por donde, o sobre el cual llegare a transportarse la mercancía, inclusive las leyes y reglamentos relativos al empaque, transporte o entrega de la mercancía, quedando el remitente obligado a suministrar todos los datos y a adjuntar a esta guía aérea todos los documentos que fueren precisos para dar cumplimiento a tales leyes y reglamentos. El Transportador no se hace responsable ante el remitente ni ante cualquier otra persnoa por pérdida o gastos que fueren motivados por incumaplimiento de esta disposición por parte del remitente.

(12) No tiene ningún agente, servidor o representante del Transportador autoridad para alterar, modificar o renunciar ninguna disposición del presente contrato.

Strong EM

Base Line

Arbitrary Bl.

Triple H #31

(Triple H #51)
Old China

Bell Clapper
(Triple H #30)

(Triple H #52)
Brick Ext.

EM faulty here.

EM

Weak

Brick

#1 Shaft

#1 D.D.H.

#2 D.D.H.

Percussion hole

Bell

Triple H #53

Triple H #57

Triple H #58

Brown Dog

Triple H #56

Triple H #59
Ruth

Protection N.W. Exit

Ruby & Nogales

Santa Clara

Alt. vein zone

P.F. Rd.

Ruff & Ready No. 1

Base Line

La Paz

R. K. Horse

Triple H #55

Rubiana North Fraction Annex

Rubiana

L.B.B. No 1

Triple H #66

Triple H #67

Triple H #60
Irish Mag

(Triple H #62)
Davis

(Triple H #61)
Gladie

T. 22 S.

T. 23 S.

R. 11 E.

U.S.M.M. No 3

Registered Professional Engineer (Mining)
CERTIFICATE EXPIRES
RICHARD E. MIERITZ
DEC. 31, 19
ARIZONA

# CLAIM MAP

## Brick Mine Area

Oro Blanco Mining District

Santa Cruz County, Arizona

SCALE: 1" = 300 Ft.

Sept., 1976 R.E. Mieritz

MAP No 3

Brick Mine – Ore Holes 1 g +

DDH1- 325-335 G V.

DDH2- 175-185 G

DDH6- 165-165 G
175-195 ½ g G

H.H 5 130 - 155

H.H. 3 180 - 200
205 - 210

H.H. 1 195 - 220 ½g < 1.0 oz.

~~H.H. 2~~ ~~350 - 355~~

HH2 ~~Zone~~ ~~350 - 370~~ O -
~~341 - 366~~

H.H. 4 105-201 ~~187~~? H.H. 6 = Vein ~~H~~ 170-190

---

DDH 2 - ~~350~~ 355-G
355-~~360~~ < 1.0
361-366 G
366-370 < 1.0

DDH 4 - 115-125 Vein structure

34.3 PPM = 1 Troy Oz.

LIST OF UNPATENTED MINING CLAIMS, OWNED BY CHARLES (CHICK) HAGERTY, SITUATE IN THE ORO BLANCO MINING DISTRICT, SANTA CRUZ COUNTY, ARIZONA.

| | NAME | LOCATION DATE | APPROX LOCATION | BOOK | PAGE |
|---|---|---|---|---|---|
| | 1) Chivas | 6/6/63 | SE¼ S-32 22S 11E | 045 | 18 AMC 70510 |
| | 2) Lonesome | 6/28/63 | SE¼ 8 23 11 | 045 | 242 " " " 70560 |
| | 3) Triple H #1 | 10/31/63 | SE¼ 5 23 11 | 048 | 343 " " " 70518 |
| | 4) Triple H #2 | 10/31/63 | SE¼ 5 23 11 | 048 | 344 " " " 70519 |
| X O | 5) Triple H #53 | 11/6/63 SW¼31+NW¼ | 6 23 11 | 048 | 370 " " " 70538 |
| | 6) Triple H #54 | 11/6/63 SW¼31+ NW¼ | 6 23 11 | 048 | 371 " " " 70539 |
| X O | 7) Triple H #55 | 11/6/63 | NW¼ 6 23 11 | 048 | 372 " " " 70540 |
| X O | 8) Triple H #56 | 11/6/63 | NE¼ 6 23 11 | 048 | 373 " " " 70541 |
| X O | 9) Triple H #57 | 11/7/63 | NW¼ 6 23 11 | 048 | 374 " " " 70542 |
| X O | 10) Triple H #58 | 11/4/63 | NE¼ 6 23 11 | 048 | 375 " " " 70543 |
| X O | 11) Triple H #59 | 11/6/63 | NE¼ 6 23 11 | 048 | 452 " " " 70544 |
| | 12) Triple H #3 | 11/1/63 SE¼+5-NE¼ | 8 23 11 | 048 | 453 " " " 70520 |
| | 13) Triple H #4 | 11/1/63 | SE¼ 5 23 11 | 048 | 454 " " " 70521 |
| | 14) Triple H #7 | 11/1/63 | SE¼ 5 23 11 | 048 | 455 " " " 70522 |
| 536 X O | 15) Triple H #51 | 11/7/63 | SW¼ 31 22 11 | 048 | 456 " " " 70535 |
| X O | 16) Triple H #52 | 11/4/63 SW¼31 | SE¼ 31 22 11 | 048 | 457 " " " 70537 |
| X O | 17) Triple H #60 | 11/8/63 | NE¼ 6 23 11 | 048 | 459 " " " 70545 |
| X O | 18) Triple H #61 | 11/8/63 | NW¼+SW 5 23 11 | 048 | 460 " " " 70546 |
| X O | 19) Triple H #62 | 11/8/63 NW¼5 | NE¼ 6 23 11 | 048 | 461 " " " 70547 |
| | 20) Triple H #47 | 11/11/63 | NW¼ 11 23 10 | 048 | 552 " " " 70534 |
| | 21) Triple H #48 | 11/11/63 | NW¼ 11 23 10 | 048 | 553 " " " 70535 |
| X O | 22) Triple H #66 | 11/11/63 | SE¼+SW 6 23 11 | 048 | 554 " " " 70548 |
| | 23) Triple H #43 | 11/13/63 NE¼11+ | SE¼ 2 23 10 | 049 | 20 " " " 70530 |
| | 24) Triple H #44 | 11/13/63 NW¼11+ | SE¼ 2 23 10 | 049 | 21 " " " 70531 |
| | 25) Triple H #45 | 11/12/63 NW¼11+ | SW¼ 2 23 10 | 049 | 22 " " " 70532 |
| | 26) Triple H #46 | 11/12/63 | NE¼ 11 23 10 | 049 | 23 " " " 70533 |
| X O | 27) Triple H #67 | 11/11/63 | SE¼ 6 23 11 | 049 | 24 " " " 70549 |
| | 28) Triple H #36 | 11/14/63 | NE¼ 2 23 10 | 049 | 179 " " " 70525 |
| | 29) Triple H #37 | 11/14/63 | NE¼ 2 23 10 | 049 | 180 " " " 70526 |
| | 30) Triple H #40 | 11/13/63 | SE¼ 2 23 10 | 049 | 181 " " " 70527 |
| | 31) Triple H #41 | 11/13/63 | SW¼ 2 23 10 | 049 | 182 " " " 70528 |
| | 32) Triple H #42 | 11/13/63 | SW¼ 2 23 10 | 049 | 183 " " " 70529 |
| X O | 33) Triple H #30 | 12/17/63 | SE¼ 31 22 11 | 049 | 602 " " " 70523 |
| X O | 34) Triple H #31 | 12/18/63 SW¼ | SE¼ 31 22 11 | 049 | 603 " " " 70524 |
| | 35) C & J Silver Shadow | 2/4/64 | SE¼ 5 23 11 | 050 | 127 " " " 70514 |
| | 36) Jackpot No. 1 | 2/18/64 | NE¼ 7 23 11 | 052 | 112 " " " 70572 |
| | 37) Jackpot No. 2 | 2/19/64 SW¼6+ | NW¼ 7 23 11 | 052 | 113 " " " 70573 |
| | 38) Jackpot No. 3 | 2/20/64 | SW¼ 6 23 11 | 052 | 114 " " " 70574 |
| | 39) Jackpot No. 4 | 2/20/64 | SW¼ 6 23 11 | 052 | 115 " " " 70575 |
| | 40) Chicks Ruby Frac #1 | 9/5/64 NW¼+ | NE¼ 5 23 11 | 055 | 300 " " " 70511 |
| | 41) Chicks Ruby Frac #2 | 9/5/64 | SW¼ S-33 22S 11E | 055 | 301 " " " 70512 |
| | 42) Ruby Silver Annex #1 | 9/2/64 SE¼32 | SW33 22 11 | 055 | 302 " " " 70513 |
| | 43) Kino Bingo No. 1 | 3/4/65 | SE¼ 5 23 11 | 059 | 510 " " " 70515 |
| | 44) Kino Bingo No. 2 | 3/5/65 | SW¼ 4 23 11 | 059 | 511 " " " 70516 |
| | 45) Kino Bingo No. 3 | 3/6/65 | NW¼ 4 23 11 | 059 | 512 " " " 70517 |
| | 46) Plata Copper Jackpot | 3/7/66 SE¼ | NE¼ 11 23 10 | 066 | 572 " " " 70552 |
| | 47) Plata Copper Jackpot #2 | 3/7/66 | NE¼ 11 23 10 | 066 | 573 " " " 70553 |
| | 48) Alaska No. 1 | 4/7/70 | NW¼ 13 22 10 | 113 | 438 " " " 70555 |
| | 49) Buena Vista | 9/2/70 | NW¼ 32 22 11 | 113 | 68 " " " 70563 |
| | 50) Purple Star | 9/2/70 | NE¼ 1 23 10 | 119 | 69 " " " 70561 |
| | 51) Copper Wedge | 8/25/70 | NE¼ 2 23 10 | 119 | 324 " " " 70556 |
| | 52) Copper Chick | 8/25/70 | NE¼ 2 23 10 | 119 | 325 " " " 70557 |
| X O | 53) Bell | 9/2/72 SE¼+ | NE¼ 5 23 11 | 147 | 643 " " " 70564 |
| X O | 54) La Paz | 9/2/72 | NW¼ 5 23 11 | 147 | 645 " " " 70565 |
| X O | 55) Rubiana N Frac Annex | 9/2/72 | NW¼+NE¼6 23 11 | 147 | 646 " " " 70566 |
| X O | 56) Rubiana Amended | 9/2/72 | NE¼ 6 23 11 | 147 | 647 " " " 70567 |
| X O | 57) Santa Clara Amend | 9/2/72 NW¼5+ | NE¼ 6 23 11 | 147 | 648 " " " 70568 |
| X O | 58) Brown Dog | 9/2/72 | NE¼ 6 23 11 | 142 | 103 " " " 70569 |
| X O | 59) Protectection NW Ex | 9/2/72 NE¼6+ | NW¼ 5 23 11 | 148 | 104 " " " 70570 |
| X O | 60) Ruff & Ready No. 1 | 9/2/72 | NW¼ 5 23 11 | 143 | 105 " " " 70571 |
| | 61) Gun Site | 6/28/63 | SW1/4 S 5 23 11 E | 045 | 239 " " " 70551 |
| | 62) Gunsite # 1 | 7/2/63 | SW1/4 S 5 23 S 11 E | 045 | 240 " " " 70554 |
| | 63) Ruby NO3 | 6/3/63 | NE+NW¼ Sec 8 23S 11E | 045 | 216 " " " 70550 |
| | 64) Purple Star No.2 | 7/14/75 | NW¼ Sec 1 R23S R11E → | P. 192 | 655 " " " 70562 |
| X O | 65) R.K. Horse | 8/1/74 | NE1/4 Sec.6 T 23S R11 E | 211 | 258 " " " 70558 |
| X O | 66) LBB #4 | 9/1/74 | SW1/4 Sec.6 T 23S R11 E | 211 | 257 " " " 70559 |
| X O | 67) Brick AMC 27414 | 9/1/78 | NE1/4 Sec.6 & SE1/4 S31 T 23 & 22 S R11E | 244 | 392 " " " [illegible] 27414 |
| | 68) Xerox | 12/10/79 | SW¼ Sec 31 T22+23S R11E | 215 | 638 |
| | 69) Ruby No4 | 6/5/63 | SE-SW¼ SE5 T22+23S R11E | 045 | 217 " " " 70576 |
| | 70) Ruby No5 | 6/5/63 | SE ¼ sec 5 T22S R11E | 045 | 218 " " " 70577 |


HAGERTY GROUP
X = Other Ownership
PATENTED
Ruby Peak
SCALE 1" = 2000'
Black Peak
Copre Mt
Montana Peak
Canyon
AUSTERLITZ MINE
BM 428
BUENA VISTA
CHIVAS
RSAM
RUBY CRF No 2
CRF No 1
TH #31
TH #30
TH #32
TH #33
TH #34
TH #35
TH #36
TH #37
TH #38
TH #39
TH 40
TH 41
TH 42
TH 43
TH 44
TH 45
TH 46
TH 47
TH 48
TH 49
TH 50
TH 51
TH 52
TH 53
TH 54
TH 55
TH 56
TH 57
TH 58
TH 59
TH

February 9, 1980

Mr. Steve Radvak
Arivaca Silver and Mines Ltd.
213 - 475 Howe Street
Vancouver, B. C. VC-V-6c -2B3
Canada

Dear Steve:

Thanks for your phone call of last nite--however, the wife is going to "bash" you over the head. Eleven PM--need I say more?????? OK, we were not asleep but the phone rang at least 6 times. I will forgive you this time.

Steve, I would like to have a letter of authorization from the person for whom the work is being done. Also title and the Company. For your information, my Fees are $300.00/ day each for the first three days and then $250.00 each day thereafter. Out-of-pocket Expenses are for the clients account.

With Maps and information in hand I will visit the property again and prepare the Report. Will this Report be used for the Exchange in Vancouver or is it just for the personal use of the Company involved. If for the Exchange, I assume I will have to provide a letter of certification??-right?.

As soon as I know when I expect to have the Report ready for mailing I will call you at the 681-4020 number, or your home number, 926-3986--(correct??) to advise the amount due--Fee and expenses, so you can send a cashiers check and upon receipt I will mail the Report. I apologize it must be done this way, but I have set a policy and am carrying forward with. Unfortunately, the innocent must suffer because of the guilty. It only happens to me once.

I will call Chick Haggerty to see if he can accompany me to the property--once I receive the "paper work". If he is unable to go for any reason, I shall visit the property myself. This could be this coming Thursday--if I have the papers, if not then the following Monday. That should give you an indication of the time schedule.

Thanks,

R. E. Mieritz


Trench 1
N15W, 1' wide
30' long.
2' Dongr.
3' Blk
4'
4'
south
aluminum 12'
N40E
135'
N38W
175'
N36W
265'
Rd.
1 ft wide gr. gen. mn.
5-43W
25'
4'
50'
N70W
270'
N44W
103'
N59W
140'
24'
45'
all gr
structure.
30'
N52W
120'
Rd
Rd
207'
N
80'
20'
#3
54TW

Blystone Equipment.
3395, Valley View.
#876-6666 - #2801

Houston - 713-780-4016

Labor - 2,899.41
Rod - 1,420.-
Haul 19,970.75
23,790.16

BAT RENTALS INC. ONE CALL DOES IT ALL
(702) 731-1122

DIVERSIFIED SALES PARTS SERVICE
EQUIPMENT SALES CORP.
(702) 737-7440 TELEX 684-529

2771 SOUTH INDUSTRIAL ROAD • LAS VEGAS, NEVADA 89109

1-622-0813

2601 — .005 3.10

02 — .001 .25

03 — .002 — .105

04 — .001 "

05 — .001 .15

06 — .001 .15

07 — .001 .105

45.50

V.L.F. — EM

September 24, 1980

Mr. Robert L. Peterson,
Chief Data and Statistics Department
Bureau of Land Management
RM 2400
Valley Bank Center
Phoenix, Arizona, 85073

Dear Mr. Peterson:

Herewith the recorded copy of Affidavit of Labor for the Brick group of claims in the Oro Blanco Mining District, Santa Cruz County, Arizona along with a list of the claims and the B.L.M. numbers.

This Affidavit of Labor is for the year 1979-80.

Sincerely yours,

_____
R. E. Mieritz.

REPLY TO:
2940 N. CASA TOMAS
PHOENIX, ARIZONA 85016
TELEPHONE (602) 277-6053

Richard E. Mieritz
MINING CONSULTANT
ARIZONA REGISTERED
MINING ENGINEER AND GEOLOGIST

GEOLOGY
EXPLORATION
EVALUATION
FEASIBILITY
OPERATION

September 26, 1980

Mr. Steve Radvak
Member, Board of Directors
Arivaca Silver Mines Ltd.
213 - 475 Howe Street
Vancouver, B. C. VC-V-6c-2B3
Canada

Dear Mr. Radvak:

At your verbal telephone request and authorization, the writer caused to be completed physical assessment work on the Brick group of claims, Oro Blanco Mining District, Santa Cruz County, Arizona, same being completed for and at the expense of Arivaca Silver Mines Ltd.

In February 1980, the writer completed plans and design for an underground entry to mine the explored silver deposit within the Brick claim. The cost of such work was not sufficient to meet the Federal law requirements of $100.- per claim.

To offset the financial deficiency, the writer directed physical efforts towards obtaining useful information - either positive or negative.

During the limited time available before August 31, 1980 - the year 1979-1980 deadline, the writer employed the J & T Enterprises, Arivaca, Arizona, to excavate seven surface trenches at designated locations and lengths. The contractor utilized his "backhoe" equipment to accomplish the work. Upon completion of the trenching, the writer made another trip to the property to examine the trenches, observe the geology and take seven samples. (See attached Map.)

The details of the samples are:

| Sample Number | Description | Ounces Gold | Ounces Silver |
|---|---|---|---|
| 2501 | 3 feet long, Trench #2, black qtz, (Mn) | .008 | 3.10 |
| 2502 | 2 feet long, altered tan granite, brw FeO | .001 | 0.25 |
| 2503 | 3 feet long, Trench # 3, altered brw Gr. | .002 | 0.03 |
| 2504 | 1 foot long, Trench #6, altered tan Gr.(Mn) | .001 | 0.03 |
| 2505 | 2.5 ft long, Trench #6, Sil Lms, Tan FeO | .001 | 0.15 |
| 2506 | 4 feet, Trench #7, Wh-pk rhy, tan-rd brw FeO. | .001 | 0.15 |
| 2507 | 4 feet, Trench #7, Alt'd Gr., tan FeO | .001 | 0.03 |

The writer attempted to locate the trenches along the strike line of the V.L.F.-EM. anomaly northwest of the Brick shaft area.

The included Recorded Affidavit of Labor is sent for your files. A copy of this Recording and the claim list has been sent to the B.L.M. Phoenix office - as required by law.

The writer has taken the liberty of sending Mr. Charles Hagerty a copy of the Affidavit and the Map.

Sincerely yours,




Richard E. Mieritz
Mining Consultant
Phoenix, Arizona

Enclosures:
Recorded Affidavit of Labor
Claim List
Letter to B.L.M.

1435 SOUTH 10TH AVENUE
TUCSON, ARIZONA 85713

# Jacobs Assay Office

## Registered Assayers

Since 1880




PHONE 622-0813

Tucson, Arizona, 10 Sept., 1980

Sample Submitted by Mr. R. E. Moritz

| Sample Marked | GOLD Ozs. per ton ore | GOLD ~~Value per ton ore*~~ | SILVER Ozs. per ton ore | ~~COPPER Per cent Wet Assay~~ | ~~LEAD Per cent Wet Assay~~ | ~~Per Cent Wet Assay~~ | ~~Per Cent Wet Assay~~ | ~~Per Cent Wet Assay~~ |
|---|---|---|---|---|---|---|---|---|
| 2501 | 0.008 | ~ | 3.10 | | | | | |
| 2502 | 0.001 | ~ | 0.25 | | | | | |
| 2503 | 0.002 | ~ | < 0.05 | | | | | |
| 2504 | 0.001 | ~ | < 0.05 | | | | | |
| 2505 | 0.001 | ~ | 0.15 | | | | | |
| 2506 | 0.001 | ~ | 0.15 | | | | | |
| 2507 | 0.001 | ~ | < 0.05 | | | | | |

* Gold Figured ~~$300.00 per oz.~~ Troy

Charges $ 45.50

Very ~~respectfully~~,

INVOICE NO.

4551

D. S. T. ENTERPRISES
RUEL D. THOMPSON
[illegible] Arivaca, Az. 85601

| SOLD TO | | | SHIPPED TO | | |
|---|---|---|---|---|---|
| STREET & NO. | | | STREET & NO. | | |
| CITY | STATE | ZIP | CITY | STATE | ZIP |

| CUSTOMER'S ORDER | SALESMAN | TERMS | F.O.B. | DATE |
|---|---|---|---|---|
| | | | | |

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Ck# 80-242 - 8/24/80 - advance
Ck# 80-247 9/6/80

Rediform
7H 725

INVOICE

1" = 300'



SKYLINE LABS, INC.
Hawley, & Hawley, Assayers and Chemists Division
[illegible] Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

[illegible] MINE — NEAR RUBY, AZ

# CERTIFICATE OF ANALYSIS

[illegible] DRILL HOLE — VERTICAL (90°)

| ITEM NO. | SAMPLE IDENTIFICATION | | Cu ppm | Pb ppm | Zn ppm | Au* oz/ton | Ag* oz/ton | Ag** oz/ton | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | BDDH-1 | 270-275 | 20 | 150 | 105 | <0.005 | <0.01 | | |
| 2 | | 275-280 | 20 | 40 | 85 | <0.005 | <0.01 | | |
| 3 | [illegible] | 280-285 | 60 | 30 | 95 | <0.005 | <0.01 | | |
| 4 | [illegible] | 285-290 | 15 | 75 | 110 | <0.005 | <0.01 | | |
| 5 | [illegible] | 290-295 | 10 | 35 | 75 | <0.005 | <0.01 | | |
| 6 | | 295-300 | 15 | 30 | 55 | <0.005 | <0.01 | | |
| 7 | | 300-305 | 5 | 30 | 50 | <0.005 | <0.01 | | |
| 8 | | 305-310 | 5 | 35 | 55 | <0.005 | <0.01 | | |
| 9 | | 310-315 | 25 | 35 | 90 | <0.005 | <0.01 | | |
| 10 | VEIN | 315-320 | 15 | 90 | 60 | 0.010 | 0.73 | 0.87 | 315'-345' |
| 11 | | 320-325 | 80 | 270 | 300 | 0.020 | 2.13 | 2.02 | 30' @ 1.04 $/TON |
| 12 | | 325-330 | 95 | 360 | 470 | 0.010 | 2.28 | 2.25 | |
| 13 | | 330-335 | 100 | 630 | 980 | 0.005 | 0.25 | 0.26 | 320-330 |
| 14 | | 335-340 | 60 | 410 | 530 | <0.005 | <0.01 | 0.20 | 10' @ 2.21 $/TON |
| 15 | | 340-345 | 225 | 980 | 1700 | 0.010 | 0.85 | 0.98 | TRUE WIDTH |
| 16 | ~~CAS~~ CLOSE | 345-350 | 195 | 325 | 510 | <0.005 | <0.01 | 0.03 | 17' NORMAL TO VEIN |
| 17 | [illegible] | 350-355 | 230 | 155 | 165 | <0.005 | <0.01 | 0.02 | |
| 18 | [illegible] | 355-360 | 90 | 75 | 100 | <0.005 | <0.01 | <0.01 | |
| 19 | [illegible] | 360-365 | 120 | 50 | 60 | <0.005 | <0.03 | | |
| 20 | [illegible] | 365-370 | 80 | 55 | 65 | <0.005 | <0.01 | | |
| 21 | BDDH-1 | 370-375 | 30 | 15 | 40 | <0.005 | <0.01 | | |

TO:

Gerald Weathers
3928 E. Meadow Brook Ave.
Phoenix, Arizona 85018

cc: Pacific Resources
810-850 W. Hastings St.
Vancouver, B.C., Canada

REMARKS:

Trace Analysis
*Analysis by Fire Assay
** Analysis by Fire Assay on Second-Split

CERTIFIED BY:

| DATE REC'D. | DATE COMPL. | JOB NUMBER |
|---|---|---|
| 12/14/76 | 12/22/76 | 762577 |

C5

# POSTAL SERVICE OF THE UNITED STATES OF AMERICA

*Administration des Postes des Etats-Unis d'Amérique*

Postmark of the office returning the receipt
*Timbre du bureau renvoyant l'avis*

POSTAGE DUE
DEPOT T4
OCT 1 1971
REGISTRATION SECTION
VANCOUVER B.C. V6B 2X0

## POSTAL SERVICE

*Service des postes*

**If the receipt is to be returned by air mail, put on it the conspicuous notation "Renvoi par avion" (Return by air mail) and the blue "Par avion" (via air mail) label or impression.**

***Si le présent avis doit etre renvoyé par avion, le revetir de la mention tres apparente "Renvoi par avion" et de l'etiquette ou d'une empreinte de couleur bleue "Par avion."***

## RETURN RECEIPT

*Avis de réception*

**To be filled out by the sender, who will indicate his address for the return of this receipt.**
***A remplir par l'expediteur, qui indiquera son adresse pour le renvoi du présent avis.***

**Name or firm** / **Nom ou raison sociale**

Richard E. Wentz

**Street and No.** / **Rue et no.**

2940 N. Casa Tomas

**City, State and Zip Code** / **Localite**

Phoenix, Arizona, 85016

**UNITED STATES OF AMERICA** — ***Etats-Unis d'Amérique***

PS Form 2865, July 1971

Registered article
Envoi recommandé

☐ Letter
Lettre

☐ Print
Imprimé

☐ Other
Autre

☐ Insured parcel
Colis avec valeur déclarée

Insured value
Valeur déclarée $ _____

Office of mailing Bureau de depot
Phx, Az. U.S.A.

Date of posting Date de depot

No. 7939

Addressee (Name or firm) Nom ou raison sociale du destinataire
Fred G. Hoffman
Pacific Resources Development Ltd.

Street and No. Rue et No.
1785-777 Hornby Street.

Place and country Lieu et Pays
Vancouver, B.C., CANADA

This receipt must be signed by the addressee or by a person authorized to do so by virtue of the regulations of the country of destination, or, if those regulations so provide, by the employee of the office of destination, and returned by the first mail directly to the sender.

*Cet avis doit etre signé par le destinataire ou par une personne y autorisée en vertu des reglements du pays de destination, ou, si ces reglements le comportent, par l'agent du bureau de destination, et renvoye par le premier courrier directement a l'expediteur.*

Postmark of the office of destination
*Timbre du bureau de destination*

POSTAL DEPOT
OCT 1 1976
REGISTRATION SECTION
VANCOUVER, B.C.

☐ The article mentioned above was duly delivered.
*L'envoi mentionne ci-dessus a ete dumont livré*

Date 1/10/76

Signature of the addressee
Signature du destinataire

*Signature of the employee of the office of destination.*
*Signature de l'agent du bureau de destination.*

# AMERICAN SMELTING AND REFINING COMPANY
## EL PASO SMELTING WORKS

BOUGHT OF THE BRICK MINE — EL PASO, TEXAS, 8/11/76 19
ADDRESS C/O ED. GRASMOEN - BOX 196 — SMELTER LOT 1151
SHIPPING POINT ARIVACA, ARIZONA 85601 — SHIPPERS LOT
NAME OF MINE — CLASSIFICATION ores
RATES, EXCEPT ON CONTRACTS, SUBJECT TO CHANGE WITHOUT NOTICE — PURCHASE TERMS C.76402

| MIX | ARRIVAL DATE | CAR NUMBER | CAR RR | GROSS WEIGHT | TARE WEIGHT | CONTAINERS NO. | CONTAINERS WEIGHT | WET WEIGHT | % H2O | DRY WEIGHT |
|---|---|---|---|---|---|---|---|---|---|---|
| 231 | 7/27 | 463254 | SP | | | | | 179120 | 7.9 | 164970 |

QUOTATIONS: SILVER 4.32; LEAD; COPPER; Au 112.46

B/L DATE:

| ASSAYS | OZ. PER TON GOLD | OZ. PER TON SILVER | WET LEAD % | COPPER % | SiO2 % | Fe % | CaO % | Zn % | S % | Al2O3 % | As % | Sb % | Ni % | Bi % | % | % |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SMELTER | .09 | 14.1 | 0 | .06 | 77.4 | 1.9 | | | | 4.8 | | | | | | |
| SHIPPER | | | | | | | | | | | | | | | | |
| UMPIRE | | | | | | | | | | | | | | | | |
| METALLICS | | | | | | | | | | | | | | | | |
| SETTLE | .09 | 14.1 | 0 | .06 | | | | | | | | | | | | |

### VALUES PER TON

| PAYMENT | PAY CONTENT | PRICE | AMOUNT | FREIGHT (FIXED) |
|---|---|---|---|---|
| GOLD .09 MIN. 95% | .0675 | 111.46 | 7.52 | |
| SILVER LESS 1 MIN. 70% | 12.445 | 4.25 | 52.89 | |
| LEAD, LESS @ % | | | | |
| COPPER, LESS @ % | | | | |
| GROSS VALUE | | | 60.11 | |
| LESS DEDUCTIONS (NET CHARGE) | | | 13.92 | |
| FREIGHT VALUE | | | X X X | |
| NET VALUE | | | 46.19 | |

### DEDUCTIONS

| | CHARGE | CREDIT |
|---|---|---|
| BASE, INCL. LABOR ADJ. | 12.50 | |
| EXCESS VALUE OVER $100.00 | — | |
| ¢ PER UNIT Pb/Cu ± % | | |
| LEAD--COPPER PRICE ESCALATOR SILICA | 1.42 | |
| ZINC | | |
| As: Sb: Bi: | | |
| NET CHARGE | 13.92 | |

= WET TON 82.4850 DRY TONS

| | DEBITS | CREDITS |
|---|---|---|
| LESS FREIGHT: 100.00 WET TONS @ 6.69 P.T. | | 3309.98 |
| LESS SWITCHING: 1 @ 29.51 RESETS: 1 @ 15.35 REWEIGHS: | 66.90 44.86 | |
| LESS SAMPLING: MIN 200.00 | | |
| LESS UMPIRE: | | |
| LESS HAULING: | | |
| LESS REPRESENTATION: | | |
| LESS ROYALTY: | | |
| LESS ADVANCE: | | |
| BALANCE DUE SHIPPER/ | 3096.12 | |
| TOTALS | 3807.73 | 3309.98 |

Grace St. Lac

# AMERICAN SMELTING AND REFINING COMPANY
## EL PASO SMELTING WORKS

BOUGHT OF THE BRICK MINE — EL PASO, TEXAS 5/25/76 19
ADDRESS % ED. GRASMEN - BOX 196 — SMELTER LOT 712
SHIPPING POINT ARIVACA, ARIZ. 85601 — SHIPPERS LOT
NAME OF MINE — CLASSIFICATION Cu ore
RATES, EXCEPT ON CONTRACTS, SUBJECT TO CHANGE WITHOUT NOTICE — PURCHASE TERMS C 76-108

| MIX | ARRIVAL DATE | CAR NUMBER | CAR RR | GROSS WEIGHT | TARE WEIGHT | CONTAINERS NO. | CONTAINERS WEIGHT | WET WEIGHT | % H2O | DRY WEIGHT | QUOTATIONS |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5/9 | 463702 | SP | | | | | 153140 | 7.7 | 141348 | SILVER 4.4512 |
| | | | | | | | | | | | LEAD |
| | | | | | | | | | | | COPPER Au 126.69 |

B/L DATE:

| ASSAYS | OZ PER TON GOLD | OZ PER TON SILVER | WET LEAD % | COPPER % | SiO2 % | Fe % | CaO % | Zn % | S % | Al2O3 % | As % | Sb % | Ni % | Bi % | % | % |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SMELTER | .055 | 14.6 | 0 | .07 | 738 | 1.1 | | | | 5.7 | | | | | | |
| SHIPPER | | | | | | | | | | | | | | | | |
| UMPIRE | | | | | | | | | | | | | | | | |
| METALLICS | | | | | | | | | | | | | | | | |
| SETTLE | .055 | 14.6 | 0 | .07 | | | | | | | | | | | | |

### VALUES PER TON

| PAYMENT | PAY CONTENT | PRICE | AMOUNT | FREIGHT (FIXED) |
|---|---|---|---|---|
| GOLD .02 MIN 92.5% | .022375 | 425.69 | 4 07 | |
| SILVER, LESS 1 MIN. 95% | 12.92 | 4.3812 | 56 61 | |
| LEAD, LESS @ % | | | | |
| COPPER, LESS @ % | | | | |
| GROSS VALUE | | | 60 68 | |
| LESS DEDUCTIONS (NET CHARGE) | | | 13 56 | |
| FREIGHT VALUE | | | X X X | |
| NET VALUE | | | 47 12 @ 70.674 | |

| DEDUCTIONS | CHARGE | CREDIT |
|---|---|---|
| BASE, INCL. LABOR ADJ. | 12 50 | |
| EXCESS VALUE OVER $ 100.00 | — | |
| ¢ PER UNIT Pb/Cu ± % | | |
| LEAD--COPPER PRICE ESCALATOR | | |
| SILICA | | 92 |
| ALUMINA | | 14 |
| ZINC | | |
| As: Sb: Bi: | | |
| NET CHARGE | 13 56 | |

LESS FREIGHT: 100.00 — WET TONS @ 6.69 P.T. — WET TON / DRY TONS 5-19
LESS SWITCHING: 10 295 — RESETS: 10 / 5 35 — REWEIGHS:
FRT. INTEREST $713.86 @ 8.4375 % @ 5 ÷ 365
LESS SAMPLING: MIN 200 ECO
LESS UMPIRE:
LESS HAULING:
LESS REPRESENTATION:
LESS ROYALTY:
LESS ADVANCE:

| | DEBITS | CREDITS |
|---|---|---|
| | | 3330 16 |
| | 669 60 | |
| | 44 86 | |
| | 83 | |
| BALANCE DUE SHIPPER/[redacted] | 2615 47 | |
| TOTALS | 3330 16 | 3330 16 |

GSARCO
Paid Freight.

# AMERICAN SMELTING AND REFINING COMPANY
## EL PASO SMELTING WORKS

BOUGHT OF Brick Mine. EL PASO, TEXAS, 2/25/76 19
ADDRESS P.O. Box 196, Arivaca, Arizona SMELTER LOT 225.
SHIPPING POINT 85601 SHIPPERS LOT
NAME OF MINE CLASSIFICATION Ore.
RATES, EXCEPT ON CONTRACTS, SUBJECT TO CHANGE WITHOUT NOTICE PURCHASE TERMS 2407

| MIX | ARRIVAL DATE | CAR NUMBER | CAR RR | GROSS WEIGHT | TARE WEIGHT | CONTAINERS NO. | CONTAINERS WEIGHT | WET WEIGHT | % H2O | DRY WEIGHT |
|---|---|---|---|---|---|---|---|---|---|---|
| | 2/18 | 463854 | SP. | | | | | 118960 | 6.5 | 111228 |

QUOTATIONS: SILVER 4.1325; LEAD; COPPER; Au 131.07; B/L DATE:

| ASSAYS | OZ. PER TON GOLD | OZ. PER TON SILVER | WET LEAD % | COPPER % | SiO2 % | Fe % | CaO % | Zn % | S % | Al2O3 % | As % | Sb % | Ni % | Bi % | % | % |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SMELTER | .04 | 13.8 | 0 | .18 | 28.3 | 5.1 | | | | 5.7 | | | | | | |
| SHIPPER | | | | | | | | | | | | | | | | |
| UMPIRE | | | | | | | | | | | | | | | | |
| METALLICS | | | | | | | | | | | | | | | | |
| SETTLE | .04 | 13.8 | 0 | .18 | | | | | | | | | | | | |

### VALUES PER TON

| | PAY CONTENT | PRICE | AMOUNT | FREIGHT (FIXED) |
|---|---|---|---|---|
| GOLD .02 MIN. 92.5% | .0185 | 130.07 | 2 41 | 2 41 |
| SILVER, LESS 1 MIN. 95% | 12.16 | 4.0625 | 49 40 | 49 40 |
| LEAD, LESS @ % | | | | |
| 3.6 COPPER, LESS @ % | | | | |
| GROSS VALUE | | | 51 81 | 51 81 |
| LESS DEDUCTIONS (NET CHARGE) | | | 29 81 | 29 81 |
| FREIGHT VALUE | | | x x x | 22 00 |
| NET VALUE | | | 22 00 | @ 55.6140 DRY TONS |

### DEDUCTIONS

| | CHARGE | CREDIT |
|---|---|---|
| BASE, INCL. LABOR ADJ. | 25 00 | |
| EXCESS VALUE OVER $ 100.00 | — | |
| ¢ PER UNIT Pb/Cu ± % | | |
| LEAD--COPPER PRICE ESCALATOR | | |
| SILICA | 4 67 | |
| ALUMINA | 14 | |
| ZINC | | |
| As: Sb: Bi: | | |
| NET CHARGE | 29 81 | |

-2057 WET TON

LESS FREIGHT@ WET TONS @ Guard
LESS SWITCHING: REBATE: 10 15.36 REWEIGHS:

| | DEBITS | CREDITS |
|---|---|---|
| | | 1223 51 |
| | — | |
| | 15 36 | |
| LESS SAMPLING: | | |
| LESS UMPIRE: | | |
| LESS HAULING: | | |
| LESS REPRESENTATION: | | |
| LESS ROYALTY: | | |
| LESS ADVANCE: | | |
| BALANCE DUE SHIPPER/[redacted] | 1208 15 | |
| TOTALS | 1223 51 | 1223 51 |

# AMERICAN SMELTING AND REFINING COMPANY
## EL PASO SMELTING WORKS

BOUGHT OF Brick Mine — EL PASO, TEXAS, 2/25/76 19
ADDRESS P.O.Box 196, ARIVACA, ARIZONA 85601 — SMELTER LOT 113
SHIPPING POINT — SHIPPERS LOT
NAME OF MINE — CLASSIFICATION Cu ore
RATES, EXCEPT ON CONTRACTS, SUBJECT TO CHANGE WITHOUT NOTICE — PURCHASE TERMS 2407

| MIX | ARRIVAL DATE | CAR NUMBER | CAR RR | GROSS WEIGHT | TARE WEIGHT | CONTAINERS No. | CONTAINERS WEIGHT | WET WEIGHT | % H2O | DRY WEIGHT |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1/23 | 341156 | SP | | | | | 81740 | 9.0 | 74383 |

QUOTATIONS: SILVER 3.9186; LEAD; COPPER; Au 127.35; 1; B/L DATE:

| ASSAYS | OZ. PER TON GOLD | OZ. PER TON SILVER | WET LEAD % | COPPER % | SiO2 % | Fe % | CaO % | Zn % | S % | Al2O3 % | As % | Sb % | Ni % | Bi % | % | % |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SMELTER | .05 | 18.2 | 0 | .05 | 77.6 | 1.7 | | | | 6.7 | | | | | | |
| SHIPPER | | | | | | | | | | | | | | | | |
| UMPIRE | | | | | | | | | | | | | | | | |
| METALLICS | | | | | | | | | | | | | | | | |
| SETTLE | .05 | 18.2 | 0 | .05 | | | | | | | | | | | | |

### VALUES PER TON

| PAYMENT | PAY CONTENT | PRICE | AMOUNT | FREIGHT (FIXED) |
|---|---|---|---|---|
| GOLD .02 MIN. 95% | .02775 | 126.35 | 3.51 | 3.51 |
| SILVER, LESS 1 MIN 95 % | 16.34 | 3.8486 | 62.87 | 62.89 |
| LEAD, LESS @ % | | | | |
| COPPER, LESS @ % | | | | |
| GROSS VALUE | | | 66.40 | 66.40 |
| LESS DEDUCTIONS (NET CHARGE) | | | 25.34 | 25.34 |
| FREIGHT VALUE | | | x x x | 41.06 |
| NET VALUE | | | 41.06 @ 37.1915 | |

LESS FREIGHT: 40.87 WET TONS @ 15.49 Hybrid
LESS SWITCHING: RESETS 1 @ 15.36 REWEIGHS:
LESS SAMPLING:
LESS UMPIRE:
LESS HAULING:
LESS REPRESENTATION:
LESS ROYALTY:
LESS ADVANCE:

| DEDUCTIONS | CHARGE | CREDIT |
|---|---|---|
| BASE, INCL. LABOR ADJ. | 25.00 | |
| EXCESS VALUE OVER $ 100.00 | | |
| ¢ PER UNIT Pb/Cu ± % | | |
| LEAD--COPPER PRICE ESCALATOR | | |
| SILICA | | |
| ALUMINA | .34 | |
| ZINC | | |
| As: Sb: Bi: | | |
| NET CHARGE | 25.34 | |
| -37.36 WET TON | | |
| DRY TONS | | |
| DEBITS | | CREDITS |
| | | 1527.08 |
| | 15.36 | |
| BALANCE DUE SHIPPER/[redacted] | 1511.72 | |
| TOTALS | 1527.08 | 1527.08 |

(Ruby)

B/L — SUMMARY OF CARS

| No. | Date | Dry Weight | Assay Oz. Au. | Assay Oz. Ag. | Assay % Cu. | Paid Smelter Net | |
|---|---|---|---|---|---|---|---|
| 1 | 9/25/39 | 37.1960 | 0.06 | 16.40 | 0.30 | $303.21 | ← 1939 |
| 2 | 10/11/39 | 32.2140 | 0.07 | 17.40 | 0.46 | 299.97 | |
| 3 | 11/1/39 | 48.2705 | 0.08 | 10.95 | --- | 277.40 | |
| 4 | 11/21/39 | 44.6270 | 0.05 | 9.38 | --- | 163.18 | |
| 5 | 12/12/39 | 38.6905 | 0.055 | 11.48 | --- | 203.85 | ← 1940 |
| 6 | 1/5/40 | 35.2965 | 0.04 | 8.45 | --- | 94.36 | |
| 7 | 1/16/40 | 35.2530 | 0.038 | 8.18 | --- | 84.92 | |
| 8 | 1/27/40 | 36.3385 | 0.04 | 7.00 | 0.30 | 42.23 | |
| 9 | 2/14/40 | 33.2625 | 0.053 | 6.92 | --- | 77.35 | |
| 10 | 4/18/40 | 42.3465 | 0.100 | 6.45 | --- | 152.28 | ← 1941 |
| 11 | 7/3/41 | 53.6960 | 0.07 | 10.02 | --- | 252.94 | |
| 12 | 8/8/41 | 42.4900 | 0.065 | 9.25 | --- | 164.07 | |
| 13 | 8/20/41 | 36.2755 | 0.048 | 11.36 | --- | 178.29 | |
| 14 | 8/29/41 | 31.6835 | 0.12 | 19.80 | --- | 398.39 | |
| 15 | 9/15/41 | 37.0560 | 0.14 | 21.60 | --- | 301.82 | |
| 16 | 10/2/41 | 37.5100 | 0.13 | 11.45 | --- | 280.52 | |
| 17 | 10/15/41 | 30.9845 | 0.065 | 6.20 | --- | 94.12 | |
| 18 | 10/30/41 | 30.3350 | 0.07 | 10.70 | --- | 153.44 | |
| 19 | 1/10/41 | 49.6130 | 0.12 | 19.45 | --- | 606.26 | |
| 20 | 12/8/41 | 48.9820 | 0.062 | 10.66 | --- | 218.25 | ← 1942 |
| 21 | 1/12/42 | 39.4480 | 0.050 | 13.10 | --- | 228.43 | |
| 22 | 1/12/42 | 54.0980 | 0.030 | 21.40 | 0.30 | 642.72 | |
| 23 | 1/22/42 | 43.3160 | 0.065 | 18.70 | 0.20 | 433.00 | |
| 24 | 2/2/42 | 43.6175 | 0.100 | 22.60 | 0.35 | 578.23 | |
| 25 | 2/16/42 | 40.2750 | 0.120 | 16.40 | 0.20 | 407.95 | |
| 26 | 3/3/42 | 52.1200 | 0.115 | 24.76 | --- | 773.15 | |
| 27 | 3/23/42 | 41.0270 | 0.100 | 24.00 | 0.35 | 577.53 | |
| 28 | 4/9/42 | 47.1080 | 0.100 | 23.00 | 0.30 | 636.22 | |
| [illegible] | | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | |

Silver figured at 67¢ per ounce



① - Duplicate → Jackley 22nd - Lundbirnie - Century Wed

①

| | Au | | Ag | |
|---|---|---|---|---|
| 37.1915 | .105 | 1829575 | 18.2 | 67685320 |
| 55.6140 | .04 | 2224560 | 13.8 | 76747320 |
| 70.6740 | .055 | 3887070 | 14.6 | 103184040 |
| 82.4850 | .09 | 7423650 | 14.1 | 116.303850 |
| 245.9645 | ~~.063 Au~~ | 15394855 | | 363923740 |
| | .063 Au | | 14.8 | ~~TB~~ |

A study of the Mine Section Map and the results of the writer's first two samples indicate that the better silver concentrations are near the hanging wall of the structure with lower grade material near the footwall.

Galena (lead) does not seem to be the carrier of the silver nor does the copper, thus, a straight silver-gold ore.




EXPLORATION:

Exploration of the property now in progress is limited to geophysical and geo-chem surveys.

The writer was provided preliminary grid maps on a VLF-EM survey indicating various anomalous areas as well as a geo-chem rock chip sample grid map, also showing anomalous areas. (See Map No. 5.)

Both types of surveys were completed across the known orebody as well as unexplored portions of the property. The writer observed the surface at the ore body, along the projected strike of the ore body and where anomalous areas were located by the two surveys.

It appears that a structural zone, parallel to the main mineralized zone exists approximately 700 feet southwest. A visit to this area indicates the presence of two strong fractures, (almost at right angles), the presence of live limonite and manganese staining. Existence of such criteria is worthy of further, more concentrated consideration.

Map-wise, the main mineralized structure has been traced by anomalous significance for about 2500 to 3000 feet. Although the writer cannot foresee continuous mineralization for this length, certainly other similar ore bodies could be a reality.

PROJECT POTENTIAL:

The observed criteria and evidence are credentials to establish a concentrated exploration program for the property.

At the moment, the present ore body does not appear to be "mined out". The limits, horizontally and vertically, have not been defined. The present ore body, thus far, has produced approximately 5,000 tons. It could conceivably produce that much more. Similar size ore bodies could exist in the known 3000 foot strike length. This structure is strong, its mineralization is strong, thus, horizontal and vertical potential could be strong, extending beyond the present known strike length. The geophysical found parallel structure southwest of the main structure, is also a moderate potential at this time.

EXPLORATION REQUIREMENTS and COSTS:

Exploration of this project should take the form of (1) detailed

A study of the Mine Section Map and the results of the writer's first two samples indicate that the better silver concentrations are near the hanging wall of the structure with lower grade material near the footwall.

Galena (lead) does not seem to be the carrier of the silver, nor does the copper, thus, a straight silver-gold ore.




EXPLORATION:

Exploration of the property now in progress is limited to geophysical and geo-chem surveys.

The writer was provided preliminary grid maps on a VLF-EM survey indicating various anomalous areas as well as a geo-chem rock chip sample grid map, also showing anomalous areas. (See Map No. 5.)

Both types of surveys were completed across the known orebody as well as unexplored portions of the property. The writer observed the surface at the ore body, along the projected strike of the ore body and where anomalous areas were located by the two surveys.

It appears that a structural zone, parallel to the main mineralized zone exists approximately 700 feet southwest. A visit to this area indicates the presence of two strong fractures, (almost at right angles), the presence of live limonite and manganese staining. Existance of such criteria is worthy of further, more concentrated consideration.

Map-wise, the main mineralized structure has been traced by anomalous significance for about 2500 to 3000 feet. Although the writer cannot foresee continuous mineralization for this length, certainly other similar ore bodies could be a reality.

PROJECT POTENTIAL:

The observed criteria and evidence are credentials to establish a concentrated exploration program for the property.

At the moment, the present ore body does not appear to be "mined out". The limits, horizontally and vertically, have not been defined. The present ore body, thus far, has produced approximately 5,000 tons. It could conceivably produce that much more. Similar size ore bodies could exist in the known 3000 foot strike length. This structure is strong, its mineralization is strong, thus, horizontal and vertical potential should be strong, extending beyond the present known strike length. The geophysical found parallel structure southwest of the main structure, is also a moderate potential at this time.

EXPLORATION REQUIREMENTS and COSTS:

Exploration of this project should take the form of (1) detailed

Mack Printers & Stationers Ltd.
Form No. 145. Statutory Declaration

CANADA
PROVINCE OF
BRITISH COLUMBIA

TO WIT:

IN THE MATTER OF A MINING AGREEMENT DATED THE 9TH DAY OF SEPTEMBER, 1976 EXPRESSED TO BE BETWEEN MRS. DEEO V. GRASMOEN AND EDMOND B. GRASMOEN, "GRANTOR" AND STEVE RADVAK, "GRANTEE" RELATING TO THE (BRICK CLAIM) ORO BLANCO MINING DISTRICT, SANTA CRUZ COUNTY, ARIZONA, U.S.A.

I, RICHARD E. MIERITZ, of the City of Phoenix, Maricopa County in the State of Arizona, U.S.A.

in the Province of British Columbia

do solemnly declare

1. That I am a Mining Engineer residing at 2940 North Casa Tomas, in the City of Phoenix, Maricopa County, in the State of Arizona, U.S.A;

2. That I am personally acquainted with the Edmond B. Grasmoen referred to as one of the Grantors in that certain Agreement dated for reference the 10th day of September, 1976 and expressed to be between Mrs. Deeo V. Grasmoen and Edmond B. Grasmoen as "Grantor" and Steve Radvak as "Grantee";

3. That the said Edmond B. Grasmoen referred to in the said Agreement is one and the same person as the owner of the Brick Claim as referred to in my report on the "Brick Silver Claims" in the ORO Blanco Mining District, Santa Cruz County, Arizona, U.S.A. dated September 27, 1976.

AND I make this solemn declaration, conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath, and by virtue of the CANADA EVIDENCE ACT.

DECLARED before me
at State of Arizona, U.S.A.
in the ~~Province of British Columbia~~,
this day of
A. D. 19

A Notary Public in and for the ~~Province of British Columbia~~
A Commissioner for taking Affidavits for British Columbia.
State of Arizona, U.S.A.

DATED 19

IN THE MATTER OF

# STATUTORY DECLARATION

Xxxxxxxxxxxxxxx16

2940 N. Casa Tomas

November 11, 1976

MM. Steve Radvak
3161 Westmount Pl.
West Vancouver, B. C., CANADA

Dear Steve:

It sure appears you got a "ringer-dinger" in Fred Hofman and Pacific Resources Development Ltd.

It is now six weeks that Hofman and Pacific Resources received my Report on the Brick Silver Property, OroBlanco Mining District, Santa Cruz County, Arizona, and I still have not been paid for all the work I put into the report and title search.

You can't say I didn't copperate with you and Hofman by retyping page 5 twice, running to the airport the second time so you could pick it up, changing the claim Map to conform to the leases, sending a telegram authorizing Meredith and Co. to use the information in the report in a prospectus, etc as well as being patient awaiting payment.

Five times Hofman has lied with regard payment, three times insisting that the check had been sent by mail--when it has not been sent, twice about sending payment by telegramk

When I agreed to do the report on the Brick Silver, you emphatically impressed upon me that you would guarantee payment of my services, which I accepted as an earnest desire of yourself to assure that I would be paid and not have another "Dick Addison" situation. Hofman did pay me $400.00 which I received on September 23rd, but since then there has been no payment and the BILL has now reached $1,488.61 of which $827.73 is owing from the original Invoice dated September 27, 1976 and $660.88 for my Invoice of November 9, 1976 covering Fee and Expenses with regard a Title search which Hofman authorized in front of W.. T. Elsing, the local Attorney, on October 22, 1976.

The reason for the search is that your attorneys up there found that the Leases you signed up did not agree with the claims Hagerty advised me of. The leases only totalled to 22 claims and at the Hotel you advised me there were 26, which is what Hagerty also gave me.

None-the-less, I have $1,488.61 due me and it must be paid. I can't pay my bills with promises, I am not in a position to "finance" the operations up there. The advance I received barely covered the Out-of-Pocket Expenses.

Regards.

R. E. Mieritz.

REPLY TO:
PHOENIX, ARIZONA 85016
TELEPHONE (602) 277-6053
2940 N. Casa Tomas

Richard F. Mieritz
MINING CONSULTANT
ARIZONA REGISTERED
MINING ENGINEER AND GEOLOGIST

GEOLOGY
EXPLORATION
EVALUATION
FEASIBILITY
OPERATION

November 8, 1976

Mr. W. T. Elsing, Attorney
34 W. Monroe Street, Suite 712
Phoenix, Arizona, 85003

Re: Brick Mining Claims
Santa Cruz County, Az.

Dear Mr. Elsing:

At your suggestion to Mr. Fred S. Hofman, Pacific Resources Development Ltd., Vancouver, B. C. and by his authorization on October 22, 1976 at your office, the writer travelled to Nogales, Santa Cruz County, Arizona on October 22, 1976 to search the Recorders Office records on the history of the Brick Mining claims in Sections 31-32, T. 22 S., R. 11 E. and Sections 5 -6, T. 23 S., R. 11 E. in the Oro Blanco Mining District for the purpose of preparing a "clear title" opinion for the property.

The writer searched the Claim Location records, Affidavits of Labor records, Sales or Grantors records and Lein records.

Early claims date back to year 1906, however, the principal owners in t the past appear to have been Messrs Hugo W. Miller and E. K. Hanson who consolidated a group of claims including many of those in which Pacific Resources Development is now acquiring title. Passing of interest records and Affidavits of Labor records indicate clear title to Miller-Hanson and through death to Mrs. Hugo Miller until 1970, the last Affidavit of Labor filed by Mrs. Hugo Miller. Apparently the claims were abandoned and Messrs Charles Hagerty and Edmond B. Grasmoen entered the area in 1972 and relocated the claims, some with the original names, some amended and some new claims.

Affidavits of Labor by Hagerty and Grasmoen are continuous through 1976. There are no documents of record of prior sales of the property, no quit claim deeds nor leinsagainst the property or owners.

By your review of the included documents, confirmation of the above generalized opinion can be substantiated.

In a telephone conversation with Mr. Hofman on October 30, 1976, I suggested he start over and redo the agreement of purchase with the correct number of claims and the correct names, something the original agreement is lacking, thus, the new agreement, claim listing and my geological report claim listing and Maps would agree.

The attached list is what I have determined to be the correct listing and naming of the claims involved.

Respectfully submitted,

RICHARD E. MIERITZ
REGISTERED PROFESSIONAL ENGINEER (Mining)
CERTIFICATE EXPIRES DEC. 31, 19[illegible]

R. E. Mieritz
Mining Consultant

LIST OF CLAIMS
For
Pacific Resources Develoment LTD.

| CLAIM NAME (Present) | (Old Claim Names) | Recorded Bk | Page |
|---|---|---|---|
| Triple H #53 | (Fred Pyeat) | 48 | 370 |
| Triple H #55 | (R.N.F.A. #2) | 48 | 372 |
| Triple H #56 | (Rubiana Dam Site) | 48 | 373 |
| Triple H #57 | (Midget # 1) | 48 | 374 |
| Triple H #58 | (Midget # 2) | 48 | 375 |
| Triple H #51 | (Old China) | 48 | 456 |
| Triple H #52 | (Brick Ext. Amended) | 48 | 457 |
| Triple H #59 | (Ruth Amended) | 48 | 458 |
| Triple H #60 | (Irish Mag Amended) | 48 | 459 |
| Triple H #61 | (Gladie) | 48 | 460 |
| Triple H #62 | (Davis) | 48 | 461 |
| Triple H #66 | (Little Brown Bird) | 48 | 554 |
| Triple H #67 | Reloc., no ref. | 49 | 24 |
| Triple H #30 | (Bell Clapper) | 49 | 602 |
| Triple H #31 | Reloc., no ref. | 49 | 603 |
| BeLL | Reloc. | 147 | 643 |
| Brick Ammended | Reloc. Brick Amended | 147 | 644 |
| LaPaz | Reloc. LAPAZ Amended | 147 | 645 |
| Rubiana North Fraction Annex | Reloc. Amended | 147 | 646 |
| Rubiana Ammended | Reloc. Rubiana # 1 | 147 | 647 |
| Sanata Clara Amended | Reloc. SANATA CLARA | 147 | 648 |
| Brown Dog | Reloc. Brown Dog | 148 | 103 |
| Protection N. W. Extention | Reloc. Protection N, W, Extension | 148 | 104 |
| Ruff & Ready No. 1 | Reloc. RUF AND READY | 148 | 105 |
| L. B. B. No. 4 | Reloc. LITTLE BROWN BIRD #4 | 211 | 257 |
| R. K. Horse | Reloc. Dark Horse | 211 | 258 |

Agreement for the Brick Ammended was signed by Mrs. Deeo V. Grasmoen and Edmond B. Grasmoen, Prescott, Arizona.

The other twenty five (25) claims were signed by Charles Hagerty, Arivaca, Arizona.

Respectfully,

Registered Professional Engineer (Mining) CERTIFICATE EXPIRES RICHARD E. MIERITZ

R. E. Mieritz, 31, 19[illegible]
Mining Consultant
ARIZONA, U.S.A.

November 8, 1976

# Mining Location Notices to be Copied (R.E. Mieritz)

| Book | Page | Claim |
|---|---|---|
| 6 | 5/97 | Ruff & Ready |
| 18 | 417 | Santa Clara Amd |
| 20 | 243 | Old China |
| 21 | 92 | Santa Clara |
| 21 | 186 | Irish Mag |
| 21 | 185 | Ruth |
| 21 | 168 | La Paz |
| 21 | 169 | Brick |
| 21 | 183 | Davis |
| 21 | 632 | Ruff & Ready |
| 23 | 472 | Midget #1 |
| 23 | 473 | Midget #2 |
| 23 | 481 | Brown Dog |
| 23 | 542 | Rubiana #1 |
| 24 | 124 | Little Brown Bird |
| 24 | 309 | "Rubiana North Fraction Annex" |
| 24 | 320 | Rubiana North Fraction Annex Amd |
| 24 | 328 | Rubiana Fraction |
| 24 | 327 | Gladie |
| 24 | 325 | Brick Amended |
| 24 | 327 | Irish Mag Amd |
| 24 | 326 | La Paz Amd. |
| 24 | 326 | Ruth Amd. |
| 24 | 314 | R.N.F. Annex No. 2 |
| 24 | 337 | Brick Ext. |
| 24 | 457 | Bell |
| 24 | 549 | Protection N.W. Extension |
| 26 | 122 | Little Brown Bird #4 |

$.50
$2.00
$7.50
$10.00
2
$20.00

55

OVER

55
5-0
275

| Book | Page | Claim | |
|---|---|---|---|
| 24 | 363 | Fred Pycat | |
| 24 | 363 | Dark Horse | |
| 48 | 456 | Triple H #51 re loc of Old China | |
| 48 | 457 | Triple H #52 re-loc of Brick Ext Amended | |
| 48 | 370 | Triple H #53 re-loc of Fred Pycat | |
| 48 | 372 | Triple H #55 re loc of RNFA #2 | |
| 48 | 373 | Triple H #56 | Rubiana Dam Site |
| 48 | 374 | Triple H #57 | Midget #1 |
| 48 | 375 | Triple H #58 | Midget #2 |
| 48 | 458 | Triple H #59 | Ruth Amended |
| 48 | 459 | Triple H #60 | Irish Mag Amended |
| 48 | 460 | Triple H #61 | Gladie |
| 48 | 461 | Triple H #62 | Davis |
| 48 | 554 | Triple H #66 | Little Brown Bird |
| 49 | 24 | Triple H #67 | |
| 49 | 602 | Triple H #30 relocs abandoned Bell Clapper #1 | |
| 49 | 603 | Triple H #31 reloc of ac abandoned | |
| 147 | 643 | Bell | |
| 147 | 644 | Brick Amended | |
| 147 | 645 | La Paz | |
| 147 | 646 | Rubiana North Fraction Amex | |
| 147 | 647 | Rubiana Amended | |
| 147 | 648 | Santa Clara Amended | |
| 148 | 103 | Crown Dog | |
| 148 | 104 | Protection N. W. Extention | |
| 211 | 257 | L. B. B. No. 4 | |
| 211 | 258 | R. K. Horse | |

Affidavits of Labor (Mining Claims) to be copied (R.E. Meritz)

| Book | Page |
|---|---|
| 211 | 126 |
| 211 | 125 |
| 211 | 124 |
| 211 | 21 |
| 194 | 284 |
| 193 | 365 |
| 178 | 351 |
| 162 | 575 |
| 162 | 207 |
| 147 | 386 |
| 128 | 484 |
| 128 | 485 |
| 103 | 66 & 67 |
| 105 | 516 |
| 94 | 490 |
| 94 | 491 |
| 89 | 196 |
| 74 | 295 |
| 65 | 341 |
| 65 | 342 |

(21)

10.50

Deeds to Mining Claims to be copied (R.E. Meritz)

| Docket | Page |
|---|---|
| 9 | 297-298 |
| 9 | 92 |
| 9 | 316 |

(4)

2.00

REPLY TO:
~~1934 W. HAZELWOOD STREET~~
~~PHOENIX, ARIZONA 85015~~
TELEPHONE (602) 277-6053
2940 N. Casa Tomas

# Richard E. Mieritz

MINING CONSULTANT

ARIZONA REGISTERED
MINING ENGINEER AND GEOLOGIST

GEOLOGY
EXPLORATION
EVALUATION
FEASIBILITY
OPERATION

November 9, 1976

Mr. Fred S. Hofman
4050 Bayridge
West Vancouver, B. C., CANADA

Dear Mr. Hofman:

Enclosed herewith is my invoice for the work I have completed on the Brick Silver Claims as regards the Geological Report and its preparation as well as the charge for the research work that had to be done at the Santa Cruz County Recorders Office in Nogales, in order for Mr. W. T. Elsing to prepare a clear title for you and Pacific Resources Devel. Ltd., which you authorized me to accomplish in the presence of Mr. W. T. Elsing and in his Office on October 22, 1976 when you were in Phoenix.

To say the least Mr. Hofman, I am very disappointed in your "track record" as far as payment of your indebitness to me is concerned.

Since you received the Report on the Brick Claims on October 1, 1976 I have twice typed page 5 - mailing the first typing- delivering to the Airport the second typing so you and Steve Radvak could pick up the package on your way to Vancouver from Tucson on October 9, 1976. Several times I called you about payment of the balance of the invoice. Each time you advised it was in "the Mail" and you blamed the Post Office when in fact Mr. Hofman, you or your Office never did send the check. Even as late as October 22nd when you were here to visit W. T. Elsing, the Lawyer, you advised the check was in the mail. THE CHECK BY MAIL STILL HAS NOT ARRIVED. On October 30th I called you to advise still no check--YOU advised you would wire the balance. November 1, you called me asking I send a telegram to Meredith & Co. granting permission to quote from my report.--YOU ALSO ADVISED YOU WERE SENDING THE BALANCE BY WIRE THAT DAY. Today is November 9th and still no money order by wire. ANOTHER UNTRUTH.

I would say that I have cooperated with you 100% from the word go, but it seems to be a ONE WAY street, cooperation on my part but not on yours. Why don't you use your money instead of mine--your the promoter of the situation--of the deal. Also, I can not pay my bills with your promises of paying or going to pay. I have put out over $200.00 in cash of my own money to pay for expenses in order to complete the work for your BENEFIT.

Would greatly appreciate your cooperation in sending the balance due of the attached invoice--$1,488.61, by RETURN MAIL OR WIRE.

Very truly yours,

R. E. Mieritz.

xxxxxxxxxxxxxxxx
x16

2940 N. Casa Tomas

November 9, 1976

Mr. Fred S. Hofman
4050 Bayridge
West Vancouver, B. C., CANADA

Dear Mr. Hofman:

Enclosed herewith is my invoice for the work I have completed on the Brick Silver Claims as regards the Geological Report and its preparation as well as the charge for the research work that had to be done at the Santa Cruz County Recorders Office in Nogales, in order for Mr. W. T. Elsing to prepare a clear title for you and Pacific Resources Devel. Ltd., which you authorized me to accomplish in the presence of Mr. W. T. Elsing and in his Office on October 22, 1976 when you were in Phoenix.

To say the least Mr. Hofman, I am very disappointed in your "track record" as far as payment of your indebitness to me is concerned.

Since you received the Report on the Brick Claims on October 1, 1976 I have twice typed page 5 - mailing the first typing- delivering to the Airport the second typing so you and Steve Radvak could pick up the package on your way to Vancouver from Tucson on October 9, 1976. Several times I called you about payment of the balance of the invoice. Each time you advised it was in "the Mail" and you blamed the Post Office when in fact Mr. Hofman, you or your Office never did send the check. Even as late as October 22nd whenyou were here to visit W. T. Elsing, the Lawyer, you advised the check was in the mail. THE CHECK BY MAIL STILL HAS NOT ARRIVED. On October 30th I called you to advise still no check--YOU advised you would wire the balance. November 1, you called me asking I send a telegram to Meredith & Co. granting permission to quote from my report.--YOU ALSO ADVISED YOU WERE SENDING THE BALANCE BY WIRE THAT DAY. Today is November 9th and still no money order by wire. ANOTHER UNTRUTH.

I would say that I have cooperated with you 100% from the word go, but it seems to be a ONE WAY street, cooperation on my part but not on yours. Why don't you use your money instead of mine--your the promoter of the situation--of the deal. Also, I can not pay my bills with your promises of paying or going to pay. I have put out over $200.00 in cash of my own money to pay for expenses in order to complete the work for your BENEFIT.

Would greatly appreciate your cooperation in sending the ba lance due of the attached invoice--$1,488.61, by RETURN MAIL OR WIRE.

Very truly yours,

R. E. Mieritz.

western union

# Telegram

| MSG. NO. | NO. WDS. CL. OF SVC. | PD.-COLL. | CASH NO. | ACCOUNTING INFORMATION | DATE | FILING TIME | SENT TIME |
|---|---|---|---|---|---|---|---|
| | | | | | | A.M. P.M. | A.M. P.M. |

Send the following message, subject to the terms on back hereof, which are hereby agreed to

☐ OVER NIGHT TELEGRAM
UNLESS BOX ABOVE IS CHECKED THIS MESSAGE WILL BE SENT AS A TELEGRAM

TO TELEX # 04-54692 MEREDITH & CO.

ADDRESS & TELEPHONE NO. 777 HORNBY STREET

CITY – STATE & ZIP CODE VANCOUVER, B. C. CANADA

SRADVAK FRED HOFMAN AND PACIFIC RESOURCES DEVELLTD PROMISED PAYMENT BRICK SILVER SANATA CRUZ COUNTY REPORT BUT STILL NOT PAID THEREFOR MUST RESCIND NOVEMBER ONE TELEX TO MEREDITHCO STOP REPORT CONTENTS NOT USABLE TILL PAYMENT EXMEXT RECEIVED

R. E. MIERITZ

SENDER'S TEL. NO. 602-277-6053 (Area Code)

NAME & ADDRESS R. E. Mieritz, 2940 N. Casa Tomas, Phx. 85016 (Zip Code)

W.U. 5210 (3/73)

# ALL MESSAGES TAKEN BY THIS COMPANY ARE SUBJECT TO THE FOLLOWING TERMS:

To guard against mistakes or delays, the sender of a message should order it repeated, that is, telegraphed back to the originating office for comparison. For this, one-half the unrepeated message rate is charged in addition. Unless otherwise indicated on its face, this is an unrepeated message and paid for as such, in consideration whereof it is agreed between the sender of the message and the Telegraph Company as follows:

1. The Telegraph Company shall not be liable for mistakes or delays in the transmission or delivery, or for non-delivery, of any message received for transmission at the unrepeated-message rate beyond the sum of five hundred dollars; nor for mistakes or delays in the transmission or delivery, or for non-delivery, of any message received for transmission at the repeated-message rate beyond the sum of five thousand dollars, unless specially valued; nor in any case for delays arising from unavoidable interruption in the working of its lines.

2. In any event the Telegraph Company shall not be liable for damages for mistakes or delays in the transmission or delivery, or for the non-delivery, of any message, whether caused by the negligence of its servants or otherwise, beyond the actual loss, not exceeding in any event the sum of five thousand dollars, at which amount the sender of each message represents that the message is valued, unless a greater value is stated in writing by the sender thereof at the time the message is tendered for transmission, and unless the repeated-message rate is paid or agreed to be paid and an additional charge equal to one-tenth of one percent of the amount by which such valuation shall exceed five thousand dollars.

3. The Telegraph Company is hereby made the agent of the sender, without liability, to forward this message over the lines of any other company when necessary to reach its destination.

4. The applicable tariff charges on a message destined to any point in the continental United States listed in the Telegraph Company's Directory of Stations cover its delivery within the established city or community limits of the destination point. Beyond such limits and to points not listed in the Telegraph Company's Directory of Stations, the Telegraph Company does not undertake to make delivery but will endeavor to arrange for delivery by any available means as the agent of the sender, with the understanding that the sender authorizes the collection of any additional charge from the addressee and agrees to pay such additional charge if it is not collected from the addressee.

5. No responsibility attaches to the Telegraph Company concerning messages until the same are accepted at one of its transmitting offices; and if a message is sent to such office by one of the Telegraph Company's messengers, he acts for that purpose as the agent of the sender; except that when the Telegraph Company sends a messenger to pick up a message, the messenger in that instance acts as the agent of the Telegraph Company in accepting the message, the Telegraph Company assuming responsibility from the time of acceptance.

6. The Telegraph Company will not be liable for damages or statutory penalties when the claim is not presented in writing to the Telegraph Company, (a) within ninety days after the message is filed with the Telegraph Company for transmission in the case of a message between points within the United States (except in the case of an intrastate message in Texas) or between a point in the United States on the one hand and a point in Alaska, Canada, Mexico, or St. Pierre-Miquelon Islands on the other hand, or between a point in the United States and a ship at sea or in the air, (b) within 95 days after the cause of action, if any, shall have accrued in the case of an intrastate message in Texas, and (c) within 180 days after the message is filed with the Telegraph Company for transmission in the case of a message between a point in the United States and a foreign or overseas point other than the points specified above in this paragraph; provided, however, that this condition shall not apply to claims for damages or overcharges within the purview of Section 415 of the Communications Act of 1934, as amended.

7. It is agreed that in any action by the Telegraph Company to recover the tolls for any message or messages the prompt and correct transmission and delivery thereof shall be presumed, subject to rebuttal by competent evidence.

8. Special terms governing the transmission of messages according to their classes, as enumerated below, shall apply to messages in each of such respective classes in addition to all the foregoing terms.

9. No employee of the Telegraph Company is authorized to vary the foregoing.

10-71

## DOMESTIC SERVICES

### TELEGRAM

The fastest domestic service. Accepted for immediate transmission. (Refund will be made upon written application when delivery or delivery attempt is not made within 4 hours for tieline or telephone delivery and 6 hours for physical delivery. Specific conditions and certain exceptions are posted in all public offices.)

### OVERNIGHT TELEGRAM

Economical overnight service. Accepted up to midnight for delivery as early as possible the following day at rates lower than telegrams. (Refund will be made on written application when delivery or attempt not made by 2:00 P.M. the following day. Specific conditions are posted in all public offices.)

## INTERNATIONAL SERVICES

### FULL RATE (FR)

The fastest overseas service. May be written in code, cipher, or in any language expressed in Roman letters.

### LETTER TELEGRAM (LT)

For overnight plain language messages, at half-rate. Minimum charge for 22 words applies.

### SHIP RADIOGRAM

For messages to and from ships at sea.

Telex # 04-54692
Meredith & Co.
777 Hornby Street
Vancouver

Nov. 1, 1976
12:20
$ 3.25

I, Richard E. Mieritz, hereby consent to my Report on the Brick Silver Claims, Oro Blanco Mining District, Santa Cruz County, Arizona dated 9/27/76 being used in any statement of material facts or prospectus of Pacific Resources Development Ltd.

Richard E. Mieritz

WU #

| Claim Name | (Old Name) | Bk - Page |
|---|---|---|
| Triple H # 53 | (Fred Pyeat | 48 - 370 |
| H # 55 | (R.N.F.A #2) | 48 - 372 |
| H # 56 | (Rubiana Dam Site | 48 - 373 |
| H # 57 | (Midget #1) | 48 - 374 |
| H # 58 | (Midget #2) | 48 - 375 |
| H # 51 | (Old China) | 48 - 456 |
| H # 52 | (Brick Ext. Amended) | 48 - 457 |
| H # 59 | (Butte Amended) | 48 - 458 |
| H # 60 | (Irish Mag Amended) | 48 - 459 |
| H # 61 | (Gladie) | 48 - 460 |
| H # 62 | (Davis) | 48 - 461 |
| H # 66 | (Little Brown Bird) | 48 - 554 |
| H # 67 | | 49 - 24 |
| H # 30 | (Bell Clapper) | 49 - 602 |
| H # 21 | Bilac. | 49 - 603 |
| [redacted] BeLL | (Bilac.) | 147 - 643 |
| Brick Ammended | (Bilac)(Brick amended) | 147 - 644 |
| La Paz | (Bilac)(ZAPAZ amended) | 147 - 645 |
| Rubiana North Fraction Annex | (Bilac)(amended) | 147 - 646 |
| Rubiana Ammended | (Bilac)(Rubiana #1) | 147 - 647 |
| Santa Clara Amended | (Bilac)(Santa Clara) | 147 - 648 |
| Brown Dog | (Bilac)(Brown Dog) | 148 - 103 |
| Protection N. W. Extention | (Bilac)(Protection N.W. Extension) | 148 - 104 |
| Buff & Brady No 1 | (Bilac.) | 148 - 105 |
| L. B. B. No. 4 | (Bilac)(LITTLE BROWN BIRD #4) | 211 - 257 |
| R. K. Horse | (Dark Horse) | 211 - 258 |

103-845

R.O.- 1150
85621

## Location Notices

| Name | Book | Page |
|---|---|---|
| Bell 8-29-41 | 24 | 457 |
| Brick Ext 39 | 24 | 337 |
| Brick Amd 8-11-39 | 24 | 325 |
| Brick '26 | 21 | 169 |
| Quarter Claim April 26 | 18 | 417 |
| ~~Quarter Claim 25~~ | ~~21~~ | ~~92~~; SC 8/25/25 21-92; ~~SC 10/11/21, 19-497~~ |
| La Paz | 21 | 168; Amd. 8/11/39 24-326; |
| Brown Dog 5/16/35 | 23 | 481 |
| Davis 7/6/26 | 21 | 183 |
| Gladie 7/31/39 | 24 | 327 |
| Irish Mag 6/6/26 | 21 | 186 & HM. Amd - 8/39 24-327 |
| Old China 1/1/21 | 20 | 243 |
| Midget #1 - 4/8/35 | 23 | 472 |
| Midget #2 - 4/8/35 | 23 | 473 |
| Rubicina Dacmite 8/12/39 | 24 | 328 |
| "Rubicina North Fraction Annex" | 24 | 309; Rubicina North Fraction Annex Amd 24-320 |
| ~~R.N.F.A. No 2 4/16/39 24-314~~ | | |
| R.N.F. Annex No. 2 4/16/39 | 24 | 314 |
| Ruth Amended 8/11/39 | 24 | 326 |
| Rubicina #1 2/14/36 | 23 | 542 |
| Ruth 7/6/26 | 21 | 185 |
| Protection N.W. Extension 7/26/44 | 24 | 549 |
| Ruff & Ready 8/23/30 | 21 | 632 (7-1-06 - 6-597) old - |
| Little Brown Bird #4 2/18/39 | 26 | 122 |
| Little Brown Bird 4/16/36 | 24 | 124 |

118 306 ~~Chattooga~~ Henning ~~#3~~

113 497 Hagerty

Grasmere fought Brick '72-'73

Hugh Miller (Mrs.) Brick and, Bell, Brown Dog - 1969 - 103 66

Whale

## Affidavits of Labor

| Book | Page | (3H's) |
|---|---|---|
| ~~3H 211~~ | 75-76 | ~~126~~ 126 |
| 211 | 75-76 | 125 — 3H #47 |
| 211 | 75-76 | 124 — Brick Xt |
| 194 | 74-75 | 284 — 3H #47 |
| 178 | 73-74 | 351 — 3H #47 211 |
| 162 | 72-73 | 575 — Brickyards, Brown Dog, Bell No-3H's |
| 147 | 71-72 | 386 — 3H #5 |
| [illegible] | | |
| 105 | 68-69 | 516 |
| [illegible] | | |
| [illegible] | | |
| 94 | 67-68 | 490 & 491 |
| 89 | 66-67 | 196 |
| 74 | 65-66 | 295 |
| 65 | 64-65 | 341, 42, [illegible] |

| Book | Page | (Brick) |
|---|---|---|
| 211 | 75-76 | 21 |
| [illegible] | | |
| 193 | 74-75 | 365 |
| 162 | 72-73 | 207 |
| [illegible] | | |
| [illegible] | | |
| [illegible] | | |
| [illegible] | | |
| [illegible] | | |
| [illegible] | | |
| 138 Rubicon 1971 | 484 | & 485 |

## Sales

| Rocket | Page | Date | |
|---|---|---|---|
| [illegible] | | | Hagerty |
| [illegible] | | | |
| [illegible] | | | |
| 9 | 297-298 | 1943 | Hanson Miller |
| 9 | 92 | 1939 | |
| 9 | 316 | 1947 | Broom Dog / Rubicon / Gun Miller |

## Liens

no Hagerty
no Hanson
no Grasmere
no Millers
no Green
no Cazrich
no Bell

REPLY TO:

2940 N. CASA TOMAS
PHOENIX, ARIZONA 85016
TELEPHONE (602) 277-6053

Richard E. Mieritz
MINING CONSULTANT

ARIZONA REGISTERED
MINING ENGINEER AND GEOLOGIST

GEOLOGY
EXPLORATION
EVALUATION
FEASIBILITY
OPERATION

September 24, 1980

Mr. Robert L. Peterson,
Chief Data and Statistics Department
Bureau of Land Management
RM 2400
Valley Bank Center
Phoenix, Arizona, 85073

Dear Mr. Peterson:

Herewith the recorded copy of Affidavit of Labor for the Brick group of claims in the Oro Blanco Mining District, Santa Cruz County, Arizona along with a list of the claims and the B.L.M. numbers.

This Affidavit of Labor is for the year 1979-80.

Sincerely yours,

R. E. Mieritz.

STATE OF ARIZONA, County of SANTA CRUZ } ss.

I hereby certify that the within instrument was filed and recorded SEP 8 1980, 19___, at 10:10 A. M.

In Docket No. 285, Page 441 - 442, at the request of Richard E. Mieritz

Fee No.: 5381

When recorded mail to:
Richard E. Mieritz
2940 N. Casa Tomas
Phoenix, Arizona, 85016

Witness my hand and official seal.
MARY LOU G. SAINZ
County Recorder
By Virginia A. Cordova
Deputy Recorder

Fee: $ 3.00

# AFFIDAVIT OF PERFORMANCE OF ANNUAL WORK

MICROFILMED INDEXED
DOCK 285 PAGE 441

State of Arizona
County of Maricopa } ss

1. Richard E. Mieritz
Name
2940 N. Casa Tomas
Address
Phoenix Arizona 85016
City State Zip
being duly sworn according to law deposes and says that they are a citizen of the United States more than eighteen years of age and that all of the facts set forth in this affidavit are true and correct according to the best of their knowledge, information and belief.

2. That ~~they~~ he is personally acquainted with the mining claim named Brick Group of claims situate in the Oro Blanco Mining District, Santa Cruz County, Arizona, the location of which is recorded in the office of the County Recorder of that County in Book See attached sheet of claims, ~~Page~~ ____. Notice of location is posted in Section 5, 6, and 31, Township 22 & 23S., Range 11 E., G&SRB&M. Feb. 18th & March 1, 1980

3. That between the dates of August 24th and August 30th, 1980 at least Two Thousand seven hundred dollars ($2,700.00) dollars worth of work and improvements were done and performed upon this claim not including location work.

4. The work and improvements were made by and at the expense of Arivaca Silver Mines, Ltd, Vancouver, B.C., Canada, lessee (Charles Hagerty, owners of the mine for the purpose of complying with the laws of the United States pertaining to assessments or annual work.

5. Richard E. Mieritz, Mining Consultant and J. & T.. Enterprises (Barl Thornton), Arivaca, Arizona.
were the names of the persons employed by the ~~XXXXX~~ Lessee who labored to do the work and improvements.

6. The work and improvements done were Designing Underground Access Entry to the Mine, Surface Trenching with Backhoe along vein and sampling of the Trenches,. in preparation to mining.

Dated September 3, 1980 Richard E. Mieritz
Signature

Subscribed to and sworn before me, a Notary Public, this 3 day of September, 19 80, by ____

My Commission expires ____ Notary Public

© Forms, Inc., 31 West Madison Street, Phoenix, Arizona 85003 / (602) 253-6612 / Form 21

BRICK GROUP of CLAIMS
Santa Cruz County, Arizona

DOCK 285 PAGE 442

| Claim Name | Date of Location | Recorded Book | Page | Bur. of Land Manage. Serial Number |
|---|---|---|---|---|
| Triple H # 53 | 11/ 6/63 | 48 | 370 | AMC - 70538 |
| Triple H # 55 | 11/ 6/63 | 48 | 372 | AMC - 70540 |
| Triple H # 56 | 11/ 6/63 | 48 | 373 | AMC - 70541 |
| Triple H # 57 | 11/ 7/63 | 48 | 374 | AMC - 70542 |
| Triple H # 58 | 11/ 4/63 | 48 | 375 | AMC - 70543 |
| Triple H # 59 | 11/ 8/63 | 48 | 452 | AMC - 70544 |
| Triple H # 51 | 11/ 7/63 | 48 | 456 | AMC - 70536 |
| Triple H # 52 | 11/ 4/63 | 48 | 457 | AMC - 70537 |
| Triple H # 60 | 11/ 8/63 | 48 | 459 | AMC - 70545 |
| Triple H # 61 | 11/ 8/63 | 48 | 460 | AMC - 70546 |
| Triple H # 62 | 11/ 8/63 | 48 | 461 | AMC - 70547 |
| Triple H # 66 | 11/11/63 | 48 | 554 | AMC - 70548 |
| Triple H # 67 | 11/11/63 | 49 | 24 | AMC - 70549 |
| Triple H # 30 | 12/17/63 | 49 | 602 | AMC - 70523 |
| Triple H # 31 | 12/18/63 | 49 | 603 | AMC - 70524 |
| Bell | 9/ 2/72 | 147 | 643 | AMC - 70564 |
| La Paz | 9/ 2/72 | 147 | 645 | AMC - 70565 |
| Rubiana N. Frac. Annex | 9/ 2/72 | 147 | 646 | AMC - 70566 |
| Rubiana Amended | 9/ 2/72 | 147 | 647 | AMC - 70567 |
| Santa Clara Amended | 9/ 2/72 | 147 | 648 | AMC - 70568 |
| Brown Dog | 9/ 2/72 | 148 | 103 | AMC - 70569 |
| Protection NW Extension | 9/ 2/72 | 148 | 104 | AMC - 70570 |
| R..K. Horse | 9/ 1/76 | 211 | 258 | AMC - 70558 |
| LBB # 4 | 9/ 1/76 | 211 | 257 | AMC - 70559 |
| Brick | 9/ 1/78 | 244 | 392 | AMC - 27414 |
| Ruff & Ready No. | 9/ 2/72 | 148 | 105 | AMC - 70571 |

Claims owned by Charles Hagerty, Arivaca, Arizona
Under lease and option to Arivaca Silver Mines Ltd, Vancouver, B. C., Canada

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1709 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

BUCK MINE
[illegible] DRILL HOLE

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | | Au ppm | Ag ppm | Cu ppm | Pb ppm | Zn ppm |
|---|---|---|---|---|---|---|---|
| | BHDH | | | | | | |
| 1 | BHDH #2 | 100-105 | 0.20 | 0.2 | 20 | 60 | 60 |
| 2 | | 105-110 | 0.10 | 0.2 | 10 | 50 | 60 |
| 3 | | 110-115 | 0.12 | 0.2 | 10 | 40 | 50 |
| 4 | | 115-120 | 0.04 | 0.2 | 5 | 40 | 55 |
| 5 | | 120-125 | <0.02 | 0.2 | 5 | 185 | 65 |
| 6 | | 125-130 | 0.16 | 0.2 | 5 | 35 | 75 |
| 7 | | 130-135 | 0.12 | 0.2 | 10 | 45 | 70 |
| 8 | | 135-140 | <0.02 | 0.2 | 5 | 35 | 70 |
| 9 | | 140-145 | <0.02 | < 0.2 | 5 | 60 | 55 |
| 10 | ORO BLANCO | 145-150 | <0.02 | < 0.2 | 5 | 35 | 50 |
| 11 | | 150-155 | <0.02 | < 0.2 | 5 | 140 | 55 |
| 12 | | 155-160 | <0.02 | < 0.2 | 5 | 35 | 50 |
| 13 | | 160-165 | <0.02 | < 0.2 | 5 | 35 | 55 |
| 14 | | 165-170 | <0.02 | < 0.2 | 5 | 20 | 55 |
| 15 | | 170-175 | <0.02 | < 0.2 | 5 | 340 | 60 |
| 16 | | 175-180 | <0.02 | < 0.2 | 5 | 35 | 50 |
| 17 | | 180-185 | <0.02 | < 0.2 | 5 | 105 | 50 |
| 18 | | 185-190 | <0.02 | < 0.2 | 5 | 50 | 55 |
| 19 | | 190-195 | <0.02 | < 0.2 | 5 | 60 | 65 |
| 20 | | 195-200 | <0.02 | < 0.2 | 10 | 25 | 55 |
| 21 | WASH | 200-205 | <0.02 | < 0.2 | 10 | 35 | 55 |
| 22 | | 205-210 | <0.02 | < 0.2 | 10 | 25 | 60 |
| 23 | | 210-215 | <0.02 | < 0.2 | 10 | 35 | 55 |
| 24 | | 215-220 | <0.02 | < 0.2 | 10 | 20 | 55 |
| 25 | | 220-225 | <0.02 | < 0.2 | 10 | 45 | 60 |
| 26 | BHDH #2 | 225-230 | <0.02 | < 0.2 | 5 | 15 | 55 |

TO:
GERALD WEATHERS
3928 E. Meadowbrook Ave.
Phoenix, Arizona 85018

cc: Pacific Resources
810-850 W. Hastings St.
Vancouver, B.C. Canada

REMARKS:
Trace Analysis

CERTIFIED BY: [illegible]

DATE REC'D: 12/23/76
DATE COMPL.: 1/7/77
JOB NUMBER: 762661


N
A
A'
QAL
QM
OBC
ARIVACA
45°
65°
BDDH-7
49'
BHDH-5
215' V
CAVED
QTZ BRECCIA
ORE ZONE
55°
CRT
SILICIFIED
SHAFT
BDDH-1
325' V
BDDH-2
397.3' V
BDDH-3
226' V
BDDH-4
160'
BDDH-5
185
BHDH-1
295' V
BHDH-2
230' V
BHDH-4
240' V
RADIOMETRIC 10 X BG
BHDH-6
240' V
VEIN
RUBY
AXIS OF ORE SHOOT
QTZ BRECCIA
SECTION A-A'
SHOWING VEIN AND DRILL HOLES
BRICK MINE
HOR + VERT SCALE
1" = 50'
BHDH-1
ROAD
BDDH-5
CK CULVERT ELEV
SHAFT
QTZ-CALCITE BRECCIA
OBC
CRT
4100'
4050'
4000'
3950'
3900'
3850'
3800
82°
25'
7.8oz Ag
15'
0.51oz Ag
30'
1.04 oz Ag
LEGEND
BDDH-1 DIAMOND DRILL HOLE
BHDH-1 HAMMER DRILL HOLE
10 X RADIOMETRIC COUNT ABOVE BACKGROUND
QAL QUATERNARY ALLUVIUM
QM TERTIARY QUARTZ MONZONITE
OBC CRETACEOUS(?) ORO BLANCO CONGLOMERATE
CRT JURASSIC (?) COBRA RIDGE TUFF
25' / 7.8oz THICKNESS AND GRADE OF SILVER
GEOLOGICAL MAP
OF
BRICK AG. MINE
ORO BLANCO MINING DIST
SANTA CRUZ CO., AZ
SHOWING DRILL HOLES
SCALE 1" = 100'
50 100'
GEOLOGY BASED ON FIELD OBSERVATIONS AND UNPUBLISHED SOURCES
G.W. 1977

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

SPICE MINE
WARNER HILL AREA

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | | Au ppm | Ag ppm | Cu ppm | Pb ppm | Zn ppm |
|---|---|---|---|---|---|---|---|
| 1 | BHDH # 4 | 0 - 20 | <0.02 | 0.2 | 15 | 50 | 70 |
| 2 | | 20 - 30 | <0.02 | 0.2 | 5 | 50 | 80 |
| 3 | | 30 - 40 | <0.02 | 0.2 | 5 | 125 | 65 |
| 4 | | 40 - 50 | <0.02 | <0.2 | 5 | 55 | 105 |
| 5 | | 50 - 60 | <0.02 | <0.2 | 30 | 65 | 75 |
| 6 | | 60 - 70 | <0.02 | 0.2 | 25 | 95 | 75 |
| 7 | | 70 - 80 | <0.02 | <0.2 | 5 | 50 | 70 |
| 8 | | 80 - 90 | <0.02 | <0.2 | 5 | 40 | 50 |
| 9 | | 90 - 100 | <0.02 | <0.2 | 5 | 50 | 70 |
| 10 | | 100 - 105 | <0.02 | <0.2 | 10 | 90 | 70 |
| 11 | | 105 - 110 | <0.02 | 0.2 | 15 | 45 | 70 |
| 12 | | 110 - 115 | <0.02 | 0.2 | 25 | 50 | 65 |
| 13 | | 115 - 120 | <0.02 | 0.2 | 15 | 60 | 50 |
| 14 | | 120 - 125 | <0.02 | <0.2 | 5 | 55 | 50 |
| 15 | | 125 - 130 | <0.02 | <0.2 | 5 | 105 | 50 |
| 16 | | 130 - 135 | <0.02 | <0.2 | 5 | 85 | 65 |
| 17 | | 135 - 140 | <0.02 | <0.2 | 10 | 45 | 50 |
| 18 | | 140 - 145 | <0.02 | <0.2 | 5 | 40 | 50 |
| 19 | | 145 - 150 | <0.02 | <0.2 | 5 | 45 | 50 |
| 20 | | 150 - 155 | <0.02 | <0.2 | 5 | 45 | 35 |
| 21 | | 155 - 160 | <0.02 | <0.2 | 5 | 15 | 35 |
| 22 | | 160 - 165 | <0.02 | <0.2 | 5 | 20 | 30 |
| 23 | | 165 - 170 | <0.02 | <0.2 | 5 | 30 | 40 |
| 24 | | 170 - 175 | <0.02 | <0.2 | 15 | 525 | 45 |
| 25 | | 175 - 180 | <0.02 | <0.2 | 10 | 140 | 50 |
| 26 | | 180 - 185 | <0.02 | <0.2 | 5 | 690 | 50 |
| 27 | | 185 - 190 | <0.02 | <0.2 | 5 | 50 | 35 |
| 28 | | 190 - 195 | <0.02 | <0.2 | 5 | 65 | 40 |
| 29 | | 195 - 200 | <0.02 | <0.2 | 10 | 45 | 45 |
| 30 | BHDH # 4 | 200 - 205 | <0.02 | <0.2 | 10 | 50 | 50 |

105-120 15' @ .2 PPM Ag

TO:
Gerald Weathers
3928 E. Meadowbrook Avenue
Phoenix, Arizona 85018

cc: Pacific Resources
810-850 W. Hastings St.
Vancouver, B.C. Canada

REMARKS:
Trace Analysis

CERTIFIED BY:



| DATE REC'D: | DATE COMPL.: | JOB NUMBER: |
|---|---|---|
| 12/23/76 | 1/11/77 | 762663 |

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50100, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | | Au ppm | Ag ppm | Cu ppm | Pb ppm | Zn ppm |
|---|---|---|---|---|---|---|---|
| 31 | BHDH # 4 | 205 - 210 | <0.02 | <0.2 | 10 | 40 | 45 |
| 32 | | 210 - 215 | <0.02 | <0.2 | 15 | 70 | 45 |
| 33 | | 215 - 220 | <0.02 | <0.2 | 10 | 60 | 40 |
| 34 | | 220 - 225 | <0.02 | <0.2 | 5 | 40 | 30 |
| 35 | | 225 - 230 | <0.02 | <0.2 | 5 | 90 | 35 |
| 36 | | 230 - 235 | <0.02 | <0.2 | 5 | 105 | 50 |
| 37 | BHDH # 4 | 235 - 240 | <0.02 | <0.2 | 5 | 105 | 55 |

TO:

Gerald Weathers
3928 E. Meadowbrook Avenue
Phoenix, Arizona 85018

cc: Pacific Resources
810-850 W. Hastings St.
Vancouver B.C., Canada

REMARKS:

Trace Analysis

CERTIFIED BY:



| DATE REC'D | DATE COMPL.: | JOB NUMBER |
|---|---|---|
| 12/23/76 | 1/11/77 | 762663 |

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | Au ppm | Ag ppm | Cu ppm | Pb ppm | Zn ppm |
|---|---|---|---|---|---|---|
| | BHD-6 | | | | | |
| 1 | 0-5 | <0.02 | <0.2 | 20 | 60 | 65 |
| 2 | 5-10 | <0.02 | <0.2 | 25 | 55 | 65 |
| 3 | 10-15 | <0.02 | <0.2 | 5 | 30 | 55 |
| 4 | 15-20 | <0.02 | <0.2 | 5 | 65 | 50 |
| 5 | 20-25 | <0.02 | 0.8 | 15 | 55 | 75 |
| 6 | 25-30 | <0.02 | 0.2 | 5 | 40 | 65 |
| 7 | 30-35 | <0.02 | 0.2 | 5 | 40 | 60 |
| 8 | 35-40 | <0.02 | 0.2 | 5 | 45 | 70 |
| 9 | 40-45 | <0.02 | <0.2 | 5 | 20 | 75 |
| 10 | 45-50 | <0.02 | <0.2 | 5 | 35 | 95 |
| 11 | 50-55 | <0.02 | <0.2 | 5 | 45 | 85 |
| 12 | 55-60 | <0.02 | <0.2 | 5 | 40 | 75 |
| 13 | 60-65 | <0.02 | <0.2 | 5 | 25 | 70 |
| 14 | 65-70 | <0.02 | <0.2 | 5 | 25 | 70 |
| 15 | 70-75 | <0.02 | <0.2 | 5 | 125 | 70 |
| 16 | 75-80 | <0.02 | 0.4 | 10 | 30 | 85 |
| 17 | 80-85 | <0.02 | 1.0 | 5 | 20 | 65 |
| 18 | 85-90 | <0.02 | 0.8 | 5 | 15 | 110 |
| 19 | 90-95 | <0.02 | 1.4 | 10 | 35 | 120 |
| 20 | 95-100 | <0.02 | 1.6 | 15 | 25 | 110 |
| 21 | 100-105 | <0.02 | 2.0 | 20 | 30 | 95 |
| 22 | 105-110 | <0.02 | 1.2 | 20 | 20 | 65 |
| 23 | 110-115 | <0.02 | 1.4 | 15 | 30 | 90 |
| 24 | 115-120 | <0.02 | 0.8 | 15 | 20 | 80 |
| 25 | 120-125 | <0.02 | 0.4 | 15 | 20 | 75 |
| 26 | 125-130 | <0.02 | 0.8 | 40 | 25 | 85 |
| 27 | 130-135 | <0.02 | 0.8 | 20 | 30 | 75 |
| 28 | 135-140 | <0.02 | 0.8 | 15 | 30 | 90 |
| 29 | 140-145 | <0.02 | 0.8 | 15 | 30 | 90 |
| 30 | 145-150 | <0.02 | 0.6 | 25 | 30 | 85 |

TO: PACIFIC RESOURCES DEVELOPMENT, LTD.
810-850 West Hastings Street
Vancouver, B.C., Canada

REMARKS: Trace analysis

CERTIFIED BY:

Page 1 of 2 pages

DATE REC'D 12/23/76 | DATE COMPL. 1/31/77 | JOB NUMBER 762659

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

54.3' = 1.77 oz/Ton

# CERTIFICATE OF ANALYSIS

BLACK MINE - [illegible]

| ITEM NO. | SAMPLE IDENTIFICATION | Au ppm | Ag ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | BHD-6 (cont). | | | | | | | | | |
| 31 | 150-155 | <0.02 | 0.8 | 30 | 40 | 85 | | | | |
| 32 | 155-160 | <0.02 | 0.6 | 20 | 30 | 60 | | | | |
| 33 | 160-165 | <0.02 | 0.8 | 10 | 35 | 60 | | | | |
| 34 | 165-170 | 0.04 | 0.6 | 20 | 30 | 60 | | | | |
| 35 | 170-175 | 0.11 | 7.2 | 30 | 70 | 90 | 0.20 | 170 - 175' | | |
| 36 | 175-180 | 0.19 | 5.6 | 30 | 75 | 100 | 0.16 | 20' @ .17 oz Ag/Ton | | |
| 37 | 180-185 | 0.14 | 7.4 | 30 | 80 | 90 | 0.22 | | | |
| 38 | 185-190 | 0.06 | 3.0 | 20 | 60 | 105 | 0.09 | | | |
| 39 | 190-195 | 0.02 | 1.2 | 20 | 55 | 100 | | | | |
| 40 | 195-200 | 0.06 | 1.8 | 35 | 55 | 90 | | | | |
| 41 | 200-205 | 0.04 | 1.0 | 20 | 60 | 80 | | | | |
| 42 | 205-210 | <0.02 | 0.8 | 25 | 35 | 75 | | | | |
| 43 | 210-215 | <0.02 | 0.6 | 35 | 110 | 90 | | | | |
| 44 | 215-220 | <0.02 | 0.6 | 35 | 35 | 70 | | | | |
| 45 | 220-225 | <0.02 | 0.8 | 35 | 55 | 75 | | | | |
| 46 | 225-230 | <0.02 | 1.0 | 30 | 70 | 110 | | | | |
| 47 | 230-235 | <0.02 | 1.6 | 30 | 100 | 550 | | | | |

TO:
PACIFIC RESOURCES DEVELOPMENT, LTD.
810-850 West Hastings Street
Vancouver, B.C., Canada

REMARKS:
Trace analysis

Page 2 of 2 pages

CERTIFIED BY:

| DATE RECD | DATE COMPL. | JOB NUMBER |
|---|---|---|
| 12/23/76 | 1/31/77 | 762659 |

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1720 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9437

William L. Lehmbeck
Arizona Registered Assayer No. 9425

STOCK MINE

# CERTIFICATE OF ANALYSIS

DIAMOND DRILL HOLE - VERTICAL (-90°)

| ITEM NO. | SAMPLE IDENTIFICATION | | Au ppm | Ag ppm | Ag* oz/ton | Cu ppm | Pb ppm | Zn ppm | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | BDD #2 | 330-335 | < 0.02 | < 0.2 | | 10 | 30 | 50 | |
| 2 | ORE ZONE | 335-340 | < 0.02 | < 0.2 | | 5 | 25 | 40 | |
| 3 | | 340-345 | < 0.02 | < 0.2 | | 5 | 25 | 45 | |
| 4 | SILT | 345-350 | 0.08 | 3.6 | | 10 | 45 | 70 | |
| 5 | | 350-355 5' | 0.53 | >30.0 | 1.76 | 30 | 105 | 95 | 350 - 370 |
| 6 | | 355-358 3' | 0.21 | 15.0 | | 320 | 700 | 750 | |
| 7 | VUGGY | 358-361 3' | 0.24 | 26.0 | | 275 | 290 | 460 | 1.27 |
| 8 | | 361-366 5' | 0.64 | >30.0 | 2.40 | 335 | 735 | 900 | 20' @ 1.50 |
| 9 | SILT | 366-370 4' | 0.07 | 9.0 | | 75 | 310 | 490 | |
| 10 | QUARTZ RIDGE | 370-375 | 0.09 | 3.8 | | 40 | 70 | 175 | |
| 11 | QTZ LATITE | 375-380 | < 0.02 | 0.6 | | 20 | 385 | 375 | |
| 12 | TUFF | 380-385 | 0.03 | 1.0 | | 35 | 1100 | 2100 | |
| 13 | | 385-390 | 0.05 | 0.6 | | 60 | 550 | 1150 | 11.47' THICK |
| 14 | | 390-395 | < 0.02 | 1.2 | | 145 | 130 | 165 | NORMAL TO CORE |
| 15 | BDD # 2 | 395.3-397.3 | 0.03 | 0.2 | | 15 | 60 | 80 | |

34.3 PPM = 1 TROY OZ/TON

REGISTERED ASSAYER CERTIFICATE NO. 9425 WILLIAM L. LEHMBECK ARIZONA

CERTIFIED BY:

TO:
GERALD WEATHERS
3928 E. Meadow Brook Avenue
Phoenix, Arizona 85018

cc: Pacific Resources Devel. LTD
810-850 W. Hastings St.
Vancouver, B.C., Canada

REMARKS:
Trace Analysis
* Analysis by Fire Assay

| DATE REC'D: | DATE COMPL.: | JOB NUMBER: |
|---|---|---|
| 12/23/76 | 12/31/76 | 762660 |

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

BRICK MINE

# CERTIFICATE OF ANALYSIS

DIAMOND DRILL HOLE VERTICAL 90°

| ITEM NO. | SAMPLE IDENTIFICATION | | Au* oz/ton | Ag* oz/ton | Cu ppm |
|---|---|---|---|---|---|
| 1 | BDDH-3 | 155-160 | <0.005 | <0.01 | 5 |
| 2 | | 160-165 | <0.005 | <0.01 | 10 |
| 3 | | 165-170 | <0.005 | <0.01 | 5 |
| 4 | | 170-175 | <0.005 | <0.01 | 10 |
| 5 | | 175-180 | 0.070 | 6.68 | 90 |
| 6 | | | | | |
| 6 | | 180-185 | 0.040 | 4.97 | 225 |
| 7 | | 185-190 | 0.005 | 0.12 | 235 |
| 8 | | 190-195 | <0.005 | <0.01 | 225 |
| 9 | | 195-200 | <0.005 | <0.01 | 155 |
| 10 | | 200-205 | 0.005 | <0.01 | 10 |
| 11 | | 205-210 | <0.005 | <0.01 | 10 |
| 12 | | 210-215 | <0.005 | <0.01 | 10 |
| 13 | | 215-220 | <0.005 | <0.01 | 15 |
| 14 | BDDH-3 | 220-226 | <0.005 | <0.01 | 10 |

175-180 0.070 oz/ton Au 3.929/TON Ag

TO:

Gerald Weathers
3928 E. Meadowbrook Avenue
Phoenix, Arizona 85018

cc: Pacific Resources
810-850 W. Hastings St.
Vancouver, B.C. Canada

REMARKS:

Trace Analysis
*Analysis by Fire Assay

CERTIFIED BY:

| DATE REC'D: | DATE COMPL.: | JOB NUMBER: |
|---|---|---|
| 1/5/77 | 1/11/77 | 770030 |

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4636

Charles E. Thomson
Arizona Registered Assayer No. 9427
William L. Lehmbeck
Arizona Registered Assayer No. 9425

BRICK MINE

# CERTIFICATE OF ANALYSIS

DRILL HOLE — 60°

| ITEM NO. | SAMPLE IDENTIFICATION | | Au ppm | Ag ppm | Cu ppm | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | BDDH-4 | 90-95 | <0.02 | 0.2 | 10 | | | | | | |
| 2 | ORE ZONE | 95-100 | <0.02 | 0.2 | 20 | | | | | | |
| 3 | | 100-105 | <0.02 | 0.2 | 5 | | | | | | |
| 4 | | 105-110 | <0.02 | 0.2 | 5 | | | | | | |
| 5 | | 110-115 | <0.02 | 0.2 | 5 | | | | | | |
| 6 | VEIN | 115-120 | 0.04 | 5.8 | 60 | 115-125 | | | | | |
| 7 | | 120-125 | <0.02 | 2.6 | 120 | 10' @ .024 oz Au/TON | | | | | |
| 8 | | 125-130 | <0.02 | 0.2 | 35 | 9' WIDE NORMAL TO VEIN | | | | | |
| 9 | CRT | 130-135 | <0.02 | 0.2 | 20 | | | | | | |
| 10 | | 135-140 | <0.02 | 0.2 | 10 | | | | | | |
| 11 | | 140-145 | <0.02 | 0.2 | 10 | | | | | | |
| 12 | | 145-150 | <0.02 | 0.6 | 15 | | | | | | |
| 13 | | 150-155 | <0.02 | <0.2 | 15 | | | | | | |
| 14 | BDDH-4 | 155-160 | <0.02 | <0.2 | 5 | | | | | | |

TO: PACIFIC RESOURCES
810-850 West Hastings Street
Vancouver, B.C., Canada

REMARKS: Trace analysis

CERTIFIED BY

DATE REC'D: 1/7/77
DATE COMPL.: 1/24/77
JOB NUMBER: 770059

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | | Au ppm | Au * oz/ton | Ag ppm | Ag * oz/ton | Cu ppm | Pb ppm | Zn ppm | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | BDDH-5 | 128-130 | <0.02 | | 2.0 | | 5 | 45 | 145 | | |
| 2 | | 130-135 | 0.54 | | >67. | 1.97 | 30 | 210 | 140 | | |
| 3 | | 135-140 | 1.0 | | >42. | 1.24 | 20 | 150 | 50 | | |
| 4 | | 140-145 | 2.0 | | >100. | 7.82 | 65 | 170 | 345 | | |
| 5 | | 145-150 | 4.9 | 0.120 | >100. | 25.88 | 215 | 1400 | 1550 | | |
| 6 | | 150-155 | 0.20 | | >76. | 2.05 | 205 | 560 | 425 | | |
| 7 | | 155-160 | 0.09 | | 21. | | 80 | 215 | 315 | | |
| 8 | | 160-164 | 0.12 | | 21. | | 335 | 275 | 260 | | |
| 9 | | 164-165 | 0.26 | | 17. | | 20 | 165 | 205 | | |
| 10 | | 165-170 | 0.02 | | 1.8 | | 10 | 90 | 125 | | |
| 11 | | 170-175 | 0.04 | | 9.2 | | 5 | 115 | 100 | | |
| 12 | | 175-180 | <0.02 | | 3.2 | | 5 | 75 | 95 | | |
| 13 | BDDH-5 | 180-185 | <0.02 | | 0.4 | | 5 | 35 | 65 | | |

38.96 = 7.79
5

130-155

25 @ 7.79 B

TO: PACIFIC RESOURCES
810-850 West Hastings Street
Vancouver, B.C., Canada

REMARKS:
Trace analysis
*Single fire assay

CERTIFIED BY:

| DATE REC'D: | DATE COMPL.: | JOB NUMBER: |
|---|---|---|
| 1/14/77 | 1/25/77 | 770100 |

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | | Au oz/ton | Ag oz/ton |
|---|---|---|---|---|
| 1 | DDH-6 | 127.5-135 | <0.005 | <0.01 |
| 2 | | 135-145 | 0.005 | <0.01 |
| 3 | | 145-155 | 0.005 | <0.01 |
| 4 | | 155-165 | 0.015 | 2.72 |
| 5 | | 165-175 | 0.020 | 0.80 |
| 6 | | 175-185 | 0.090 | 2.50 |
| 7 | | 186-195 | 0.020 | 2.90 |
| 8 | | 195-205 | <0.005 | 0.21 |
| 9 | | 205-215.2 | <0.005 | <0.01 |
| 10 | DDH-6 | 215.2-221 | <0.005 | <0.01 |

40

892/4 = 2.23 %

TO:
PACIFIC RESOURCES
810-850 West Hastings Street
Vancouver, B.C., Canada

REMARKS:
Single analysis by fire assay

CERTIFIED BY:

DATE REC'D: 1/21/77

DATE COMPL.: 1/26/77

JOB NUMBER: 770162

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

BRICK MINE HAMMER DRILL HOLE

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | | Au ppm | Ag ppm | Cu ppm | Pb ppm | Zn ppm | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | BHDH #5 | 0-10 | <0.02 | <0.2 | 20 | 85 | 135 | | | | |
| 2 | | 10-20 | <0.02 | <0.2 | 10 | 40 | 60 | | | | |
| 3 | | 20-30 | <0.02 | <0.2 | 10 | 40 | 75 | | | | |
| 4 | | 30-40 | <0.02 | <0.2 | 5 | 40 | 65 | | | | |
| 5 | | 40-50 | <0.02 | <0.2 | 5 | 40 | 70 | | | | |
| 6 | | 50-60 | <0.02 | 0.2 | 40 | 60 | 110 | | | | |
| 7 | | 60-70 | <0.02 | <0.2 | 10 | 40 | 90 | | | | |
| 8 | | 70-80 | <0.02 | 0.2 | 15 | 50 | 90 | | | | |
| 9 | | 80-90 | <0.02 | 0.2 | 15 | 60 | 80 | | | | |
| 10 | | 90-100 | <0.02 | 0.2 | 5 | 40 | 60 | | | | |
| 11 | | 100-105 | <0.02 | 0.2 | 5 | 35 | 65 | | | | |
| 12 | | 105-110 | <0.02 | 0.2 | 5 | 30 | 50 | | | | |
| 13 | | 110-115 | <0.02 | 0.2 | 5 | 60 | 65 | | | | |
| 14 | | 115-120 | <0.02 | <0.2 | 5 | 35 | 65 | | | | |
| 15 | | 120-125 | <0.02 | 0.2 | 5 | 225 | 50 | | | | |
| 16 | | 125-130 | <0.02 | <0.2 | 5 | 35 | 60 | | | | |
| 17 | | 130-135 | <0.02 | <0.2 | 5 | 45 | 60 | | | | |
| 18 | | 135-140 | 0.04 | <0.2 | 5 | 30 | 50 | | | | |
| 19 | | 140-145 | <0.02 | <0.2 | 5 | 30 | 50 | | | | |
| 20 | | 145-150 | <0.02 | <0.2 | 5 | 30 | 50 | | | | |
| 21 | | 150-155 | <0.02 | <0.2 | 10 | 40 | 45 | 34.3 PPM | | | |
| 22 | | 155-160 | <0.02 | 0.2 | 5 | 35 | 45 | = 1 TROY oz/TON | | | |
| 23 | | 160-165 | <0.02 | 0.2 | 10 | 55 | 90 | | | | |
| 24 | | 165-170 | <0.02 | 0.4 | 15 | 45 | 75 | | | | |
| 25 | | 170-175 | 0.03 | 2.8 | 20 | 55 | 85 | | | | |
| 26 | | 175-180 | 0.05 | 2.4 | 20 | 55 | 75 | .06 oz/TON | | | |
| 27 | | 180-185 | 0.05 | 5.4 | 20 | 140 | 75 | .15 | 180 - 215 | | |
| 28 | | 185-190 | 0.07 | 5.2 | 20 | 75 | 75 | .15 | | | |
| 29 | | 190-195 | 0.06 | 4.6 | 25 | 60 | 85 | .13 | 35' @ .14 oz/TON | | |
| 30 | | 195-200 | 0.04 | 3.8 | 30 | 55 | 100 | .11 | | | |
| 31 | | 200-205 | 0.05 | 4.8 | 30 | 195 | 115 | .14 | | | |
| 32 | | 205-210 | 0.09 | 5.6 | 30 | 75 | 140 | .16 | | | |
| 33 | BHDH #5 | 210-215 | 0.04 | 3.8 | 30 | 95 | 155 | .11 | | | |
| | | | HOLE ENDED @ 215' | | | | | | | | |

TO:
PACIFIC RESOURCES
810-850 West Hastings Street
Vancouver, B.C., Canada

REMARKS:
Trace analysis

CERTIFIED BY:

DATE REC'D: 12/23/76
DATE COMPL.: 1/24/77
JOB NUMBER: 762662

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | Au ppm | Ag ppm | Ag* oz/ton | Cu ppm |
|---|---|---|---|---|---|
| 1 | BHD #3 150-155 | <0.02 | 0.2 | | 25 |
| 2 | 155-160 | <0.02 | 0.2 | | 35 |
| 3 | 160-165 | <0.02 | 04 | | 25 |
| 4 | 165-170 | <0.02 | 0.2 | | 20 |
| 5 | 170-175 | 0.04 | 4.8 | | 15 |
| 6 | 175-185 | 0.14 | 16.0 | | 25 |
| 7 | 180-185 | 0.60 | >30.0 | 1.24 | 30 |
| 8 | 185-190 | 0.92 | >30.0 | 1.17 | 40 |
| 9 | 190-195 | 1.5 | >30.0 | 1.52 | 70 |
| 10 | 195-200 | 0.82 | >30.0 | 1.41 | 160 |
| 11 | 200-205 | 0.17 | 19.0 | | 80 |
| 12 | 205-210 | 0.25 | >30.0 | 1.14 | 65 |
| 13 | 210-215 | 0.09 | 12.0 | | 35 |
| 14 | 215-220 | 0.11 | 12.0 | | 35 |
| 15 | 220-225 | 0.10 | 11.0 | | 25 |
| 16 | 225-230 | 0.10 | 13.0 | | 30 |
| 17 | 230-235 | 0.07 | 8.8 | | 25 |
| 18 | BHD #3 235-240 | 0.11 | 10.0 | | 30 |

TO:
GERALD MEAUMERS
3928 E. Meadow Brook Avenue
Phoenix, Arizona 85018

cc: Pacific Resources Devel. LTD
810-850 W. Hastings St.
Vancouver, B.C., Canada

REMARKS:
Trace Analysis
* Analysis by Fire Assay

CERTIFIED BY: William L. Lehmbeck

REGISTERED ASSAYER CERTIFICATE NO. 9425 WILLIAM L. LEHMBECK DATE SIGNED 12/31/76 Arizona U.S.A.

DATE REC'D: 12/15/76
DATE COMP'L: 12/31/76
JOB NUMBER: 762592

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

BRICK MINE
PANTER DRILL HOLE

# CERTIFICATE OF ANALYSIS

34.31 FT = 17.15 TON

| ITEM NO. | SAMPLE IDENTIFICATION | | Au ppm | Ag ppm | Cu ppm | Au* oz/ton | Ag* oz/ton | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | BHD #1 | 0-20 | <0.02 | <0.2 | 5 | | | | | | |
| 2 | | 20-30 | <0.02 | <0.2 | 5 | | | | | | |
| 3 | | 30-40 | <0.02 | <0.2 | 5 | | | | | | |
| 4 | | 40-50 | <0.02 | <0.2 | 5 | | | | | | |
| 5 | ORO | 50-60 | <0.02 | <0.2 | 20 | | | | | | |
| 6 | BLANCO | 60-70 | <0.02 | <0.2 | 10 | | | | | | |
| 7 | CAVE | 70-80 | <0.02 | <0.2 | 5 | | | | | | |
| 8 | | 80-90 | <0.02 | <0.2 | 5 | | | | | | |
| 9 | | 90-100 | <0.02 | <0.2 | 5 | | | | | | |
| 10 | | 100-110 | <0.02 | <0.2 | 5 | | | | | | |
| 11 | | 110-120 | <0.02 | <0.2 | 5 | | | | | | |
| 12 | | 120-130 | <0.02 | <0.2 | 5 | | | | | | |
| 13 | | 130-140 | <0.02 | <0.2 | 5 | | | | | | |
| 14 | | 140-150 | <0.02 | <0.2 | 10 | | | | | | |
| 15 | | 150-157 | <0.02 | <0.2 | 10 | | | | | | |
| 16 | | 157-160 | <0.02 | <0.2 | 5 | | | | | | |
| 17 | | 160-165 | <0.02 | <0.2 | 5 | | | | | | |
| 18 | | 165-170 | <0.02 | <0.2 | 5 | | | | | | |
| 19 | | 170-175 | <0.02 | <0.2 | 10 | | | | | | |
| 20 | | 175-180 | <0.02 | <0.2 | 10 | | | | | | |
| 21 | | 180-185 | <0.02 | <0.2 | 5 | | | | | | |
| 22 | | 185-190 | <0.02 | <0.2 | 5 | | | | | | |
| 23 | | 190-195 | 0.10 | 2.4 | 5 | 0.005 | <0.01 | | | | |
| 24 | | 195-200 | 0.54 | 35.0 | 25 | 0.015 | 0.92 | | | | |
| 25 | | 200-205 | 0.13 | 15.0 | 10 | 0.005 | 0.20 | | | | |
| 26 | VEIN | 205-210 | 0.12 | 15.0 | 20 | 0.005 | 0.34 | | | | |
| 27 | | 210-215 | 0.11 | 27.0 | 85 | 0.005 | 0.85 | 205-210 15' .51 oz | | | |
| 28 | | 215-220 | 0.08 | 14.0 | 70 | 0.005 | 0.34 | | | | |
| 29 | | 220-225 | 0.10 | 8.8 | 50 | | | | | | |
| 30 | | 225-230 | 0.06 | 5.4 | 65 | | | | | | |
| 31 | | 230-235 | <0.02 | 6.0 | 245 | | | | | | |
| 32 | | 235-240 | <0.02 | 3.4 | 50 | | | | | | |
| 33 | | 240-245 | 0.10 | 11.0 | 60 | | | | | | |
| 34 | | 245-250 | 0.05 | 3.6 | 30 | | | | | | |
| 35 | BHD #1 | 250-255 | <0.02 | 1.8 | 20 | | | | | | |

TO:
GERALD WEATHERS
3928 E. Meadow Brook Avenue
Phoenix, Arizona 85018

cc: Pacific Resources Devel. Ltd.
810-850 W. Hastings St.
Van Couver B.C., Canada

REMARKS:
Trace Analysis
* Analysis by Fire Assay

CERTIFIED BY:



DATE REC'D: 12/6/76
DATE COMPL.: 12/22/76
JOB NUMBER: 762510

SKYLINE LABS, INC.
Hawley & Hawley, Assayers and Chemists Division
1700 W. Grant Rd., P.O. Box 50106, Tucson, Arizona 85703
(602) 622-4836

Charles E. Thompson
Arizona Registered Assayer No. 9427

William L. Lehmbeck
Arizona Registered Assayer No. 9425

# CERTIFICATE OF ANALYSIS

| ITEM NO. | SAMPLE IDENTIFICATION | Au ppm | Ag ppm | Cu ppm | Au* oz/ton | Ag* oz/ton |
|---|---|---|---|---|---|---|
| 36 | BHD #1 255-260 | 0.22 | 5.8 | 15 | | |
| 37 | 260-265 | 0.08 | 3.4 | 10 | | |
| 38 | 265-270 | <0.02 | 2.0 | 10 | | |
| 39 | 270-275 | <0.02 | 0.8 | 5 | | |
| 40 | 275-280 | <0.02 | 1.2 | 5 | | |
| 41 | 280-285 | <0.02 | 0.6 | 5 | | |
| 42 | 285-290 | <0.02 | 0.8 | 5 | | |
| 43 | BHD #1 290-295 | <0.02 | 0.8 | 5 | | |

TO:
GERALD WEATHERS
3928 E. Meadow Brook Avenue
Phoenix, Arizona 85018

cc: Pacific Resources Devel. Ltd.
810-850 W. Hastings St.
VanCouver, B.C., Canada

REMARKS:
Trace Analysis
*Analysis by Fire Assay

CERTIFIED BY:



| DATE REC'D: | DATE COMPL.: | JOB NUMBER: |
|---|---|---|
| 12/6/76 | 12/22/76 | 762510 |

Steve Radvak

~~#~~ 514 W. Hwy
# 813 - 850 W. Hastings
Pacific Resources Development Ltd.
Fred S. Hofman. Pres.

Chuck Haggerty - 398-2304 - Aurora
24 acres - Buck Property
B.C.B. Henry did geophysical. 9:30 Monday

A. L. Grasmoen 778-8612

$ 60-75,000

Ed Sheridan Toronto

| | | | | | |
|---|---|---|---|---|---|
| | 73.8 | Arizona | Jct. 289 & I-19 | 29.0 | |
| 9.9 | 83.7 | | Cave Blanca Mtn | 39.5 | 10.5 |
| 1.0 | | F.S. 217 | | 54.3 | 14.8 |
| | 84.7 | Nine | Ruby Prop. | 55.3 | 1.0 |

7/4.40
4.70
40.10

# Drill Holes - Brick

D.D.H. - 1 - 315 - 335'
D.D.H. 2 - 350 - 355
361 - 366

DDH 3 - 175 - 180
180 - 185

DDH 4 - ~~145 - 150~~ NG.
~~150 - 125~~

DDH 5 - 130 - 155

DDH 6 - 155 - 165
175 - 195

---

H.D.H. - 5 NG.

HDH 3 180 - 200
205 - 210

HDH 1 Vein - 195 - 220 - NG.

HDH 2. N.G.

HDH 4 Vein - 105 - 120 NG

HDH 6 Vein - 170 - 190 NG.


HAGERTY GROUP
X = other ownership
PATENTED
SCALE 1" = 2000'
Ruby Peak
Black Peak
Copre Mt
Montana Peak
Canyon
BUENA VISTA
AUSTERLITZ MINES
(Boundary)
B M 4281
TH#31
TH#30
TH#32
TH#33
TH#34
TH#35
TH#36
TH#37
TH#38
TH#39
TH#40
TH#41
TH#42
TH#43
TH#44
TH#45
TH#46
TH#47
TH#48
TH55
TH62
TH66
TH67
RKHORSE
RNEA
RUBIANA
LA PAZ
BRICK
CHINAS
RSAN
RUBY CRF No 2
CRF No 1
PURPLE STAR
PURPLE STAR No 1
COPPER WEDGE
COPPER CHIEF
PCJP No 1
PCJP
JACKPOT
JACKPOT No 2
JACKPOT No 3
GUNSITE RUBY No 3
KING BING
KING BING 3
4500
4425
4550
4575
4600
4625
4650
4675
4700
4725
4750
4775
4800
4825
4850
4875
4900
4925
4950
4975
5000
5025
5050
5075
5100
5125
5150
5175
5200
5225
5250
5275
5300
5325
5350
5375
5400
5425
5450
5475
5500
5525
5550
5575
5600
5625
5650
5675
5700
5725
5750
5775
5800
5825
5850
5875
5900
5925
5950
5975
6000
6025
6050
6075
6100
6125
6150
6175
6200
6225
6250
6275
6300
6325
6350
6375
6400
6425
6450
6475
6500
6525
6550
6575
6600
6625
6650
6675
6700
6725
6750
6775
6800
6825
6850
6875
6900
6925
6950
6975
7000
7025
7050
7075
7100
7125
7150
7175
7200
7225
7250
7275
7300
7325
7350
7375
7400
7425
7450
7475
7500
7525
7550
7575
7600
7625
7650
7675
7700
7725
7750
7775
7800
7825
7850
7875
7900
7925
7950
7975
8000
8025
8050
8075
8100
8125
8150
8175
8200
8225
8250
8275
8300
8325
8350
8375
8400
8425
8450
8475
8500
8525
8550
8575
8600
8625
8650
8675
8700
8725
8750
8775
8800
8825
8850
8875
8900
8925
8950
8975
9000
9025
9050
9075
9100
9125
9150
9175
9200
9225
9250
9275
9300
9325
9350
9375
9400
9425
9450
9475
9500
9525
9550
9575
9600
9625
9650
9675
9700
9725
9750
9775
9800
9825
9850
9875
9900
9925
9950
9975
10000
10025
10050
10075
10100
10125
10150
10175
10200
10225
10250
10275
10300
10325
10350
10375
10400
10425
10450
10475
10500
10525
10550
10575
10600
10625
10650
10675
10700
10725
10750
10775
10800
10825
10850
10875
10900
10925
10950
10975
11000
11025
11050
11075
11100
11125
11150
11175
11200
11225
11250
11275
11300
11325
11350
11375
11400
11425
11450
11475
11500
11525
11550
11575
11600
11625
11650
11675
11700
11725
11750
11775
11800
11825
11850
11875
11900
11925
11950
11975
12000
12025
12050
12075
12100
12125
12150
12175
12200
12225
12250
12275
12300
12325
12350
12375
12400
12425
12450
12475
12500
12525
12550
12575
12600
12625
12650
12675
12700
12725
12750
12775
12800
12825
12850
12875
12900
12925
12950
12975
13000
13025
13050
13075
13100
13125
13150
13175
13200
13225
13250
13275
13300
13325
13350
13375
13400
13425
13450
13475
13500
13525
13550
13575
13600
13625
13650
13675
13700
13725
13750
13775
13800
13825
13850
13875
13900
13925
13950
13975
14000
14025
14050
14075
14100
14125
14150
14175
14200
14225
14250
14275
14300
14325
14350
14375
14400
14425
14450
14475
14500
14525
14550
14575
14600
14625
14650
14675
14700
14725
14750
14775
14800
14825
14850
14875
14900
14925
14950
14975
15000
15025
15050
15075
15100
15125
15150
15175
15200
15225
15250
15275
15300
15325
15350
15375
15400
15425
15450
15475
15500
15525
15550
15575
15600
15625
15650
15675
15700
15725
15750
15775
15800
15825
15850
15875
15900
15925
15950
15975
16000
16025
16050
16075
16100
16125
16150
16175
16200
16225
16250
16275
16300
16325
16350
16375
16400
16425
16450
16475
16500
16525
16550
16575
16600
16625
16650
16675
16700
16725
16750
16775
16800
16825
16850
16875
16900
16925
16950
16975
17000
17025
17050
17075
17100
17125
17150
17175
17200
17225
17250
17275
17300
17325
17350
17375
17400
17425
17450
17475
17500
17525
17550
17575
17600
17625
17650
17675
17700
17725
17750
17775
17800
17825
17850
17875
17900
17925
17950
17975
18000
18025
18050
18075
18100
18125
18150
18175
18200
18225
18250
18275
18300
18325
18350
18375
18400
18425
18450
18475
18500
18525
18550
18575
18600
18625
18650
18675
18700
18725
18750
18775
18800
18825
18850
18875
18900
18925
18950
18975
19000
19025
19050
19075
19100
19125
19150
19175
19200
19225
19250
19275
19300
19325
19350
19375
19400
19425
19450
19475
19500
19525
19550
19575
19600
19625
19650
19675
19700
19725
19750
19775
19800
19825
19850
19875
19900
19925
19950
19975
20000
20025
20050
20075
20100
20125
20150
20175
20200
20225
20250
20275
20300
20325
20350
20375
20400
20425
20450
20475
20500
20525
20550
20575
20600
20625
20650
20675
20700
20725
20750
20775
20800
20825
20850
20875
20900
20925
20950
20975
21000
21025
21050
21075
21100
21125
21150
21175
21200
21225
21250
21275
21300
21325
21350
21375
21400
21425
21450
21475
21500
21525
21550
21575
21600
21625
21650
21675
21700
21725
21750
21775
21800
21825
21850
21875
21900
21925
21950
21975
22000
22025
22050
22075
22100
22125
22150
22175
22200
22225
22250
22275
22300
22325
22350
22375
22400
22425
22450
22475
22500
22525
22550
22575
22600
22625
22650
22675
22700
22725
22750
22775
22800
22825
22850
22875
22900
22925
22950
22975
23000
23025
23050
23075
23100
23125
23150
23175
23200
23225
23250
23275
23300
23325
23350
23375
23400
23425
23450
23475
23500
23525
23550
23575
23600
23625
23650
23675
23700
23725
23750
23775
23800
23825
23850
23875
23900
23925
23950
23975
24000
24025
24050
24075
24100
24125
24150
24175
24200
24225
24250
24275
24300
24325
24350
24375
24400
24425
24450
24475
24500
24525
24550
24575
24600
24625
24650
24675
24700
24725
24750
24775
24800
24825
24850
24875
24900
24925
24950
24975
25000
25025
25050
25075
25100
25125
25150
25175
25200
25225
25250
25275
25300
25325
25350
25375
25400
25425
25450
25475
25500
25525
25550
25575
25600
25625
25650
25675
25700
25725
25750
25775
25800
25825
25850
25875
25900
25925
25950
25975
26000
26025
26050
26075
26100
26125
26150
26175
26200
26225
26250
26275
26300
26325
26350
26375
26400
26425
26450
26475
26500
26525
26550
26575
26600
26625
26650
26675
26700
26725
26750
26775
26800
26825
26850
26875
26900
26925
26950
26975
27000
27025
27050
27075
27100
27125
27150
27175
27200
27225
27250
27275
27300
27325
27350
27375
27400
27425
27450
27475
27500
27525
27550
27575
27600
27625
27650
27675
27700
27725
27750
27775
27800
27825
27850
27875
27900
27925
27950
27975
28000
28025
28050
28075
28100
28125
28150
28175
28200
28225
28250
28275
28300
28325
28350
28375
28400
28425
28450
28475
28500
28525
28550
28575
28600
28625
28650
28675
28700
28725
28750
28775
28800
28825
28850
28875
28900
28925
28950
28975
29000
29025
29050
29075
29100
29125
29150
29175
29200
29225
29250
29275
29300
29325
29350
29375
29400
29425
29450
29475
29500
29525
29550
29575
29600
29625
29650
29675
29700
29725
29750
29775
29800
29825
29850
29875
29900
29925
29950
29975
30000
30025
30050
30075
30100
30125
30150
30175
30200
30225
30250
30275
30300
30325
30350
30375
30400
30425
30450
30475
30500
30525
30550
30575
30600
30625
30650
30675
30700
30725
30750
30775
30800
30825
30850
30875
30900
30925
30950
30975
31000
31025
31050
31075
31100
31125
31150
31175
31200
31225
31250
31275
31300
31325
31350
31375
31400
31425
31450
31475
31500
31525
31550
31575
31600
31625
31650
31675
31700
31725
31750
31775
31800
31825
31850
31875
31900
31925
31950
31975
32000
32025
32050
32075
32100
32125
32150
32175
32200
32225
32250
32275
32300
32325
32350
32375
32400
32425
32450
32475
32500
32525
32550
32575
32600
32625
32650
32675
32700
32725
32750
32775
32800
32825
32850
32875
32900
32925
32950
32975
33000
33025
33050
33075
33100
33125
33150
33175
33200
33225
33250
33275
33300
33325
33350
33375
33400
33425
33450
33475
33500
33525
33550
33575
33600
33625
33650
33675
33700
33725
33750
33775
33800
33825
33850
33875
33900
33925
33950
33975
34000
34025
34050
34075
34100
34125
34150
34175
34200
34225
34250
34275
34300
34325
34350
34375
34400
34425
34450
34475
34500
34525
34550
34575
34600
34625
34650
34675
34700
34725
34750
34775
34800
34825
34850
34875
34900
34925
34950
34975
35000
35025
35050
35075
35100
35125
35150
35175
35200
35225
35250
35275
35300
35325
35350
35375
35400
35425
35450
35475
35500
35525
35550
35575
35600
35625
35650
35675
35700
35725
35750
35775
35800
35825
35850
35875
35900
35925
35950
35975
36000
36025
36050
36075
36100
36125
36150
36175
36200
36225
36250
36275
36300
36325
36350
36375
36400
36425
36450
36475
36500
36525
36550
36575
36600
36625
36650
36675
36700
36725
36750
36775
36800
36825
36850
36875
36900
36925
36950
36975
37000
37025
37050
37075
37100
37125
37150
37175
37200
37225
37250
37275
37300
37325
37350
37375
37400
37425
37450
37475
37500
37525
37550
37575
37600
37625
37650
37675
37700
37725
37750
37775
37800
37825
37850
37875
37900
37925
37950
37975
38000
38025
38050
38075
38100
38125
38150
38175
38200
38225
38250
38275
38300
38325
38350
38375
38400
38425
38450
38475
38500
38525
38550
38575
38600
38625
38650
38675
38700
38725
38750
38775
38800
38825
38850
38875
38900
38925
38950
38975
39000
39025
39050
39075
39100
39125
39150
39175
39200
39225
39250
39275
39300
39325
39350
39375
39400
39425
39450
39475
39500
39525
39550
39575
39600
39625
39650
39675
39700
39725
39750
39775
39800
39825
39850
39875
39900
39925
39950
39975
40000
40025
40050
40075
40100
40125
40150
40175
40200
40225
40250
40275
40300
40325
40350
40375
40400
40425
40450
40475
40500
40525
40550
40575
40600
40625
40650
40675
40700
40725
40750
40775
40800
40825
40850
40875
40900
40925
40950
40975
41000
41025
41050
41075
41100
41125
41150
41175
41200
41225
41250
41275
41300
41325
41350
41375
41400
41425
41450
41475
41500
41525
41550
41575
41600
41625
41650
41675
41700
41725
41750
41775
41800
41825
41850
41875
41900
41925
41950
41975
42000
42025
42050
42075
42100
42125
42150
42175
42200
42225
42250
42275
42300
42325
42350
42375
42400
42425
42450
42475
42500
42525
42550
42575
42600
42625
42650
42675
42700
42725
42750
42775
42800
42825
42850
42875
42900
42925
42950
42975
43000
43025
43050
43075
43100
43125
43150
43175
43200
43225
43250
43275
43300
43325
43350
43375
43400
43425
43450
43475
43500
43525
43550
43575
43600
43625
43650
43675
43700
43725
43750
43775
43800
43825
43850
43875
43900
43925
43950
43975
44000
44025
44050
44075
44100
44125
44150
44175
44200
44225
44250
44275
44300
44325
44350
44375
44400
44425
44450
44475
44500
44525
44550
44575
44600
44625
44650
44675
44700
44725
44750
44775
44800
44825
44850
44875
44900
44925
44950
44975
45000
45025
45050
45075
45100
45125
45150
45175
45200
45225
45250
45275
45300
45325
45350
45375
45400
45425
45450
45475
45500
45525
45550
45575
45600
45625
45650
45675
45700
45725
45750
45775
45800
45825
45850
45875
45900
45925
45950
45975
46000
46025
46050
46075
46100
46125
46150
46175
46200
46225
46250
46275
46300
46325
46350
46375
46400
46425
46450
46475
46500
46525
46550
46575
46600
46625
46650
46675
46700
46725
46750
46775
46800
46825
46850
46875
46900
46925
46950
46975
47000
47025
47050
47075
47100
47125
47150
47175
47200
47225
47250
47275
47300
47325
47350
47375
47400
47425
47450
47475
47500
47525
47550
47575
47600
47625
47650
47675
47700
47725
47750
47775
47800
47825
47850
47875
47900
47925
47950
47975
48000
48025
48050
48075
48100
48125
48150
48175
48200
48225
48250
48275
48300
48325
48350
48375
48400
48425
48450
48475
48500
48525
48550
48575
48600
48625
48650
48675
48700
48725
48750
48775
48800
48825
48850
48875
48900
48925
48950
48975
49000
49025
49050
49075
49100
49125
49150
49175
49200
49225
49250
49275
49300
49325
49350
49375
49400
49425
49450
49475
49500
49525
49550
49575
49600
49625
49650
49675
49700
49725
49750
49775
49800
49825
49850
49875
49900
49925
49950
49975
50000
50025
50050
50075
50100
50125
50150
50175
50200
50225
50250
50275
50300
50325
50350
50375
50400
50425
50450
50475
50500
50525
50550
50575
50600
50625
50650
50675
50700
50725
50750
50775
50800
50825
50850
50875
50900
50925
50950
50975
51000
51025
51050
51075
51100
51125
51150
51175
51200
51225
51250
51275
51300
51325
51350
51375
51400
51425
51450
51475
51500
51525
51550
51575
51600
51625
51650
51675
51700
51725
51750
51775
51800
51825
51850
51875
51900
51925
51950
51975
52000
52025
52050
52075
52100
52125
52150
52175
52200
52225
52250
52275
52300
52325
52350
52375
52400
52425
52450
52475
52500
52525
52550
52575
52600
52625
52650
52675
52700
52725
52750
52775
52800
52825
52850
52875
52900
52925
52950
52975
53000
53025
53050
53075
53100
53125
53150
53175
53200
53225
53250
53275
53300
53325
53350
53375
53400
53425
53450
53475
53500
53525
53550
53575
53600
53625
53650
53675
53700
53725
53750
53775
53800
53825
53850
53875
53900
53925
53950
53975
54000
54025
54050
54075
54100
54125
54150
54175
54200
54225
54250
54275
54300
54325
54350
54375
54400
54425
54450
54475
54500
54525
54550
54575
54600
54625
54650
54675
54700
54725
54750
54775
54800
54825
54850
54875
54900
54925
54950
54975
55000
55025
55050
55075
55100
55125
55150
55175
55200
55225
55250
55275
55300
55325
55350
55375
55400
55425
55450
55475
55500
55525
55550
55575
55600
55625
55650
55675
55700
55725
55750
55775
55800
55825
55850
55875
55900
55925
55950
55975
56000
56025
56050
56075
56100
56125
56150
56175
56200
56225
56250
56275
56300
56325
56350
56375
56400
56425
56450
56475
56500
56525
56550
56575
56600
56625
56650
56675
56700
56725
56750
56775
56800
56825
56850
56875
56900
56925
56950
56975
57000
57025
57050
57075
57100
57125
57150
57175
57200
57225
57250
57275
57300
57325
57350
57375
57400
57425
57450
57475
57500
57525
57550
57575
57600
57625
57650
57675
57700
57725
57750
57775
57800
57825
57850
57875
57900
57925
57950
57975
58000
58025
58050
58075
58100
58125
58150
58175
58200
58225
58250
58275
58300
58325
58350
58375
58400
58425
58450
58475
58500
58525
58550
58575
58600
58625
58650
58675
58700
58725
58750
58775
58800
58825
58850
58875
58900
58925
58950
58975
59000
59025
59050
59075
59100
59125
59150
59175
59200
59225
59250
59275
59300
59325
59350
59375
59400
59425
59450
59475
59500
59525
59550
59575
59600
59625
59650
59675
59700
59725
59750
59775
59800
59825
59850
59875
59900
59925
59950
59975
60000
60025
60050
60075
60100
60125
60150
60175
60200
60225
60250
60275
60300
60325
60350
60375
60400
60425
60450
60475
60500
60525
60550
60575
60600
60625
60650
60675
60700
60725
60750
60775
60800
60825
60850
60875
60900
60925
60950
60975
61000
61025
61050
61075
61100
61125
61150
61175
61200
61225
61250
61275
61300
61325
61350
61375
61400
61425
61450
61475
61500
61525
61550
61575
61600
61625
61650
61675
61700
61725
61750
61775
61800
61825
61850
61875
61900
61925
61950
61975
62000
62025
62050
62075
62100
62125
62150
62175
62200
62225
62250
62275
62300
62325
62350
62375
62400
62425
62450
62475
62500
62525
62550
62575
62600
62625
62650
62675
62700
62725
62750
62775
62800
62825
62850
62875
62900
62925
62950
62975
63000
63025
63050
63075
63100
63125
63150
63175
63200
63225
63250
63275
63300
63325
63350
63375
63400
63425
63450
63475
63500
63525
63550
63575
63600
63625
63650
63675
63700
63725
63750
63775
63800
63825
63850
63875
63900
63925
63950
63975
64000
64025
64050
64075
64100
64125
64150
64175
64200
64225
64250
64275
64300
64325
64350
64375
64400
64425
64450
64475
64500
64525
64550
64575
64600
64625
64650
64675
64700
64725
64750
64775
64800
64825
64850
64875
64900
64925
64950
64975
65000
65025
65050
65075
65100
65125
65150
65175
65200
65225
65250
65275
65300
65325
65350
65375
65400
65425
65450
65475
65500
65525
65550
65575
65600
65625
65650
65675
65700
65725
65750
65775
65800
65825
65850
65875
65900
65925
65950
65975
66000
66025
66050
66075
66100
66125
66150
66175
66200
66225
66250
66275
66300
66325
66350
66375
66400
66425
66450
66475
66500
66525
66550
66575
66600
66625
66650
66675
66700
66725
66750
66775
66800
66825
66850
66875
66900
66925
66950
66975
67000
67025
67050
67075
67100
67125
67150
67175
67200
67225
67250
67275
67300
67325
67350
67375
67400
67425
67450
67475
67500
67525
67550
67575
67600
67625
67650
67675
67700
67725
67750
67775
67800
67825
67850
67875
67900
67925
67950
67975
68000
68025
68050
68075
68100
68125
68150
68175
68200
68225
68250
68275
68300
68325
68350
68375
68400
68425
68450
68475
68500
68525
68550
68575
68600
68625
68650
68675
68700
68725
68750
68775
68800
68825
68850
68875
68900
68925
68950
68975
69000
69025
69050
69075
69100
69125
69150
69175
69200
69225
69250
69275
69300
69325
69350
69375
69400
69425
69450
69475
69500
69525
69550
69575
69600
69625
69650
69675
69700
69725
69750
69775
69800
69825
69850
69875
69900
69925
69950
69975
70000
70025
70050
70075
70100
70125
70150
70175
70200
70225
70250
70275
70300
70325
70350
70375
70400
70425
70450
70475
70500
70525
70550
70575
70600
70625
70650
70675
70700
70725
70750
70775
70800
70825
70850
70875
70900
70925
70950
70975
71000
71025
71050
71075
71100
71125
71150
71175
71200
71225
71250
71275
71300
71325
71350
71375
71400
71425
71450
71475
71500
71525
71550
71575
71600
71625
71650
71675
71700
71725
71750
71775
71800
71825
71850
71875
71900
71925
71950
71975
72000
72025
72050
72075
72100
72125
72150
72175
72200
72225
72250
72275
72300
72325
72350
72375
72400
72425
72450
72475
72500
72525
72550
72575
72600
72625
72650
72675
72700
72725
72750
72775
72800
72825
72850
72875
72900
72925
72950
72975
73000
73025
73050
73075
73100
73125
73150
73175
73200
73225
73250
73275
73300
73325
73350
73375
73400
73425
73450
73475
73500
73525
73550
73575
73600
73625
73650
73675
73700
73725
73750
73775
73800
73825
73850
73875
73900
73925
73950
73975
74000
74025
74050
74075
74100
74125
74150
74175
74200
74225
74250
74275
74300
74325
74350
74375
74400
74425
74450
74475
74500
74525
74550
74575
74600
74625
74650
74675
74700
74725
74750
74775
74800
74825
74850
74875
74900
74925
74950
74975
75000
75025
75050
75075
75100
75125
75150
75175
75200
75225
75250
75275
75300
75325
75350
75375
75400
75425
75450
75475
75500
75525
75550
75575
75600
75625
75650
75675
75700
75725
75750
75775
75800
75825
75850
75875
75900
75925
75950
75975
76000
76025
76050
76075
76100
76125
76150
76175
76200
76225
76250
76275
76300
76325
76350
76375
76400
76425
76450
76475
76500
76525
76550
76575
76600
76625
76650
76675
76700
76725
76750
76775
76800
76825
76850
76875
76900
76925
76950
76975
77000
77025
77050
77075
77100
77125
77150
77175
77200
77225
77250
77275
77300
77325
77350
77375
77400
77425
77450
77475
77500
77525
77550
77575
77600
77625
77650
77675
77700
77725
77750
77775
77800
77825
77850
77875
77900
77925
77950
77975
78000
78025
78050
78075
78100
78125
78150
78175
78200
78225
78250
78275
78300
78325
78350
78375
78400
78425
78450
78475
78500
78525
78550
78575
78600
78625
78650
78675
78700
78725
78750
78775
78800
78825
78850
78875
78900
78925
78950
78975
79000
79025
79050
79075
79100
79125
79150
79175
79200
79225
79250
79275
79300
79325
79350
79375
79400
79425
79450
79475
79500
79525
79550
79575
79600
79625
79650
79675
79700
79725
79750
79775
79800
79825
79850
79875
79900
79925
79950
79975
80000
80025
80050
80075
80100
80125
80150
80175
80200
80225
80250
80275
80300
80325
80350
80375
80400
80425
80450
80475
80500
80525
80550
80575
80600
80625
80650
80675
80700
80725
80750
80775
80800
80825
80850
80875
80900
80925
80950
80975
81000
81025
81050
81075
81100
81125
81150
81175
81200
81225
81250
81275
81300
81325
81350
81375
81400
81425
81450
81475
81500
81525
81550
81575
81600
81625
81650
81675
81700
81725
81750
81775
81800
81825
81850
81875
81900
81925
81950
81975
82000
82025
82050
82075
82100
82125
82150
82175
82200
82225
82250
82275
82300
82325
82350
82375
82400
82425
82450
82475
82500
82525
82550
82575
82600
82625
82650
82675
82700
82725
82750
82775
82800
82825
82850
82875
82900
82925
82950
82975
83000
83025
83050
83075
83100
83125
83150
83175
83200
83225
83250
83275
83300
83325
83350
83375
83400
83425
83450
83475
83500
83525
83550
83575
83600
83625
83650
83675
83700
83725
83750
83775
83800
83825
83850
83875
83900
83925
83950
83975
84000
84025
84050
84075
84100
84125
84150
84175
84200
84225
84250
84275
84300
84325
84350
84375
84400
84425
84450
84475
84500
84525
84550
84575
84600
84625
84650
84675
84700
84725
84750
84775
84800
84825
84850
84875
84900
84925
84950
84975
85000
85025
85050
85075
85100
85125
85150
85175
85200
85225
85250
85275
85300
85325
85350
85375
85400
85425
85450
85475
85500
85525
85550
85575
85600
85625
85650
85675
85700
85725
85750
85775
85800
85825
85850
85875
85900
85925
85950
85975
86000
86025
86050
86075
86100
86125
86150
86175
86200
86225
86250
86275
86300
86325
86350
86375
86400
86425
86450
86475
86500
86525
86550
86575
86600
86625
86650
86675
86700
86725
86750
86775
86800
86825
86850
86875
86900
86925
86950
86975
87000
87025
87050
87075
87100
87125
87150
87175
87200
87225
87250
87275
87300
87325
87350
87375
87400
87425
87450
87475
87500
87525
87550
87575
87600
87625
87650
87675
87700
87725
87750
87775
87800
87825
87850
87875
87900
87925
87950
87975
88000
88025
88050
88075
88100
88125
88150
88175
88200
88225
88250
88275
88300
88325
88350
88375
88400
88425
88450
88475
88500
88525
88550
88575
88600
88625
88650
88675
88700
88725
88750
88775
88800
88825
88850
88875
88900
88925
88950
88975
89000
89025
89050
89075
89100
89125
89150
89175
89200
89225
89250
89275
89300
89325
89350
89375
89400
89425
89450
89475
89500
89525
89550
89575
89600
89625
89650
89675
89700
89725
89750
89775
89800
89825
89850
89875
89900
89925
89950
89975
90000
90025
90050
90075
90100
90125
90150
90175
90200
90225
90250
90275
90300
90325
90350
90375
90400
90425
90450
90475
90500
90525
90550
90575
90600
90625
90650
90675
90700
90725
90750
90775
90800
90825
90850
90875
90900
90925
90950
90975
91000
91025
91050
91075
91100
91125
91150
91175
91200
91225
91250
91275
91300
91325
91350
91375
91400
91425
91450
91475
91500
91525
91550
91575
91600
91625
91650
91675
91700
91725
91750
91775
91800
91825
91850
91875
91900
91925
91950
91975
92000
92025
92050
92075
92100
92125
92150
92175
92200
92225
92250
92275
92300
92325
92350
92375
92400
92425
92450
92475
92500
92525
92550
92575
92600
92625
92650
92675
92700
92725
92750
92775
92800
92825
92850
92875
92900
92925
92950
92975
93000
93025
93050
93075
93100
93125
93150
93175
93200
93225
93250
93275
93300
93325
93350
93375
93400
93425
93450
93475
93500
93525
93550
93575
93600
93625
93650
93675
93700
93725
93750
93775
93800
93825
93850
93875
93900
93925
93950
93975
94000
94025
94050
94075
94100
94125
94150
94175
94200
94225
94250
94275
94300
94325
94350
94375
94400
94425
94450
94475
94500
94525
94550
94575
94600
94625
94650
94675
94700
94725
94750
94775
94800
94825
94850
94875
94900
94925
94950
94975
95000
95025
95050
95075
95100
95125
95150
95175
95200
95225
95250
95275
95300
95325
95350
95375
95400
95425
95450
95475
95500
95525
95550
95575
95600
95625
95650
95675
95700
95725
95750
95775
95800
95825
95850
95875
95900
95925
95950
95975
96000
96025
96050
96075
96100
96125
96150
96175
96200
96225
96250
96275
96300
96325
96350
96375
96400
96425
96450
96475
96500
96525
96550
96575
96600
96625
96650
96675
96700
96725
96750
96775
96800
96825
96850
96875
96900
96925
96950
96975
97000
97025
97050
97075
97100
97125
97150
97175
97200
97225
97250
97275
97300
97325
97350
97375
97400
97425
97450
97475
97500
97525
97550
97575
97600
97625
97650
97675
97700
97725
97750
97775
97800
97825
97850
97875
97900
97925
97950
97975
98000
98025
98050
98075
98100
98125
98150
98175
98200
98225
98250
98275
98300
98325
98350
98375
98400
98425
98450
98475
98500
98525
98550
98575
98600
98625
98650
98675
98700
98725
98750
98775
98800
98825
98850
98875
98900
98925
98950
98975
99000
99025
99050
99075
99100
99125
99150
99175
99200
99225
99250
99275
99300
99325
99350
99375
99400
99425
99450
99475
99500
99525
99550
99575
99600
99625
99650
99675
99700
99725
99750
99775
99800
99825
99850
99875
99900
99925
99950
99975
100000

Yamato Properties Ltd.
Barry D. Spetan
Suite 830 Pacific Centre
700 W. Georgia St.
Van B.C. V7Y 1C3

April 7, 1981

Mr. George Hill, Attorney
Suite 512
30 W. Monroe Street
Phoenix, Arizona, 85003

Re: Haggert's Brick Mine
Claims.

Dear Mr. Hill:

Pursuant to our telephone conversation of late this afternoon, herewith a copy of my claim Map which I had prepared to include in my initial Report on the Brick claims for Mr. Fred S. Hofman of Pacific Resources Development, Ltd., Vancouver, B. C. on September 27, 1976.

It is in accordance with a Survey Plat which Mr. Haggerty let me use at the time of the Report.

Aside from mineralization on the Brick claim, there is some mineralization on the Triple "H" 30, which I sampled and got 0.15 ounces per ton silver and there are structures which I had observed during the examination but never samples on the Santa Clara Amended, Triple "H" 58, Brown dog, and Triple "H" 56.

I am sure mineralization on the other claims could be found but it would take quite afbit of looking and sampling.

Hope the attached Map will be of some help to you.

Sincerely yours,

R. E. Mieritz,
Mining Consultant




SURFACE SAMPLE MAP
BRICK MINE
Oro Blanco Mining District
Santa Cruz County, Arizona

SCALE: 1"= 300 Feet

Sept., 1980 R.E.M.