



CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
416 W. Congress St., Suite 100
Tucson, Arizona 85701
520-770-3500
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the
Richard Mieritz Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.



CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.



Harry F. Allan
69270 Crestview Dr.
Desert Hot Springs, Ca. 92240
Ph. (619) 329-5054

Harry F. Allan
69270 Crestview Dr.
Desert Hot Springs, Ca. 92240
Ph. (619) 329-5054

Box 367

Dear Mr. Miering!

Enclosed check for \$50⁰⁰
to pay for reports as per our
Phone conversation -

I may want the balance
of maps at a later date

Thank you

Harry Allan

Farthing & Allen P.O. Box 436
 Mining Co. Inc. Superior, 85273

408 E. Madison Drive
 Tempe Ariz. 85281

15-R. 12-E. - Sec. 13, 14, 15, 22, 23, 26 & 27

Hartman → Arthur H. Farthing. (Farthing & Allen Mining Co)

Farthing - Sec. Ad. Ek. Page
 Hidden Lake 8-18-70 same 606-114 Sec 22, 23, 24, 27
 #2 11-23-73 11-26-73 727-618 SUPP SE 1/4 of 22
 #3 3-2-74 3-4-74 738-140 N 1/4 Sec 26 & N 1/4 27
 #4 10-30-74 10-31-74 #435 765 434-435 N 1/2 of NW 1/4 27
 #5 ← #436
 437-438 -

Farrarum (Placer) 10-30-74 10-31-74 765 - 439 1/2 SUPP Sec. 23

Hidden Lake #6 10-30-74 11-21-74 767 - 292 to 295

Line #9 (#9 = N 1/4 27, N 1/4 26 #7 - N 1/4 Sec 27
 #8 = N 1/4 Sec 27 #6 N 1/4 Sec 27
 6-297
 7-293
 8-294
 9-295

app. - A.L. - 3-4-74 - 738 - Pa 141 - Self - Shafter - road
 repairs, & Const. Explor & Excavatory.

Avens Affidavit - 8-2-71 637-611 Hart, }
~~8-14-72~~ 612 Fillin. }
 8-14-72 676 ~~393~~ 395 Hart. }
 395 Fillin. }
 8-3-73 715 577 Hart. }
 578 Fillin. }
 8-24-74 754 924-929 - Hart & Fillin


Pinel County Recorder
 William S. Truman
 Post 848
 85232

23, 23, 25
 26, 29, 31
 32, 33, Fillin 123
 36, 37, 38, 39
 Charman Lake.

Camp Commission 271-4146 - Called - 1-7-72
Feathering of Allan Manning Co., Inc. 10-16-74
Arthur W.

Swift-
address
telephone

} write or visit - on file. -



January 21, 1987

Harry F. Allan
69270 Crestview Dr.
Desert Hot Springs, CA. 92240

INVOICE

Services Rendered in the preparation of
a copy of the writers Geologic Report on
the Hortensia Mining property of October
31, 1973, which property is located in
Sec. 22, 23, 26 and 27 of T. 1 S., R. 12 E.

Copying of and time involved preparing the Report. Fee.	\$ 50.00
TOTAL FEE	\$ 50.00

Please Remit to R. E. Mieritz at
the above address.

*Paid 1-20-87
ck #3057*

P.S. Inadvertantly, I may have provided two page "5's" in
the Report and ~~omitting~~ a page "3". I would up with two
page "3's" and no page "4". I include a page "3". Please
return one "page 4" at your convenience, if there are two
of them.. Thank you.

FACTS RELATING TO THE CLAIM JUMPING OF THE HORTENSIA CLAIMS
R. E. Mieritz, January 7, 1975

The following information has been gathered by the writer through a visit to the Pinal County Recorders Office, Florence, Arizona, on January 7, 1975 and by a visit to the Incorporation Commission Office in Phoenix, Arizona.

The following Affidavits of Proof of Labor were filed for the Hortensia and Fillin claims.

	<u>Date Recorded</u>	<u>Docket</u>	<u>Page</u>	
Affidavit of Proof of Labor	8/2/71	637	611	Hortensia
"	"	"	612	Fillin
"	8/14/72	676	393	Hortensia
"	"	"	395	Fillin
"	8/3/73	715	577	Hortensia
"	"	"	578	Fillin
"	7/24/74	754	924	Hortensia
			thru	and
			929	Fillin.

The claim jumping claims are known as the following:-as determined by the examination of the County Recorders Records. These include nine (9) Lode Claims and one (1) Placer Claim.

<u>Claim Name</u>	<u>Located</u>	<u>Recorded</u>	<u>Docket</u>	<u>Page</u>
Hidden Lode	8/18/1970	8/18/1970	406	114
Hidden Lode #2	11/23/1973	11/26/1973	727	618
Hidden Lode #3	3/2/1974	3/4/1974	738	140
Hidden Lode #4	10/30/1974	10/31/1974	765	438
Hidden Lode #5	10/30/1974	10/31/1974	765	436
Map of Claims		10/31/1974	765	437
Hidden Lode #6	10/30/1974	11/21/1974	767	292
Hidden Lode #7	10/30/1974	11/21/1974	767	293
Hidden Lode #8	10/30/1974	11/21/1974	767	294
Hidden Lode #9	10/30/1974	11/21/1974	767	295
Farcrum (Placer	10/30/1974	10/31/1974	765	439

Affidavit of Labor all claims 3/4/1974 738 141
 Work done by Arthur H. Farthing, Shaft work, Road repairs and construction, Exploration and Excavating.

Hidden Lode, Hidden Lode # 2 and #3 were located by Arthur H. Farthing, whereas Hidden Lode #4, #5, #6, #7, #8, #9 and Placer Farcrum were located by Arthur H. Farthing for Farthing and Allan Mining Company, Inc., an Arizona Corporation incorporated on October 16, 1974.

Arthur H. Farthings address was first given as 408 E. Malibu Drive, Tempe, Arizona, 85281 and on the later location notices as P. O. Box 436, Superior, Arizona, 85273.


The above claims are wholly or in part in conflict with Hortensia Nos. 22, 23, 25, 26, 29, 30, 31, 32, 33, 36, 37, 38, 39, also Fillin No. 1, 2, and 3 and Part of Chester Lobbs claims. I have not plotted the Hidden Lode Claims on our claim Map so the above is merely a "guess".

R. E. Mieritz
 January 7, 1975

765 437

Notice of Mining Location
Lode Claims
Supplement Sheet

Sketch here shows relative positions of the contiguous workings of the LODE CLAIMS, 7-3-5-6-7-8 & 9, Hidden Lode 2 & 4, extent beyond contiguous claims but are sketched in to show overall grouping. Contiguous claims located according to Arizona Mining Code 37-203, paragraph C.



Walter H. Parthing, Pres.
Parthing & Allen Mining Co., INC.

A

GEOLOGIC, GEOCHEMICAL

and

GEOPHYSICAL

EXPLORATION REPORT

on the

HORTENSIA CLAIMS

SUPERIOR DISTRICT

Pinal County, Arizona

by

P. E. Mieritz
Mining Consultant
Phoenix, Arizona

October 31, 1973

INTRODUCTION:

At the request of and authorization by Matador Exploration Ltd., Vancouver, B. C., Canada, the writer has prepared the following geologic and exploration report on the Hortensia group of claims approximately 2-1/2 airline miles north, northwest of Superior, Arizona. The property is adjacent to Magma Copper Company property along a major geologic fault of the Superior Mining District.

As part of the annual assessment work for year 1969-70, the writer completed a field examination of the subject property for the owner, Mr. Sherwood B. Owens, Tucson, Arizona. As a result of the writers recommendations, the owner authorized the writer to complete a geo-chemical sampling program and to have a limited geo-physical survey completed in the same area as the geo-chemical survey. The above work was completed during June, 1970.

This report includes the results, interpretations and evaluation of the completed preliminary geo-chemical survey and the geo-physical surveys (Induced Potential and Magnetic) as well as the correlation of these results with the known geology of the particular area.

The writer has permission from the owner to use the factual data of the writers earlier report (June, 1970) for the preparation of this report.

FORWARD:

High grade copper ores and high grade silver ores have been mined from fault fissures in the Superior District for in excess of 50 years. Magma Copper Mine produces approximately 1200 tons per day high grade copper ore from its 4800 foot deep mine. The company mines, mills and smelts this tonnage at Superior and employs approximately 1200 persons for the three phase operation.

This production is mined from mineralized fault fissures (a very complex system -- See Map Nos. 2 through 5 and 7) containing the primary copper minerals bornite with chalcopyrite and some chalcocite. Lower grade, disseminated copper ore also exists in the known intrusive rocks of the mine. Five major faults; Main, Magma, Concentrator, Silveride and Parallel are the controlling structural features in the district, however, the pattern is complicated by tremendous displacements along these faults, by minor complimentary faults and further by cross faults, all of which seem to exhibit displacement to some degree. The diabase intrusive appears to be the district disrupter. (See Surface Geology Map No. 7).

The Hortensia property, although northwest of Magma Copper Mine production, does host four of the above mentioned major faults, namely, Concentrator, Parallel, Silveride and by project, possibly the Magma. By projection also, it is likely that the Conley Spring fault may also be present on the property.

Section - Footing Samples
for Charlie Hammer

2-18-75

No 1

Chert with alvina - thin veins of reddish
purple see hematite - black red streak - very flakey, glassy looking,
very lustrous.

No 2. Gray-black (Conger shale - Pinal Schist) soft, some
olive - perhaps chert - nothing metallic.

Send for Au, Ag, Pd.

INTRODUCTION:

At the request of and authorization by B. _____, the writer has prepared the following geologic and exploration report on the Hortensia group of claims approximately 2-1/2 airline miles north, northwest of Superior, Arizona. The property is adjacent to Magma Copper Company property along a major geologic fault of the Superior Mining District.

As part of the annual assessment work for year 1969-70, the writer completed a field examination of the subject property for the owner.

As a result of the writers recommendations, the owner authorized the writer to complete a geo-chemical sampling program and to have a limited geo-physical survey completed in the same area as the geo-chemical survey. The above work was completed during June, 1970.

This report includes the results, interpretations and evaluation of the completed preliminary geo-chemical survey and the geo-physical surveys (Induced Potential and Magnetic) as well as the correlation of these results with the known geology of the particular area.

The writer has permission from the owner to use the factual data of the writers earlier report (June, 1970) for the preparation of this report.

FORWARD:

High grade copper ores and high grade silver ores have been mined from fault fissures in the Superior District for in excess of 50 years. Magma Copper Mine produces approximately 1200 tons per day high grade copper ore from its 4800 foot deep mine. The company mines, mills and smelts this tonnage at Superior and employs approximately 1200 persons for the three phase operation.

This production is mined from mineralized fault fissures (a very complex system -- See Map Nos. 2 through 5 and 7) containing the primary copper minerals bornite with chalcopyrite and some chalcocite. Lower grade, disseminated copper ore also exists in the known intrusive rocks of the mine. Five major faults; Main, Magma, Concentrator, Silveride and Parallel are the controlling structural features in the district, however, the pattern is complicated by tremendous displacements along these faults, by minor complimentary faults and further by cross faults, all of which seem to exhibit displacement to some degree. The diabase intrusive appears to be the district disrupter. (See Surface Geology Map No. 7).

The Hortensia property, although northwest of Magma Copper Mine production, does host four of the above mentioned major faults, namely, Concentrator, Parallel, Silveride and by project, possibly the Magma. By projection also, it is likely that the Conley Spring fault may also be present on the property.

PINAL COUNTY RECORDER

Florence, Arizona 1 - 7, 1975

No 5802

RECEIVED OF Richard E. Mieritz \$ 1.00

One & no/100

DOLLARS

FOR Copy dept. 765 / 436-437

1634 W. Hazelwood St. Phx Az

WILLIAM S. TRUMAN, Recorder

FOR FEES OTHER THAN RECORDING

85015

Hartman

BY Margaret Tades
DEPUTY.

INTRODUCTION:

At the request of and authorization by B. , the writer has prepared the following geologic and exploration report on the Hortensia group of claims approximately 2-1/2 airline miles north, northwest of Superior, Arizona. The property is adjacent to Magma Copper Company property along a major geologic fault of the Superior Mining District.

As part of the annual assessment work for year 1969-70, the writer completed a field examination of the subject property for the owner.

As a result of the writers recommendations, the owner authorized the writer to complete a geo-chemical sampling program and to have a limited geo-physical survey completed in the same area as the geo-chemical survey. The above work was completed during June, 1970.

This report includes the results, interpretations and evaluation of the completed preliminary geo-chemical survey and the geo-physical surveys (Induced Potential and Magnetic) as well as the correlation of these results with the known geology of the particular area.

The writer has permission from the owner to use the factual data of the writers earlier report (June, 1970) for the preparation of this report.

FORWARD:

High grade copper ores and high grade silver ores have been mined from fault fissures in the Superior District for in excess of 50 years. Magma Copper Mine produces approximately 1200 tons per day high grade copper ore from its 4800 foot deep mine. The company mines, mills and smelts this tonnage at Superior and employs approximately 1200 persons for the three phase operation.

This production is mined from mineralized fault fissures (a very complex system -- See Map Nos. 2 through 5 and 7) containing the primary copper minerals bornite with chalcopyrite and some chalcocite. Lower grade, disseminated copper ore also exists in the known intrusive rocks of the mine. Five major faults; Main, Magma, Concentrator, Silveride and Parallel are the controlling structural features in the district, however, the pattern is complicated by tremendous displacements along these faults, by minor complimentary faults and further by cross faults, all of which seem to exhibit displacement to some degree. The diabase intrusive appears to be the district disrupter. (See Surface Geology Map No. 7).

The Hortensia property, although northwest of Magma Copper Mine production, does host four of the above mentioned major faults, namely, Concentrator, Parallel, Silveride and by project, possibly the Magma. By projection also, it is likely that the Conley Spring fault may also be present on the property.