



CONTACT INFORMATION  
Mining Records Curator  
Arizona Geological Survey  
3550 N. Central Ave, 2nd floor  
Phoenix, AZ, 85012  
602-771-1601  
<http://www.azgs.az.gov>  
[inquiries@azgs.az.gov](mailto:inquiries@azgs.az.gov)

The following file is part of the Grover Heinrichs Mining Collection

### **ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

### **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."


The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

### **QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.


	<u>HOLE #</u>	<u>NORTH</u>	<u>EAST</u>	<u>ELEVATION</u>
0 x	8A	9,722	10,978	4083
0 x	13A	9,565	11,025	4091
0 x	13B	9,718	11,160	4095
0 x ✓	RA-1	9,388	11,322	4095
0 x ✓	RA-3	9,714	11,595	4126
0 x ✓	RA-4	9,820	11,764	4144.5
0 x ✓	RA-5	10,146	12,233	4178
0 x ✓	RV-2	10,386	11,248	4144
0 x ✓	RV-6	10,365	12,244	4110

SALT LAKE BLUE



SALT LAKE BLUE

FORM 1006



Hole No.	Rare Metals Corp.		Approx. Base of Oxides (feet)	Anaconda - Check Assays					
	Interval (feet)	Tot. Cu. %		Interval (feet)	Tot. Cu. %	Ox. Cu. %	Mo. %	Au.	Ag.
RA-1	0-33	No assays	360						
RA-1	33-63	0.27							
RA-1	63-123	0.44							
RA-1	123-158	0.67							
RA-1	123-168	0.59		123-168	0.46		Nil	0.002	0.0
RA-1	158-168	0.43							
RA-1	188-195	3.20							
RA-1	195-315	0.28							
RA-1	315-370	0.63							
RA-1	370-460	0.39							
RA-1	460-510	0.27							
RA-1	510-530	0.63							
RA-1	530-665	0.09							
RA-1	33-530	0.45							
RA-1	33-665	0.36							
RA-1	665-781	No assays							
RA-2	20-65	0.32	No sulfides						
RA-2	65-115	0.47							
RA-2	115-160	0.56		110-160	0.62		Nil	0.002	0.0
RA-2	20-160	0.45							
RA-2	70-165	0.57		70-165	0.52		Nil	0.001	0.0
RA-2	160-185	0.30							
RA-2	185-445	0.17							
RA-2	445-480	0.38							
RA-2	480-635	0.17							
RA-2	635-670	0.37							
RA-2	670-750	0.25							
RA-2	20-750	0.28							
RA-3	30-70	0.43	335						
RA-3	70-130	0.51							
RA-3	130-170	0.59							
RA-3	30-170	0.51							
RA-3	120-170	0.87		120-170	0.46		Nil	Nil	0.0
RA-3	170-275	0.13							
RA-3	30-275	0.33							
RA-3	275-666	No assays							

Hole No.	Rare Metals Corp.		Approx. Base of Oxides (feet)	Anaconda - Check Assays					
	Interval (feet)	Tot. Cu. %		Interval (feet)	Tot. Cu. %	Ox. Cu. %	Mo. %	Au.	Ag.
RA-4	30-75	0.27	330						
RA-4	75-110	0.84		75-110	0.72		Nil	Nil	0.0
RA-4	110-125	0.24							
RA-4	125-225	0.44							
RA-4	225-320	0.22							
RA-4	320-450	0.23							
RA-4	345-385	0.29		345-385	0.32		Nil	0.003	0.0
RA-4	365-385	0.30		365-385	0.36		Nil	0.003	0.0
RA-4	30-450	0.30							
RA-4	450-499	No assays							
RA-5	10-190	0.15	No sulfides						
RA-5	190-240	0.45		190-240	0.74		Nil	Nil	0.0
RA-5	175-240	0.37		175-240	0.60		Nil	Nil	0.0
RA-5	240-430	0.10							
RA-5	10-430	0.16							
RA-5	430-521	No assays							

RA-1  
781

Page 1 of 1

[illegible]

World Index System

Page 1 of 2

Sample No.	Interval (ft.)	Feet	Total Cu %	Oxide Cu %	Mo %	Au. oz/ton	Ag. oz/ton	Core Totals	Assay Var. %
3646	113-118	5	.18					0.37	-106
3647	118-123	5	.22					0.44	-100
3648	123-128	5	.42					0.83	-98
3649	128-133	5	.23					0.70	-150
3650	133-138	5	.82	.66	Nil	.003		0.90	-10
3651	138-143	5	.77	.1				0.84	-09
3652	143-148	5	.60					0.72	-20
3653	148-153	5	.30					0.48	-60
3654	153-158	5	.31					0.42	-35
3655	158-163	5	.34	.29	Nil	Nil		0.30	+12
3656	163-168	5	.35					0.36	-03
3657	168-173	5	.16					0.42	-163
3658	173-178	5	.27					0.19	+30
3659	178-183	5	.20					0.38	-90
3660	183-188	5	.97	.75	Nil	Trace		0.95	+02
4678	510-515	5	.71					0.90	-27
4679	515-520	5	.43					0.32	+26
4680	520-525	5	.33		<.001	Nil	Tr	0.12	+64
4681	525-530	5	.45					1.20	-167
4682	530-535	5	.09					0.06	+33
4683	535-540	5	.08					0.06	+25
4684	540-545	5	.03					0.06	-100
4685	545-550	5	.06					0.06	-
4686	750-755	5	.02						
4687	755-760	5	.08						
4688	760-765	5	.02						



County and State Graham, Arizona


Depth of Hole 781

## World Index System

Page 2 of 2

[illegible]


SCALE: 1" = 500'



RA-1

RARE METALS

SCALE: 1" = 500'





Au. Ag. Page 2 of 2

Rare Metals	TAC Assay
T. Cu%	Var. %
0.45	-125

County and State Graham, Arizona

Depth of Hole 757

## World Index System

Page 1 of 2

Sample No.	Interval (ft.)	Feet	Total Cu %	Oxide Cu %	MO. %	Au. oz/ ton	Ag. oz/ ton		Rare Metals	AG Assay
3661	65-70	5	.20						0.51	-155
3662	70-75	5	.31						0.70	-126
3663	75-80	5	.35						0.54	-54
----	80-90	10	No core available							
3664	90-95	5	.37						0.38	-03
3665	95-100	5	.45		.001	Nil	.04		0.57	-27
3666	100-105	5	.43						0.35	+19
3667	105-110	5	.41						0.48	-17
3668	110-115	5	.57						0.45	+21
3669	115-120	5	.63						1.00	-59
3670	120-125	5	.50	.42	Nil	.004	Tr.		0.64	-28
3671	125-130	5	.58						0.64	-10
3672	130-135	5	.81						0.61	+25
3673	135-140	5	.75						0.70	+07
3674	140-145	5	.61						0.57	+07
3675	145-150	5	.60	.51	Nil	Nil	.08		0.70	-17
3676	150-155	5	.65						0.76	-17
3677	155-160	5	.50						0.70	-40
3678	160-165	5	.39						0.38	+03
3679	165-170	5	.19						0.35	-84
3680	170-175	5	.20		Nil	Nil	.04		0.22	-10
3681	175-180	5	.33	.26					0.22	+33
4691	470-475	5	.09						0.48	-433
4692	475-480	5	.10						0.41	-310
4693	480-484	4	.07							
4694	484-488	4	.09							

## World Index System

Page 1 of 2

Sample No.	Interval (ft.)	Feet	Total Cu %	Oxide Cu %	MO. %	Au. oz/ton	Ag. oz/ton		Rare Metals	PAC	Ass.
3661	65-70	5	.20						T. Cu %	Var. %	
									0.51	-155	
3662	70-75	5	.31						0.70	-126	
3663	75-80	5	.35						0.54	-54	
----	80-90	10	No core available								
3664	90-95	5	.37						0.38	-03	
3665	95-100	5	.45		.001	Nil	.04		0.57	-27	
3666	100-105	5	.43						0.35	+19	
3667	105-110	5	.41						0.48	-17	
3668	110-115	5	.57						0.45	+21	
3669	115-120	5	.63						1.00	-59	
3670	120-125	5	.50	.42	Nil	.004	Tr.		0.64	-28	
3671	125-130	5	.58						0.64	-10	
3672	130-135	5	.81						0.61	+25	
3673	135-140	5	.75						0.70	+07	
3674	140-145	5	.61						0.57	+07	
3675	145-150	5	.60	.51	Nil	Nil	.08		0.70	-17	
3676	150-155	5	.65						0.76	-17	
3677	155-160	5	.50						0.70	-40	
3678	160-165	5	.39						0.38	+03	
3679	165-170	5	.19						0.35	-84	
3680	170-175	5	.20		Nil	Nil	.04		0.22	-10	
3681	175-180	5	.33	.26					0.22	+33	
4691	470-475	5	.09						0.48	-433	
4692	475-480	5	.10						0.41	-310	
4693	480-484	4	.07								
4694	484-488	4	.09								

## Page 2 of

[illegible]



Page 1 of 1

[illegible]

RA 2


Rare Metals

SCALE: 1" = 500'

0  
500  
1000  
1500  
2000  
2500  
3000  
3500  
4000  
4500  
5000

65' 30' 0.33% Cu  
95' 65' 0.58% Cu  
160' 20' 0.29% Cu  
170' 10' 0.10% Cu  
180' 8' 0.08% Cu  
635' 35' 0.27% Cu  
670' 20' 0.10% Cu  
757' E.O.H.

SCALE: 1" = 500'



Property San Juan

County and State Graham, Arizona

Depth of Hole 665 ft

Page 1 of 1

[illegible]

## Index System

[illegible]

RA3

Rare Metals

SCALE: 1" = 500'


0  
500  
1000  
1500  
2000  
2500  
3000  
3500  
4000  
4500  
5000

666'  
EDM.

120'  
165' 45' 0.75% Cu.

600'  
662' 62' 0.07% Cu.

SCALE: 1" = 500'



Property, San Juan

County and State Graham, Arizona

Drill Hole No. RA-3

Depth of Hole 666

### 4 Index System

Page 1 of 1

[illegible]



[illegible]

499

### Depth of Hole

Page 1 of 1

[illegible]

County and State Graham, Arizona

Drill Hole No. RA-4

Depth of Hole 499

World Index System

Page 1 of 2

Sample No.	Interval (ft.)	Feet	Total Cu %	Oxide Cu %	Mo. %	Au. oz/ ton	Ag. oz/ ton			Rare Metals	TAC Assay
3691	75-80	5	.89							T. Cu % 1.50	Var. % -69
3692	80-85	5	.91							0.65	+29
3693	85-90	5	.94							0.85	+10
3694	90-95	5	.85							0.75	+12
3695	95-100	5	.53		Nil	Nil	.06			0.80	-51
3696	100-105	5	.55							0.85	-55
3697	105-110	5	.39	.31						0.50	-28
3698	320-325	5	.27							0.30	-11
3699	325-330	5	.23							0.48	-109
----	330-335	5	No core available							0.30	
3700	335-340	5	.12		Nil	.003	Tr.			0.18	-50
3835	340-345	5	.10		Nil	Nil	Tr.			0.12	-20
3836	345-350	5	.31	.24						0.30	+03
3837	350-355	5	.29							0.18	+38
3838	355-360	5	.22							0.30	-36
3839	360-365	5	.33							0.30	+09
3840	365-370	5	.48		Nil	.003	.06			0.42	+13
3841	370-375	5	.34	.06						0.24	+29
3842	375-380	5	.21							0.18	+14
3843	380-385	5	.41							0.36	+12
3844	385-390	5	.16							0.24	-50
4719	450-455	5	.04								
4720	455-460	5	.03		<.001	Nil	Tr				
4721	460-465	5	.03								
4722	465-470	5	.11								
4723	470-475	5	.06								

Depth of Hole

2

04

2

[illegible]

## World Index System

Sample No.	Interval (ft.)	Feet	Total Cu %	Oxide Cu %	Mo. %	Au. oz/ton	Ag. oz/ton		Page 1 of	Rare Metals Assay	
										T. Cu %	Var. %
3691	75-80	5	.89							1.50	-69
3692	80-85	5	.91							0.65	+29
3693	85-90	5	.94							0.85	+10
3694	90-95	5	.85							0.75	+12
3695	95-100	5	.53		Nil	Nil	.06			0.80	-51
3696	100-105	5	.55							0.85	-55
3697	105-110	5	.39	.31						0.50	-28
3698	320-325	5	.27							0.30	-11
3699	325-330	5	.23							0.48	-109
----	330-335	5	No core available							0.30	
3700	335-340	5	.12		Nil	.003	Tr.			0.18	-50
3835	340-345	5	.10		Nil	Nil	Tr.			0.12	-20
3836	345-350	5	.31	.24						0.30	+03
3837	350-355	5	.29							0.18	+38
3838	355-360	5	.22							0.30	-36
3839	360-365	5	.33							0.30	+09
3840	365-370	5	.48		Nil	.003	.06			0.42	+13
3841	370-375	5	.34	.06						0.24	+29
3842	375-380	5	.21							0.18	+14
3843	380-385	5	.41							0.36	+12
3844	385-390	5	.16							0.24	-50
4719	450-455	5	.04								
4720	455-460	5	.03		<.001	Nil	Tr				
4721	460-465	5	.03								
4722	465-470	5	.11								
4723	470-475	5	.06								

Page 2 of 2

[illegible]

County and State Graham, Arizona

### Depth of Hole

499

World Index System


Page 1 of 1

[illegible]

RA 4


Rare Metals

SCALE: 1" = 500'





SCALE: 1" = 500'



01

[illegible]

