



CONTACT INFORMATION  
Mining Records Curator  
Arizona Geological Survey  
3550 N. Central Ave, 2nd floor  
Phoenix, AZ, 85012  
602-771-1601  
<http://www.azgs.az.gov>  
[inquiries@azgs.az.gov](mailto:inquiries@azgs.az.gov)

The following file is part of the Grover Heinrichs Mining Collection

### **ACCESS STATEMENT**

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

### **CONSTRAINTS STATEMENT**

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

### **QUALITY STATEMENT**

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

Pima, Arizona 85543  
November 20, 1971

Add Prospect List  
for Nov.

SXM

NOV 22 1971

RECEIVED

Mr. E. Grover Heinrichs, Asst. Mgr.  
Essex International, Inc.  
1704 West Grant Rd.  
Tucson, Arizona 85705

Dear Mr. Heinrichs:

Following a long siege of illness, being an aftermath of Cancer surgery, I am replying to your letter of February 19, 1971, in which you requested data on a Copper deposit. From that date on, I didn't know whether I would cheat the Devil or not. However, my Scotch stubbornness has prevailed so I am back in the harness and able to out-pack and out-walk the younger Generation. This is one heck of a length of time to thank you for your reply to my letter of January 29, 1971, yet I'm doing it with a humble spirit, and trust you will understand.

Instead of using the form which you enclosed, I am sending one (poor though it be due to my machine), with more details but fails to do justice to the deposit which has to be seen in order to believe such a formation actually exists during these days of confused struggle for a worth-while deposit. I should know what a great deposit is, since I'm the YAHOO who found a second "JEROME" in the Mt. Turnbull area but have been euchred (so far) by Stew Udall's Order of January 16, 1969, in which he returned the "Mineral Strip" to the San Carlos Apache Indian Tribe who had as much legal right to it as a "Cigar Store Wooden Indian." I am a thorn in the side of the lousy Interior Department and it will remain until Justice is done since I have went all-out, and I'll venture to say, Rep. Wayne N. Aspinall and Senator Henry M. Jackson hates my guts and the information I possess. (Please excuse this outburst). If I do say so, backed up with letters from Washington, I've done more than the average Citizen toward fighting for the protection of large Mining Companies. We haven't seen anything yet, unless the People get on their High-horse and demand a stop to the fanatical brainstorms our Legislators are entertaining pro and con, regarding the mining Industry and all else.

The Old "Sally Ann" Mine has been owned by Mrs. McGuffie for many years and its minute production record is unknown to her since she had a Lessee for a short time that did some high-grading before she terminated the lease. Her partner, having known me for many years, asked me to come in and join them—which I did, after examining the adjoining terrain.

The "Extensions" and "The Ena" speak for themselves copper-wise. When one sees these Copper out-breaks, there should be no doubt as to the size of the deposit—depth and length.

Thanking you again for your interest,

Sincerely yours,

*Ed. Rundle*  
Ed. Rundle  
P.O. Drawer 100

# MINE & PROSPECT EVALUATIONS.

.....

In order to determine the suitability of this Mineral deposit for mining and the merits of this property as a profitable producer, we are furnishing the following information as we see it personally. Samples representing typical material for initial Laboratory tests can be sent.

MINE: "SALLY ANN" and EXTENSIONS.

OWNERS OF "SALLY ANN MINE" : Mrs. Venice McGuffie and Nerge Foster.

ADDRESS: P.O. Box 92, Congress, Arizona 85332

OWNERS OF "SALLY ANN EXTENSIONS": Nerge Foster, Art Zent, and Ed. Rundle.

ADDRESS: Ed. Rundle, P.O. Drawer 100, Pima, Arizona 85543.

OWNERS OF CLAIMS ADJOINING "SALLY ANN MINE AND EXTENSIONS NAMED: " THE ENA", are  
Art Zent, and Ed. Rundle.

ADDRESS: Ed. Rundle, P.O. Drawer 100, Pima, Arizona 85543.

HOW ARE MINERAL RIGHTS HELD ( Fee land, by location, concession, denouncement, lease,  
or other ? ) : By location.

LOCATION: COUNTRY: Rawhide Mts. STATE: Arizona.

COUNTY: Mohave. MINING DISTRICT: Owens (McCracken, Potts).

SECTIONS: \_\_\_\_\_ TOWNSHIP: 11 North. RANGE: 14 West.

NEAREST TOWNS: Congress and Wenden.

DISTANCE AND DIRECTIONS FROM NEAREST TOWNS: Take Highway # 71 from

Congress to Over-pass on Hwy. # 93 (about 6 miles). Turn Right onto

Hwy. # 93 and follow about 4 miles, then turn off Hwy. (sharply) onto a

County maintained Road to the LEFT leading to Wayside Inn (toward Alamo

Dam and Lake), a distance of 42 miles to Inn from Hwy. # 93. Take Road

from Wayside Inn to Brown's Crossing on the Bill Williams River. Follow

this County Road (north-westerly direction) for about 11.8 miles to a

Road fork that has a small sign pointing to Wayside, and Wenden. Turn

sharply to LEFT and follow 0.9 mile to a small triangular sign near a



country Road leading off to the Right. From this turn-off, it is approx. 4.8 miles to the House at the "Sally Ann". Turn to the right road at the S. A. sign and the House is around the point in the Canyon. While coming in on the S. A. road, DO NOT TURN OFF ONTO THE ESPERANZA ROAD ! ALSO, DO NOT TURN ONTO THE RAWHIDE MINE ROAD which leads off the County Road. TOTAL DISTANCE from the "Wayside Inn" to the "Sally Ann" is approx. 17.5 miles thus making it about 65.5 miles from Mine to Congress. FROM WENDEN: Distance about 56 miles, since the Dam site is 38 miles from Wenden.

NEAREST RAILROAD SHIPPING POINT, NAME OF RAILROAD, AND DISTANCE FROM MINE:

Congress, 65.5 miles from Mine.	SANTA FE R. R.
Wenden, 56.0 " " "	SANTA FE R. R.

TYPE AND CONDITION OF HAULAGE TO RAILROAD POINT: From Congress, first Ten miles paved; balance County maintained except for about 5.7 miles. From Wenden, first 34 miles paved; balance County maintained except 5.7 mi.

NUMBER OF CLAIMS:	LODE 8	UNPATENTED Yes.	Sally Ann Mine
	" 10	" "	Sally Ann Extensions
	" 20	" "	The Ena
	" 38		

PRINCIPAL MINERALS: Copper, Gold and Silver.

ASSAYED VALUATION OF MINERALS: *Mrs. McGuffie stated that 25% Cu and over \$200<sup>00</sup> per Ton Cu had been found in the "Sally Ann."*

TYPE OF SURROUNDING TERRAIN: Mountainous in part, Hilly, semi-flat Ridges. Access to most of the Claims with a small amount of bulldozing.

GEOLOGY AND MINERALIZATION: There are extrusive igneous rocks where the magmas have reached the surface and in other places they are intrusive, having a granular texture. The intermediate types are syenite, diorite and andesite. There are several types of porphyry. Gneiss in certain areas.

GEOLOGY AND MINERALIZATION: Gneiss (metamorphic) is found along walls of washes  
(continued)

and in places of great pressure and heat. Appear to be altered  
from granite. Mica Schists are more predominant than Hornblende  
schist. Basalt flows occur in places. Dikes contain intrusions  
of igneous material. MINERALIZATION extends over a large area.  
Azurite, Malachite, Bournite, Chalcocite.

BRIEF DESCRIPTION OF DEPOSIT: Ore body crops out at grass-roots in many places.

In many other places, over-burden is light. Depth of deposit is  
indicated on ridges where Copper is on or near surface.

DIMENSIONS OF ORE BODY OR WIDTH AND LENGTH OF VEINS: On the "Sally Ann" property,  
two veins, each estimated to be 1 mile long with a width from 1 ft.  
to 16 ft. Copper out-crops on top of Mt. above Tunnel and slope.  
Copper appears on the "Extensions" and the "Ena" over a distance of  
1/2 mile and a greater width. Mineralization is estimated to  
extend over 2 1/2 miles, and farther in width.

ORE BLOCKED OUT OR IN SIGHT ? Several Tons of ore in piles. Large amount in sight,  
on "Extensions" and adjoining "Ena".

MINE WORKINGS--AMOUNT AND CONDITIONS (Shafts--Raises--Stopes--Tunnels, Etc.)

On the "Sally Ann" property: Two Tunnels, 1-100 ft., 1-45 ft., and  
Three Shafts, 1-35 ft., 1-45 ft., 1-65 ft. On the "Extensions" and  
"The Ena", several gopher-holes showing Copper ore, and some  
bulldozer skimming on ridges showing Copper for over 1/4 mile.

IS PROPERTY SUITABLE FOR OPEN MINING--OPEN PIT--TRENCHING--BENCH OPERATION ?

Ideal for Open-Pit. Some areas could be trenched or benched.

WILL ORE LEND ITSELF TO LEACHING PROCESS ? YES.

LIMESTONE CONTENT: Present but not in large quantities. Compact. Various colors.



ARE THERE ANY PROCESSING PLANTS NEAR THE DEPOSIT AND IF SO, WHAT TYPES, WHERE LOCATED ? Bagdad Open-Pit Mine is less than 40 miles North-east---Air Line but NO roads other than traversing great distance.

WATER SUPPLY: "Sally Ann" property has water right on Mississippi Springs. It has a 40 ft. Concrete and Rock Dam for water storage area but has filled up with sand and gravel until storage is zero. There is a small Spring below the House. Water supply could be developed in several places without great depth, and cost, judging from a place about ten miles distant.

ELECTRIC LINKS: None available. Nearest would be at Alamo Dam Site (electricity not generated there); too far for building a line into Mine.

IS LABOR AVAILABLE LOCALLY ? YES.

WAGES ? General scale.

WOULD HOUSING FACILITIES NEED TO BE PROVIDED FOR MINING PERSONEL ? NO ! There is a nice Four-room House equipped for year-round living. It has 2 bedrooms, Fireplace, Wood Cookstove, Gas Stove, Gas Refrigerator. Another building (galvanized siding and concrete floor) would serve as a Bunk-house for 6-8 Men. Another Bunk-house could be erected on a concrete base that is nearby the other building. Water would have to be hauled in but could be acquired at one of two places; one, 10 miles away; the other at Wayside Inn, 17.5 miles away.

LIST TERMS AND CONDITIONS OF LEASE OR SALE: A Six-Month Option to purchase with a substantial down payment and monthly rental for the period of Option. Payments to be deducted from purchase price. ALL Claims and Mining property are to be optioned and sold as One Group; participants to agree price and conditions.

ARE YOU PRINCIPLE OR AGENT ? I am one of the Four Principles. THERE ARE NO AGENTS !

REMARKS: Mrs. Venice McGuffie and Nerge Foster live in Congress, Arizona, part of the time and the other part at the Mine. Should you care to examine the property, contact them by mail or phone, and they will accompany you. A four-wheel drive rig would be more convenient but is not absolutely necessary. However, more terrain could be covered with the former.

In the event you wish to call them on the phone, the best time to do so would be early evening (7-8). Their number is YARNELL EXCHANGE (Code 602) 427-3266. Mailing address on page-1.

If they cannot be contacted (due to being at the Mine), contact me by mail and I will contact them personally and notify you as to the arrangements for inspecting the property.

Prepared by: \_\_\_\_\_

*Ed. Rundle*

Ed. Rundle

P.O. Drawer 100

Pima, Arizona 85543

*Dated: Nov. 20, 1971.*