CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
3550 N. Central Ave, 2nd floor
Phoenix, AZ, 85012
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the Grover Heinrichs Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

DRILL HOLE SAMPLES Comparison of Original Phillips Assays with New Pulp Assays

PAGE OF

PROPERTY	DISTRICT	COUNTY	STATE	COUNTRY
Squaw Peak		Yavapai	Az.	

HOLE NO.	CONTRACTOR	COLLAR COORD.	COLLAR ELEV.
1 and 9		N E	

BEARING	INCLINATION	DEPTH	STARTED	STOPPED

SAMPLE NUMBER	BIT SIZE	RECOVERY FEET	RECOVERY %	DRILL RUN FROM	DRILL RUN TO	INT.	①	②	ASSAYS					REMARKS
DDH #9														Assays: Column 1 is Rocky Mtn. Geochemical Co. atomic absorbtion. Column 2 is Iron King Assay office wet determination from pulp Oct. 1972
3377				25	30		.15	.13						
3378				30	35		.09	.10						
3379				35	40		.18	.16						
3380				40	45		.16	.18						
3381				45	50		.11	.11						
3382				50	55		.38	.35						
3383				55	60		.23	.23						
3384				60	65		.38	.34						
3398				130	135		.86	.83						
3399				135	140		.54	.57						
3400				140	145		.47	.25	←					
3401				145	150		.23	.44	←					
3429				285	290		.57	.56						
3430				290	295		.65	.61						
3431				295	300		.79	1.30	←					
3432				300	305		.86	.46	←					
3433				305	310		.48	.42						
3434				310	315		.39	.45						
3462				450	455		1.33	.90	←					
DDH #1														
5026				5	10		.49	.77	←					
5027				10	15		.49	.46						
5028				15	20		.90	.81						
5029				20	25		.69	.68						
5030				25	30		.65	.60						
5031				30	35		.68	.65						
5032				35	40		.71	.68						
5033				40	45		.58	.56						
5034				45	50		.70	.65						
5035				50	55		.59	.58						
5037				60	65		.71	.71						
5038				65	70		.57	.58						
5039				70	75		.72	.70						
5040				75	80		.57	.60						
5041				80	85		.61	.59						
5042				85	90		.61	.64						
5043				90	95		.50	.49						
5044				95	100		.41	.51						
5045				100	105		.55	.59						
5046				105	110		.39	.41						
5047				110	115		.31	.32						
5048				115	120		.52	.50						
5049				120	125		.53	.56						
5050				125	130		.44	.52						
5051				130	135		.55	.71						
5052				135	140		.74	.61						
5053				140	145		.62	.60						
5054				145	150		.51	.49						
5055				150	155		.41	.36						
5056				155	160		.40	.32						
5057				160	165		.39	.36						
5058				165	170		.44	.40						
5059				170	175		.43	.44						

DRILL HOLE SAMPLES Comparison of Original Phillips Assays with New Pulp Assays

PAGE 1 OF 5

PROPERTY	DISTRICT	COUNTY	STATE	COUNTRY
Squaw Peak		Yavapai	Az.	

HOLE NO.	CONTRACTOR	COLLAR COORD.	COLLAR ELEV.
1 and 9		N E	

BEARING	INCLINATION	DEPTH	STARTED	STOPPED

SAMPLE NUMBER	BIT SIZE	RECOVERY FEET	RECOVERY %	DRILL RUN FROM	DRILL RUN TO	INT.	①	②						REMARKS
DDH	#9													Assays: Column 1 is Rocky Mtn. Geochemical Co. atomic absorbtion. Column 2 is Iron King Assay office wet determination from pulp Oct. 1972
3377				25	30		.15	.13						
3378				30	35		.09	.10						
3379				35	40		.18	.16						
3380				40	45		.16	.18						
3381				45	50		.11	.11						
3382				50	55		.28	.25						
3383				55	60		.23	.23						
3384				60	65		.38	.34						
							.08	.08						
3398				130	135		.86	.63						
3399				135	140		.54	.57						
3400				140	145		.47	.25	←					
3401				145	150		.23	.44	←					
							.01							
3429				285	290		.57	.56						
3430				290	295		.65	.61						
3431				295	300		.79	1.30	←					
3432				300	305		.86	.46						
3433				305	310		.48	.42						
3434				310	315		.39	.45						
								.06						
3462				450	455		1.33	.90	←					
DDH	#1													
5026				5	10		.99	.77	←					
5027				10	15		.49	.46						
5028				15	20		.70	.81						
5029				20	25		.69	.68						
5030				25	30		.65	.60						
5031				30	35		.60	.65						
5032				35	40		.71	.68						
5033				40	45		.58	.52						
5034				45	50		.70	.65						
5035				50	55		.54	.58						
							.22							
5037				60	65		.71	.71						
5038				65	70		.57	.58						
5039				70	75		.72	.70						
5040				75	80		.57	.60						
5041				80	85		.61	.59						
5042				85	90		.61	.64						
5043				90	95		.50	.49						
5044				95	100		.41	.51						
5045				100	105		.55	.59						
5046				105	110		.39	.41						
5047				110	115		.51	.52						
5048				115	120		.53	.50						
5049				120	125		.53	.56						
5050				125	130		.44	.52						
5051				130	135		.55	.71						
5052				135	140		.74	.61						
5053				140	145		.62	.60						
5054				145	150		.51	.49						
5055				150	155		.41	.36						
5056				155	160		.40	.32						
5057				160	165		.39	.36						
5058				165	170		.44	.40						
5059				170	175		.43	.44						
							1.32							