CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
416 W. Congress St., Suite 100
Tucson, Arizona 85701
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the W. H. Crutchfield, Jr. Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

[illegible], John H. 4 ch. North 9th Street
Chloride, Arizona Santa Paula, Calif (9-8-58)

See L. J. Cuneo file

Re - land properties (Formerly Boots Hansen Grp)

[illegible] - Re Owners Mine Report - HOOVER GROUP/ 6-12-39 MOHAVE CO.

[illegible] - [illegible] Mine Owners Report - NORTH GEORGIA, 6-12-39 " "
(Owner-Chloride Store Company)

Geology of the Chloride Quadrangle, Arizona by Blakemore E. Thomas, 1953, p. 416 - Geology File

Mohave Custom Mill Project Card file

Mines Handbook, VolXIII, p. 368

MILS Sheet sequence number 0040150501

Mohave Miner: The North Georgia has three feet of gold ore in the shaft. Sinking of this shaft was resumed a week ago and is now down 10 feet below the 100-foot level. The vein of gold ore showed very soon after sinking was begun and has not yet been gone through; but so far as can be determined it is at least three feet in thickness and values are estimated at $50 per ton. The vein is a "blind ledge," and its presence was not suspected by the management.

Luce England and Ed Mingle are doing considerable development work on the North Georgia Union in the Chloride field. John H. Wade is also interested in the property.

DEPARTMENT OF MINERAL RESOURCES
STATE OF ARIZONA
FIELD ENGINEERS REPORT

Mine GEORGIA GROUP Date November 26, 1942.

District Wallapai, Mohave Co., Ariz. Engineer Elgin B. Holt.

DEPT. MINERAL RESOURCES
RECEIVED
NOV 27 1942
PHOENIX, ARIZONA

Subject:

RE- APPLICATION FOR: PRELIMINARY DEVELOPMENT LOAN

LESSEE: Al Jagerson, Box 223, Chloride, Arizona.

METALS: Zinc, lead, gold & silver; zinc predominating.

AREA & LOCATION:

This group, consisting of the NORTH GEORGIA, GEORGIA, and SOUTH GEORGIA claims, is located in Mohave County, Arizona, 1.5 miles east of Chloride, and one-half mile southeast of the Tennessee-Schuylkill property, which is equipped with a 175-ton selective flotation mill, and which has been a large producer of zinc-lead values for the last 50 years, or longer.

R. F. C. LOAN APPLICATION:

This property was visited by me on November 10, 1942, in company with Al Jagerson, Lessee, who has arranged with R. A. Thurston, Mining Engineer, of Chloride, Arizona, to draw up an application for a preliminary development loan in the sum of $5,000.

GEOLOGY:

The country rock of this entire region, embracing the foot hills of the Cerbat Mountains, is composed of pre-Cambrian granite-gneiss complex, intruded at frequent intervals by later igneous dikes.

VEINS:

There are two parallel veins, the Pay Roll vein and the Georgia vein, about 100 feet apart, striking northwest-southeast; dip about 70 degrees northeast.

MINE WORKINGS:

Shaft No.1 is located near the southeast end of the North Georgia claim. This shaft is sunk on the slope of vein to a depth of 70 feet. On the 40-foot level there is a drift which runs northwest on vein about 80 feet. Width of this vein is undetermined; but the ore vein indicated in drift is around 4 feet wide, per Jagerson. There is no data available as to the nature of development work, if any, in the bottom of the shaft, which is timbered and has two compartments.

Shaft No.2, located around 700 feet northwest of Shaft No.1, was sunk years ago vertically on the hanging wall side of the vein to a depth of 230 feet. This shaft, which is timbered and has two compartments, is said to have penetrated the vein at a depth of 70 feet. Jagerson states that about 50 feet of drifting and cross-cutting was done on the 100-foot level; but there are no reports available regarding the underground work in the mine, or assays in these workings. This shaft was sunk by a Salt Lake City company around 1915, with a view to completing the same to the 300-foot level and carrying on lateral development work therefrom; but due to a bank failure, in which company funds were deposited, work was suspended, leaving the development work in this shaft in an unfinished condition.

ASSAYS FROM NO. 1 SHAFT:

Place	Au, ozs.	Ag, ozs.	Pb,%	Width
40-foot Level ----------	0.115	2.07	14.2	20"
Dump ----------	0.160	6.58	24.9	--
40-foot Level ----------	0.070	2.77	6.1	18"

REMARKS:

Shaft No. 1 was sunk on a segment of the Pay Roll vein, which was displaced by faulting. The Pay Roll mine was developed by a vertical two compartment timbered shaft to a depth of 600 feet, with cross-cuts to vein each 200 feet. The three levels in mine have a length of

600 feet, more or less, following the main Pay Roll ore vein. Hence, there is now a large tonnage of milling ore ~~now~~ blocked out in this property, assaying as follows, per a reliable assay map in the files of Dr. Blackwell, in Chloride:

Width	Au, ozs.	Ag, ozs.	Pb,%	Zn,%
4.1 ft.	0.11	2.45	1.4	8.58

Therefore, as the Georgia Group of claims covers the main Pay Roll vein for a length of over 1,000 feet, and as present workings on this vein, within the said Georgia Group, show zinc-lead ore in place, it is reasonable to suppose that deeper work will result in exposing a large reserve of zinc-lead sulphide ore, suitable for treatment in a selective flotation mill.

Furthermore, the Georgia Group covers a large mineralized zone adjacent to the Tennessee-Schuylkill mine. In fact, I do not think there is any doubt but that the Pay Roll vein is an off-shoot of the Tennessee-Schuylkill vein.

OBJECTIVE OF $5,000 LOAN:

Applicant plans to use the said $5,000 loan, when and if granted, to clean out and retimber where necessary the No. 1 Shaft, in order to make the same accessible for sampling by R. F. C. engineers. Also, when and if the said sampling proves satisfactory, applicant will then apply for a $20,000 development loan, from R. F. C., to be used to block out an underground ore supply, per plans to be agreed upon between applicant and the said R. F. C. engineers.

CONCLUSION:

From the above facts, I believe this property fully warrants the granting of the said preliminary development loan.

Elgin B. Holt

Elgin B. Holt,
Field Engineer.

DEPARTMENT OF MINERAL RESOURCES
State of Arizona
MINE OWNER'S REPORT

RECEIVED
OCT 6 1958
DEPT. MINERAL RESOURCES
PHOENIX, ARIZONA

Date October 6th, 1958

1. Mine: North Georgia Mine

2. Location: Sec. ..... Twp. 23 ..... Range 18 W. Nearest Town Chloride ..... Distance 1½ miles

Direction East ..... Nearest R.R. Kingman 35 miles ..... Distance .....

Road Conditions Hard surfaced all but 1 mile

3. Mining District and County: Mohave, mining District Wallapai

4. Former Name of Mine: same name for 50 years

5. Owner: ~~[illegible]~~ John H. Ware, Jr. Kingman, Arizona

Address: .....

6. Operator: none

Address: .....

7. Principal Minerals: Lead, Zinc, Gold and Silver

8. Number of Claims: Lode one ..... Patented no ..... Unpatented .....

Placer ..... Patented ..... Unpatented .....

9. Type of Surrounding Terrain Mountainous, Tennessee mine ½ Mile westerly Payroll Mine practically adjoins on the southeasterly

10. Geology and Mineralization: .....

11. Dimension and Value of Ore Body: no ore blocked out

Please give as complete information as possible and attach copies of engineer's reports, shipment returns, maps, etc. if you wish to have them available in this Department's files for inspection by prospective leasors or buyers.

(over)

12. Ore "Blocked Out" or "In Sight": Ore in sight on the 100 ft. level

Ore Probable:

13. Mine Workings—Amount and Condition:

	No.	Feet	Condition
Shafts	one	240 ft.	in fair condition
Raises	one	50 ft to surface	
Tunnels	several	short tunnels	
Crosscuts	on the	100 ft level	
Stopes	none		

14. Water Supply: makes about 2000 gallons per day in shaft

15. Brief History: There has been a small amount of ore shipped

16. Remarks: This is a large vein from a few feet to 100 ft wide

17. If Property for Sale, List Approximate Price and Terms: for sale or lease, the price and terms very reasonable

18. Signature: John H Ware Jr.

Year	Mine North Georgia					
	Au ~~Ag~~ lbs	As ~~Au~~	Au ~~Pb~~	Pb ~~Zn~~ lbs	Zn ~~Cu~~ lbs	Short Tons
1931						
1932						
1933						
1934						
1935						
1936						
1937						
1938						
1939						
1940						
1941						
1942						
1943						
1944						
1945						
1946						
1947	0	77	3	0732	0	48
1948						
1949						
1950						
1951						
1952						
1953						
1954						
1955						
1956						
1957						
1958						
1959						