CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
3550 N. Central Ave, 2nd floor
Phoenix, AZ, 85012
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the Cambior Exploration USA Inc. records

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.



(BLACK MTN 25 min)
EXHIBIT A
FREEPORT 9-22-88 (519.48 ACRES)
FREEPORT 9-22-88 (534.70 ACRES)
FREEPORT 9-22-88 (473.23 ACRES)
FREEPORT 9-22-88 (313.16 ACRES)
BARKERVILLE
4302
4258
4264
BM 4199
93430
91252
S 1/2
W 1/2
SW 1/4
Mine 3942
4141
3986
3920
4023
3993
3834
91253
Windmill
91254
NE 1/4
4046
3980
P-2
P-8
P-3
P-12
ROAD
4001
W 1/2
W 1/2
3912
Star Flat
3819
Tank
3625000m.N
T8S
55'
508
509
13 MI. TO ARIZONA 77
INTERIOR—GEOLOGICAL SURVEY
RESTON, VIRGINIA—1975
511000m.E.
32°45'
110°52'30"
R14E
A. TED FAULKNER
Charlie Alder
Ardmore
(FORTIFIED PEAK)
Light-duty
Unimproved dirt
91255
16
15
Hotboy mine
ASHBURTON AMERICAN RESERVES INC.
FREEPORT

iPL
INTERNATIONAL PLASMA LABORATORY LTD.

Head Office & Lab
2036 Columbia St.
Vancouver, B.C.
Canada V5Y 3E1
Phone: (604) 879-7878
Fax: (604) 879-7898

Prep Facility
50 Freeport Blvd., Unit 9
Sparks, NV
U.S.A. 89431
Phone: (702) 331-8088

SAMPLE SUBMITTAL FORM

DO NOT WRITE IN THIS SPACE (LAB USE ONLY)

Company: CAMBIOR
Geologist: NICK BARR
Phone: 702 856 - 5189
Date: 12/22/92
Project: 304 - C. Alder R.C. cut
P.O. _____ Shipment #: _____
Total Number of Samples: 31

☐ PRIORITY SERVICE (24 samples/24 hours)
(Special Charges & Restrictions Apply)

Results for precious metals reported in:

☐ ppb ☐ OPT ☐ g/t — Au (gold)

☐ ppm ☐ OPT ☐ g/t — Ag (silver)

Number of Samples	Type	Sample number	Elements to be analyzed	Multi-Element: 30 ICP	Multi-Element: Whole Rock
15	R.C. Cuttings	Hole #II 70-75, 90-95 145-150, 190-195	Au Cu	X	
		205-210, 230-235 260-265, 290-295			
		325-340, 345-350 385-390, 400-405			
		435-440, 465-470 480-485			
16		Hole #I 50-60, 100-105 150-155, 120-125			
		135-130, 165-170 190-195, 210-215			
		245-250, 310-315 340-345, 365-370			
		400-405, 410-415 450-455, 495-500			

Special Instructions: * Please check for Hole #1 and Hole #2 markings on bags
Au 20gr FA/AA

☐ Data Disk ☐ 5¼" or ☐ 3½"

Coarse Reject (Free Storage for 90 days)
☐ Return/collect after analysis
☐ Return/collect after 90 days
☒ Discard after 90 days
☐ Store after 90 days (Current Charges Apply)
• IF NOT MARKED, REJECT IS DISCARDED AFTER 90 DAYS •

Pulp (Free Storage for 1 year)
☐ Return/collect after analysis
☒ Return/collect at year end
☐ Discard at year end
☐ Store after year end (Charges Apply)
• IF NOT MARKED, PULP IS DISCARDED AT YEAR END •

Original
☒ Results ☒ Invoice

Company: CAMBIOR
Street:
City: RENO
Prov./State: P./Zip Code:
Attention: NICK BARR
☐ Fax: ( )

Copy
☐ Results ☐ Invoice

Company:
Street:
City:
Prov./State: P./Zip Code:
Attention:
☐ Fax: ( )

WHITE - LAB COPY YELLOW - PREP. COPY PINK - CLIENT COPY

Charlie Alder submittal

INTERNATIONAL PLASMA LABORATORY LTD.

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

R E P O R T S U M M A R Y Report:[9201016 R]

A N A L Y T I C A L R E P O R T

Origin Inception Date:[Dec 28, 1992]

Client:	135	Cambior Exploration USA, Inc.
Contact:		Nick Barr
Project:	0	304 C Alder
Amount/Type:	31	RC Cutting

Analytical Requisition

Geochemical:	ICP(AqR)29	
Assay:	Au(FA/AAS 20g)	ICP:[29]
Comments:	Au>=1ppm = RePulp/ReAssay	

Delivery Information Reporting Date:[Dec 31, 1992]

Principal Destination (Hardcopy,Fascimile,Invoice)

Company:	Cambior Exploration USA, Inc.
Address:	230 South Rock Blvd., Suite 23
City/Province:	Reno, NV
Country/Postal:	USA 89502-2
Attention:	Nick Barr
Fascimile:	702/856-4549

Secondary Destination (Hardcopy)

Company:	
Address:	
City/Province:	
Country/Postal:	
Attention:	
Fascimile:	

1 data pages in this report. Approved by: _____

B.C. Certified Assayers

iPL CODE: 921231-10:43:22

INTERNATIONAL PLASMA LABORATORY LTD.

CERTIFICATE OF ANALYSIS
iPL 9201016

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

Report: 9201016 R Cambior Exploration USA, Inc. Project: 304 C Alder   Section 1 of 2

Sample Name	Type	Au ppb	Au oz/st	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppb	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm
Hole 1 0050-0060	RC Cutting	<5	--	0.2	45	6	66	<5	6	--	2	<10	<2	<0.1	34	165	20
Hole 1 0100-0105	RC Cutting	<5	--	0.2	39	9	70	<5	<5	--	3	<10	<2	<0.1	31	149	22
Hole 1 0120-0125	RC Cutting	<5	--	0.2	10	7	73	<5	<5	--	4	<10	<2	<0.1	34	158	19
Hole 1 0125-0130	RC Cutting	<5	--	0.2	58	6	70	<5	5	--	4	<10	<2	0.1	31	149	19
Hole 1 0150-0155	RC Cutting	<5	--	0.1	9	9	70	<5	<5	--	2	<10	<2	<0.1	31	139	20
Hole 1 0165-0170	RC Cutting	<5	--	0.1	43	7	79	<5	5	--	3	<10	<2	<0.1	36	146	27
Hole 1 0190-0195	RC Cutting	<5	--	0.1	6	8	58	9	<5	--	2	<10	<2	<0.1	31	139	40
Hole 1 0210-0215	RC Cutting	<5	--	0.1	8	5	66	<5	<5	--	3	<10	<2	<0.1	31	141	21
Hole 1 0245-0250	RC Cutting	<5	--	<0.1	4	3	61	5	<5	--	3	<10	<2	<0.1	33	163	15
Hole 1 0310-0315	RC Cutting	<5	--	0.1	107	6	64	<5	<5	--	3	<10	<2	<0.1	32	170	35
Hole 1 0340-0345	RC Cutting	<5	--	0.1	54	5	73	<5	<5	--	4	<10	<2	<0.1	33	152	40
Hole 1 0365-0370	RC Cutting	<5	--	0.1	65	6	61	<5	<5	--	2	<10	<2	<0.1	29	145	43
Hole 1 0400-0405	RC Cutting	9	--	<0.1	36	7	65	<5	<5	--	3	<10	<2	<0.1	29	138	71
Hole 1 0410-0415	RC Cutting	7	--	<0.1	15	6	65	<5	<5	--	2	<10	<2	<0.1	29	137	33
Hole 1 0450-0455	RC Cutting	<5	--	<0.1	21	3	60	<5	<5	--	2	<10	<2	<0.1	31	166	41
Hole 1 0495-0500	RC Cutting	<5	--	0.1	13	4	61	<5	<5	--	2	<10	<2	<0.1	33	159	59
Hole 2 0070-0075	RC Cutting	<5	--	<0.1	79	5	63	<5	5	--	3	<10	<2	<0.1	30	133	56
Hole 2 0090-0095	RC Cutting	<5	--	<0.1	46	<2	71	<5	<5	--	4	<10	<2	<0.1	26	134	59
Hole 2 0145-0150	RC Cutting	<5	--	<0.1	42	<2	74	<5	<5	--	2	<10	<2	<0.1	28	138	58
Hole 2 0190-0195	RC Cutting	<5	--	<0.1	44	3	72	<5	<5	--	3	<10	<2	<0.1	24	117	46
Hole 2 0205-0210	RC Cutting	<5	--	<0.1	81	5	61	<5	<5	--	3	<10	<2	<0.1	29	128	69
Hole 2 0230-0235	RC Cutting	<5	--	<0.1	21	2	66	<5	<5	--	3	<10	<2	<0.1	26	131	94
Hole 2 0260-0265	RC Cutting	5	--	<0.1	50	<2	74	<5	<5	--	2	<10	<2	<0.1	26	133	56
Hole 2 0290-0295	RC Cutting	<5	--	<0.1	25	<2	68	<5	<5	--	4	<10	<2	<0.1	24	118	40
Hole 2 0335-0340	RC Cutting	<5	--	0.1	44	3	62	<5	<5	--	3	<10	<2	<0.1	29	114	47
Hole 2 0345-0350	RC Cutting	<5	--	0.1	54	<2	62	<5	<5	--	2	<10	<2	<0.1	25	127	51
Hole 2 0385-0390	RC Cutting	5	--	0.2	102	3	62	<5	<5	--	1	<10	<2	<0.1	26	131	45
Hole 2 0400-0405	RC Cutting	<5	--	<0.1	48	<2	62	<5	<5	--	2	<10	<2	<0.1	26	127	35
Hole 2 0435-0440	RC Cutting	<5	--	<0.1	49	<2	53	<5	6	--	3	<10	<2	<0.1	25	127	42
Hole 2 0465-0470	RC Cutting	<5	--	0.1	17	2	57	<5	<5	--	3	<10	<2	0.1	23	113	42
Hole 2 0480-0485	RC Cutting	<5	--	0.1	80	6	58	<5	<5	--	2	<10	<2	<0.1	27	118	34
Minimum Detection		5	0.005	0.1	1	2	1	5	5	5	1	10	2	0.1	1	1	2
Maximum Detection		10000	1000.000	100.0	20000	20000	20000	10000	1000	10000	1000	1000	10000	10000.0	10000	10000	10000
Method		FA/AAS	FAGrav	ICP	ICP	ICP	ICP	ICP	ICP	Geo	ICP	ICP	ICP	ICP	ICP	ICP	ICP

--=No Test ReC=ReCheck ins=Insufficient Sample m=Est/1000 %=Est % Max=No Est

INTERNATIONAL PLASMA LABORATORY LTD.

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

CERTIFICATE OF ANALYSIS
iPL 9201016

Report: 9201016 R Cambior Exploration USA, Inc. Project: 304 C Alder   Section 2 of 2

Sample Name	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
Hole 1 0050-0060	<5	76	113	693	21	102	15	9	0.34	2.02	2.27	4.30	4.76	0.06	0.06	0.18
Hole 1 0100-0105	<5	91	94	638	26	132	13	6	0.29	2.04	1.79	4.15	4.16	0.06	0.08	0.19
Hole 1 0120-0125	<5	105	107	812	28	128	9	9	0.29	2.16	3.21	4.83	4.55	0.05	0.07	0.19
Hole 1 0125-0130	<5	88	97	795	29	122	7	8	0.18	2.25	3.93	4.65	4.09	0.07	0.06	0.18
Hole 1 0150-0155	<5	63	114	750	29	143	11	8	0.31	1.82	2.12	4.36	3.86	0.06	0.09	0.19
Hole 1 0165-0170	<5	84	124	912	32	158	13	10	0.41	2.37	3.54	4.98	4.57	0.06	0.08	0.20
Hole 1 0190-0195	<5	67	92	867	25	201	12	8	0.30	2.10	2.52	4.54	3.97	0.06	0.10	0.18
Hole 1 0210-0215	<5	83	105	673	29	149	10	8	0.22	1.86	2.55	4.73	3.61	0.06	0.10	0.19
Hole 1 0245-0250	<5	106	109	710	27	159	8	10	0.22	2.04	3.60	4.72	4.60	0.04	0.08	0.19
Hole 1 0310-0315	<5	75	90	661	24	229	10	6	0.23	2.19	2.54	4.06	4.42	0.06	0.15	0.19
Hole 1 0340-0345	<5	82	105	842	24	170	11	8	0.34	1.98	3.75	4.60	4.13	0.05	0.09	0.18
Hole 1 0365-0370	<5	69	100	563	27	224	7	4	0.21	1.90	1.46	4.20	3.77	0.08	0.20	0.20
Hole 1 0400-0405	<5	93	94	815	31	225	7	7	0.12	2.54	4.27	4.43	3.99	0.05	0.08	0.18
Hole 1 0410-0415	<5	99	99	678	33	191	7	7	0.16	2.70	3.28	4.75	4.53	0.04	0.06	0.20
Hole 1 0450-0455	<5	120	119	788	27	226	8	8	0.11	2.25	5.70	4.36	3.43	0.12	0.06	0.18
Hole 1 0495-0500	<5	112	121	873	26	322	10	9	0.29	2.12	4.15	4.61	4.66	0.08	0.17	0.16
Hole 2 0070-0075	<5	71	108	671	40	159	10	9	0.28	2.30	3.02	4.68	3.27	0.07	0.09	0.21
Hole 2 0090-0095	<5	75	87	650	42	228	5	6	0.03	2.80	3.47	4.67	3.50	0.04	0.06	0.21
Hole 2 0145-0150	<5	67	90	839	43	155	5	7	0.07	2.47	3.45	4.83	3.74	0.06	0.07	0.22
Hole 2 0190-0195	<5	58	69	713	37	143	4	5	0.05	2.15	3.04	4.13	3.36	0.05	0.07	0.20
Hole 2 0205-0210	<5	60	100	642	38	158	9	7	0.28	1.99	2.43	4.59	3.32	0.07	0.09	0.23
Hole 2 0230-0235	<5	70	89	800	42	153	6	6	0.06	2.38	3.57	4.63	3.56	0.05	0.08	0.21
Hole 2 0260-0265	<5	74	89	881	43	98	5	6	0.03	3.11	3.85	4.74	4.05	0.08	0.05	0.22
Hole 2 0290-0295	<5	69	81	865	43	121	5	7	0.04	2.49	4.37	4.51	3.35	0.07	0.06	0.23
Hole 2 0335-0340	<5	71	117	756	43	132	7	10	0.32	1.98	3.38	4.57	3.51	0.08	0.06	0.24
Hole 2 0345-0350	<5	81	96	682	44	129	5	5	0.06	2.07	3.00	4.72	2.99	0.09	0.06	0.25
Hole 2 0385-0390	<5	87	99	717	42	110	6	5	0.03	2.30	2.76	4.52	3.17	0.15	0.05	0.24
Hole 2 0400-0405	<5	99	98	714	41	130	6	7	0.13	2.19	3.29	4.56	3.57	0.09	0.06	0.23
Hole 2 0435-0440	<5	82	86	926	41	116	4	5	0.02	2.48	4.89	4.39	3.37	0.13	0.04	0.22
Hole 2 0465-0470	<5	72	91	709	42	105	7	5	0.07	1.79	3.51	4.21	3.01	0.08	0.07	0.22
Hole 2 0480-0485	<5	83	100	675	36	120	9	8	0.26	2.00	2.96	4.31	3.32	0.10	0.09	0.21
Minimum Detection	5	1	2	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	1000	10000	10000	10000	10000	10000	10000	10000	1.00	5.00	10.00	5.00	10.00	10.00	5.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

--=No Test ReC=ReCheck ins=Insufficient Sample m=Est/1000 %=Est % Max=No Est

INTERNATIONAL PLASMA LABORATORY LTD.

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

R E P O R T S U M M A R Y Report:[9201016 R]

A N A L Y T I C A L R E P O R T

Origin Inception Date:[Dec 28, 1992]

Client:	135	Cambior Exploration USA, Inc.
Contact:		Nick Barr
Project:	0	304 C Alder
Amount/Type:	31	RC Cutting

Analytical Requisition

Geochemical:	ICP(AqR)29	
Assay:	Au(FA/AAS 20g)	ICP:[29]
Comments:	Au>=1ppm = RePulp/ReAssay	

Delivery Information Reporting Date:[Dec 31, 1992]

Principal Destination (Hardcopy,Fascimile,Invoice)

Company:	Cambior Exploration USA, Inc.
Address:	230 South Rock Blvd., Suite 23
City/Province:	Reno, NV
Country/Postal:	USA 89502-2
Attention:	Nick Barr
Fascimile:	702/856-4549

Secondary Destination (Hardcopy)

Company:	
Address:	
City/Province:	
Country/Postal:	
Attention:	
Fascimile:	

1 data pages in this report. Approved by: _____

B.C. Certified Assayers

iPL CODE: 921231-10:43:22

INTERNATIONAL PLASMA LABORATORY LTD.

CERTIFICATE OF ANALYSIS
iPL 9201016

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

Report: 9201016 R Cambior Exploration USA, Inc. Project: 304 C Alder

Sample Name	Type	Au ppb	Au oz/st	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppb	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm
Hole 1 0050-0060	RC Cutting	<5	--	0.2	45	6	66	<5	6	--	2	<10	<2	<0.1	34	165	20
Hole 1 0100-0105	RC Cutting	<5	--	0.2	39	9	70	<5	<5	--	3	<10	<2	<0.1	31	149	22
Hole 1 0120-0125	RC Cutting	<5	--	0.2	10	7	73	<5	<5	--	4	<10	<2	<0.1	34	158	19
Hole 1 0125-0130	RC Cutting	<5	--	0.2	58	6	70	<5	5	--	4	<10	<2	0.1	31	149	19
Hole 1 0150-0155	RC Cutting	<5	--	0.1	9	9	70	<5	<5	--	2	<10	<2	<0.1	31	139	20
Hole 1 0165-0170	RC Cutting	<5	--	0.1	43	7	79	<5	5	--	3	<10	<2	<0.1	36	146	27
Hole 1 0190-0195	RC Cutting	<5	--	0.1	6	8	58	9	<5	--	2	<10	<2	<0.1	31	139	40
Hole 1 0210-0215	RC Cutting	<5	--	0.1	8	5	66	<5	<5	--	3	<10	<2	<0.1	31	141	21
Hole 1 0245-0250	RC Cutting	<5	--	<0.1	4	3	61	5	<5	--	3	<10	<2	<0.1	33	163	15
Hole 1 0310-0315	RC Cutting	<5	--	0.1	107	6	64	<5	<5	--	3	<10	<2	<0.1	32	170	35
Hole 1 0340-0345	RC Cutting	<5	--	0.1	54	5	73	<5	<5	--	4	<10	<2	<0.1	33	152	40
Hole 1 0365-0370	RC Cutting	<5	--	0.1	65	6	61	<5	<5	--	2	<10	<2	<0.1	29	145	43
Hole 1 0400-0405	RC Cutting	9	--	<0.1	36	7	65	<5	<5	--	3	<10	<2	<0.1	29	138	71
Hole 1 0410-0415	RC Cutting	7	--	<0.1	15	6	65	<5	<5	--	2	<10	<2	<0.1	29	137	33
Hole 1 0450-0455	RC Cutting	<5	--	<0.1	21	3	60	<5	<5	--	2	<10	<2	<0.1	31	166	41
Hole 1 0495-0500	RC Cutting	<5	--	0.1	13	4	61	<5	<5	--	2	<10	<2	<0.1	33	159	59
Hole 2 0070-0075	RC Cutting	<5	--	<0.1	79	5	63	<5	5	--	3	<10	<2	<0.1	30	133	56
Hole 2 0090-0095	RC Cutting	<5	--	<0.1	46	<2	71	<5	<5	--	4	<10	<2	<0.1	26	134	59
Hole 2 0145-0150	RC Cutting	<5	--	<0.1	42	<2	74	<5	<5	--	2	<10	<2	<0.1	28	138	58
Hole 2 0190-0195	RC Cutting	<5	--	<0.1	44	3	72	<5	<5	--	3	<10	<2	<0.1	24	117	46
Hole 2 0205-0210	RC Cutting	<5	--	<0.1	81	5	61	<5	<5	--	3	<10	<2	<0.1	29	128	69
Hole 2 0230-0235	RC Cutting	<5	--	<0.1	21	2	66	<5	<5	--	3	<10	<2	<0.1	26	131	94
Hole 2 0260-0265	RC Cutting	5	--	<0.1	50	<2	74	<5	<5	--	2	<10	<2	<0.1	26	133	56
Hole 2 0290-0295	RC Cutting	<5	--	<0.1	25	<2	68	<5	<5	--	4	<10	<2	<0.1	24	118	40
Hole 2 0335-0340	RC Cutting	<5	--	0.1	44	3	62	<5	<5	--	3	<10	<2	<0.1	29	114	47
Hole 2 0345-0350	RC Cutting	<5	--	0.1	54	<2	62	<5	<5	--	2	<10	<2	<0.1	25	127	51
Hole 2 0385-0390	RC Cutting	5	--	0.2	102	3	62	<5	<5	--	1	<10	<2	<0.1	26	131	45
Hole 2 0400-0405	RC Cutting	<5	--	<0.1	48	<2	62	<5	<5	--	2	<10	<2	<0.1	26	127	35
Hole 2 0435-0440	RC Cutting	<5	--	<0.1	49	<2	53	<5	6	--	3	<10	<2	<0.1	25	127	42
Hole 2 0465-0470	RC Cutting	<5	--	0.1	17	2	57	<5	<5	--	3	<10	<2	0.1	23	113	42
Hole 2 0480-0485	RC Cutting	<5	--	0.1	80	6	58	<5	<5	--	2	<10	<2	<0.1	27	118	34
Minimum Detection		5	0.005	0.1	1	2	1	5	5	5	1	10	2	0.1	1	1	2
Maximum Detection		10000	1000.000	100.0	20000	20000	20000	10000	1000	10000	1000	1000	10000	10000.0	10000	10000	10000
Method		FA/AAS	FAGrav	ICP	ICP	ICP	ICP	ICP	ICP	Geo	ICP	ICP	ICP	ICP	ICP	ICP	ICP

--=No Test ReC=ReCheck ins=Insufficient Sample m=Est/1000 %=Est % Max=No Est

INTERNATIONAL PLASMA LABORATORY LTD.

CERTIFICATE OF ANALYSIS
iPL 9201016

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898

Report: 9201016 R Cambior Exploration USA, Inc. Project: 304 C Alder   Section 2 of 2

Sample Name	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
Hole 1 0050-0060	<5	76	113	693	21	102	15	9	0.34	2.02	2.27	4.30	4.76	0.06	0.06	0.18
Hole 1 0100-0105	<5	91	94	638	26	132	13	6	0.29	2.04	1.79	4.15	4.16	0.06	0.08	0.19
Hole 1 0120-0125	<5	105	107	812	28	128	9	9	0.29	2.16	3.21	4.83	4.55	0.05	0.07	0.19
Hole 1 0125-0130	<5	88	97	795	29	122	7	8	0.18	2.25	3.93	4.65	4.09	0.07	0.06	0.18
Hole 1 0150-0155	<5	63	114	750	29	143	11	8	0.31	1.82	2.12	4.36	3.86	0.06	0.09	0.19
Hole 1 0165-0170	<5	84	124	912	32	158	13	10	0.41	2.37	3.54	4.98	4.57	0.06	0.08	0.20
Hole 1 0190-0195	<5	67	92	867	25	201	12	8	0.30	2.10	2.52	4.54	3.97	0.06	0.10	0.18
Hole 1 0210-0215	<5	83	105	673	29	149	10	8	0.22	1.86	2.55	4.73	3.61	0.06	0.10	0.19
Hole 1 0245-0250	<5	106	109	710	27	159	8	10	0.22	2.04	3.60	4.72	4.60	0.04	0.08	0.19
Hole 1 0310-0315	<5	75	90	661	24	229	10	6	0.23	2.19	2.54	4.06	4.42	0.06	0.15	0.19
Hole 1 0340-0345	<5	82	105	842	24	170	11	8	0.34	1.98	3.75	4.60	4.13	0.05	0.09	0.18
Hole 1 0365-0370	<5	69	100	563	27	224	7	4	0.21	1.90	1.46	4.20	3.77	0.08	0.20	0.20
Hole 1 0400-0405	<5	93	94	815	31	225	7	7	0.12	2.54	4.27	4.43	3.99	0.05	0.08	0.18
Hole 1 0410-0415	<5	99	99	678	33	191	7	7	0.16	2.70	3.28	4.75	4.53	0.04	0.06	0.20
Hole 1 0450-0455	<5	120	119	788	27	226	8	8	0.11	2.25	5.70	4.36	3.43	0.12	0.06	0.18
Hole 1 0495-0500	<5	112	121	873	26	322	10	9	0.29	2.12	4.15	4.61	4.66	0.08	0.17	0.16
Hole 2 0070-0075	<5	71	108	671	40	159	10	9	0.28	2.30	3.02	4.68	3.27	0.07	0.09	0.21
Hole 2 0090-0095	<5	75	87	650	42	228	5	6	0.03	2.80	3.47	4.67	3.50	0.04	0.06	0.21
Hole 2 0145-0150	<5	67	90	839	43	155	5	7	0.07	2.47	3.45	4.83	3.74	0.06	0.07	0.22
Hole 2 0190-0195	<5	58	69	713	37	143	4	5	0.05	2.15	3.04	4.13	3.36	0.05	0.07	0.20
Hole 2 0205-0210	<5	60	100	642	38	158	9	7	0.28	1.99	2.43	4.59	3.32	0.07	0.09	0.23
Hole 2 0230-0235	<5	70	89	800	42	153	6	6	0.06	2.38	3.57	4.63	3.56	0.05	0.08	0.21
Hole 2 0260-0265	<5	74	89	881	43	98	5	6	0.03	3.11	3.85	4.74	4.05	0.08	0.05	0.22
Hole 2 0290-0295	<5	69	81	865	43	121	5	7	0.04	2.49	4.37	4.51	3.35	0.07	0.06	0.23
Hole 2 0335-0340	<5	71	117	756	43	132	7	10	0.32	1.98	3.38	4.57	3.51	0.08	0.06	0.24
Hole 2 0345-0350	<5	81	96	682	44	129	5	5	0.06	2.07	3.00	4.72	2.99	0.09	0.06	0.25
Hole 2 0385-0390	<5	87	99	717	42	110	6	5	0.03	2.30	2.76	4.52	3.17	0.15	0.05	0.24
Hole 2 0400-0405	<5	99	98	714	41	130	6	7	0.13	2.19	3.29	4.56	3.57	0.09	0.06	0.23
Hole 2 0435-0440	<5	82	86	926	41	116	4	5	0.02	2.48	4.89	4.39	3.37	0.13	0.04	0.22
Hole 2 0465-0470	<5	72	91	709	42	105	7	5	0.07	1.79	3.51	4.21	3.01	0.08	0.07	0.22
Hole 2 0480-0485	<5	83	100	675	36	120	9	8	0.26	2.00	2.96	4.31	3.32	0.10	0.09	0.21
Minimum Detection	5	1	2	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	1000	10000	10000	10000	10000	10000	10000	10000	1.00	5.00	10.00	5.00	10.00	10.00	5.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP

---=No Test ReC=ReCheck ins=Insufficient Sample m=Est/1000 %=Est % Max=No Est