# Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bonnie # 23 Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Troy W Ray (a citizen of the United States)

(Locator must insert either "A Citizen of the United States," or "Who has declared his intention to become a Citizen of the United States.")

the undersigned, on the 7 day of June, 1976

The length of this claim is 1500 feet and Ine claim 1450 feet in a E direction and 50 feet in a W direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the E to the W

The claim is situated and located in the Red Hills Mining District, in Pinal county, in the State of Arizona, about 1020' in a N direction from a point 600' W. of S.W. Cor. of Sec 27 T4S R11E

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at Post

at a point in a W direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the W end line of said claim; thence S 300 feet to a Post, being the S W corner of said claim; thence E 1500 feet to a Post being at the S E corner of said claim; thence N 300 feet to a Post at the center of the E end of this claim; thence N 300 feet to a Post, being at the N E corner of said claim; thence W 1500 feet to a Post at the N W corner of said claim; thence S 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of June, 1976

Witness — Troy W Ray Locator(s)

STATE OF ARIZONA - COUNTY OF Pinal } ss.

I hereby certify that the within instrument was filed and recorded at request of Troy W. Ray on JUN - 8 1976 at 11:55A M, Docket Page DOCKET 825 PAGE 489

540716

Witness my hand and official seal the day and year aforesaid.

WILLIAM S. TRUMAN County Recorder.

By Anne M. Mabery Deputy Recorder

| Indexed | Photostat Compared | Blotted |
|---|---|---|
| | ✓ | |

RECORDER OFFICIAL SEAL PINAL COUNTY, ARIZONA

Form No. 1 GILA COUNTY OFFICE SUPPLY



# Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bonnie # 24 Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Troy W. Ray (a citizen of the United States

(Locator must insert either "A Citizen of the United States," or "Who has declared his intention to become a Citizen of the United States.")

the undersigned, on the 7 day of June, 1976

The length of this claim is 1500 feet and Ine claim 1450 feet in a W direction and 50 feet in a E direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the E to the W

The claim is situated and located in the Red Hills Mining District, in Pinal county, in the State of Arizona, about 1020 in a N direction from a point 600' W of S.W. Cor of Sec 27 T4S R11E

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at Post

at a point in a E direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the E end line of said claim; thence S 300 feet to a Post, being the S E corner of said claim; thence W 1500 feet to a Post being at the S W corner of said claim; thence N 300 feet to a Post at the center of the W end of this claim; thence N 300 feet to a Post, being at the N W corner of said claim; thence E 1500 feet to a Post at the N E corner of said claim; thence S 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of June, 1976

Witness — Troy W. Ray Locator(s)

STATE OF ARIZONA - COUNTY OF Pinal } ss.

I hereby certify that the within instrument was filed and recorded at request of Troy W. Ray on JUN - 8 1976 at 11:55A M, Docket Page DOCKET 825 PAGE 490

540717

Witness my hand and official seal the day and year aforesaid.

WILLIAM S. TRUMAN County Recorder.

By Anne M. Mabery Deputy Recorder

| Indexed | Photostat Compared | Blotted |
|---|---|---|
| | ✓ | |

RECORDER OFFICIAL SEAL PINAL COUNTY, ARIZONA

Form No. 1 GILA COUNTY OFFICE SUPPLY



# Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bonnie # 25 Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Troy W. Ray (a citizen of the United States)

(Locator must insert either "A Citizen of the United States," or "Who has declared his intention to become a Citizen of the United States.")

the undersigned, on the 7 day of June, 1976

The length of this claim is 1500 feet and Ine claim 1450 feet in a E direction and 50 feet in a W direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the E to the W

The claim is situated and located in the Red Hills Mining District, in Pinal county, in the State of Arizona, about 1620' in a N direction from a point 600' W of S.W. Cor of Sec 27 T4S R11E

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at Post

at a point in a W direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the W end line of said claim; thence S 300 feet to a Post, being the S W corner of said claim; thence E 1500 feet to a Post being at the S E corner of said claim; thence N 300 feet to a Post at the center of the E end of this claim; thence N 300 feet to a Post, being at the N E corner of said claim; thence W 1500 feet to a Post at the N W corner of said claim; thence S 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of June, 1976

Witness — Troy W. Ray Locator(s)

STATE OF ARIZONA - COUNTY OF Pinal } ss.

I hereby certify that the within instrument was filed and recorded at request of Troy W. Ray on JUN - 8 1976 at 11:55A M, Docket Page DOCKET 825 PAGE 491

540718

Witness my hand and official seal the day and year aforesaid.

WILLIAM S. TRUMAN County Recorder.

By Anne M. Mabery Deputy Recorder

| Indexed | Photostat Compared | Blotted |
|---|---|---|
| | ✓ | |

RECORDER OFFICIAL SEAL PINAL COUNTY, ARIZONA

Form No. 1 GILA COUNTY OFFICE SUPPLY

DOCKET 825 PAGE 486

## Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bonnie # 20 Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Troy W. Ray (a citizen of the United States)

(Locator must insert either "A Citizen of the United States," or "Who has declared his intention to become a Citizen of the United States.")

the undersigned, on the 7 day of June, 1976

The length of this claim is 1500 feet and Inc claim 1450 feet in a W direction and 50 feet in a E direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the E to the W

The claim is situated and located in the Red Hills Mining District, in Pinal county, in the State of Arizona, about 5,120' in a N direction from a point 600' W. of SW. Cor of Sec 34 T4S R11E

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at Post

at a point in a E direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the E end line of said claim; thence S 300 feet to a Post, being the SE corner of said claim; thence W 1500 feet to a Post being at the SW corner of said claim; thence N 300 feet to a Post at the center of the W end of this claim; thence N 300 feet to a Post, being at the NW corner of said claim; thence E 1500 feet to a Post at the NE corner of said claim; thence S 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of June, 1976

Witness Troy W. Ray Locator(s)

STATE OF ARIZONA, COUNTY OF Pinal ss.

I hereby certify that the within instrument was filed and recorded at request of Troy W. Ray

on JUN - 8 1976 at 11:55A M. Docket Page DOCKET 825 PAGE 486

540713

Witness my hand and official seal the day and year aforesaid.

WILLIAM S. TRUMAN County Recorder.

By Anne M. Mabery Deputy Recorder

| Indexed | Photostat Compared | Blotted |
|---|---|---|
| | ✓ | |

RECORDER OFFICIAL SEAL PINAL COUNTY, ARIZONA

Form No. 1 GILA COUNTY OFFICE SUPPLY

DOCKET 825 PAGE 487

## Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bonnie # 21 Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Troy W Ray (a citizen of the United States

(Locator must insert either "A Citizen of the United States," or "Who has declared his intention to become a Citizen of the United States.")

the undersigned, on the 7 day of June, 1976

The length of this claim is 1500 feet and Inc claim 1450 feet in a E direction and 50 feet in a W direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the E to the W

The claim is situated and located in the Red Hills Mining District, in Pinal county, in the State of Arizona, about 420' in a N direction from a point 600' W of SW. cor of Sec 27 T4S R11E

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at Post

at a point in a W direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the W end line of said claim; thence S 300 feet to a Post, being the SW corner of said claim; thence E 1500 feet to a Post being at the SE corner of said claim; thence N 300 feet to a Post at the center of the E end of this claim; thence N 300 feet to a Post, being at the NE corner of said claim; thence W 1500 feet to a Post at the NW corner of said claim; thence S 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of June, 1976

Witness Troy W Ray Locator(s)

STATE OF ARIZONA, COUNTY OF Pinal ss.

I hereby certify that the within instrument was filed and recorded at request of Troy W. Ray

on JUN - 8 1976 at 11:55A M. Docket Page DOCKET 825 PAGE 487

540714

Witness my hand and official seal the day and year aforesaid.

WILLIAM S. TRUMAN County Recorder.

By Anne M. Mabery Deputy Recorder

| Indexed | Photostat Compared | Blotted |
|---|---|---|
| | ✓ | |

RECORDER OFFICIAL SEAL PINAL COUNTY, ARIZONA

Form No. 1 GILA COUNTY OFFICE SUPPLY

DOCKET 825 PAGE 488

## Notice of Mining Location

LODE CLAIM

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bonnie # 22 Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Troy W. Ray (a citizen of the United States)

(Locator must insert either "A Citizen of the United States," or "Who has declared his intention to become a Citizen of the United States.")

the undersigned, on the 7 day of June, 1976

The length of this claim is 1500 feet and Inc claim 1450 feet in a W direction and 50 feet in a E direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the E to the W

The claim is situated and located in the Red Hills Mining District, in Pinal county, in the State of Arizona, about 420' in a N direction from a point 600' W. of SW. cor of Sec 27 T4S R11E.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at Post

at a point in a E direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the E end line of said claim; thence S 300 feet to a Post, being the SE corner of said claim; thence W 1500 feet to a Post being at the SW corner of said claim; thence N 300 feet to a Post at the center of the W end of this claim; thence N 300 feet to a Post, being at the NW corner of said claim; thence E 1500 feet to a Post at the NE corner of said claim; thence S 300 feet to the place of beginning.

Dated and posted on the ground this 7 day of June, 1976

Witness Troy W. Ray Locator(s)

STATE OF ARIZONA, COUNTY OF Pinal ss.

I hereby certify that the within instrument was filed and recorded at request of Troy W. Ray

on JUN - 8 1976 at 11:55A M. Docket Page DOCKET 825 PAGE 488

540715

Witness my hand and official seal the day and year aforesaid.

WILLIAM S. TRUMAN County Recorder.

By Anne M. Mabery Deputy Recorder

| Indexed | Photostat Compared | Blotted |
|---|---|---|
| | ✓ | |

RECORDER OFFICIAL SEAL PINAL COUNTY, ARIZONA

Form No. 1 GILA COUNTY OFFICE SUPPLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

June 12, 1991
(Date)

TO WHOM IT MAY CONCERN:

I HEREBY CERTIFY That the attached reproduction(s) is a (extract) copy of documents on file in this office.

IN TESTIMONY WHEREOF I have hereunto subscribed my name and caused the seal of this office to be affixed on the above day and year.

Alene Morrison
(Authorized Signature)

Form 1270-1
(May 1976)
☆GPO 777-907

# United States Department of the Interior

BUREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE
3707 N. 7TH STREET
P.O. BOX 16563
PHOENIX, ARIZONA 85011
(602) 640-5550

TAKE PRIDE IN AMERICA

IN REPLY REFER TO:

(922-LC)
0022M
A MC 89192
A MC 104478
A MC 109498
A MC 130125

CERTIFIED MAIL--RETURN RECEIPT REQUESTED June 5, 1991

**DECISION**

Mining Claimant(s)
as Shown on the
Enclosed Sheet

Mining Claim(s)
as Shown on the
Enclosed Sheets(3)

**MINING CLAIMS DECLARED ABANDONED**

The Federal Land Policy and Management Act (FLPMA) of 1976, 43 U.S.C. 1744, and the implementing regulations in 43 CFR 3833.2, require an annual filing for all mining claims recorded with the Bureau of Land Management (BLM). FLPMA provides that failure to file evidence of annual assessment work or a notice of intention to hold by December 30 of each year shall be deemed conclusively to constitute an abandonment of the claim and it is void by operation of law. The constitutionality of Section 314 of FLPMA was upheld on April 1, 1985, by the United States Supreme Court in United States v. Locke et al., 471 U.S. 84, 129 (1985).

The BLM records do not show receipt of either an affidavit of annual assessment work performed or a notice of intention to hold for the claim(s) listed on the enclosed sheet(s) for the 1990 assessment year.

If you did timely file an affidavit or notice of intention to hold with the BLM during 1990, please furnish a copy which shows receipt by the BLM Arizona State Office, (dated and time stamped) during 1990.

Your proof must show the required document was timely filed with the BLM during 1990, otherwise it will not be accepted. The evidence must be received in this office no later than 30 days from receipt of this decision. If the proof is not furnished during this 30-day period, the claim(s) will be removed from our records as abandoned and void.

Larry P. Bauer
Deputy State Director,
Division of Mineral Resources

Enclosure

LEAD OWNER

RAY TROY
1306 Live Oak
Miami, AZ 85539

CO-OWNERS
NONE

ARIZONA LEAD FILE NUMBER - 89192

| SE PE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. | CASE TYPE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. |
|---|---|---|---|---|---|---|---|
| | 89192 | BONNIE #1 | 1989 | | | | |
| | 89193 | BONNIE #2 | 1989 | LD | 89194 | BONNIE #3 | 1989 |
| | 89195 | BONNIE #4 | 1989 | LD | 89196 | BONNIE #5 | 1989 |
| | 89197 | BONNIE #6 | 1989 | LD | 89198 | BONNIE #7 | 1989 |
| | 89199 | BONNIE #8 | 1989 | LD | 89200 | BONNIE #9 | 1989 |
| | 89201 | BONNIE #10 | 1989 | | | | |

ARIZONA LEAD FILE NUMBER - 104478

| SE PE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. | CASE TYPE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. |
|---|---|---|---|---|---|---|---|
| | 104478 | RED HILLS #1 | 1989 | | | | |
| | 104479 | RED HILLS #2 | 1989 | LD | 104480 | RED HILLS #3 | 1989 |
| | 104481 | RED HILLS #4 | 1989 | LD | 104482 | RED HILLS #5 | 1989 |
| | 104483 | RED HILLS #6 | 1989 | LD | 104484 | RED HILLS #7 | 1989 |
| | 104485 | RED HILLS #8 | 1989 | LD | 104486 | RED HILLS #9 | 1989 |
| | 104487 | RED HILLS #10 | 1989 | LD | 104488 | RED HILLS #11 | 1989 |
| | 104489 | RED HILLS #12 | 1989 | LD | 104490 | RED HILLS #13 | 1989 |
| | 104491 | RED HILLS #14 | 1989 | LD | 104492 | RED HILLS #15 | 1989 |
| | 104493 | RED HILLS #16 | 1989 | LD | 104494 | RED HILLS #17 | 1989 |
| | 104495 | RED HILLS #18 | 1989 | | | | |

ARIZONA LEAD FILE NUMBER - 109498

| SE PE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. | CASE TYPE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. |
|---|---|---|---|---|---|---|---|
| | 109498 | RED HILLS #26 | 1989 | | | | |
| | 109499 | RED HILLS 27 | 1989 | LD | 109500 | RED HILLS 28 | 1989 |
| | 109501 | RED HILLS 29 | 1989 | LD | 109502 | RED HILLS 30 | 1989 |
| | 109503 | RED HILLS 31 | 1989 | LD | 109504 | RED HILLS 32 | 1989 |
| | 109505 | RED HILLS 33 | 1989 | LD | 109506 | RED HILL 34 | 1989 |
| | 109507 | RED HILLS 35 | 1989 | LD | 109508 | RED HILLS 36 | 1989 |
| | 109509 | RED HILLS 37 | 1989 | LD | 109510 | RED HILLS 38 | 1989 |
| | 109511 | RED HILLS 39 | 1989 | LD | 109512 | RED HILLS 40 | 1989 |
| | 109513 | RED HILLS 41 | 1989 | LD | 109514 | RED HILLS 42 | 1989 |
| | 109515 | RED HILLS 43 | 1989 | LD | 109516 | RED HILLS 44 | 1989 |

Closed 89192-89201
6-5-91
ENTERED IN COMPUTER

LEAD OWNER

RAY TROY
1306 Live Oak
Miami, AZ85539

CO-OWNERS
NONE

ARIZONA LEAD FILE NUMBER - 130125

| SE PE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. | CASE TYPE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. |
|---|---|---|---|---|---|---|---|
| | 130125 | RED HILLS #45 | 1989 | | | | |
| | 130126 | RED HILLS #46 | 1989 | LD | 130127 | RED HILLS #47 | 1989 |
| | 130128 | RED HILLS #48 | 1989 | LD | 130129 | RED HILLS #49 | 1989 |
| | 130130 | RED HILLS #50 | 1989 | LD | 130131 | RED HILLS #51 | 1989 |
| | 130132 | RED HILLS #52 | 1989 | LD | 130133 | RED HILLS #53 | 1989 |
| | 130134 | RED HILLS #54 | 1989 | LD | 130135 | RED HILLS #55 | 1989 |
| | 130136 | RED HILLS #56 | 1989 | LD | 130137 | RED HILLS #57 | 1989 |
| | 130138 | RED HILLS #58 | 1989 | LD | 130139 | RED HILLS #59 | 1989 |
| | 130140 | RED HILLS #60 | 1989 | LD | 130141 | RED HILLS #61 | 1989 |
| | 130142 | RED HILLS #62 | 1989 | LD | 130143 | RED HILLS #63 | 1989 |
| | 130144 | RED HILLS #64 | 1989 | LD | 130145 | RED HILLS #65 | 1989 |
| | 130146 | RED HILLS #66 | 1989 | LD | 130147 | RED HILLS #67 | 1989 |
| | 130148 | RED HILLS #68 | 1989 | LD | 130149 | RED HILLS #69 | 1989 |
| | 130150 | RED HILLS #70 | 1989 | LD | 130151 | RED HILLS #71 | 1989 |
| | 130152 | RED HILLS #72 | 1989 | LD | 130153 | RED HILLS #73 | 1989 |
| | 130154 | RED HILLS #74 | 1989 | LD | 130155 | RED HILLS #75 | 1989 |
| | 130156 | RED HILLS #76 | 1989 | LD | 130157 | RED HILLS #77 | 1989 |
| | 130158 | RED HILLS #78 | 1989 | LD | 130159 | RED HILLS #79 | 1989 |
| | 130160 | RED HILLS #80 | 1989 | LD | 130161 | RED HILLS #81 | 1989 |
| | 130162 | RED HILLS #32 | 1989 | LD | 130164 | RED HILLS #84 | 1989 |
| | 130166 | RED HILLS #86 | 1989 | LD | 130168 | RED HILLS #88 | 1989 |
| | 130170 | RED HILLS #90 | 1989 | LD | 130171 | RED HILLS #91 | 1989 |
| | 130172 | RED HILLS #92 | 1989 | LD | 130173 | RED HILLS #93 | 1989 |
| | 130174 | RED HILLS #94 | 1989 | LD | 130175 | RED HILLS #95 | 1989 |
| | 130176 | RED HILLS #96 | 1989 | LD | 130177 | RED HILLS #97 | 1989 |
| | 130178 | RED HILLS #98 | 1989 | LD | 130179 | RED HILLS #99 | 1989 |
| | 130180 | RED HILLS #100 | 1989 | LD | 130181 | RED HILLS #101 | 1989 |
| | 130182 | RED HILLS #102 | 1989 | LD | 130183 | RED HILLS #103 | 1989 |
| | 130184 | RED HILLS #104 | 1989 | LD | 130185 | RED HILLS #105 | 1989 |
| | 130186 | RED HILLS #106 | 1989 | LD | 130187 | RED HILLS #107 | 1989 |
| | 130188 | RED HILLS #108 | 1989 | LD | 130189 | RED HILLS #109 | 1989 |
| | 130190 | RED HILLS #110 | 1989 | LD | 130191 | RED HILLS #111 | 1989 |
| | 130192 | RED HILLS #112 | 1989 | LD | 130193 | RED HILLS #113 | 1989 |
| | 130194 | RED HILLS #114 | 1989 | LD | 130195 | RED HILLS #115 | 1989 |
| | 130196 | RED HILLS #116 | 1989 | LD | 130197 | RED HILLS #117 | 1989 |
| | 130198 | RED HILLS #118 | 1989 | LD | 130199 | RED HILLS #119 | 1989 |
| | 130200 | RED HILLS #120 | 1989 | LD | 130201 | RED HILLS #121 | 1989 |

losed 130125-130162
130164
130166
130168
130170-130222

ARIZONA LEAD FILE NUMBER - 130125

| CASE TYPE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. | CASE TYPE | SERIAL NUMBER | CLAIM NAME | LAST ASSMT. |
|---|---|---|---|---|---|---|---|
| | 130202 | RED HILLS #122 | 1989 | LD | 130203 | RED HILLS #123 | 1989 |
| | 130204 | RED HILLS #124 | 1989 | LD | 130205 | RED HILLS #125 | 1989 |
| | 130206 | RED HILLS #126 | 1989 | LD | 130207 | RED HILLS #127 | 1989 |
| | 130208 | RED HILLS #128 | 1989 | LD | 130209 | RED HILLS #129 | 1989 |
| | 130210 | RED HILLS #130 | 1989 | LD | 130211 | RED HILLS #131 | 1989 |
| | 130212 | RED HILLS #132 | 1989 | LD | 130213 | RED HILLS #133 | 1989 |
| | 130214 | RED HILLS #134 | 1989 | LD | 130215 | RED HILLS #135 | 1989 |
| | 130216 | RED HILLS #136 | 1989 | LD | 130217 | RED HILLS #137 | 1989 |
| | 130218 | RED HILLS #138 | 1989 | LD | 130219 | RED HILLS #139 | 1989 |
| | 130220 | RED HILLS #140 | 1989 | LD | 130221 | RED HILLS #141 | 1989 |
| | 130222 | RED HILLS #142 | 1989 | | | | |




RH-1 TD 750'
logs, assays here
See exes w/Cook, most all Cole till bottom. Alternately PE granite (drake) and Tert. gyp porph. or porph granodiorite

HORST
RELATIVELY SHALLOW BASEMENT

CAT HILLS HORST
SHALLOW BASEMENT

EAST PICACHO BASIN
DEEP BASEMENT

CAT HILLS
p€ gr

BOX O HILLS
p€ gr

NINETY SIX HILLS
p€ gr

PROSPECT HILL
p€ gr?

MIDDLE MOUNTAIN
p€ gr

PICACHO MOUNTAINS
p€ gr

LINE 6
LINE 8
LINE 12
LINE 13
LINE 9
LOOP A
LOOP B

2300'-3500'
1600'-2300'
1700'-2500'
2000'-2900'
2600'-4100'
500'-800'
700'-1000'
1400'-2200'
2600'-3900'

SHALLOW

Qs

EXPLANATION.

Geologic contact interpreted from topographic map

Pre-post mineral rock contact picked by a gravity crew

Normal fault interpreted from gravity data

Depth to premineral rocks estimated from gravity data for Δρ of 0.3 and 0.4 gm./cm.³

T. 5 S.
T. 6 S.
T. 7 S.
R. 10 E.
R. 11 E.

GRAVITY DATA INTERPRETATION MAP

SCALE 1" = 2000'

GRAVITY SURVEY
PLAN MAP
BOX O WASH PROJECT 7-21
PINAL COUNTY, ARIZONA
for
PILLAR, LOWELL & ASSOCIATES
by
mining geophysical surveys

0807

Diamond Drill Hole RH-2

# Rocky Mountain Geochemical Corporation

2050 EAST 14TH STREET
TUCSON, ARIZONA 85719

Phone 622-5702
Area Code: 602

## CERTIFICATE OF ANALYSES

Start w/ Py at ~250' RH-2 Several zones here [illegible] Low Cu values

.1-.2% Cu at depth

960-970/10@.21
980-990/10@.16

Overall nothing impressive

TD 90 [illegible] 20@.13
860-870/10@.11

- Assays only

1300-1310/10'@.11

TD ~~2280~~ 2473'

1540-1590/10'@.24

1990-2000' 10'@.59
1790-1800/10@.11
1840-1850/10@.12
1570'-1610' 40'@.21

72-3-14T

Page 1 of 1

**Date** February 25, 1972

**Client** Red Hills Mining Corp.
P.O. Box 611
1009 Final
Florence, Arizona 85232

**Report on:** 5 Samples

**Submitted by:** Mr. Don Kennedy

**Date Received:** February 21, 1972

**Analysis:** Copper and Copper Oxide

**Remarks:** All results determined by atomic absorption.

Job No. 72-3-14T Invoice No. TU-2981
cc: Duc.
IMCC: SLC
file
MHH:rg

| Sample No. | | PPM Copper | ppm Copper Oxide |
|---|---|---|---|
| RH#2 | 12-17 | 100 | 70 |
| " | 17-40 | 85 | 60 |
| " | 40-50 | 105 | 80 |
| " | 50-57 | 155 | 110 |
| RH#2 | 57-90 | 110 | 80 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona February 25, 1972

By _____
Martin H. Hibbetts

All values are reported in parts per million unless specified otherwise. A minus sign (-) is to be read "less than" and a plus sign (+) "greater than." Values in parenthesis are estimates. This analytical report is the confidential property of the above mentioned client and for the protection of this client and ourselves we reserve the right to forbid publication or reproduction of this report or any part thereof without written permission.

ND = Not Detected | 1 ppm = 0.0001% | 1 Troy oz./ton = 34.28 ppm | % Mo. x 1.6683 = $\%MoO_3$

| Sample No. | | ppm Copper | ppm Copper Oxide |
|---|---|---|---|
| RH#2 | 90-100 | 300 | 170 |
| " | 100-110 | 170 | 90 |
| " | 110-120 | 410 | 200 |
| " | 120-130 | 200 | 110 |
| " | 130-140 | 60 | 30 |
| " | 140-150 | 110 | 55 |
| " | 150-160 | 100 | 60 |
| " | 160-170 | 170 | 140 |
| " | 170-180 | 260 | 130 |
| " | 180-190 | 140 | 100 |
| " | 190-200 | 85 | 10 |
| " | 200-210 | 240 | 30 |
| " | 210-220 | 80 | 30 |
| RH#2 | 220-230 | 230 | 140 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona March 15, 1972

By_____

Martin H. Hibbetts

See Assay RH#2 250-300 RH#2 230-240 NL
72-4-4T Pb Zn ↓ 450-456 ↓ 470-480



| Sample No. | | ppm Copper | ppm Copper Oxide |
|---|---|---|---|
| RH#2 | 230-240 | 80 | 70 |
| " | 240-250 | 100 | 45 |
| " | 250-260 | 80 | 40 |
| " | 260-270 | 65 | 30 |
| " | 270-280 | 110 | 30 |
| " | 280-290 | 215 | 85 |
| " | 290-300 | 30 | 20 |
| " | 300-310 | 130 | 15 |
| " | 310-320 | 160 | 10 |
| " | 320-330 | 30 | 5 |
| " | 330-340 | 65 | 40 |
| RH#2 | 340-350 | 150 | 90 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona March 17, 1972

By_____

Martin H. Hibbetts

| Sample No. | | ppm n Copper | ppm Copper Oxide |
|---|---|---|---|
| RH#2 | 350-360 | 280 | 220 |
| " | 360-370 | 60 | 50 |
| " | 370-380 | 40 | 40 |
| " | 380-390 | 20 | 25 |
| " | 390-400 | 50 | 40 |
| " | 400-410 | 5 | 10 |
| " | 410-420 | 30 | 20 |
| " | 420-430 | 65 | 40 |
| " | 430-440 | 190 | 55 |
| " | 440-450 | 340 | 100 |
| " | 450-460 | 100 | 30 |
| " | 460-470 | 80 | 40 |
| RH/2 | 470-480 | 25 | 10 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona March 24, 1972

By_____

Martin H. Hibbetts

| Sample No. | | ppm Copper | ppm Molybdenum | ppm Copper Oxide |
|---|---|---|---|---|
| RH#2 | 480-490 | 30 | | 10 |
| " | 490-500 | 60 | | 10 |
| " | 500-510 | 40 | 6 | 10 |
| " | 510-520 | 105 | 9 | 10 |
| " | 520-530 | 140 | 6 | 30 |
| " | 530-540 | 130 | 9 | 25 |
| " | 540-550 | 65 | 8 | 20 |
| " | 550-560 | 330 | 7 | 50 |
| " | 560-570 | 160 | 4 | 60 |
| " | 570-580 | 120 | 18 | 30 |
| " | 580-590 | 210 | 14 | 80 |
| " | 590-600 | 90 | 5 | 45 |
| RH#2 | 600-610 | 510 | 7 | 120 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona March 30, 1972

By_____

Martin H. Hibbetts

| Sample No. | | ppm Copper | ppm Molybdenum | ppm Copper Oxide |
|---|---|---|---|---|
| RH#2 | 610-620* | | | |
| " | 620-630 | 605 | 7 | 80 |
| " | 630-640 | 450 | 4 | 200 |
| " | 640-650 | 665 | 7 | 220 |
| " | 650-660 | 420 | 9 | 120 |
| " | 660-670 | 520 | 11 | 210 |
| " | 670-680 | 480 | 6 | 60 |
| " | 680-690 | 320 | 4 | 120 |
| " | 690-700 | 280 | 5 | 20 |
| " | 700-710 | 410 | 2 | 10 |
| RH#2 | 710-720 | 200 | 7 | 10 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona March 30, 1972

By_____

Martin H. Hibbetts

*NOTE: This sample being rerun. Will be reported on next report.

Red Hills Mining Corp

RH-2 = DDH-2




Weak argillization
1425
$MoS_2$
$SiO_2$-$FeS_2$-sericite zone.
1450
Minor epidote
Weak Sulphides
1475
Good chalco.
Spotty strong chloritization
$SiO_2$ veinlet
$MoS_2$
Epidote
1500
Spotty New K-Spar
Good Chalco Blebs @ 1494' & 1496'
Rock Fresh
Weak Sulphides
1525
New K-Spar?
$SiO_2$-$FeS_2$ veinlets
1550
Good Chalco.
$MoS_2$
Weak to medium argillization
$SiO_2$ vein - $MoS_2$
Strong sericite
Increase in Chloritization & Chalcopyrite
1575
$SiO_2$-$FeS_2$-Ser. vein
Good Veinlet of Chalco. @ 1586'
$MoS_2$
$MoS_2$
Spotty New
1600
Massive Chlorite
Good Chalco @ 1605'
Diabase
Weak Sulphides
Minor Epidote
1625
Increase Epidote
Granite Fresh
Nil Sulphides
1650
Aplite - Pegmatite
Granite Fresh
Nil Sulphides
1675
Aplite - Pegmatite
1700
Granite Fresh
1725
Sulphides Weak
Weak Argillization
Increase in Sulphides
Lost Water @ 1792'
1750
1775
1800
1825
Excellent Chalco @ 1843' - Associated with New K-Spar (?)
1850
Nil Sulphides
Good Epidote
Aplite - Pegmatite
1875
Rock Fresh
1900
Weak Chloritization
1925
Spotty New K-Spar
1950
Spotty Epidote
$SiO_2$-$FeS_2$-$CuFeS_2$ veinlet
$SiO_2$ veinlet
1975
Spotty new K-Spar
Excellent Chalcopyrite
Good New K-Spar
2000
2025
Significant drop in sulphide
Pegmatite - Minor
Silicification
Fair chloritization
2050
Spotty New K-Spar
Weak sulphides
Steep $FeS_2$ - Chalco. veinlet
Minor epidote
2075
Fair chalcopyrite
Weak sulphides
2100
Pre-Cambrian DIABASE
Fair chalcopyrite in granite.
2125
DIABASE - Qtz Epidote ve.
Strong Epidote
2150
Calcite filled fracts.
Hematite on fracts
2175
Nil Sulphides
Fresh diabase, chlorite on fractures
Nil Sulphides
2200


Vertical $FeS_2$ veinlets
2425
Strong epidote
Increase in $FeS_2$ associated with epidote.
2450
Strong epidote + $SiO_2$
Fair chalco @ 2256.5'.
Moderate chloritization
3/8" chalco. vein @ 2268'
2275
2473
Strong chloritization
Calcite seams
Fault zone 2280-2324'
2300
Weak sulphides
325
250
Good chalco @ 2368' associated with steep $SiO_2$ - K spar vein.
Minor inclusions granite
1375
Mixed diabase & granite.
K-spars → Albite(?)
2400
Strong chlorite on fracts.
Sulphides nil
Epidote
Silicification
Nil sulphides
END OF HOLE @ 2473'

Diamond Drill Hole 12H-2

# Diamond Drill Core Log Sheet

Drill Hole No.: 2 Date Started: 3/5/72 Location: IP Survey Hole Sec 24 Q.C.:

| Core Rec. % | Description | Mineralization | | | | Assays-P | |
|---|---|---|---|---|---|---|---|
| | | FeS | Fe O | CuO | Cu S | Oz/Ton | Oz/Cu |
| | Contracted Joy Manufacturing Co. to deepen hole #2. Discovered hole had only been drilled to 1412' by RMGC rather than 1452' reported. | | | | | | |
| 1450 100% | Precambrian "Oracle" granite with considerable biotite (primary). Very sparse new K-spar, weak chloritization of biotite. Pyrite and chalcopyrite mineralization weak and spotty. Minor silicification. Few sp's of epidote. Fract @ 1449.7' | X | Nil | | X | 440 | |
| 1460 95% | Ditto above. Some chloritization of plagioclase feldspars. Some sericitization & kaolinization @ 1457'. | X | Nil | | X | 260 | |
| 1470 100% | Ditto above. | X | Nil | | X | 215 | |
| 1480 80% | Ditto above. Fracts @ 1477', 1478' & 1479' | X | Nil | | X | 110 | |
| @ 1490 100% | Ditto above, possibly slight increase in chalcopyrite from previous run, still weak. | X | Nil | | X | 155 | |
| 1502 102% | Ditto above, some good blebs of Chalcopyrite @ 1496' and 1496' (new K-spar here) but overall still weak. Nil pyrite. | X | Nil | | X | 585 | |
| 1515 100% | Ditto above, increase in pyrite but spotty. Chalcopyrite above same as previous run. Rock still fresh and competent. | X | Nil | | X | 490 | |
| 1520 100% | Ditto above. Drop (?) in chalco, pyrite about same. Quartz-sericite 1512'-1512' Weak to moderate argillization in places. Fract @ 1512' | X | Nil | | X | 100 | |
| 1530 100% | Ditto above. Rock very fresh, very minor new K-spar as in previous runs. | X | Nil | | X | 160 | |
| 1540 100% | Ditto above. Some good chalcopyrite @ 1532.5' but overall run is weak pyrite weak. | X | Nil | | X | 190 | |
| 1550 100% | Ditto above. Excellent chalcopyrite @ 1549.5' Weak to moderate argillization, quartz-pyrite-chalcopyrite-sericite veins (shear zones?) @ 1544.5' and 1542'-1550'. Increase in chloritization from previous runs. | X | Nil | | X | 0.24% | |
| 1560 100% | Ditto above. Fract @ 1555.5' Fract @ 1559' | X | | | | 155 | |

# DIAMOND DRILL CORE LOG SHEET

Drill Hole No.: 2 Date Started: ____ Location: ____ Date: ____

| INTERVAL | CORE REC. % | DESCRIPTION | MINERALIZATION: $FeS_2$ | $FeO_x$ | $CuO_x$ | CuS | ASSAYS-F Tot. Cu | Ox. Cu |
|---|---|---|---|---|---|---|---|---|
| | | Good chalcopyrite in places but spotty. Considerable biotite. Shear zone @ 1566'. | | | | | | |
| 1570-1580 | 100% | Ditto above. Fract @ 1574'. Strong chloritization in places. Quartz-pyrite sericite vein @ 1574.5'. | X | Nil | | X | 0.147 | 7 |
| 1580-1590 | 91% | Ditto above, increase in chloritization. Chalco still weak but good veinlet (± 1/16") @ 1586'. Good $MoS_2$ @ 1589' Chalco stronger (?) than previous runs. | X | Nil | | X | 0.217 | 36 |
| 1590-1600 | 98% | Ditto above. Moderate to strong chloritization whole run. Good $MoS_2$ @ 1596.5'. New K-spar spotty, as in previous runs. | X | Nil | | X | 0.227 | 7 |
| 1600-1610 | 97% | Ditto above. Brecciated fault zone starts @ 1601', massive chlorite (some diabase ??) 1607'-1610'. Good sericite in places. Excellent chalcopyrite @ 1605'. Fault zone ends ± 1608'. | X | Nil | | X | 0.197 | 6 |
| 1610-1620 | 94% | Diabase 1610'-1615', then fresh pre-Cambrian "Oracle" granite 1615'-1620'. Very weak chalco and pyrite. Minor epidote as in previous runs. | X | Nil | | X | .145 | 1 |
| 1620-1630 | 105% | Ditto above, fresh "Oracle" granite. Nil pyrite and chalcopyrite. Increase in epidote, strong biotite as previous runs. Small 2"-3" breccia zone @ 1628'. | X | Nil | | X | 80 | 1 |
| 1630-1640 | 100% | Ditto above, fresh "Oracle" granite, nil sulphides. | X | Nil | | X | 30 | 1 |
| 1640-1650 | 100% | Ditto above. Perhaps slight increase in pyrite. | X | Nil | | X | 195 | 2 |
| 1650-1660 | 100% | Ditto above. Fair chalco 1659'-1660', nil elsewhere. | X | Nil | | X | 200 | 3 |
| 1660-1670 | 100% | Ditto above. | X | Nil | | X | 90 | |
| 1670-1680 | 100% | Ditto above. Some aplite-pegmatite. Nil sulphides. | X | Nil | | X | 50 | |
| 1680-1690 | 95% | Ditto above. Good epidote. Fract @ 1685'. | X | Nil | | X | 70 | 2 |
| 1690-1700 | 100% | Ditto above. Nil sulphides. | X | Nil | | X | 130 | 4 |
| 1700-1710 | 100% | Ditto above. Some aplite-pegmatite. | X | Nil | | X | 60 | 1 |
| 1710-1720 | 93% | Ditto above. Nil sulphides. | X | Nil | | X | 35 | |

# Diamond Drill Core Log Sheet

Drill Hole No.: 2 Date Started: ____ Location: ____ D...: ____

| Intervals | Core Rec. % | Description | Mineralization | | | | Assays - F | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | FeOx | $CuO_2$ | CuS | Tot Cu | Ox Cu |
| 1730-1740 | 100% | Ditto above. | X | Nil | | X | 200 | |
| 1740-1750 | 95% | Ditto above. Slight increase in $FeS_2$ and $CuFeS_2$ | X | N.I | | X | 230 | |
| 1750-1760 | 100% | Ditto above. Sulphides about same. | X | N.I | | X | 280 | |
| 1760-1770 | 100% | Ditto above. Sulphides slightly weaker (?) | X | N.I | | X | 110 | |
| 1770-1780 | 92% | Ditto above N.I sulphides. | X | N.I | | X | 30 | |
| 1780-1790 | 94% | Ditto above. Weak to moderate argillization | X | N.I | | X | 100 | |
| 1790-1800 | 93% | Ditto above. Driller lost circulation @ 1797', hit small water flow. Substantial increase in pyrite from previous zone, fair increase in chalcopyrite. Steep Sil. vein @ 1799.5'. Fract zones @ 1793' and 1796.5', Spotty new K-spar, moderate silicification. | X | N.I | | X | 0.11% | |
| 1800-1810 | 95% | Ditto above, sulphides about same. | X | N.I | | X | 220 | |
| 1810-1820 | 100% | Ditto above but rock is fresher and less altered. Drop in sulphide content. Rock very competent | X | N.I | | X | 135 | |
| 1820-1830 | 100% | Ditto above, fault gouge (± 4") @ 1830'. | X | N.I | | X | 110 | |
| 1830-1840 | 100% | Ditto above. Very low sulphides. Fract @ 1832'. | X | N.I | | X | 110 | |
| 1840-1850 | 55% | Ditto above, but fair increase in both pyrite and chalcopyrite from previous run. Excellent silica @ 1843' associated with new (?) K-spar. Fract @ 1842'. Moderate silicification, Mis-laid core | X | N.I | | X | 0.12% | |
| 1850-1860 | 94% | Ditto above, but rock is fresher and sulphides not as predominant. | X | N.I | | X | 80 | |
| 1860-1870 | 100% | Ditto above. | X | N.I | | X | 90 | |
| 1870-1880 | 85% | Ditto above, sulphides weaker (?). Strong epidote associated with salmon pink K-spar (New ?) @ 1872'-1873'. | X | N.I | | X | 95 | |
| 1880-1890 | 100% | Ditto above, very weak sulphides, rock fresh & competent. | X | N.I | | X | 60 | |
| 1890-1900 | 97% | Ditto above. Fract @ 1893' | X | N.I | | X | 70 | |
| 1900-1910 | 89% | Ditto above. Drillers mess. Lost fault core barrel | X | N.I | | X | 150 | |
| 1910-1920 | 89% | Ditto above. Weak chloritization | X | N.I | | X | 265 | |
| 1920-1930 | 59% | Ditto above. Fracture @ 1921', 1924' N... | | | | | | |

# DIAMOND DRILL CORE LOG SHEET

Drill Hole No.: 2 Date Started: _____ Location: _____ Depth: _____

| INTERVAL | CORE REC. % | DESCRIPTION | MINERALIZATION: $FeS_2$ | $FeO_x$ | $CuO_x$ | $CuS$ | ASSAYS: Tot. Cu | Other |
|---|---|---|---|---|---|---|---|---|
| 1930-1940 | 61% | Fresh Pre-Cambrian, porphyritic "Oracle" granite. Spotty occ. K-spar throughout run. Weak chloritization. Sulphides still weak, better values associated with stronger new K-spar areas. | X | Nil | | X | 220 | |
| 1940-1950 | 100% | Ditto above. | X | Nil | | X | 570 | |
| 1950-1960 | 90% | Ditto above. Spotty epidote as in previous runs. | X | Nil | | X | 400 | 2 |
| 1960-1970 | 100% | Ditto above, small $SiO_2$-$FeS_2$-$CuFeS_2$ veinlet @ 1964. | X | Nil | | X | 160 | 1 |
| 1970-1980 | 100% | Ditto above. 1/4" $SiO_2$ vein @ 1971'. | X | Nil | | X | 310 | 8 |
| 1980-1990 | 97% | Ditto above, new K-spar still spotty. | X | Nil | | X | 850 | |
| 1990-2000 | 96% | Ditto above, excellent (strong) chalcopyrite 1997'-2000', associated with steep $SiO_2$-$FeS_2$-chloride vein (some visible $MoS_2$). Fairly good new K-spar last 3' of run. | X | Nil | | X | 57% | 12 |
| 2000-2010 | 98% | Ditto above, significant drop in sulphides. Minor pegmatite @ 2009', epidote on fracts. Weak new K-spar. | X | Nil | | X | 635 | 2 |
| 2010-2020 | 93% | Ditto above, stronger chloritization. Chalco weak. Minor fingers of silicification, some brecciation. | X | Nil | | X | 320 | 1 |
| 2020-2030 | 95% | Ditto above, rock more strongly altered (due to fault zone?). Increase in chalcopyrite from previous run. Sand & rubble 2023'-2024'. Minor seams of chlorite, biotite and plagioclase moderately chloritized. | X | Nil | | X | 360 | 1 |
| 2030-2040 | 102% | Ditto above, sulphides weak, very spotty new K-spar. | X | Nil | | X | 670 | 6 |
| 2040-2050 | 99% | Ditto above. | X | Nil | | X | 75 | 4 |
| 2050-2060 | 92% | Ditto above. Fracts @ 2052', 2054' & 2059'. Minor silicification, rock appears sheared in places. Steep $FeS_2$-$CuFeS_2$ veinlet @ 2058.5'. Minor epidote as in previous runs. Sulphides still weak. | X | Nil | | X | 215 | 8 |
| 2060-2070 | 100% | Ditto above. Sulphides very weak. Fairly strong epidote. Due to shearing and alteration rock appears quite different from previous runs, grey-black with large pink K-spar phenos. | X | Nil | | ? | 20 | 3 |
| 2070-2080 | 100% | Ditto above, Sulphides stronger. Fracts @ 2072', 2074' & 2079'. | X | Nil | | X | 132 | 4 |
| 2080-2090 | | Drill | | | | | | |

# DIAMOND DRILL CORE LOG SHEET

Drill Hole No.: 2 Date Started: ____ Location: ____ Dip: ____

| FROM-CAL | CORE REC. % | DESCRIPTION | MINERALIZATION | | | | ASSAYS-P. | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | $FeO_x$ | $CuO_x$ | CuS | Tot. Cu | Ox Cu |
| 090-2100 | 95% | Ditto above, fracs @ 2095', 2099', & 2100'. | X | Nil | | X | 40 | |
| 100-2110 | 95% | Ditto above to 2107', then Pre-cambrian (?) diabase. Very wear sulphides. Wear to moderate chloritization of diabase. Numerous small fractures. | X | Nil | | X | 140 | |
| 110-2120 | 94% | Diabase to 2118' then (inclusion) pre-Cambrian "Oracle" granite to 2120'. Rubble (fault zone) from 2116' to 2117'. Chalcopyrite veinlet ± 1/16" in diabase @ 2117'. Oracle granite strongly fractured and altered. Numerous fine veinlets of calcite in diabase. | X | Nil | | X | 150 | |
| 120-2130 | 100% | Oracle granite inclusion to 2126' then diabase to 2130'. Fairly good chalcopyrite in granite in places (fracture coating), nil in diabase. Strong epidote in diabase. | X | Nil | | X | 230 | |
| 2130-2140 | 100% | Fresh diabase. Quartz-Epidote vein 2130'-2131'. Nil sulphides. | X | Nil | | ? | 30 | |
| 140-2150 | 98% | Ditto above. Chlorite on fractures. | X | Nil | | ? | 10 | |
| 150-2160 | 100% | Ditto, above. Strong epidote and calcite filled fractures 2158'-2160'. Low sulphide content. Fracts @ 2155', 2158' and 2159'. Red hematite on some fractures. | X | Nil | | X | -5 | |
| 160-2170 | 76% | Ditto above. Strong epidote to 2164' then diabase is fresh with chlorite on fracts. Strong fracts @ 2163' and 2168'. Calcite seams to 1/16". | X | Nil | | ? | 10 | |
| 2170-2180 | 97% | Fresh diabase. Very little sulphides. | X | Nil | | ? | -5 | |
| 180-2190 | 100% | Ditto above. Minor calcite seams. Chlorite on fracts. | X | Nil | | ? | 60 | |
| 190-2200 | 98% | Ditto above. Nil sulphides. | X | Nil | | ? | 60 | |
| 200-2210 | 84% | Ditto above. | X | Nil | | ? | 60 | |
| 210-2220 | 90% | Ditto above. Vertical $FeS_2$ veinlets @ 2214' | X | Nil | | X | 130 | |
| 220-2230 | 95% | Ditto above. Fract @ 2229' | X | Nil | | ? | 60 | |
| 230-2240 | 97% | Ditto above. Strong epidote 2231'-2240'. Slight increase in $FeS_2$ (epidote area). Minor fracts. | X | Nil | | X | 50 | |
| 2240-2250 | 50% | Ditto above, strongly fractured. Wear to strong chloritization. Strong epidote 2240'-2244'. | X | Nil | | X | 70 | |
| 250-2260 | 95% | Ditto above. Fracs @ 2256.5'. Strong $SiO_2$- | X | Nil | | X | 80 | |

# Diamond Drill Core Log Sheet

Drill Hole No.: 2 Date Started: ____ Location: ____ Dip: ____

| Feet | Core Rec. % | Description | Mineralization FeS2 | Fe Ox | CuOx | CuS | Assays Tot. Cu | Sol. Cu |
|---|---|---|---|---|---|---|---|---|
| 2260-2270 | 89% | Ditto above, increase in sulphides. 3/8" chalco vein @ 2268'. Strong fracts @ 2261' and 2268'-2269'. Fairly strong chloritization. | X | Nil | | X | No B from 2 Very li | |
| 2270-2280 | 87% | Ditto above, strongly fractured. Appear to be into fault zone starting @ 2280' | X | Nil | | ? | Visible Swi | |
| 2280-2290 | 50% | Ditto above. Entire run fault zone, strong chloritization. Nil sulphides, calcite seams as before. | X | Nil | | ? | | |
| 2290-2300 | 39% | Ditto above. | X | Nil | | ? | | |
| 2300-2310 | 60% | Ditto above. | ? | Nil | | ? | | |
| 2310-2320 | 60% | Ditto above. | X | Nil | | ? | | |
| 2320-2330 | 90% | Ditto above, fault zone ends @ ± 2324'. Then diabase weakly to strongly chloritized interlaced with calcite seams. Sulphides very spotty. | X | Nil | | X | | |
| 2330-2340 | 92% | Ditto above (2324'-2330'). Numerous fracture zones and some slick surfaces. | X | Nil | | ? | | |
| 2340-2350 | 94% | Ditto above. | X | Nil | | X | | |
| 2350-2360 | 94% | Ditto above. Two sets of fracts (as in previous runs) one set 72°-90° or parallel to hole, other set 20° to 40° to hole. Sulphides weak and spotty; chalcopyrite associated w/ steep fracts. | X | Nil | | X | | |
| 2360-2370 | 91% | Ditto above. Rock little fresher and more competent. Sulphides still weak but good chalcopyrite associated with steep $SiO_2$-Feldspar veinlet @ 2368', ± 1/4" vein. | X | Nil | | X | | |
| 2370-2380 | 90% | Ditto above, minor inclusions of pre-Cambrian granite. Chill zone exhibited in diabase indicating it is younger than granite. Fract @ 2372'. | X | Nil | | X | | |
| 2380-2390 | 92% | Ditto above, considerably more inclusions of granite. Entire run moderately fractured. Best chalco visible in granite. | X | Nil | | X | | |
| 2390-2400 | 93% | Ditto above, mixed diabase & granite. Some silicified areas. Granite sheared and altered, chloritized in proximity. Some of pink K-spars appear to have altered to albite (?). Minor fract zones | X | Nil | | X | | |
| 2400-2410 | 95% | Ditto above. | | | | | | |

[illegible] Mining Corporation Page 1 of

# Diamond Drill Core Log Sheet

Drill Hole No.: 2 Date Started: _____ Location: _____ Depth: _____

| Interval | Core Rec. % | Description | Mineralization | | | | Assays-$ | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | FeOx | CuOx | CuS | Tot. Cu | Ox. Cu |
| [illegible]-2420 | 91% | Entire run pre-Cambrian DIABASE. Strong chlorite on fractures and interlaced with calcite seams. Moderately to strongly fractured. | X | Nil | | ? | | |
| [illegible]-2430 | 100% | Ditto above, sulphides nil. | X | Nil | | ? | | |
| [illegible]-2440 | 98% | Ditto above to 2437' then pre-Cambrian "Oracle" granite. Strong epidote in granite in places; spotty. Granite moderately chloritized and some pink K-spars altered to albite (?). Minor silicification. Nil sulphides. | X | Nil | | X | | |
| [illegible]-2450 | 100% | Ditto above, pre-Cambrian granite. Very spotty new K-spar. Nil sulphides. | X | Nil | | X | | |
| 2450-2460 | 95% | Ditto above | X | Nil | | X | | |
| [illegible]-2470 | 95% | Ditto above. Minor fracts. Small slip @ 2461'. | X | Nil | | X | | |
| [illegible]-2473 | 70% | Ditto above. Fault zone 2471'-2473'. | ? | Nil | | ? | | |
| | | END OF HOLE 2473' | | | | | | |

# Diamond Drill Hole RH-2

Drill Hole No.: 2 Date Started: 4/17/72 Location: [illegible] Survey [illegible] Dept: [illegible]
Completed: 5/1/72

| Interval | Core Rec. % | Description | Mineralization Fe Sx | Fe Ox | Cu | Cu S | Assays Zn | Cu |
|---|---|---|---|---|---|---|---|---|
| Surface | 0% | Plug collar pipe. No core or shots. Overburden | | | | | | |
| 15-20 | 0% | Overburden and weathered material. Approx 4" core, equigranular Precambrian granite. | | | | 12-17 | 100 | 70 |
| 20-30 | 0% | "Oracle" granite. Run primarily quartz and feldspar sand. | | | | 17-45 | 95 | 60 |
| 30-45 | 0% | Fine pink quartz-feldspar sand. | | | | | | |
| 45-50 | 0% | Do the above. | | | | | 105 | 80 |
| 50-60 | 0% | Do the above. Few pieces of rubble - Oracle granite | | | | 50-57 | 155 | 110 |
| 60-70 | 0% | Do the above. | | | | | | |
| 70-80 | 0% | Do the above. | | | | 57-62 | 110 | 80 |
| 80-90 | 0% | Do the above. | | | | | | |
| 90-100 | 47% | Do the above to 96.5' Strongly fractured equigranular "Oracle" (?) granite to 100' Moderately argillized feldspar, good plate of biotite (some chlorite). Some FeOx (after pyrite?) veinlets. | | M | | | 200 | 170 |
| 100-110 | 65% | Do the above. Granite becoming more coarse-grained & porphyritic. Some manganese staining. | | W | | | 170 | 90 |
| 110-120 | 17% | Do the above. Strong garnetite @ 117'. | | M | | | 410 | 200 |
| 120-130 | 18% | Do the above. | | M | | | 200 | 110 |
| 130-140 | 7% | Much above, except fine-grained (aplite?). | | W | | | 60 | 20 |
| 140-150 | 62% | Do the above, strongly fractured, porphyritic Oracle granite. Moderate to strong argillization, strong clays in @ 144.5' & 146' & 149'. | | M | | | 110 | 55 |
| 150-160 | 45% | Do the above. | | W | | | 100 | 60 |
| 160-170 | 50% | Do the above. | | W | | | 70 | 140 |
| 170-180 | 85% | Do the above. Dotted strongly chloritic and garnetiferous inclusions. Some FeOx veinlets. | | M | | | 210 | 130 |
| 180-190 | 62% | Do the above. Moderately argillized throughout and fractured. Some FeOx veinlets and disseminated grains. Some specularite veinlets in previous cores. | X | M | | | 140 | 100 |
| 190-200 | 100% | Strongly porphyritic "Oracle" granite with feldspar (orthoclase) to 1" Occasional FeOx veinlets and disseminated grains. | X | M | | X? | 85 | 10 |

# DIAMOND DRILL CORE LOG SHEET

Drill Hole No.: 2 Date Started: ____ Location: ____ Depth:

| INTERVAL | CORE REC. % | DESCRIPTION | MINERALIZATION | | | | ASSAYS | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | FeOx | $CuO_x$ | CuS | Tot. Cu | Cu |
| | | biotite (oxidization of biotite ?) Questionable $MoS_2$. Chalcopyrite @ 199' (?). | | | | | | |
| 200-210 | 94% | Ditto above. Medium argillization in places. | X | W | | | 240 | 30 |
| 210-220 | 100% | Ditto above. Drop in $FeS_2$ - no veinlets all is disseminated. Good chlorite in places. | X | W-M | | | 80 | 30 |
| 220-230 | 100% | Ditto above. Some quartz veinlets @ 227'. Strong $FeS_2$ - sericite veinlet 227'-229' | X | W-M | | | 230 | 14 |
| 230-240 | 79% | Ditto above. VERY minor $FeS_2$. | X | M | | | 80 | 70 |
| 240-250 | 80% | Ditto above. Somewhat more $FeS_2$. Fract. weathered granite. | X | W-M | | | 100 | 70 |
| 250-260 | 100% | Ditto above. Strong fracture @ 253'. | X | W-M | | | 80 | 40 |
| 260-270 | 98% | Ditto above. Rock fresh for nearly whole run - K-spars to 1½". $FeS_2$ content rising - all disseminated blebs. | X | W | | | 65 | 30 |
| 270-280 | 100% | Ditto above but granite equigranular, few large K-spars. Good $FeS_2$, some veinlets. | X | W-M | | | 110 | 30 |
| 280-290 | 100% | Ditto above, several large K-spar phenos in core. Strong fracture @ 283'. | X | W | | | 215 | 80 |
| 290-300 | 92% | Ditto above, drop in $FeS_2$. Strong fract @ 296' | X | W | | | 30 | 20 |
| 300-310 | 92% | Ditto above, good increase in $FeS_2$. Rock very fresh and equigranular most places - spotty large K-spars. Feldspar - $FeS_2$ veinlet ± ½" wide large K-spar pheno @ 303'. | X | W | | | 130 | 15 |
| 310-320 | 100% | Ditto above | X | W | | | 160 | 10 |
| 320-330 | 94% | Ditto above | X | W+ | | | 30 | 5 |
| 330-340 | 81% | Ditto above, very little pyrite. Fault gouge 331'-339' 1"-2" like "Silver Paper" rock @ 332'. | X | W-M | | | 65 | 40 |
| 340-350 | 90% | Ditto above, little pyrite. Strongly fractured. Medium to strong argillization. Minor epidote. | X | W | | | 130 | 90 |
| 350-360 | 121% | Ditto above, good increase in $FeS_2$. Considerable large K-spar phenos. Moderate to strong fractures. | X | W+ | | | 250 | 220 |
| 360-370 | 81% | Ditto above. Rock equigranular in several places. Good chlorite - sericite. Fault gouge - rock @ 365' F [illegible] | X | M- | | | 60 | 50 |

# RED HILLS MINING CORPORATION

## DIAMOND DRILL CORE LOG SHEET

Drill Hole No.: 2 Date Started: _____ Location: _____ Depth: _____

| INTERVAL | CORE REC. % | DESCRIPTION | MINERALIZATION | | | | ASSAYS | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | FeOx | CuOx | CuS | TOT Cu | OX Cu |
| | | Vein @ 369' Medium to strong argillization. | | | | | | |
| 370-380 | +100% | Typical fault breccia whole run. Good $FeS_2$ and $SiO_2$ veinlets. $MoS_2$ @ 371'. | X | W | | | 40 | 40 |
| 380-390 | 91% | Ditto above. Questionable $MoS_2$ in places. | X | W | | | 25 | 20 |
| 390-400 | 57% | Ditto above. | X | W | | | 50 | 45 |
| 400-410 | 75% | Ditto above. | X | W | | | 10 | 5 |
| 410-420 | 97% | Ditto above. | X | W | | | 30 | 25 |
| 420-430 | 100% | Ditto above, core primarily massive chlorite with fragments of original country rock. Numerous $FeS_2$ cubes. | X | W | | | 65 | 60 |
| 430-440 | 90% | Ditto above to 433' then strongly chloritized pre-cambrian granite (breccia?) to 440', Strong $FeS_2$. | X | W | | | 190 | 55 |
| 440-450 | +100% | Ditto above (433'-440'). Good $MoS_2$ @ 441'. | X | W | | | 340 | 10 |
| 450-460 | 90% | Ditto above to 456'. Definite chalcopyrite @ 452' and definite $MoS_2$ @ 456.5'. $SiO_2$ vein 455'-456' (steeply dipping). Very fresh (some chloritization of biotite) porphyritic pre-Cambrian "Oracle" granite 456'-460', $SiO_2$ vein seems to be boundary for alteration and $FeS_2$ content also drops off below (E.O.) vein. | | | | X | 100 | 30 |
| 460-470 | 100% | Ditto above (456'-460'). Fairly strong chloritization 460'-465'. | X | W | | | 80 | 40 |
| 470-480 | 94% | Fresh porphyritic pre-Cambrian granite. Nil $FeS_2$. | X | W | | | 25 | 10 |
| 480-490 | 100% | Ditto above, minor epidote. ± 3/8" $SiO_2$ vein 486'-487' (steep dip). Disseminated blebs of chalcopyrite @ 482' & 488'. Good biotite that is weakly chloritized in places. | X | W | | X | 30 | 10 |
| 490-500 | 93% | Ditto above. Some chalcopyrite @ 490.5' & 495'. | X | W | | X | 60 | 10 |
| 500-510 | 93% | Ditto above. $FeS_2$ mineralization more pronounced two veins. Minor chalcopyrite @ 501'. | X | W | | X | 40 | 10 |
| 510-520 | 100% | Ditto above. ± 1½" $SiO_2$ vein 510'-511' (N | X | W | | X | 105 | 10 |

# Diamond Drill Core Log Sheet

Drill Hole No.: 2 Date Started: ____ Location: ____ Depth: ____

| Interval | Core Rec. % | Description | Mineralization | | | | Assays - | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | FeOx | CuOx | CuS | Tot Cu | Ox Cu |
| 520-530 | 90% | Ditto above. Aplite dike (8") with $FeS_2$ @ 521'. Chalcopyrite appears to be a little stronger. | X | W | | X | 140 | 30 |
| 530-540 | 123% | Ditto above. $SiO_2$-sericite-$FeS_2$ veinlet @ 536' ($FeS_2$ cubes to 3/4"). Increase in $FeS_2$ and chalco about same as previous core. Chloritization little stronger. | X | W | | X | 130 | 25 |
| 540-550 | 93% | Ditto above but increase in chloritization. Weak argillization. Very little chalcopyrite. ± 1/2" fault-fracture associated w/ $SiO_2$ vein @ 543' ($FeS_2$ in quartz vein). | X | W | | X | 65 | 20 |
| 550-560 | 95% | Ditto above. Very strong $FeS_2$ in places (553') Minor aplite @ 557'. | X | W | | X | 330 | 50 |
| 560-570 | 107% | Ditto above. Minor aplite stringers. | X | W+ | | X | 160 | 60 |
| 570-580 | 90% | Ditto above. $SiO_2$ vein (steeply dipping as above been others) 572'-573' has good remnant $FeS_2$ cubes. Tendency to change in rock in places. | X | W | | X | 120 | 30 |
| 580-590 | 96% | Ditto above. Weakly argillized. | X | W | | X | 210 | 80 |
| 590-600 | 96% | Ditto above. Nil chalcopyrite - one blob @ 592'. | X | W+ | | X | 70 | 45 |
| 600-610 | 99% | Ditto above. Chalcopyrite and bornite @ 607.5'. Increase in chalcopyrite. Minor aplite @ 601.5' | X | W | | X | 510 | 120 |
| 610-620 | 100% | Ditto above, minor aplite dikes. Rock regolithic 616-618'. $SiO_2$-sericite-$FeS_2$ vein @ 613' with minor $MnS_2$ and FeOx staining fractures | X | W-W+ | | X | 330 | 120 |
| 620-630 | 100% | Ditto above. Moderate chloritization and argillization 625'-630'. Minor fault-fracture @ 629'. Increase in chalcopyrite. | X | W | | X | 605 | 80 |
| 630-640 | 90% | Ditto above. Some chalcocite @ 632'. Green CuOx mineral (Brochantite?) @ 639.5'. Some sericitization. Minor chalcopyrite. | X | W-M | X | X | 450 | 200 |
| 640-650 | 77% | Ditto above. Minor silicification in places. Chalcopyrite and chalcocite @ 644'. | X | W+ | | X | 665 | 220 |
| 650-660 | 96% | Ditto above. Sericite in fractures. Blebs of bornite with chalcopyrite @ 652'. $SiO_2$ vein 650-652' (some $MnS_2$). Minor disseminated | X | W | | X | 420 | 120 |

Red Mines Mining Corporation

DIAMOND DRILL CORE LOG SHEET

Drill Hole No.: 2 Date Started: Location: Depth:

| INTERVAL | CORE REC. % | DESCRIPTION | MINERALIZATION | | | | ASSAYS-F | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | $FeO_2$ | $CuO_2$ | CuS | TOT CU | OX CU |
| 670-680 | 98% | Ditto above, very fresh, pre-Cambrian porphyritic granite (new K-spar in places?) Minor veinlets & blebs of chalcopyrite. Small piece of chalcocite @ 676'. | X | W | | X | 520 480 | 210 60 |
| 680-690 | 100% | Ditto above. Minor epidote. Some bornite and chalcocite @ 682' (with chalcopyrite). | X | | W-W+ | X | 320 | 120 |
| 690-700 | 100% | Ditto above (new K-spar in places?) Strong fracture @ 690'. | X | | W+ | X | 280 | 20 |
| 700-710 | 95% | Ditto above. More visible chalcopyrite than any of previous runs. Kaolinite fracture @ 709.5'. Weak argillization. | X | | W | X | 410 | 10 |
| 710-720 | 100% | Ditto above. Increase in biotite content of rock. Very fresh whole run. | X | | W | X | 200 | 10 |
| 720-730 | 100% | Ditto above. Aplite dike with 2" $SiO_2$ vein 721.5'-723.5' (remnant K-spar phenos in $SiO_2$ vein). Increase in chloritization of plagioclase feldspars (724'-730'). Some shearing @ 722'. Some disseminated $MoS_2$. | X | | W | X | 425 | 20 |
| 730-740 | 94% | Ditto above (726'-730') then rock gradually grades into fine-grained granite (Aplite?) @ 734' which continues to 739'. At 739' rock is strong chlorite-biotite-quartz-feldspar rock with schistose texture. Chalcopyrite & pyrite seen in all textural types. | X | | W | X | 230 | 15 |
| 740-750 | 73% | Fresh, pre-Cambrian porphyritic granite. Steep $SiO_2$ veinlet (± ½") most of run. Pegmatite-aplite @ 748'. Minor chalcopyrite (drop from previous run?). Medium chloritization of Na-spar & biotite. | X | | W | X | 310 | 20 |
| 750-760 | 100% | Ditto above to 752'. Steep $SiO_2$ veinlet 752'-753'. 753'-759' same rock as described from 734'-739'. Fresh, pre-Cambrian | X | | W | X | 330 | 30 |

# Diamond Drill Core Log Sheet

Drill Hole No.: 2 Date Started: Location:

| Interval | Core Rec. % | Description | Mineralization | | | | Assays - P | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | $FeO_x$ | $CuO_x$ | $CuS$ | Tot. Cu | Ox. Cu |
| 760-770 | 95% | Fresh pre-Cambrian porphyritic granite. Minor $SiO_2$ veinlets. Good $FeS_2$. Increase in chalcopyrite. Disseminated $MoS_2$. | X | W | | X | 790 | 50 |
| 770-780 | 100% | Ditto above. Good $MoS_2$ 779-780'. Amethyst $SiO_2$ @ 773'. More chalcopyrite than in previous run (?). | X | W | | X | .137% | 65 |
| 780-790 | 97% | Ditto above. Strong chlorite zone and fault breccia 783'-785'. Medium argillization. Good $MoS_2$ @ 789.5'. | X | W | | X | .12? | 90 |
| 790-800 | 87% | Fresh pre-Cambrian granite, strong biotite. Slight drop in chalcopyrite (?) Good $FeS_2$. | X | W | | X | 610 | 50 |
| [illegible]-810 | 117% | Ditto above, very strong biotite. K-spars to 1 3/4", same in previous runs. | X | W | | X | 360 | 20 |
| 810-820 | 91% | Ditto above. Aplite-pegmatite 818.5'-820'. Chlorite on fractures. | X | W | | X | 740 | 45 |
| 820-830 | 89% | Pegmatite to 822' (good contact). Ditto above (Oracle granite) to 823'. Pegmatite 823'-825'. Fresh porphyritic Oracle granite 825'-830'. Good chalcopyrite @ 827'. Strong biotite. | X | W | | X | 150 | -5 |
| 830-840 | 100% | Fresh porphyritic pre-Cambrian Oracle granite with 2-6" to 8" dikes of pegmatite @ 831' and 838.5'. Chalcopyrite and pyrite veinlets in pegmatite. Strong biotite and some xenoliths. | X | W | | X | 220 | 10 |

# DIAMOND DRILL CORE LOG SHEET

Drill Hole No.: ____ Date Started: ____ Location: ____ Dip: ____

| INTERVAL | CORE REC. % | DESCRIPTION | MINERALIZATION | | | | ASSAYS-F | |
|---|---|---|---|---|---|---|---|---|
| | | | FeS2 | FeOx | CuOx | CuS | Tot. Cu | Ox. Cu |
| 940-950 | 100% | Dit.. above, fresh, pre-Cambrian Oracle granite, [illegible] visible but chlor. in extent. | X | Nil | | X | 210 | 10 |
| 950-960 | 99% | Ditto above with minor changes of pegmatite, less acidification in places. Now K-spar ?? | X | Nil | | X | 230 | 10 |
| 960-970 | 75% | Ditto above. Pegmatite dike 964' to 962'. Strongly fractured zone with pegbreccia 865'-870', strong chloridization of biotite and Na-feldspar, some calcite and MoS2. | X | Nil | | X | .11% | 60 |
| 970-980 | 103% | Feldspar veinlets continue to 973' (core slices). Like to medium argillized (fresh in several places) Oracle granite 973'-end. MoS2 in places. | X | Nil | | X | 650 | 55 |
| 980-990 | 112% | Fresh porphyritic pre-Cambrian Oracle granite. | X | Nil | | X | 210 | 10 |
| 990-1001 | 95% | Ditto above, strong biotite (as in previous runs). Weak pyrite and chalcopyrite. | X | Nil | | X | 10 | -5 |
| 1001-1011 | 97% | Ditto above, some (?) increase in sulphides. Entire run here coccidorable salmon pink feldspar, epidote-pyrite? Some MoS2. | X | Nil | | X | 320 | 10 |
| 910-920 | 94% | Ditto above. Minor epidote as in previous runs. | X | Nil | | X | 330 | 10 |
| 920-930 | 87% | Ditto above. | X | Nil | | X | 450 | 20 |
| 930-940 | 87% | Ditto above. | X | Nil | | X | 480 | 20 |
| 940-950 | 119% | Ditto above, very strong biotite. Very good chalcopyrite in places. 2" breccia @ 949.5'. | X | Nil | | X | 680 | 20 |
| 950-960 | 81% | Ditto above. Entire run is sheared and brecciated with seams of calcite, very competent rock. Good chalcopyrite in places. Some epidote-chlorite. | X | Nil | | X | 935 | 90 |
| 960-970 | 85% | Ditto above. Mod. rubble 961'-966'. | X | Nil | | X | .21% | 140 |
| 970-980 | 95% | Ditto above. Sheared and brecciated Oracle granite. Strong chloride-epidote in places. Some rubble. | X | Nil | | X | 675 | 40 |
| 980-990 | 91% | Ditto above. Shearing becomes weak @ 987' Rubble 991'-993'. Slicks @ 988.3'. | X | Nil | | X | .16% | 100 |
| 990-1000 | 66% | Drilled last 10' run of core in hole from 997'-1007'. Porphyritic pre-Cambrian Oracle granite, weak to medium chloridization. Weak chalcopyrite and pyrite. Some MoS2. | X | Nil | | X | 990'-995' 995'-1000 | 410 40 590 150 |
| 1000-1010 | | | | | | | 540 | 95 |

# Diamond Drill Core Log Sheet

Drill Hole No.: DH-2 Date Started: ____ Location: ____ Dip: ____

| Interval | Core Rec. % | Description | Mineralization | | | | Assays | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | $FeO_x$ | $CuO_x$ | $CuS$ | Tot. Cu | Ox Cu |
| 1010-1020 | 97% | Fresh pre-Cambrian Oracle granite. Shear zone 1010'-1012'. Good $MoS_2$ in place. Chalcopyrite in shear zone plus $MoS_2$. Fair to poor pyrite. | X | Nil | | X | 770 | 70 |
| 1020-1030 | 60% | Ditto above. Increase in $FeS_2$ (?). Good pyrite in places (in pyrite veins). No sheared zones. | X | Nil | | X | 640 | 55 |
| 1030-1040 | 96% | Ditto above. Nil chalcopyrite, low $FeS_2$. | X | Nil | | X | 155 | 15 |
| 1040-1050 | 110% | Ditto above. Strong biotite as in previous runs. | X | Nil | | X | 190 | 15 |
| 1050-1060 | 75% | Ditto above. | X | Nil | | X | 310 | 15 |
| 1060-1070 | 96% | Ditto above. | X | Nil | | X | 115 | 5 |
| 1070-1080 | 105% | Ditto above. | X | Nil | | X | 100 | 5 |
| 1080-1090 | 95% | Ditto above. | X | Nil | | X? | 170 | 15 |
| 1090-1100 | 91% | Ditto above. Some $MoS_2$ w/pegmatitic granite @ 1097'. | X | Nil | | X | 210 | 15 |
| 1100-1110 | 96% | Ditto above. | X | Nil | | X | 200 | 15 |
| 1110-1120 | 103% | Ditto above. Fair increase in pyrite, slightly more chalcopyrite (?). Fracture zone 1116'-1118', moderate argillization-sericitization-chloritization, some pegmatite and quartz veining. | X | Nil | | X | 460 | 50 |
| 1120-1130 | 96% | Ditto above. More argillization in places. Fair pyrite more chalcopyrite. | X | Nil | | X | 530 | 30 |
| 1130-1140 | 96% | Ditto above. | X | Nil | | X | 440 | 20 |
| 1140-1150 | 100% | Ditto above. Fault-fracture zone @ 1145'. Some $MoS_2$ associated w/$SiO_2$ veinlets. Good $FeS_2$. | X | Nil | | X | 420 | 25 |
| 1150-1160 | 90% | Ditto above, except rock has more of a pegmatitic texture. Strong fract @ 1152'. Rock is sheared and brecciated from 1150'-1160' (also strongly altered) | X | Nil | | X | 275 | 20 |
| 1160-1170 | 90% | Ditto above (1150'-1160'). Very strong chloritization. Fair chalcopyrite in places. Calcite on fracts. | X | Nil | | X | 650 | 75 |
| 1170-1180 | 87% | Ditto above to 1177' (?). Then porphyritic, pre-Cambrian Oracle granite. There is a textural change in the granite from previous runs, possibly associated with sheared zone. Some $MoS_2$. | X | Nil | | X | 420 | 45 |
| 1180-1190 | 103% | Ditto above (1177'-1180'). Rock seems fractured to be brecciated in places. Good chalcopyrite in some fractures. Good pyrite (some recrystd). | X | Nil | | X | 240 | 20 |

1190-1200
1200-1210

280 10 30

# Diamond Drill Core Log Sheet

Drill Hole No.: 2 Date Started: ____ Location: ____ Dip: ____

| Interval | Core Rec. % | Description | Mineralization | | | | Assays | |
|---|---|---|---|---|---|---|---|---|
| | | | $FeS_2$ | FeOx | CuOx | CuS | Tot. Cu | Ox. Cu |
| 1210-1220 | 83% | Ditto above | X | Nil | | X | 410 | |
| 1220-1230 | 91% | Ditto above. Strong fract @ 1225'. Good chalcopyrite @ 1222'. Weak to medium argillization. | X | Nil | | X | .105% | 1 |
| 1230-1240 | 100% | Ditto above. Strong chloritization in places. Fract @ 32° | X | Nil | | X | 510 | |
| 1240-1250 | 95% | Ditto above. Rock fresh whole run. | X | Nil | | X | 470 | 2 |
| 1250-1260 | 103% | Ditto above. Some $SiO_2$ - specularite veins cut core at ± 20° to also noted in previous runs (minor). | X | Nil | | X | 280 | |
| 1260-1270 | 100% | Ditto above. Rock very fresh. | X | Nil | | X | 170 | 1 |
| 1270-1280 | 96% | Ditto above. Strong fractures @ 1275', 1277', 1279'-1280' | X | Nil | | X | 110 | 1 |
| 1280-1290 | 104% | Ditto above. Excellent chalcopyrite @ 1282'. Strong chloritization in places. Rock fresh. | X | Nil | | X | 335 | 0 |
| 1290-1300 | 95% | Ditto above, very fresh pre-Cambrian Oracle granite. $SiO_2$ violet @ 1291'. Weak chloritization, considerable clots of L. tite (all appears to be primary). Good chalcopyrite in places but very spotty. Some minor $MoS_2$ | X | Nil | | X | 325 | |
| 1300-1310 | 101% | Ditto above. Spotty weak to strong argillization. Good epidote @ 1306', associated w/ salmon pink K-spar & chalco | X | Nil | | X | .11% | 1 |
| 1310-1320 | 90% | Ditto above, no argillization. Xen. Lith @ 1311' | X | Nil | | X | 490 | |
| 1320-1330 | 100% | Ditto above. Weak fractures @ 1321' | X | Nil | | X | 275 | 1 |
| 1330-1340 | 97% | Ditto above. Weak fractures @ 1333', 1337' & 1332'. Appears to be new K-spar @ 1333', white K-spar forms a halo ring around large K-spar (plag) | X | Nil | | X | 255 | |
| 1340-1350 | 102% | Ditto above. Fractures @ 1341', 1343' & 1347'. Rock is breccia'd @ 1342'. Some pegmatoidal Epidote. Weak chalcopyrite as in previous runs. Fair pyrite | X | Nil | | X | 420 | |
| 1350-1360 | 99% | Ditto above. Weak to medium argillization whole run. Strong fract zones 1351'-1353' and 1355'-1357' | X | Nil | | X | 425 | |
| 1360-1370 | 70% | Ditto above. Strong $SiO_2$ vein (steep dip) with good $MoS_2$ 1361'-1363'. Strong sericite @ 1360' and 1363'-1365'. Strong fract @ 1370'. Weak chalco | X | Nil | | X | 370 | 0 |
| 1370-1380 | 78% | Ditto above, fresh porphyritic pre-Cambrian granite. Chalcopyrite good in few spots and overall as weak. | X | Nil | | X | 270 | 1 |
| 1380-1390 | 103% | Ditto above. Some weak argillization in places. | X | Nil | | X | 150 | |
| 1390-1400 | 97% | Ditto above. Weak fracture @ 1390' | X | Nil | | X | 440 | |
| 1400-1410 | | | | | | | 555 | |

# Diamond Drill Core Log Sheet

Drill Hole No.: 2 Date Started: ____ Location: ____ Dip: ____

| Interval | Core Rec. % | Description | Mineralization FeS2 | FeOx | CuOx | CuS | Assays Tot Cu | Assays Cu |
|---|---|---|---|---|---|---|---|---|
| 1410-1420 | 107% | Diff. above. Minor pegmat. to Epidote. | X | Nil | | X | .745 | |
| 1420-1430 | 96% | Diff. above. Moderate argillization in places. Molybdenite (?) appears to be new K-spar locally (1426'?). Chalcopyrite and $MoS_2$ @ 1428.5', more chalcopyrite than previous run (?). Minor py. | | | | | | |
| 1430-1440 | 100% | Diff. above. Pegmatite (?) 1432-1434'. Strong $SiO_2$-$FeS_2$-sericite zone 1437'-1440'. Stronger chloritization than previous run. | X | N.I | | X | .635 | |
| 1440-1442 | 107% | Diff. above, drop in chloritization. Aplite-pegmatite 1440'-1441'. Main fracture zones @ 1442.5' and 1442' | X | Nil | | X | .345 | |
| | | END OF HOLE. | | | | | | |

This hole was in pre-Cambrian 'Dark' granite throughout its entire length (with the exception of a few minor aplite-pegmatite dikes). Alteration encountered was typically propylitic with considerable veins of fresh unaltered rock. Sulphide content was considerably higher in this hole than in DDH #1. Composite assays for sulfur content indicate $FeS_2$ (pyrite) averaged 1.27% from 30.5' to 995'. The highest values of copper sulphides were associated with fault-breccia zones indicating that these structures provided access to the mineral bearing solutions. The best assay interval for CuS was from 960'-970' (0.21%). Several other 10' runs exceeded 0.1% CuS. Several good $MoS_2$ zones were also encountered in the hole and were associated with quartz-pyrite veining. This hole penetrated the fringe zone of the porphyry(?) and the drilling would [illegible] should be done [illegible]

| Sample No. | % Sulfur |
|---|---|
| RH2-300-350 | .17 |
| " 350-400 | .67 |
| " 400-450 | 1.16 |
| " 450-500 | .20 |
| " 500-550 | .67 |
| " 550-600 | .39 |
| " 600-650 | .81 |
| " 650-700 | .69 |
| " 700-750 | .55 |
| " 750-800 | 1.07 |
| " 800-850 | .57 |
| " 850-900 | .85 |
| " 900-950 | .70 |
| " 950-995 | .86 |

Rocky Mountain Geochemical Corporation
Salt Lake City, Utah April 17, 1972

By_____

Lawrence R. Reid

| Sample No. | ppm Molybdenum | ppm Lead | ppm Zinc |
|---|---|---|---|
| RH#2 480-490 | 1 | | |
| " 490-500 | 2 | | |
| " 450-500 | | 10 | 40 |
| " 500-550 | | 20 | 90 |
| " 550-600 | | 20 | 50 |
| " 600-650 | | 40 | 50 |
| " 650-700 | | 40 | 95 |
| " 700-750 | | -10 | 20 |
| " 750-800 | | 20 | 30 |
| " 800-850 | | 10 | 50 |
| " 850-900 | | 20 | 30 |
| " 900-950 | | 10 | 20 |
| RH#2 950-995 | | 10 | 80 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona April 13, 1972

By_____

Martin H. Hibbetts

# Rocky Mountain Geochemical Corporation

2050 EAST 14TH STREET
TUCSON, ARIZONA 85719

Phone 622-5702
Area Code: 602


## CERTIFICATE OF ANALYSES

**Date** April 1, 1972



**Client** Red Hills Mining Corporation
P.O. Box 611
1009 Pinal
Florence, Arizona 85232

**Report on:** 10 Samples + 1 rerun

**Submitted by:** Mr. Don Kennedy

**Date Received:** March 28, 1972

**Analysis:** Copper, Molybdenum, Copper Oxide

**Remarks:** Molybdenum determined colorimetrically. All others determined by atomic absorption.
Job No. 72-4-38T Invoice No. TU-3050
cc: Enc.
RHCC: SLC
file
MHH:rg

| Sample No. | ppm Copper | ppm Molybdenum | ppm Copper Oxide |
|---|---|---|---|
| RH#2 720-730 | 425 | 4 | 20 |
| " 730-740 | 230 | 100 | 15 |
| " 740-750 | 310 | 16 | 20 |
| " 750-760 | 330 | 25 | 30 |
| " 760-770 | 790 | 81 | 50 |
| " 770-780 | 0.13% | 23 | 65 |
| " 780-790 | 0.12% | 151 | 90 |
| " 790-800 | 610 | 3 | 50 |
| " 800-810 | 360 | 3 | 20 |
| " 810-820 | 740 | 32 | 45 |
| RH#2 610-620 | 330 | 2 | 120 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION
Tucson, Arizona April 1, 1972

By _____
Martin H. Hibbetts

All values are reported in parts per million unless specified otherwise. A minus sign (-) is to be read "less than" and a plus sign (+) "greater than." Values in parenthesis are estimates. This analytical report is the confidential property of the above mentioned client and for the protection of this client and ourselves we reserve the right to forbid publication or reproduction of this report or any part thereof without written permission.

ND = Non Detected | 1 ppm = 0.0001% | 1 Troy oz./ton = 34.28 ppm | % Mo. x 1.6683 = $\%MoS_2$

| Sample No. | | ppm Copper | ppm Molybdenum | ppm Copper Oxide |
|---|---|---|---|---|
| RH #2 | 820-830 | 150 | -1 | -5 |
| " | 830-840 | 220 | 1 | 10 |
| " | 840-850 | 210 | 6 | 10 |
| " | 850-860 | 230 | -1 | 10 |
| " | 860-870 | 0.11% | .053% | 60 |
| " | 870-880 | 650 | 67 | 55 |
| " | 880-890 | 210 | 2 | 10 |
| " | 890-900 | 10 | 1 | -5 |
| " | 900-910 | 320 | 14 | 10 |
| " | 910-920 | 330 | 11 | 10 |
| " | 920-930 | 450 | 5 | 20 |
| " | 930-940 | 480 | 29 | 20 |
| " | 940-950 | 680 | 9 | 20 |
| " | 950-960 | 935 | 4 | 90 |
| " | 960-970 | 0.21% | 11 | 140 |
| " | 970-980 | 675 | 2 | 40 |
| " | 980-990 | 0.16% | 70 | 100 |
| RH #2 | 990-995 | 410 | 1 | 40 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona April 7, 1972

By_____

Martin H. Hibbetts

# Rocky Mountain Geochemical Corporation

2050 EAST 14TH STREET
TUCSON, ARIZONA 85719

Phone 622-5702
Area Code: 602


## CERTIFICATE OF ANALYSES

**Date** April 27, 1972



**Client** Red Hills Mining Corporation
P.O. Box 611, 1009 Pinal
Florence, Arizona 85222

**Report on:** 6 Samples

**Submitted by:** Mr. Don Kennedy

**Date Received:** April 20, 1972

**Analysis:** Copper, Molybdenum, and Copper Oxide

**Remarks:** Molybdenum determined colorimetrically. All others determined by atomic absorption.

72-5-29T

Job No. 72-5-29T Invoice No. TU-3082
cc: Enc.
RMGC: SLC
File
MHH:rg

| Sample No. | | ppm Copper | ppm Molybdenum | ppm Copper Oxide |
|---|---|---|---|---|
| RH2 | 1150-1160 | 275 | 6 | 20 |
| " | 1160-1170 | 650 | 6 | 75 |
| " | 1170-1180 | 420 | 6 | 45 |
| " | 1180-1190 | 240 | 20 | 20 |
| " | 1190-1200 | 280 | 7 | 10 |
| RH2 | 1200-1210 | 260 | 2 | 30 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona April 27, 1972

By _____
Martin H. Hibbetts

All values are reported in parts per million unless specified otherwise. A minus sign (-) is to be read "less than" and a plus sign (+) "greater than." Values in parenthesis are estimates. This analytical report is the confidential property of the above mentioned client and for the protection of this client and ourselves we reserve the right to forbid publication or reproduction of this report or any part thereof without written permission.

ND = Non Detected | 1 ppm = 0.0001% | 1 Troy oz./ton = 34.28 ppm | % Mo. x 1.6683 = $\%MoS_2$

| Sample No. | | ppm Copper | ppm Molybdenum | ppm Copper Oxide |
|---|---|---|---|---|
| RH2 | 995-1000 | 590 | .049% | 150 |
| " | 1000-1010 | 640 | .040% | 95 |
| " | 1010-1020 | 770 | 21 | 70 |
| " | 1020-1030 | 640 | 77 | 55 |
| " | 1030-1040 | 155 | 17 | 15 |
| " | 1040-1050 | 190 | 3 | 15 |
| " | 1050-1060 | 310 | 21 | 15 |
| " | 1060-1070 | 115 | 1 | 5 |
| " | 1070-1080 | 100 | -1 | 5 |
| " | 1080-1090 | 170 | 19 | 15 |
| " | 1090-1100 | 210 | 59 | 15 |
| " | 1100-1110 | 200 | 13 | 15 |
| " | 1110-1120 | 460 | 36 | 50 |
| " | 1120-1130 | 530 | 4 | 30 |
| " | 1130-1140 | 440 | 11 | 30 |
| RH2 | 1140-1150 | 480 | 16 | 25 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona April 27, 1972

By_____

Martin H. Hibbetts

| Sample No. | ppm Copper | ppm Molybdenum |
|---|---|---|
| RH2 1210-1220 | 410 | 13 |
| " 1220-1230 | 1045 | 14 |
| " 1230-1240 | 510 | 14 |
| " 1240-1250 | 470 | 29 |
| " 1250-1260 | 280 | 9 |
| " 1260-1270 | 170 | 13 |
| " 1270-1280 | 110 | 6 |
| " 1280-1290 | 335 | 9 |
| " 1290-1300 | 325 | 7 |
| " 1300-1310 | 0.11% | 125 |
| " 1310-1320 | 490 | 11 |
| " 1320-1330 | 275 | 12 |
| RH2 1330 -1340 | 255 | 6 |

ROCKY MOUN TAIN GEOCHEMICAL CORPORATION

Tucson, Arizona May 2, 1972

By_____

Martin H. Hibbetts

# Rocky Mountain Geochemical Corporation

2050 EAST 14TH STREET
TUCSON, ARIZONA 85719

Phone 622-5702
Area Code: 602


## CERTIFICATE OF ANALYSES

**Date** May 4, 1972



**Client** Red Hills Mining Corporation
P.O. Box 611
1009 Pinal
Florence, Arizona 85222

**Report on:** 9 Samples

**Submitted by:** Mr. Don Kennedy

**Date Received:** May 2, 1972

**Analysis:** Copper and Molybdenum

**Remarks:** Molybdenum determined colorimetrically. Copper determined by atomic absorption.
Job No. 72-6-2T Invoice No. TU-3097
cc: Enc.
RMGC: SLC
file
MHH:rg

| Sample No. | | ppm Copper | ppm Molybdenum |
|---|---|---|---|
| RH2 | 1360-1370 | 370 | .078% |
| " | 1370-1380 | 270 | 11 |
| " | 1380-1390 | 150 | 5 |
| " | 1390-1400 | 440 | 14 |
| " | 1400-1410 | 555 | 14 |
| " | 1410-1420 | 745 | 9 |
| " | 1420-1430 | 885 | 184 |
| " | 1430-1440 | 635 | 16 |
| RH2 | 1440-1452 | 345 | 3 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona May 4, 1972

By _____
Martin H. Hibbetts

All values are reported in parts per million unless specified otherwise. A minus sign (-) is to be read "less than" and a plus sign (+) "greater than." Values in parenthesis are estimates. This analytical report is the confidential property of the above mentioned client and for the protection of this client and ourselves we reserve the right to forbid publication or reproduction of this report or any part thereof without written permission.

ND = Non Detected 1 ppm = 0.0001% 1 Troy oz./ton = 34.28 ppm % Mo. x 1.6683 = $\%MoS_2$

# Rocky Mountain Geochemical Corporation

2050 EAST 14TH STREET
TUCSON, ARIZONA 85719

Phone 622-5702
Area Code: 602

## CERTIFICATE OF ANALYSES

**Date** May 3, 1972



**Client** Red Hills Mining Corporation
P.O. Box 611
1009 Pinal
Florence, Arizona 85222

**Report on:** 2 Samples

**Submitted by:** Mr Don Kennedy

**Date Received:** April 28, 1972

**Analysis:** Copper and Molybdenum

**Remarks:** Molybdenum determined colorimetrically. Copper determined by atomic absorption.
Job No. 72-5-407 Invoice No. TU-3094
cc: bmc.
RHGC: SLC
file
MHH:rg

| Sample No. | ppm Copper | ppm Molybdenum |
|---|---|---|
| RH2 1340-1350 | 420 | 2 |
| RH2 1350-1360 | 425 | 7 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona May 3, 1972

By_____
Martin H. Hibbetts

All values are reported in parts per million unless specified otherwise. A minus sign (-) is to be read "less than" and a plus sign (+) "greater than." Values in parenthesis are estimates. This analytical report is the confidential property of the above mentioned client and for the protection of this client and ourselves we reserve the right to forbid publication or reproduction of this report or any part thereof without written permission.

ND = Non Detected 1 ppm = 0.0001% 1 Troy oz./ton = 34.25 ppm % Mo. x 1.6683 = $\%MoS_2$

Client Dee Hill Mining Corporation Date September 13, 1972 RMGC Job No. 72-10-07



| Sample No. | ppm Copper | ppm Molybdenum |
|---|---|---|
| 1442-1490 | 440 | 4 |
| 1490-1460 | 260 | 4 |
| 1460-1470 | 215 | 4 |
| 1470-1480 | 110 | 2 |
| 1480-1490 | 155 | 9 |
| 1490-1500 | 585 | 2 |
| 1500-1510 | 490 | 11 |
| 1510-1520 | 100 | 1 |
| 1520-1530 | 160 | 2 |
| 1530-1540 | 150 | -1 |
| 1540-1550 | 0.24% | 79 |
| 1550-1560 | 555 | 31 |
| 1560-1570 | 350 | 2 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona September 13, 1972

By _____

Martin H. Hibbetts

TUCSON OFFICE

# ROCKY MOUNTAIN GEOCHEMICAL CORP.

2050 E. 14TH STREET • TUCSON, ARIZONA 85719 • PHONE: (602) 622-5702

## Certificate of Analysis



**Date:** September 20, 1972

**Client:** Red Hills Mining Corporation

P.O. Box 611

Florence, Arizona 85232

RMGC Numbers:

Local Job No.: 72-12-162

Foreign Job No.: ---

Invoice No.: 2-1072

**Client Order No.:** ---

**Report On:** [illegible]

**Submitted by:** Mr. Don Kennedy

**Date Received:** [illegible] 13, 1972

**Analysis:** Copper, Molybdenum, Lead, Zinc, and Silver

**Analytical Methods:** Copper determined colorimetrically. All others determined by atomic absorption.

**Remarks:** ---

**cc:** [illegible]

| Sample No. | Cu % | Mo ppm |
|---|---|---|
| 1570-1580 | 0.14 | 7 |
| 1580-1590 | 0.29 | 30 |
| 1590-1600 | 0.22 | 72 |
| 1600-1610 | 0.19 | 87 |
| 1610-1620 | [illegible] | 1 |
| [illegible] | [illegible] | [illegible] |
| [illegible] | [illegible] | [illegible] |

1570'-1610' = 40' @ .21

All values are reported in parts per million unless specified otherwise. A minus sign (—) is to be read "less than" and a plus sign (+) "greater than." Values in parenthesis are estimates. This analytical report is the confidential property of the above mentioned client and for the protection of this client and ourselves we reserve the right to forbid publication or reproduction of this report or any part thereof without written permission.

ND = None Detected | 1 ppm = 0.0001% | 1 Troy oz./ton = 34.286 ppm | 1 ppm = 0.0292 Troy oz./ton

Client [illegible] Date [illegible] RMGC Job No. [illegible]



| [illegible] | PPM [illegible] | PPM [illegible] | PPM [illegible] | PPM [illegible] | PPM [illegible] |
|---|---|---|---|---|---|
| 1640-1650 | 135 | 2 | | | |
| 1650-1660 | 200 | 5 | | | |
| 1660-1670 | 90 | 1 | | - | |
| 1670-1680 | 50 | 5 | | | |
| 1680-1690 | 70 | 2 | | | |
| 1690-1700 | 120 | 4 | | | |
| 1700-1710 | 80 | 1 | | | |
| 1710-1720 | 55 | -1 | | | |
| 1720-1730 | 65 | 4 | | | |
| 1730-1740 | 200 | 5 | | | |
| 1740-1750 | 250 | 8 | | | |
| 1750-1760 | 220 | 7 | | | |
| 1760-1770 | 110 | 6 | | | |
| 1770-1780 | 80 | 1 | | | |
| 1780-1790 | 130 | 5 | | | |
| SMI. 1 | | | 950 | 28.4% | 170 |
| " 2 | | | 60 | 50% | 11 |
| " 3 | | | | 36.6% | 90 |
| SMI 4 | | | | 99.5% | |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona September 20, 1972

Client: [illegible] Mining Corporation Date September 28, 1972 RMGC Job No. [illegible]



| [illegible] | [illegible] | [illegible] |
|---|---|---|
| 1790-1800 | 0.11% | 6 |
| 1800-1810 | 220 | 1 |
| 1810-1820 | 135 | 5 |
| 1820-1830 | 110 | -1 |
| 1830-1840 | 110 | 9 |
| 1840-1850 | 0.12% | 198 |
| 1850-1860 | 80 | 3 |
| 1860-1870 | 90 | 1 |
| 1870-1880 | 95 | 5 |
| 1880-1890 | 60 | 2 |
| 1890-1900 | 70 | 1 |
| 1900-1910 | 150 | 4 |
| 1910-1920 | 260 | 2 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona September 28, 1972

By _____

Marian H. Hibbetts

Client [illegible] Date [illegible] RMGC Job No. [illegible]



| [illegible] | PPM Copper | PPM [illegible] |
|---|---|---|
| 1920-1930 | 405 | 1 |
| 1930-1940 | 220 | 2 |
| 1940-1950 | 570 | 7 |
| 1950-1960 | 400 | 2 |
| 1960-1970 | 160 | 11 |
| 1970-1980 | 310 | 5 |
| 1980-1990 | 850 | 9 |
| 1990-2000 | 0.59% | 123 |
| 2000-2010 | 695 | 2 |
| 2010-2020 | 320 | 1 |
| 2020-2030 | 300 | 1 |
| 2030-2040 | 670 | 6 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona September 29, 1972

By [redacted]

Bertha M. Hibbetts

ROCKY MOUNTAIN GEOCHEMICAL CORP.
2050 E. 14TH STREET • TUCSON, ARIZONA 85719 • PHONE: (602) 622-5702
TUCSON OFFICE

# Certificate of Analysis



Date: October 11, 1972

Client: Red Hills Mining Corporation

P.O. Box 611

Florence, Arizona 85232

RMGC Numbers:
Local Job No.: 72-11-7T
Foreign Job No.:
Invoice No.: 2-4032

Client Order No.:

Report On: 6 samples

Submitted by: Mr. Don Kennedy

Date Received: October 5, 1972

72-11-77

Analysis: Copper and Molybdenum

Analytical Methods: Molybdenum determined colorimetrically. All others determined by atomic absorption.

Remarks:

cc:

| Sample No. | PPM Copper | PPM Molybdenum |
|---|---|---|
| [illegible] | 80 | -1 |
| 2210-2220 | 120 | -1 |
| 2220-2230 | 60 | 5 |
| 2230-2240 | 50 | 4 |
| 2240-2250 | 70 | 6 |
| 2250-2260 | 260 | 7 |

ROCKY MOUNTAIN GEOCHEMICAL CORPORATION

Tucson, Arizona October 11, 1972

By [illegible]

All values are reported in parts per million unless specified otherwise. A minus sign (—) is to be read "less than" and a plus sign (+) "greater than." Values in parenthesis are estimates. This analytical report is the confidential property of the above mentioned client and for the protection of this client and ourselves we reserve the right to forbid publication or reproduction of this report or any part thereof without written permission.

ND = None Detected 1 ppm = 0.0001% 1 Troy oz./ton = 34.286 ppm 1 ppm = 0.0292 Troy oz./ton


ACG&C #2
ACG&C #5?
ACG&C #6
RH-1
RH-3
RH-5
RH-2
RH-4
RH-7
ACG&C #4?
ACG&C #1?
KC-1
KC-5
KC-10
Billy Boy Claims
(state)
Wash
28
27
26
33
34
35
1968
2045
2088
2126
2020
2090
2050
2040
2054
2169
2213
2186
2160
2187
2118
2257
2240
2100
2000
1900
2200
BM 2099
RH-5 to 5000, 8/16/73
4" DH
qtz vein
matic dike
qtz veins
matic dikes
& Calcite

Qal
Qt
Tqm
Ttp
Ped
Lq
Lam
La
Pegr
RH-1
RH-2
RH-4
RH-5
RH-6
RH-8

RH-8
RH-7
RH-5
RH-6
RH-2
RH-4
KC-3
TD 795'
TD 2473'
KC-1
TD 822'
KC-5
TD 784'
KC-10
TD 2227'
Tert, Laramide
qm porph. stock
T4S
T5S
28 27 27 26
33 34 34 35
4 3 3 2 2 1
0 500 1000
1"=500'

## LEGEND

- Oracle granite
- Diabase
- Dike rocks, premineral, varying from andesite to dacite.
- Quartz monzonite and quartz monzonite porphyry, laramide, stock and dikes
- Quartz monzonite porphyry varying to dacite; tertiary, plugs, dikes, flows
- Tonalite, tonalite porphyry varying from granodiorite to andesite, tertiary dikes and plugs.
- Alluvium and talus
- Recent arroyo gravels
- Moderate to strong porphyry copper alteration, primarily fracture controlled
- Weak to mild fracture controlled porphyry copper alteration
- Tertiary alteration, undifferentiated

WESTERN EXPLORATION OFFICE PHELPS DODGE CORPORATION

RED HILLS PROJECT

T 4 S

T 5 S

RH-8

RH-1

RH-5

RH-4

## LEGEND

- Pegr — Oracle granite
- Ped — Diabase
- Pd — Dike rocks, preminerol, varying from andesite to dacite.
- Tqm — Quartz monzonite and quartz monzonite porphyry, laramide, stock and dikes
- Tqm — Quartz monzonite porphyry varying to dacite, tertiary, plugs, dikes, flows
- Tfp — Tonalite, tonalite porphyry varying from granodiorite to andesite, tertiary dikes and plugs.
- Qt — Alluvium and talus
- Qal — Recent arroyo gravels
- Moderate to strong porphyry copper alteration, primarily fracture controlled
- Weak to mild fracture controlled porphyry copper alteration
- Tertiary alteration, undifferentiated

WESTERN EXPLORATION OFFICE PHELPS DODGE CORPORATION

RED HILLS PROJECT

# AERIAL PHOTO OVERLAY GEOLOGIC MAP

OF

RED HILLS AREA

PINAL COUNTY, ARIZONA

FOR

BELL WESTERN CORPORATION

BY

HEINRICHS GEOEXPLORATION COMPANY

APRIL 24, 1970 — DRAFTED BY: JAY DOWNS

T 4 S R 11 E

26 27 28 33 34 35

ZONE OF SHEETING

SECTION CORNER

33 SECTION NUMBER

2-4 AERIAL PHOTO CENTER & NUMBER

AERIAL PHOTO OUTLINE

FAULT OR FRACTURE

GEOLOGIC CONTACT

## GEOLOGIC SYMBOLS

- A RECENT ALLUVIUM
- C CONGLOMERATE
- Ap APLITE
- D DIABASE
- Q QUARTZ RICH DIKE
- LD LATER DIORITE
- QD QUARTZ DIORITE
- G GRANITE
- OG OXIDIZED GRANITE

N

UNCONTROLLED SCALE: 1"=400'

HEINRICHS GEOEXPLORATION COMPANY
POST OFFICE BOX 847 - TUCSON, ARIZONA 85702
Phone: 602/622-5571 Cable: GEOEX, Tucson
mexicocity
sydney
5-2-70




SCALE

500 250 0 500 1000 FEET

WESTMONT MINING INC. 4949 So. Syracuse Street Suite 4200 Denver, CO 80237

COMPILED:

DRAFTED:

REVISED:

Pinal County, Arizona

**Red Hill Project**

DATE: SCALE: DWG. NO.:




N

SCALE
500 250 0 500 1000 FEET

WESTMONT
MINING INC. 4949 So. Syracuse Street Suite 4200 Denver, CO 80237

COMPILED:
DRAFTED:
REVISED:

Pinal County, Arizona
**Red Hill Project**

DATE: SCALE: DWG. NO.:

# MAP OF MINING CLAIMS

LOCATED IN
SECTIONS 27, 28, 33, & 34
AND PORTIONS OF 21, 22, 23,
26 & 35, T. 4S - R. 11E, G. & S. R. B. & M.
PINAL COUNTY, ARIZONA
FOR
BELL WESTERN CORP.
200 FILLMORE
SUITE 306
DENVER, COLORADO 80206

Surveyed during the months of November and December 1969.

SCALE 1" = 400'


WECKERLY & ASSOCIATES
ENGINEERS-SURVEYORS
77 W. CHICAGO ST.
CHANDLER, ARIZONA 85224
TEL. 963-6481


NOTES:
1) The West line of Section 33 T.1S-R6E (Between the SW Cor and the N¼ Cor.) is used as the base line for this survey. said West line's Bearing is NORTH (assumed). All claims are staked 90° with said base line or extension thereof, except along the South line of T.1S-R6E, there location markers are set on said South line.
2) The location of claims shown hereon, were made in accordance with instructions of O.L. Hill, General Manager of Bell Western Corp.
3) ○ = Indicates 4"x4" Post set

Note: South Line of Area Claimed is Common to S Line of Township 4S - R.11E. Location markers set on same

JOB NO. 691101

Revised Feb. 12, 1970

Projected Sec. line

Projected Section Line

Fd. Pile of Stones 17' W. of line possible 1/4 Cor.

NW. Cor Sec 33 Fd. Stone 17.5' W. of line

NORTH (Assumed Bearing)

N 1/4 Cor Sec 33 Fd Marked Stone

SW. Cor. Sec. 33 T4S-R11E Fd. Br. Cap (G.L.O.)

Fd. G.L.O. Br. Cap N 1/4 Cor. Sec. 4

T4S-R11E T5S-R11E

Fd. G.L.O Br Cap S 1/4 Sec. 33

RANCH

ARIZONA

RED HILLS

UTAH SHAFT

ARIZONA 300' INCLINED SHAFT

This is large Jasp dike on PD map near hole RH-1

Note South Line of Area Claim location markers set

# GILA RED HILLS MINING, LTD.

2290 West Broadway Road
Apache Junction, AZ 85220
(602) 982-8224 / 280-9087

→ Talk w/ Morton McKenna (602) 280-9087
partners in Red Hill Partnership

trying to fill-up some gaps, holes in property, etc.;
getting it ready to show to major investors

concluded that original leaching effort was doomed from the start.

- Geol. map of PD..., drill rights for Red Hills Mining, did one drilling which was fairly deep.
- Talked about Cuprite project, etc.

- ~~Sec. 31 [illegible]~~

---

→ Troy Ray — was main locator
Civil case awarded the claims in Sec 33 to Troy Ray
- Grande Mining then located claims over Troy Ray claims, so that Grande claims were invalid.
- So that Mr. claims are void.

---

Derick that should meet and talk, told him he in AZ week of 9th, should try and get together - should call him next Tues., Wed to arrange place, time, etc.

31, 214

(602) 340-9579

11/27 Talk w/ Amman Hallum - Gila River Indian - said he has received letter, just needs to talk w/ some else at tribe to see if would consider mining - he will call me next week to see - will call him.

---

11/27. Fred Barco, Barco ~~Trai~~ Inc., Globe

building offices at Rinto Valley
does lots of concrete work.
sounds like a good guy, will be sending my info on his business
- has building just refurbished in Miami by Tailings.

---

11/27 Talk w/ Ross Corn re Copper Spring property - he says that road to property is now fixed up, can drive all the way in.

---

11/27 Talk w/ Martin McKenna Will meet @ 8:30 Thursday 12th @ Rec room in Apache Jct.

Simply reflecting prop

4 S., 11 E.,

Talked vaguely about confidentiality agreement - ventured that had potential problem w/ us possibly making deals on other properties in the area - did not want to place us in a bad situation - left thing up in the air

# GILA RED HILLS MINING, LTD.

2290 West Broadway Road
Apache Junction, AZ 85220
(602) 982-8224 / 280-9087

Gary Parkison
District Geologist
Cambior, USA, Inc.
4949 South Syracuse Street
Suite 4200
Denver, Colorado 80237

Jan 7, 1992

Dear Gary,

The material you requested was shipped UPS to Cambior ATTN: Gary Parkison this morning. Expected delivery is Friday, 1/10/92. Carrier Number is #1013, shipping order No 1787. Cover letter and receipts are enclosed.

Regards,

Martin McKenna
General Parnter

PROJECT: **CARLOTA, ARIZONA** #: 0104-2

TITLE: MINING LEASE WITH OPTION TO PURCHASE AND SUBLEASE AGREEMENT

DATE: 8/1/89 TERM: 20+ years EXPIRATION DATE: 7/31/2009+

OWNERSHIP: Fee _____ FEDERAL: __X__ STATE: ____ OTHER: ____

COUNTY: Gila County, Arizona

PROPERTY DESCRIPTION: 12 unpatented mining claims

(Brewery, Clipper, Old Abe, Thomas Jefferson, Blue Jay Fraction, Vat, Lost Knife No. 1 [Amended], Lost Knife No. 2 [Amended], Manganese Cap [Amended], Galena [Amended], Dew, Ladd)

| | | | | |
|---|---|---|---|---|
| PARTIES: | 1) | Sherwood B. Owens<br>P.O. Box 769<br>Tucson, AZ 85702 | (Owner) | With copy to:<br>Richard E. Mieritz (Agent)<br>2940 N. Casa Tomas<br>Phoenix, AZ 85016 |
| | 2) | Westmont Mining Inc. | | |

COMMITMENTS: Minimum payments: ~~Negotiate lease document~~ had 6 month exclusive evaluation period starting 2/1/89 – if wanted to drill, then needed to execute lease.

| | | |
|---|---|---|
| $10,000 | 8/1/89 | Upon execution |
| $15,000 | 1/31/90 | |
| $20,000 | 7/31/90 | and every 6 months thereafter (1/31/91, 7/31/91, etc.) ***prior to commencement*** of construction of mining facility or actual mining operations on property |

---

*No payments due during period starting with commencement of contruction and ending with actual commencement of production of a saleable product.*

---

$ 3,000/month Due on 1st day of month - ***Upon commencement of commercial production.***

**Purchase Price:** $3,000,000. [See Credit/Offset]

MISCELLANEOUS:

Credit/Offset: All minimum payments paid to Owner ***after the commencement of production*** of Minerals shall be credited against any production royalties that accrue and against the purchase price.

NSR: 5% (to be paid quarterly).

Option to Purchase: Westmont may exercise the Purchase Option at any time during Primary Term by delivering written notice to Owner or having paid the Purchase Price (with credit/offsets).

Termination: Westmont may terminate at any time by giving a good and sufficient Surrender of this Agreement to Owner. *Upon written request from Owner* within 6 months of termination, Westmont to supply Owner with non-interpretive data.

Assessment Work: Westmont is responsible for assessment work every year in which Westmont continues beyond July 1.

Taxes: Westmont to pay taxes attributable to equipment or operations of Westmont.

Assignment: Either party may assign.

11/10/89 se

12/12/91

Morton — Joe Simpson

Molli & [redacted] McKenna
Mike lives in Apache Jct.
Morton lives in Phoenix

Troy Ray had the claim, but did not file assmt work for 90-91 — he took big tax problems, and he apparently left the country, so did not do any work, can't be found

Troy Ray apparently was working w/ a Nicholas Mr. Marcusco

Troy Ray got claim in a judgment dated 11/25/79 ___, run out over Alvarez brothers,

Phillips claim invalid because located on their claim in 1984 on top of valid claim held by Troy Ray.

---

Geology Stuff — 4.8 — 20 m .80 — 4 8 160 3. — 6 holidays — $40 — (20 — 26)

$0 — $
6 — $
12 — $
18 — $1.30
24 — $1.15
3% → $1.00
2% .85
1% .70

$150K 1.5 years

| | | $/mo |
|---|---|---|
| 3 mos, due diligence work commitment | | 0 |
| 18 mos, | $150K | 50K |
| 18 mos | " | 50K |
| 18 mos | " | 50K |

— $40. buy-out —

File
Arizona Copper
Group - Pinal Co.

# UNITED STATES
# DEPARTMENT OF THE INTERIOR
## BUREAU OF MINES

WESTERN REGION
MINERALS DIVISION

May 14, 1947

1600 EAST FIRST SOUTH STREET
SALT LAKE CITY, UTAH

MEMORANDUM TO: J. H. Hedges, Tucson, Arizona

FROM : Paul T. Allsman, Salt Lake City, Utah

SUBJECT : Consolidated Gold & Copper Co. and Arizona Copper Deposits, Florence, Arizona

L. L. Simmons and W. J. Robertson of Salt Lake City called to request examination and drilling on their copper property near Florence, Arizona. They had some beautiful specimens of sulfide copper and many very familiar pictures of the giant cacti.

I promised to call this to your attention, although you may know of it. The prospects are about 15 miles east of Florence and reported to have copper mineralization over a wide area. John F. Johnson, Box 304, Florence, Arizona, is sinking a shaft and either he or his men are there during the week.

The prospect may be reached from Florence by going east past the penitentiary for 11 or 12 miles, then turn left for 2 miles to a power line, turn right and drive to the shaft. The power line passes across the property.

These men knew little of mining and could give no extensive information. I have only promised to pass it on.

Best personal regards.

Paul T. Allsman

U. S. BUREAU OF MINES
MAY 16 1947
TUCSON DIV., MINING BR.

Red Hills Min. Dist. E. of Florence

```
Text View: B:\pinal                          Col 0          940,032 Bytes          74%
0040210809STATE     ARIZONA                 PINAL
0040210809IDENT     SUPERIOR OIL CO PROPERTY                SURF-UNDERG DEVEL
DEPOSIT
0040210809LOCAT     N330149W1111211ORE BODY 100M    646 10MS
0040210809UTM       12N3654470481037
0040210809TOPOG     MESA                NORTH BUTTE       7.5 MINMIXED
0040210809BASIN     GILA RIVER                60P
0040210809HUC       00000000
0040210809REFER     ADMR                                M1981
0040210809PLS       GILA & SALT R 005 S011 E 3E2NENESURVEY
0040210809COMMO01                                        P9999
0040210809O-NAM01   SUPERIOR OIL CO
0040210809OWNER01   OWNER          USA ARIZONA          1981
0040210809B-BIB 001 USGS NORTH BUTTE QUAD
0040210809B-BIB 002 WORKINGS EXTEND INTO SEC.2
0040210809B-BIB 003 BLM UNPAT MINING CLAIMS LEAD FILE 19713
0040210810STATE     ARIZONA                 PINAL
0040210810IDENT     SUPERIOR OIL PROPERTY                   SURF-UNDERG DEVEL
DEPOSIT
0040210810LOCAT     N330232W1111257ORE BODY 100M    625 10MS
0040210810UTM       12N3655797479846
0040210810TOPOG     MESA                NORTH BUTTE       7.5 MINMIXED
0040210810BASIN     GILA RIVER                60P
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit

Text View: B:\pinal                          Col 0          940,032 Bytes          74%
0040210810TOPOG     MESA                NORTH BUTTE       7.5 MINMIXED
0040210810BASIN     GILA RIVER                60P
0040210810HUC       00000000
0040210810REFER     ADMR                                M1981
0040210810PLS       GILA & SALT R 004 S011 E33E2NE  SURVEY
0040210810COMMO01                                        P9999
0040210810O-NAM01   SUPERIOR OIL CO
0040210810OWNER01   OWNER          USA ARIZONA          1981
0040210810B-BIB 001 USGS NORTH BUTTE QUAD
0040210810B-BIB 002 BLM UNPAT MINING CLAIMS LEAD FILE 19713
0040210811STATE     ARIZONA                 PINAL
0040210811IDENT     SUPERIOR OIL CO PROPERTY - AREA 1  SURF-UNDERG DEVEL
DEPOSIT
0040210811LOCAT     N330217W1111235ORE BODY 100M    628 10MS
0040210811UTM       12N3655334480416
0040210811TOPOG     MESA                NORTH BUTTE       7.5 MINMIXED
0040210811BASIN     GILA RIVER                60P
0040210811HUC       00000000
0040210811REFER     ADMR                                M1981
0040210811PLS       GILA & SALT R 004 S011 E34NWNESWSURVEY
0040210811COMMO01                                        P9999
0040210811O-NAM01   SUPERIOR OIL CO
0040210811OWNER01   OWNER          USA ARIZONA          1981
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit
```

```
Text View: B:\pinal                          Col 0          940,032 Bytes          74%
0040210811O-NAM01   SUPERIOR OIL CO
0040210811OWNER01   OWNER          USA ARIZONA          1981
0040210811B-BIB 001 USGS NORTH BUTTE QUAD
0040210811B-BIB 002 BLM UNPAT MINING CLAIMS LEAD FILE 19713
0040210812STATE     ARIZONA              PINAL
0040210812IDENT     SUPERIOR OIL CO PROPERTY - AREA 2  SURF-UNDERG DEVEL
DEPOSIT
0040210812LOCAT     N330158W1111215ORE BODY 100M   640 10MS
0040210812UTM       12N3654747480934
0040210812TOPOG     MESA               NORTH BUTTE      7.5 MINMIXED
0040210812BASIN     GILA RIVER              60P
0040210812HUC       00000000
0040210812REFER     ADMR                                M1981
0040210812PLS       GILA & SALT R 004 S011 E34SWSE  SURVEY
0040210812COMMO01                                        P9999
0040210812O-NAM01   SUPERIOR OIL CO
0040210812OWNER01   OWNER          USA ARIZONA          1981
0040210812B-BIB 001 USGS NORTH BUTTE QUAD
0040210812B-BIB 002 BLM UNPAT MINING CLAIMS LEAD FILE 19713
0040210813STATE     ARIZONA              PINAL
0040210813IDENT     SUPERIOR OIL CO PROPERTY - AREA 3  SURF-UNDERG DEVEL
DEPOSIT
0040210813LOCAT     N330158W1111153ORE BODY 100M   649 10MS
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit

Text View: B:\pinal                          Col 0          940,032 Bytes          75%
DEPOSIT
0040210813LOCAT     N330158W1111153ORE BODY 100M   649 10MS
0040210813UTM       12N3654746481504
0040210813TOPOG     MESA               NORTH BUTTE      7.5 MINMIXED
0040210813BASIN     GILA RIVER              60P
0040210813HUC       00000000
0040210813REFER     ADMR                                M1981
0040210813PLS       GILA & SALT R 004 S011 E34SESE  SURVEY
0040210813COMMO01                                        P9999
0040210813O-NAM01   SUPERIOR OIL CO
0040210813OWNER01   OWNER          USA ARIZONA          1981
0040210813B-BIB 001 USGS NORTH BUTTE QUAD
0040210813B-BIB 002 BLM UNPAT MINING CLAIMS LEAD FILE 19713
0040210814STATE     ARIZONA              PINAL
0040210814IDENT     SUPERIOR RAY COPPER CO PROPERTY    UNDERGROUND PAST
PRODUCER
0040210814LOCAT     N331650W1110605ORE BODY 100M   853100MS
0040210814UTM       12N3682202490558
0040210814TOPOG     MESA               SUPERIOR         7.5 MINNAT FOREST
0040210814BASIN     GILA RIVER              60P
0040210814HUC       00000000
0040210814PLS       GILA & SALT R 002 S012 E 3SE    SURVEY
0040210814COMMO01   COPPER                                P
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit
```

```
Text View: B:\pinal                          Col 0          940,032 Bytes          32%
0040210329IDENT     EXXON CORP                                UNDERGROUND DEVEL
DEPOSIT
0040210329LOCAT     N331011W1110750MAIN ENT 100M    504 10MS
0040210329UTM       12N3669918487827
0040210329TOPOG     MESA                CHANDLER HEIGHTS 7.5 MINPRIVATE
0040210329BASIN     GILA RIVER                60P
0040210329HUC       00000000
0040210329REFER     ADMR                                M1981
0040210329PLS       GILA & SALT R 003 S007 E15SESWNWSURVEY
0040210329COMMO01   COPPER                                P
0040210329COMMO02   GOLD                                  P
00402103290-NAM01   EXXON CORP
0040210329OWNER01   OWNER          USA TEXAS            1981
0040210329B-BIB 001 USGS CHANDLER HEIGHTS QUAD
0040210329B-BIB 002 STATE OF AZ-LAND DEPT LEASES
0040210329B-BIB 003 BLM MINING CLAIMS LEAD FILE 42041
0040210329B-BIB 004 ADMR MINERAL BUTTE AND GOLDMINE MTN AREAS
0040210330STATE     ARIZONA                 PINAL
0040210330IDENT     EXXON CORP PROPERTY                   PROSPECT    EXP PROSPECT
0040210330LOCAT     N330243W1110950ORE BODY 100M    671 10MS
0040210330UTM       12N3656127484697
0040210330TOPOG     MESA                NORTH BUTTE       7.5 MINMIXED
0040210330BASIN     GILA RIVER                60P
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit

Text View: B:\pinal                          Col 0          940,032 Bytes          32%
0040210330TOPOG     MESA                NORTH BUTTE       7.5 MINMIXED
0040210330BASIN     GILA RIVER                60P
0040210330HUC       00000000
0040210330REFER     ADMR                                M1981
0040210330PLS       GILA & SALT R 004 S011 E36NENENESURVEY
0040210330COMMO01                                       P9999
00402103300-NAM01   EXXON CORP
0040210330OWNER01   OWNER          USA ARIZONA          1981
0040210330B-BIB 001 USGS NORTH BUTTE QUAD
0040210330B-BIB 002 BLM UNPAT MINING CLAIMS LEAD FILE 1947
0040210331STATE     ARIZONA                 PINAL
0040210331IDENT     EXXON CORP PROPERTY                   PROSPECT    EXP PROSPECT
0040210331LOCAT     N330138W11111080RE BODY 100M    664 10MS
0040210331UTM       12N3654128482671
0040210331TOPOG     MESA                NORTH BUTTE       7.5 MINBLM ADMIN
0040210331BASIN     GILA RIVER                60P
0040210331HUC       00000000
0040210331REFER     ADMR                                M1981
0040210331PLS       GILA & SALT R 005 S011 E 1NWSWNWSURVEY
0040210331COMMO01                                       P9999
00402103310-NAM01   EXXON CORP
0040210331OWNER01   OWNER          USA ARIZONA          1981
0040210331B-BIB 001 USGS NORTH BUTTE QUAD
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit
```

near Red Hills Dist - Area

```
Text View: B:\pinal                          Col 0          940,032 Bytes          32%
0040210331OWNER01   OWNER          USA ARIZONA          1981
0040210331B-BIB 001 USGS NORTH BUTTE QUAD
0040210331B-BIB 002 BLM UNPAT MINING CLAIMS LEAD FILE 1947
0040210332STATE     ARIZONA                PINAL
0040210332IDENT     EXXON CORP PROPERTY                  UNDERGROUND DEVEL
DEPOSIT
0040210332LOCAT     N330150W1111110MAIN ENT 100M   628 10MS
0040210332UTM       12N3654498482619
0040210332TOPOG     MESA               NORTH BUTTE      7.5 MINMIXED
0040210332BASIN     GILA RIVER              60P
0040210332HUC       00000000
0040210332REFER     ADMR                                M1981
0040210332PLS       GILA & SALT R 005 S011 E 2NENENESURVEY
0040210332COMMO01                                        P9999
0040210332N-NAM01   RED CLAIMS
0040210332O-NAM01   EXXON CORP
0040210332OWNER01   OWNER          USA ARIZONA          1981
0040210332B-BIB 001 USGS NORTH BUTTE QUAD
0040210332B-BIB 002 BLM UNPAT MINING CLAIM LEAD FILE 1947
0040210333STATE     ARIZONA                PINAL
0040210333IDENT     EXXON LEASES                         PROSPECT    EXP PROSPECT
0040210333LOCAT     N325400W1114350ORE BODY 100M   425100MS
0040210333UTM       12N3640246431675
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit

Text View: B:\pinal                          Col 0          940,032 Bytes          33%
0040210333LOCAT     N325400W1114350ORE BODY 100M   425100MS
0040210333UTM       12N3640246431675
0040210333TOPOG     TUCSON             CASA GRANDE EAST 7.5 MINMIXED
0040210333BASIN     GILA RIVER              60P
0040210333HUC       00000000
0040210333HOL       STATE LEASE
0040210333REFER     ADMR                                M1981
0040210333PLS       GILA & SALT R 004 S011 E23S2S2SWSURVEY
0040210333COMMO01                                        P9999
0040210333N-NAM01   RED CLAIMS
0040210333O-NAM01   EXXON CORP
0040210333OWNER01   OWNER          USA ARIZONA          1981
0040210333B-BIB 001 USGS CASA GRANDE EAST QUAD
0040210333B-BIB 002 BLM UNPAT MINING CLAIMS LEAD FILE 1947
0040210333B-BIB*001 STATE LEASES EXTEND INTO SECTS 15,29,AND 32
0040210334STATE     ARIZONA                PINAL
0040210334IDENT     EXXON LEASE                          PROSPECT    EXP PROSPECT
0040210334LOCAT     N325730W1111500ORE BODY 100M   652100MS
0040210334UTM       12N3646504476634
0040210334TOPOG     TUCSON             NINETYSIX HILLS  7.5 MINMIXED
0040210334BASIN     GILA RIVER              60P
0040210334HUC       00000000
0040210334HOL       STATE LEASE
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit
```

```
Text View: B:\pinal                          Col 0          940,032 Bytes          33%
0040210334HUC        00000000
0040210334HOL        STATE LEASE
0040210334REFER      ADMR                                  M1981
0040210334PLS        GILA & SALT R 005 S011 E32            SURVEY
0040210334COMMO01                                             P9999
0040210334O-NAM01    EXXON CORP
0040210334OWNER01    OWNER          USA ARIZONA            1981
0040210334B-BIB 001 USGS NINETYSIX HILLS NW QUAD
0040210334B-BIB 002 STATE OF AZ LAND DEPT LEASES 1980
0040210334B-BIB*001 STATE LEASES EXTEND INTO SECTS 3,4,5,6,7,8 AND 9 T6S,R11E
0040210336STATE      ARIZONA                PINAL
0040210336IDENT      EXXON LEASES                          PROSPECT    EXP PROSPECT
0040210336LOCAT      N325230W1110500ORE BODY 100M   975100MS
0040210336UTM        12N3637241492204
0040210336TOPOG      TUCSON              NINETYSIX HILLS  7.5 MINMIXED
0040210336HUC        00000000
0040210336HOL        STATE LEASE
0040210336REFER      ADMR                                  M1981
0040210336PLS        GILA & SALT R 005 S012 E26            SURVEY
0040210336COMMO01                                             P9999
0040210336O-NAM01    EXXON CORP
0040210336OWNER01    OPERATOR       USA ARIZONA            1981
0040210336B-BIB 001 USGS NINETYSIX HILLS NE QUAD
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit

Text View: B:\pinal                          Col 0          940,032 Bytes          33%
0040210334HUC        00000000
0040210334HOL        STATE LEASE
0040210334REFER      ADMR                                  M1981
0040210334PLS        GILA & SALT R 005 S011 E32            SURVEY
0040210334COMMO01                                             P9999
0040210334O-NAM01    EXXON CORP
0040210334OWNER01    OWNER          USA ARIZONA            1981
0040210334B-BIB 001 USGS NINETYSIX HILLS NW QUAD
0040210334B-BIB 002 STATE OF AZ LAND DEPT LEASES 1980
0040210334B-BIB*001 STATE LEASES EXTEND INTO SECTS 3,4,5,6,7,8 AND 9 T6S,R11E
0040210336STATE      ARIZONA                PINAL
0040210336IDENT      EXXON LEASES                          PROSPECT    EXP PROSPECT
0040210336LOCAT      N325230W1110500ORE BODY 100M   975100MS
0040210336UTM        12N3637241492204
0040210336TOPOG      TUCSON              NINETYSIX HILLS  7.5 MINMIXED
0040210336HUC        00000000
0040210336HOL        STATE LEASE
0040210336REFER      ADMR                                  M1981
0040210336PLS        GILA & SALT R 005 S012 E26            SURVEY
0040210336COMMO01                                             P9999
0040210336O-NAM01    EXXON CORP
0040210336OWNER01    OPERATOR       USA ARIZONA            1981
0040210336B-BIB 001 USGS NINETYSIX HILLS NE QUAD
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit

Text View: B:\pinal                          Col 0          940,032 Bytes          33%
0040210336OWNER01    OPERATOR       USA ARIZONA            1981
0040210336B-BIB 001 USGS NINETYSIX HILLS NE QUAD
0040210336B-BIB 002 STATE OF AZ-LAND DEPT LEASES 1980
0040210336B-BIB*001 STATE LEASES EXTEND INTO SECTS 13,23,24,25,35 AND 36 AND 1N
0040210336B-BIB*002    T5S,R13E NINETYSIX HILLS SE QUAD SECTS 16,18,19,30,31,32
0040210336B-BIB*003    AND SECTS 1 AND 2 T6S,R12E AND SECTS 5,6,7 AND 8
```

```
T6S,R13E
0040210337STATE     ARIZONA              PINAL
0040210337IDENT     EXXON LEASES                          PROSPECT    EXP PROSPECT
0040210337LOCAT     N330000W1112730ORE BODY 100M   448100MS
0040210337UTM       12N3651189457183
0040210337TOPOG     TUCSON             FLORENCE         7.5 MINMIXED
0040210337BASIN     GILA RIVER               60P
0040210337HUC       00000000
0040210337REFER     ADMR                                M1981
0040210337PLS       GILA & SALT R 005 S009 E 8S2    SURVEY
0040210337COMMO01                                        P9999
0040210337O-NAM01   EXXON
0040210337OWNER01   OPERATOR      USA ARIZONA          1981
0040210337B-BIB 001 USGS FLORENCE QUAD
0040210337B-BIB 002 STATE OF ARIZ LAND DEPT LEASES 1980
0040210337B-BIB*001 STATE LEASES EXTEND INTO SECT 11,T5S,R8E AND SECTS 17 AND
0040210337B-BIB*002    18 T5S,R9E
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit
```

Red Hills - ~~general~~ Area ~ Concentrate or Immediate Mines Area, ~~Claims~~ ~~owned~~ by Redbird # claims

# 4 S 11 E 26 S2

C 7

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 26 | S2 | 21 | 2 | 2047 | LD | RED NO 101 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:789 | 1/11/1977 | 0000 | 3/31/1980 |
| | | | SE | 21 | | 2048 | LD | RED NO 102 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:790 | 1/11/1977 | 0000 | 3/31/1980 |
| | | | S2 | 21 | | 2049 | LD | RED NO 103 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:791 | 1/11/1977 | 0000 | 3/31/1980 |
| | | | SW | 21 | | 4384 | LD | CHRYSOCO #153 | RAY, TROY W.<br>CAROUSO,NICHOLAS H | 4348 | 857:942 | 2/01/1977 | 0000 | 6/11/1980 |
| | | | SW | 21 | | 4385 | LD | CHRYSOCO #154 | RAY, TROY W.<br>CAROUSO,NICHOLAS H | 4348 | 857:943 | 2/01/1977 | 0000 | 6/11/1980 |
| | | | SW | 21 | | 4386 | LD | CHRYSOCO #155 | RAY, TROY W.<br>CAROUSO,NICHOLAS H | 4348 | 857:944 | 2/01/1977 | 0000 | 6/11/1980 |
| | | | SW | 21 | | 4387 | LD | CHRYSOCO #156 | RAY, TROY W.<br>CAROUSO,NICHOLAS H | 4348 | 857:945 | 2/01/1977 | 0000 | 6/11/1980 |
| | | | W2 | 21 | | 4388 | LD | CHRYSOCO #157 | RAY, TROY W. | 4348 | 857:946 | 2/01/1977 | 0000 | 6/11/1980 |
| | | | S2 | 21 | | 4393 | LD | CHRYSOCO #162 | CAROUSO,NICHOLAS H<br>RAY, TROY W. | 4348 | 857:956 | 3/03/1977 | 0000 | 6/11/1980 |
| | | | S2 | 21 | | 4394 | LD | CHRYSOCO #185 | CAROUSO,NICHOLAS H<br>RAY, TROY W.<br>CAROUSO,NICHOLAS H | 4348 | 857:957 | 3/03/1977 | 0000 | 6/11/1980 |
| | | | S2 | 21 | | 4395 | LD | CHRYSOCO #186 | RAY, TROY W.<br>CAROUSO,NICHOLAS H | 4348 | 857:958 | 3/03/1977 | 0000 | 6/11/1980 |
| | | | ALL | 21 | | 4396 | LD | CHRYSOCO #187 | RAY, TROY W.<br>CAROUSO,NICHOLAS H | 4348 | 857:959 | 3/03/1977 | 0000 | 6/11/1980 |
| | | | SW | 21 | | 130150* | LD | RED HILLS #70 | RAY TROY | 130125 | 1054:756 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130152* | LD | RED HILLS #72 | | 130125 | 1054:760 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 297348* | LD | SB #1 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/26/1989 | 1990 | |
| | | | N2 | 21 | | 297349* | LD | SB #2 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/26/1989 | 1990 | |
| | | | N2 | 21 | | 297350* | LD | SB #3 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | NW | 21 | | 297351* | LD | SB #4 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | NW | 21 | | 297352* | LD | SB #5 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | N2 | 21 | | 297353* | LD | SB #6 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | N2 | 21 | | 297354* | LD | SB #7 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | NW | 21 | | 297355* | LD | SB #8 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | W2 | 21 | | 297356* | LD | SB #9 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT. NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

# 4 S 11 E 26 ALL

D 7

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

PAGE NO: 11616
PCN: LT892PP1

GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| LEGAL DESCRIPTION TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 26 | ALL | 21 | 2 | 297357* | LD | SB #10 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | S2 | 21 | | 297358* | LD | SB #11 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | SW | 21 | | 297359* | LD | SB #12 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | SW | 21 | | 297360* | LD | SB #13 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/29/1989 | 1990 | |
| | | | S2 | 21 | | 297361* | LD | SB #14 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/29/1989 | 1990 | |
| | | | S2 | 21 | | 297362* | LD | SB #15 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/29/1989 | 1990 | |
| | | | SW | 21 | | 297363* | LD | SB #16 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/29/1989 | 1990 | |
| | | | SW | 21 | | 297364* | LD | SB #17 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/29/1989 | 1990 | |
| | | | S2 | 21 | | 297365* | LD | SB #18 | MCBROOM JAMES<br>NASH W P | 297348 | | 5/29/1989 | 1990 | |
| | | | SW | 21 | | 315111* | LD | REDBIRD NUMBER 62 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315112* | LD | REDBIRD NUMBER 63 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315118* | LD | REDBIRD NUMBER 69 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315119* | LD | REDBIRD NUMBER 70 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315125* | LD | REDBIRD NUMBER 76 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315131* | LD | REDBIRD NUMBER 82 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315137* | LD | REDBIRD NUMBER 88 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | 27 | N2 | 21 | | 1979 | LD | RED NO 33 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:721 | 1/15/1977 | 0000 | 3/31/1980 |
| | | | NE | 21 | | 1980 | LD | RED NO 34 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:722 | 1/15/1977 | 0000 | 3/31/1980 |
| | | | N2 | 21 | | 1981 | LD | RED NO 35 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:723 | 1/15/1977 | 0000 | 3/31/1980 |
| | | | NE | 21 | | 1982 | LD | RED NO 36 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:724 | 1/15/1977 | 0000 | 3/31/1980 |
| | | | N2 | 21 | | 1983 | LD | RED NO 37 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:729 | 1/15/1977 | 0000 | 3/31/1980 |
| | | | NE | 21 | | 1984 | LD | RED NO 38 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855:725 | 1/15/1977 | 0000 | 3/31/1980 |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT. NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| LEGAL DESCRIPTION TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 27 | SW | 21 | 2 | 130132 | *LD | RED HILLS #52 | RAY TROY | 130125 | 1054:720 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130134 | *LD | RED HILLS #54 | | 130125 | 1054:724 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130138 | *LD | RED HILLS #58 | | 130125 | 1054:732 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130139 | *LD | RED HILLS #59 | | 130125 | 1054:734 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130140 | *LD | RED HILLS #60 | | 130125 | 1054:736 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130141 | *LD | RED HILLS #61 | | 130125 | 1054:738 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130142 | *LD | RED HILLS #62 | | 130125 | 1054:740 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130143 | *LD | RED HILLS #63 | | 130125 | 1054:742 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130144 | *LD | RED HILLS #64 | | 130125 | 1054:744 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130145 | *LD | RED HILLS #65 | | 130125 | 1054:746 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130149 | *LD | RED HILLS #69 | | 130125 | 1054:754 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130151 | *LD | RED HILLS #71 | | 130125 | 1054:758 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130153 | *LD | RED HILLS #73 | | 130125 | 1054:762 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 297351 | *LD | SB #4 | MCBROOM JAMES | 297348 | | 5/27/1989 | 1990 | |
| | | | NE | 21 | | 297352 | *LD | SB #5 | NASH W P<br>MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | NE | 21 | | 297355 | *LD | SB #8 | MCBROOM JAMES | 297348 | | 5/27/1989 | 1990 | |
| | | | E2 | 21 | | 297356 | *LD | SB #9 | NASH W P<br>MCBROOM JAMES | 297348 | | 5/27/1989 | 1990 | |
| | | | SE | 21 | | 297359 | *LD | SB #12 | NASH W P<br>MCBROOM JAMES<br>NASH W P | 297348 | | 5/27/1989 | 1990 | |
| | | | SE | 21 | | 297360 | *LD | SB #13 | MCBROOM JAMES | 297348 | | 5/29/1989 | 1990 | |
| | | | SE | 21 | | 297363 | *LD | SB #16 | NASH W P<br>MCBROOM JAMES | 297348 | | 5/29/1989 | 1990 | |
| | | | SE | 21 | | 297364 | *LD | SB #17 | NASH W P<br>MCBROOM JAMES<br>NASH W P | 297348 | | 5/29/1989 | 1990 | |
| | | | SW | 21 | | 315108 | *LD | REDBIRD NUMBER 59 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315109 | *LD | REDBIRD NUMBER 60 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315110 | *LD | REDBIRD NUMBER 61 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315111 | *LD | REDBIRD NUMBER 62 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315116 | *LD | REDBIRD NUMBER 67 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315117 | *LD | REDBIRD NUMBER 68 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315118 | *LD | REDBIRD NUMBER 69 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315122 | *LD | REDBIRD NUMBER 73 | GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT, NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| TWNSHP | RANGE | SEC | SUBDV | CTY | GEO BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 27 | SW | | 2 | 315122*LD | | REDBIRD NUMBER 73 | MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315123*LD | | REDBIRD NUMBER 74 | GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315124*LD | | REDBIRD NUMBER 75 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315125*LD | | REDBIRD NUMBER 76 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315128*LD | | REDBIRD NUMBER 79 | GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315129*LD | | REDBIRD NUMBER 80 | MCKENNA MARTIN J<br>GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315130*LD | | REDBIRD NUMBER 81 | GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315131*LD | | REDBIRD NUMBER 82 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315134*LD | | REDBIRD NUMBER 85 | MCKENNA MARTIN J<br>GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315135*LD | | REDBIRD NUMBER 86 | GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315136*LD | | REDBIRD NUMBER 87 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315137*LD | | REDBIRD NUMBER 88 | MCKENNA MARTIN J<br>GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | 28 | NE | 21 | | 6513 LD | | RED 135 | EXXON CORP, USA | 6499 | 861:207 | 3/24/1977 | 0000 | 3/19/1980 |
| | | | NE | 21 | | 6514 LD | | RED 136 | | 6499 | 861:208 | 3/24/1977 | 0000 | 3/19/1980 |
| | | | NW | 21 | | 7084 LD | | CHRYSOCO #36 | RAY TROY W | 7081 | 857:878 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NW | 21 | | 7085 LD | | CHRYSOCO #37 | CAROUSO NICHOLAS H<br>RAY TROY W | 7081 | 857:879 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NW | 21 | | 7086 LD | | CHRYSOCO #38 | CAROUSO NICHOLAS H<br>RAY TROY W | 7081 | 857:880 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NW | 21 | | 7117 LD | | CHRYSOCO #105 | CAROUSO NICHOLAS H<br>RAY TROY W | 7081 | 857:924 | 2/20/1977 | 0000 | 6/11/1980 |
| | | | NW | 21 | | 7118 LD | | CHRYSOCO #106 | CAROUSO NICHOLAS H<br>RAY TROY W | 7081 | 857:925 | 2/20/1977 | 0000 | 6/11/1980 |
| | | | N2 | 21 | | 7122 LD | | CHRYSOCO #110 | CAROUSO NICHOLAS H<br>RAY TROY W | 7081 | 857:926 | 2/20/1977 | 0000 | 6/11/1980 |
| | | | N2 | 21 | | 7123 LD | | CHRYSOCO #111 | CAROUSO NICHOLAS H<br>RAY TROY W | 7081 | 857:927 | 2/20/1977 | 0000 | 6/11/1980 |
| | | | N2 | 21 | | 7124 LD | | CHRYSOCO #112 | CAROUSO NICHOLAS H<br>RAY TROY W | 7081 | 857:928 | 2/20/1977 | 0000 | 6/11/1980 |
| | | | SW | 21 | | 7876 LD | | CHRYSOCO #124 | CAROUSO NICHOLAS H.<br>RAY TROY W. | 7868 | 864:929 | 4/02/1977 | 0000 | 6/11/1980 |
| | | | SW | 21 | | 7877 LD | | CHRYSOCO #125 | CAROUSO NICCHOLAS H.<br>RAY TROY W. | 7868 | 864:930 | 4/02/1977 | 0000 | 6/11/1980 |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT, NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

REPORT DATE: AUG 8, 1991 UNITED STATES DEPARTMENT OF THE INTERIOR PAGE NO: 11621
ADMINISTRATIVE STATE: ARIZONA BUREAU OF LAND MANAGEMENT PCN: LT892PP1

GEOGRAPHIC INDEX ALL CLAIMS MERIDIAN: GILA-SALT R.

| TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 28 | ALL | 21 | 2 | 29212 | LD | 60R | RAY TROY W | 29153 | 930:34 | 9/01/1978 | 0000 | 1/05/1982 |
| | | | SW | 21 | | 130125* | LD | RED HILLS #45 | RAY TROY | | 1054:705 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 130127* | LD | RED HILLS #47 | | 130125 | 1054:710 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130128* | LD | RED HILLS #48 | | 130125 | 1054:712 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130129* | LD | RED HILLS #49 | | 130125 | 1054:714 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130130* | LD | RED HILLS #50 | | 130125 | 1054:716 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130131* | LD | RED HILLS #51 | | 130125 | 1054:718 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130132* | LD | RED HILLS #52 | | 130125 | 1054:720 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130133* | LD | RED HILLS #53 | | 130125 | 1054:722 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130134* | LD | RED HILLS #54 | | 130125 | 1054:724 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 130135* | LD | RED HILLS #55 | | 130125 | 1054:726 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130188* | LD | RED HILLS #108 | | 130125 | 1054:832 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130190* | LD | RED HILLS #110 | | 130125 | 1054:836 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130192* | LD | RED HILLS #112 | | 130125 | 1054:840 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130194* | LD | RED HILLS #114 | | 130125 | 1054:844 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130196* | LD | RED HILLS #116 | | 130125 | 1054:848 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130199* | LD | RED HILLS #119 | | 130125 | 1054:854 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130202* | LD | RED HILLS #122 | | 130125 | 1054:860 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130203* | LD | RED HILLS #123 | | 130125 | 1054:862 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130204* | LD | RED HILLS #124 | | 130125 | 1054:864 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130205* | LD | RED HILLS #125 | | 130125 | 1054:866 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130206* | LD | RED HILLS #126 | | 130125 | 1054:868 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130207* | LD | RED HILLS #127 | | 130125 | 1054:870 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130208* | LD | RED HILLS #128 | | 130125 | 1054:872 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130209* | LD | RED HILLS #129 | | 130125 | 1054:874 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130220* | LD | RED HILLS #140 | | 130125 | 1054:896 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130221* | LD | RED HILLS #141 | | 130125 | 1054:898 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130222* | LD | RED HILLS #142 | | 130125 | 1054:900 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 315106* | LD | REDBIRD NUMBER 57 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315107* | LD | REDBIRD NUMBER 58 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315113* | LD | REDBIRD NUMBER 64 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315114* | LD | REDBIRD NUMBER 65 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315115* | LD | REDBIRD NUMBER 66 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315120* | LD | REDBIRD NUMBER 71 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315121* | LD | REDBIRD NUMBER 72 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315126* | LD | REDBIRD NUMBER 77 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT. NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

B-132 X 64 10-6

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| -LEGAL DESCRIPTION- TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 28 | SE | 21 | 2 | 315127* | LD | REDBIRD NUMBER 78 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315132* | LD | REDBIRD NUMBER 83 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315133* | LD | REDBIRD NUMBER 84 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | 29 | NE | 21 | | 7081 | LD | CHRYSOCO #33 | RAY TROY W<br>CAROUSO NICHOLAS H | | 857;875 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7082 | LD | CHRYSOCO #34 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 857;876 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7083 | LD | CHRYSOCO #35 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 857;877 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7084 | LD | CHRYSOCO #36 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 857;878 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7085 | LD | CHRYSOCO #37 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 857;879 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7086 | LD | CHRYSOCO #38 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 857;880 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7103 | LD | CHRYSOCO #72 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;901 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7111 | LD | CHRYSOCO #99 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;909 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7112 | LD | CHRYSOCO #100 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;910 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7113 | LD | CHRYSOCO #101 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;911 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7114 | LD | CHRYSOCO #102 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;912 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7115 | LD | CHRYSOCO #103 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;913 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7116 | LD | CHRYSOCO #104 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 857;923 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7119 | LD | CHRYSOCO #107 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;914 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7120 | LD | CHRYSOCO #108 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;915 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7121 | LD | CHRYSOCO #109 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;917 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 7125 | LD | CHRYSOCO #113 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;918 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7126 | LD | CHRYSOCO #114 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;919 | 2/21/1977 | 0000 | 6/11/1980 |
| | | | NE | 21 | | 7127 | LD | CHRYSOCO #115 | RAY TROY W<br>CAROUSO NICHOLAS H | 7081 | 864;920 | 2/21/1977 | 0000 | 6/11/1980 |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT, NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

# 4 S 11 E 33 NE

N 7

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

PAGE NO: 11626
PCN: LT892PP1

GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| -LEGAL DESCRIPTION- TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 33 | NE | 21 | 2 | 130126*LD | | RED HILLS #46 | RAY TROY | 130125 | 1054:708 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 130128*LD | | RED HILLS #48 | | 130125 | 1054:712 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 130129*LD | | RED HILLS #49 | | 130125 | 1054:714 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | N2 | 21 | | 130200*LD | | RED HILLS #120 | | 130125 | 1054:856 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130201*LD | | RED HILLS #121 | | 130125 | 1054:858 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | N2 | 21 | | 130202*LD | | RED HILLS #122 | | 130125 | 1054:860 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130203*LD | | RED HILLS #123 | | 130125 | 1054:862 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130210*LD | | RED HILLS #130 | | 130125 | 1054:876 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130211*LD | | RED HILLS #131 | | 130125 | 1054:878 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | N2 | 21 | | 130212*LD | | RED HILLS #132 | | 130125 | 1054:880 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130213*LD | | RED HILLS #133 | | 130125 | 1054:882 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | N2 | 21 | | 130214*LD | | RED HILLS #134 | | 130125 | 1054:884 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130215*LD | | RED HILLS #135 | | 130125 | 1054:886 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | ALL | 21 | | 130216*LD | | RED HILLS #136 | | 130125 | 1054:888 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | W2 | 21 | | 130217*LD | | RED HILLS #137 | | 130125 | 1054:890 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | S2 | 21 | | 130218*LD | | RED HILLS #138 | | 130125 | 1054:892 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 130219*LD | | RED HILLS #139 | | 130125 | 1054:894 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SE | 21 | | 221291*LD | | GRANDE 1 | GRANDE MINING | | : 00 | 4/26/1984 | 1990 | |
| | | | SE | 21 | | 221292*LD | | GRANDE 2 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | NE | 21 | | 221293*LD | | GRANDE 3 | Mr. Pierce | 221291 | : | 4/26/1984 | 1990 | |
| | | | NE | 21 | | 221294*LD | | GRANDE 4 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | SE | 21 | | 221295*LD | | GRANDE 5 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | SE | 21 | | 221296*LD | | GRANDE 6 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | NE | 21 | | 221297*LD | | GRANDE 7 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | NE | 21 | | 221298*LD | | GRANDE 8 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | SE | 21 | | 221299*LD | | GRANDE 9 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | SE | 21 | | 221300*LD | | GRANDE 10 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | NE | 21 | | 221301*LD | | GRANDE 11 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | NE | 21 | | 221302*LD | | GRANDE 12 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | SE | 21 | | 221303*LD | | GRANDE 13 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | SE | 21 | | 221304*LD | | GRANDE 14 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | NE | 21 | | 221305*LD | | GRANDE 15 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | NE | 21 | | 221306*LD | | GRANDE 16 | | 221291 | : | 4/26/1984 | 1990 | |
| | | | SE | 21 | | 279091*LD | | DIGGY #8 | DIG MORE MININNG | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SE | 21 | | 279092*LD | | DIGGY #9 | | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SE | 21 | | 279093*LD | | DIGGY #10 | | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SE | 21 | | 279094*LD | | DIGGY #11 | | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SE | 21 | | 307477*LD | | GILA RED HILLS #1 | GILA RED HILLS MNG | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | SE | 21 | | 307478*LD | | GILA RED HILLS #2 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | NE | 21 | | 307479*LD | | GILA RED HILLS #3 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | NE | 21 | | 307480*LD | | GILA RED HILLS #4 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | NE | 21 | | 307481*LD | | GILA RED HILLS #5 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | NE | 21 | | 307482*LD | | GILA RED HILLS #6 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | SE | 21 | | 307483*LD | | GILA RED HILLS #7 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT. NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 33 | SE | 21 | 2 | 307484 | *LD | GILA RED HILLS #8 | GILA RED HILLS MNG | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | SE | 21 | | 307485 | *LD | GILA RED HILLS #9 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | SE | 21 | | 307486 | *LD | GILA RED HILLS #10 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | NE | 21 | | 307487 | *LD | GILA RED HILLS #11 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | NE | 21 | | 307488 | *LD | GILA RED HILLS #12 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | NE | 21 | | 307489 | *LD | GILA RED HILLS #13 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | NE | 21 | | 307490 | *LD | GILA RED HILLS #14 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | SE | 21 | | 307491 | *LD | GILA RED HILLS #15 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | SE | 21 | | 307492 | *LD | GILA RED HILLS #16 | | 307477 | | 8/13/1990 | 0000 | 5/01/1991 |
| | | | SE | 21 | | 313938 | *PL | REDBIRD 1 | | 313938 | | 5/01/1991 | 0000 | |
| | | | SE | 21 | | 313939 | *LD | REDBIRD NUMBER 2 | | 313938 | | 5/01/1991 | 0000 | |
| | | | SE | 21 | | 313940 | *LD | REDBIRD NUMBER 3 | | 313938 | | 5/01/1991 | 0000 | |
| | | | SE | 21 | | 313941 | *LD | REDBIRD NUMBER 4 | | 313938 | | 5/01/1991 | 0000 | |
| | | | E2 | 21 | | 313942 | *LD | REDBIRD NUMBER 5 | | 313938 | | 5/01/1991 | 0000 | |
| | | | S2 | 21 | | 313945 | *LD | REDBIRD NUMBER 8 | | 313938 | | 5/01/1991 | 0000 | |
| | | | S2 | 21 | | 313946 | *LD | REDBIRD NUMBER 9 | | 313938 | | 5/01/1991 | 0000 | |
| | | | E2 | 21 | | 313947 | *LD | REDBIRD NUMBER 10 | | 313938 | | 5/01/1991 | 0000 | |
| | | | NE | 21 | | 315060 | *LD | REDBIRD NUMBER 11 | | 315060 | | 6/11/1991 | 0000 | |
| | | | NE | 21 | | 315061 | *LD | REDBIRD NUMBER 12 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/11/1991 | 0000 | |
| | | | NE | 21 | | 315062 | *LD | REDBIRD NUMBER 13 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/11/1991 | 0000 | |
| | | | N2 | 21 | | 315063 | *LD | REDBIRD NUMBER 14 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/11/1991 | 0000 | |
| | | | N2 | 21 | | 315064 | *LD | REDBIRD NUMBER 15 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/11/1991 | 0000 | |
| | | | N2 | 21 | | 315065 | *LD | REDBIRD NUMBER 16 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/11/1991 | 0000 | |
| | | | S2 | 21 | | 315066 | *LD | REDBIRD NUMBER 17 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/11/1991 | 0000 | |
| | | | S2 | 21 | | 315067 | *LD | REDBIRD NUMBER 18 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/11/1991 | 0000 | |
| | | | N2 | 21 | | 315106 | *LD | REDBIRD NUMBER 57 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | NE | 21 | | 315107 | *LD | REDBIRD NUMBER 58 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | 34 | SE | 21 | | 4371 | LD | CHRYSOCO #140 | RAY, TROY W. | 4348 | 857:929 | 3/03/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 4372 | LD | CHRYSOCO #141 | CAROUSO,NICHOLAS H<br>RAY, TROY W. | 4348 | 857:930 | 3/03/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 4373 | LD | CHRYSOCO #142 | CAROUSO,NICHOLAS H<br>RAY, TROY W. | 4348 | 857:931 | 2/01/1977 | 0000 | 6/11/1980 |
| | | | SE | 21 | | 4374 | LD | CHRYSOCO #143 | CAROUSO,NICHOLAS H<br>RAY, TROY W. | 4348 | 857:932 | 2/01/1977 | 0000 | 6/11/1980 |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT, NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 34 | NW | 21 | 2 | 104492*LD | | RED HILLS #15 | RAY TROY | 104478 | 1006:593 | 3/03/1980 | 1989 | 6/05/1991 |
| | | | N2 | 21 | | 104493*LD | | RED HILLS #16 | | 104478 | 1006:595 | 3/03/1980 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 104494*LD | | RED HILLS #17 | | 104478 | 1006:597 | 3/03/1980 | 1989 | 6/05/1991 |
| | | | N2 | 21 | | 104495*LD | | RED HILLS #18 | | 104478 | 1006:599 | 3/03/1980 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 109498*LD | | RED HILLS #26 | | | 1012:221 | 5/18/1980 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 109499*LD | | RED HILLS 27 | | 109498 | 1012:223 | 5/18/1980 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 109513*LD | | RED HILLS 41 | | 109498 | 1012:251 | 5/18/1980 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 109514*LD | | RED HILLS 42 | | 109498 | 1012:253 | 5/18/1980 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 109515*LD | | RED HILLS 43 | | 109498 | 1012:255 | 5/18/1980 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 109516*LD | | RED HILLS 44 | | 109498 | 1012:257 | 5/18/1980 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130126*LD | | RED HILLS #46 | | 130125 | 1054:708 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130128*LD | | RED HILLS #48 | | 130125 | 1054:712 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | N2 | 21 | | 130136*LD | | RED HILLS #56 | | 130125 | 1054:728 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130137*LD | | RED HILLS #57 | | 130125 | 1054:730 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | N2 | 21 | | 130138*LD | | RED HILLS #58 | | 130125 | 1054:732 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NW | 21 | | 130139*LD | | RED HILLS #59 | | 130125 | 1054:734 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 130147*LD | | RED HILLS #67 | | 130125 | 1054:750 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 130149*LD | | RED HILLS #69 | | 130125 | 1054:754 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | NE | 21 | | 130151*LD | | RED HILLS #71 | | 130125 | 1054:758 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | SW | 21 | | 279091*LD | | DIGGY #8 | DIG MORE MININNG | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SW | 21 | | 279092*LD | | DIGGY #9 | | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SW | 21 | | 279093*LD | | DIGGY #10 | | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SW | 21 | | 279094*LD | | DIGGY #11 | | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SW | 21 | | 279095*LD | | DIGGY #12 | | 279084 | | 1/04/1988 | 0000 | 6/18/1990 |
| | | | SW | 21 | | 313943*LD | | REDBIRD NUMBER 6 | GILA RED HILLS MNG | 313938 | | 5/01/1991 | 0000 | |
| | | | S2 | 21 | | 313944*LD | | REDBIRD NUMBER 7 | | 313938 | | 5/01/1991 | 0000 | |
| | | | SW | 21 | | 315068*LD | | REDBIRD NUMBER 19 | MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315069*LD | | REDBIRD NUMBER 20 | GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315070*LD | | REDBIRD NUMBER 21 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315071*LD | | REDBIRD NUMBER 22 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315073*LD | | REDBIRD NUMBER 24 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315074*LD | | REDBIRD NUMBER 25 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315075*LD | | REDBIRD NUMBER 26 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315076*LD | | REDBIRD NUMBER 27 | MCKENNA MARTIN J<br>GILA RED HILLS MNG | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315078*LD | | REDBIRD NUMBER 29 | MCKENNA MARTIN J<br>GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |

* * DISCLOSURE* * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT. NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 34 | S2 | 21 | 2 | 315079 | *LD | REDBIRD NUMBER 30 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315080 | *LD | REDBIRD NUMBER 31 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315081 | *LD | REDBIRD NUMBER 32 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | S2 | 21 | | 315083 | *LD | REDBIRD NUMBER 34 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315084 | *LD | REDBIRD NUMBER 35 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SE | 21 | | 315085 | *LD | REDBIRD NUMBER 36 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | ALL | 21 | | 315087 | *LD | REDBIRD NUMBER 38 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | E2 | 21 | | 315088 | *LD | REDBIRD NUMBER 39 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | E2 | 21 | | 315089 | *LD | REDBIRD NUMBER 40 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315091 | *LD | REDBIRD NUMBER 42 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | N2 | 21 | | 315092 | *LD | REDBIRD NUMBER 43 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NE | 21 | | 315093 | *LD | REDBIRD NUMBER 44 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NE | 21 | | 315094 | *LD | REDBIRD NUMBER 45 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315096 | *LD | REDBIRD NUMBER 47 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | N2 | 21 | | 315097 | *LD | REDBIRD NUMBER 48 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NE | 21 | | 315098 | *LD | REDBIRD NUMBER 49 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NE | 21 | | 315099 | *LD | REDBIRD NUMBER 50 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315101 | *LD | REDBIRD NUMBER 52 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | N2 | 21 | | 315102 | *LD | REDBIRD NUMBER 53 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NE | 21 | | 315103 | *LD | REDBIRD NUMBER 54 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NE | 21 | | 315104 | *LD | REDBIRD NUMBER 55 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315108 | *LD | REDBIRD NUMBER 59 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT. NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 4 S | 11 E | 35 | NW | 21 | 2 | 130148*LD | | RED HILLS #68 | RAY TROY | 130125 | 1054;752 | 3/06/1981 | 1989 | 6/05/1991 |
| | | | E2 | 21 | | 211154*LD | | ROAD CUT COPPER #1 | HULL BRUCE | 211154 | 1196;41 | 11/25/1983 | 1990 | |
| | | | E2 | 21 | | 211155*LD | | ROAD CUT COPPER #2 | | 211154 | 1196;42 | 11/25/1983 | 1990 | |
| | | | SW | 21 | | 292857*LD | | LITTLE MINER #1 | MCBROOM JAMES | 292857 | 1583;0611 | 2/02/1989 | 0000 | 5/23/1991 |
| | | | SW | 21 | | 292858*LD | | LITTLE MINER #2 | | 292857 | 1583;0613 | 2/02/1989 | 0000 | 5/23/1991 |
| | | | SW | 21 | | 315071*LD | | REDBIRD NUMBER 22 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315072*LD | | REDBIRD NUMBER 23 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315077*LD | | REDBIRD NUMBER 28 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315081*LD | | REDBIRD NUMBER 32 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315082*LD | | REDBIRD NUMBER 33 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315085*LD | | REDBIRD NUMBER 36 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | SW | 21 | | 315086*LD | | REDBIRD NUMBER 37 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | W2 | 21 | | 315089*LD | | REDBIRD NUMBER 40 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | W2 | 21 | | 315090*LD | | REDBIRD NUMBER 41 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315094*LD | | REDBIRD NUMBER 45 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315095*LD | | REDBIRD NUMBER 46 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315099*LD | | REDBIRD NUMBER 50 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315100*LD | | REDBIRD NUMBER 51 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315104*LD | | REDBIRD NUMBER 55 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315105*LD | | REDBIRD NUMBER 56 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315111*LD | | REDBIRD NUMBER 62 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | | NW | 21 | | 315112*LD | | REDBIRD NUMBER 63 | GILA RED HILLS MNG<br>MCKENNA MARTIN J | 315060 | | 6/16/1991 | 0000 | |
| | | 36 | NW | 21 | | 2050 LD | | RED NO 104 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855;792 | 1/11/1977 | 0000 | 3/31/1980 |
| | | | NW | 21 | | 2052 LD | | RED NO 106 | EXXON CORPORATION<br>GOODMUNDSON ROBERT | 1947 | 855;794 | 1/11/1977 | 0000 | 3/31/1980 |
| | | | NW | 21 | | 2054 LD | | RED NO 108 | EXXON CORPORATION | 1947 | 855;796 | 1/11/1977 | 0000 | 3/31/1980 |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT. NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 84 10-6

# 5 S 11 E 3 NW

H 8

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

PAGE NO: 11635
PCN: LT892PP1

GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5 S | 11 E | 3 | NW | 21 | 2 | 19992 | LD | RH 287 | SUPERIOR OIL CO | 19713 | 895:304 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19993 | LD | RH 288 | | 19713 | 895:305 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19994 | LD | RH 289 | | 19713 | 895:289 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19995 | LD | RH 290 | | 19713 | 895:290 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19996 | LD | RH 291 | | 19713 | 895:291 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19997 | LD | RH 292 | | 19713 | 895:292 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | E2 | 21 | | 19998 | LD | RH 293 | | 19713 | 895:293 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19999 | LD | RH 294 | | 19713 | 895:294 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 20000 | LD | RH 295 | | 19713 | 895:295 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 20001 | LD | RH 296 | | 19713 | 895:296 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 20002 | LD | RH 297 | | 19713 | 895:288 | 12/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 58049* | LD | BILLY BOY #1 | KUBLER ELMER | | 769:91 | 12/08/1974 | 1990 | |
| | | | NE | 21 | | 58050* | LD | BILLY BOY #2 | | 58049 | 769:92 | 12/08/1974 | 1990 | |
| | | | N2 | 21 | | 58051* | LD | BILLY BOY #5 | | 58049 | 772:865 | 1/22/1975 | 1990 | |
| | | | NW | 21 | | 58052* | LD | BILLY BOY #6 | | 58049 | 773:275 | 1/23/1975 | 1990 | |
| | | | NW | 21 | | 58053* | LD | BILLY BOY #7 | | 58049 | 773:276 | 1/23/1975 | 1990 | |
| | | | N2 | 21 | | 58054* | LD | BILLY BOY #8 | | 58049 | 773:277 | 1/23/1975 | 1990 | |
| | | 4 | NW | 21 | | 19838 | LD | RH 133 | SUPERIOR OIL CO | 19713 | 895:95 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19839 | LD | RH 134 | | 19713 | 895:117 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19840 | LD | RH 135 | | 19713 | 895:96 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19841 | LD | RH 136 | | 19713 | 895:118 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19842 | LD | RH 137 | | 19713 | 895:97 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19843 | LD | RH 138 | | 19713 | 895:119 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19844 | LD | RH 139 | | 19713 | 895:98 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19845 | LD | RH 140 | | 19713 | 895:120 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | W2 | 21 | | 19846 | LD | RH 141 | | 19713 | 895:99 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | ALL | 21 | | 19847 | LD | RH 142 | | 19713 | 895:121 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19848 | LD | RH 143 | | 19713 | 895:104 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | S2 | 21 | | 19849 | LD | RH 144 | | 19713 | 895:122 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19850 | LD | RH 145 | | 19713 | 895:105 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | S2 | 21 | | 19851 | LD | RH 146 | | 19713 | 895:123 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19852 | LD | RH 147 | | 19713 | 895:106 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | S2 | 21 | | 19853 | LD | RH 148 | | 19713 | 895:124 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19854 | LD | RH 149 | | 19713 | 895:107 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | S2 | 21 | | 19855 | LD | RH 150 | | 19713 | 895:125 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19874 | LD | RH 169 | | 19713 | 895:135 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19875 | LD | RH 170 | | 19713 | 895:153 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19876 | LD | RH 171 | | 19713 | 895:136 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19877 | LD | RH 172 | | 19713 | 895:154 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19878 | LD | RH 173 | | 19713 | 895:137 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19879 | LD | RH 174 | | 19713 | 895:155 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19880 | LD | RH 175 | | 19713 | 895:138 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19881 | LD | RH 176 | | 19713 | 895:156 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | E2 | 21 | | 19882 | LD | RH 177 | | 19713 | 895:139 | 11/15/1977 | 0000 | 11/13/1981 |

* * DISCLOSURE * * ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT, NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 84 10-6

5 S 11 E 4 E2

I 8

REPORT DATE: AUG 8, 1991
ADMINISTRATIVE STATE: ARIZONA

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

PAGE NO: 11636
PCN: LT892PP1

GEOGRAPHIC INDEX
ALL CLAIMS

MERIDIAN: GILA-SALT R.

| LEGAL DESCRIPTION TWNSHP | RANGE | SEC | SUBDV | GEO CTY | BLM DIST | SERIAL NO. | CASE TYPE | CLAIM NAME/NUMBER | CLAIMANT(S) | LEAD FILE | COUNTY BOOK:PAGE | LOCATION DATE | LATEST ASSMT-YR | CASE CLOSED |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 5 S | 11 E | 4 | E2 | 21 | 2 | 19883 | LD | RH 178 | SUPERIOR OIL CO | 19713 | 895:157 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19884 | LD | RH 179 | | 19713 | 895:140 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19885 | LD | RH 180 | | 19713 | 895:158 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19886 | LD | RH 181 | | 19713 | 895:141 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19887 | LD | RH 182 | | 19713 | 895:159 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19888 | LD | RH 183 | | 19713 | 895:142 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19889 | LD | RH 184 | | 19713 | 895:160 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19890 | LD | RH 185 | | 19713 | 895:143 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19891 | LD | RH 186 | | 19713 | 895:161 | 11/15/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19964 | LD | RH 259 | | 19713 | 895:260 | 11/16/1977 | 0000 | 11/13/1981 |
| | | | W2 | 21 | | 19965 | LD | RH 260 | | 19713 | 895:261 | 11/16/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19966 | LD | RH 261 | | 19713 | 895:262 | 11/16/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19967 | LD | RH 262 | | 19713 | 895:263 | 11/16/1977 | 0000 | 11/13/1981 |
| | | 5 | NW | 21 | | 19749 | LD | RH 37 | | 19713 | 895:28 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19750 | LD | RH 38 | | 19713 | 895:10 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19751 | LD | RH 39 | | 19713 | 895:29 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19752 | LD | RH 40 | | 19713 | 895:11 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19753 | LD | RH 41 | | 19713 | 895:30 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19754 | LD | RH 42 | | 19713 | 895:12 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19755 | LD | RH 43 | | 19713 | 895:31 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NW | 21 | | 19756 | LD | RH 44 | | 19713 | 895:13 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19757 | LD | RH 45 | | 19713 | 895:32 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19758 | LD | RH 46 | | 19713 | 895:14 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19759 | LD | RH 47 | | 19713 | 895:33 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19760 | LD | RH 48 | | 19713 | 895:15 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19761 | LD | RH 49 | | 19713 | 895:34 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19762 | LD | RH 50 | | 19713 | 895:16 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19763 | LD | RH 51 | | 19713 | 895:35 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19764 | LD | RH 52 | | 19713 | 895:17 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19765 | LD | RH 53 | | 19713 | 895:36 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SW | 21 | | 19766 | LD | RH 54 | | 19713 | 895:18 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19790 | LD | RH 81 | | 19713 | 895:51 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19791 | LD | RH 82 | | 19713 | 895:101 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19792 | LD | RH 83 | | 19713 | 895:52 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19793 | LD | RH 84 | | 19713 | 895:102 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19794 | LD | RH 85 | | 19713 | 895:53 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19795 | LD | RH 86 | | 19713 | 895:103 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | N2 | 21 | | 19796 | LD | RH 87 | | 19713 | 895:54 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | NE | 21 | | 19797 | LD | RH 88 | | 19713 | 895:74 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | ALL | 21 | | 19798 | LD | RH 89 | | 19713 | 895:55 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | E2 | 21 | | 19799 | LD | RH 90 | | 19713 | 895:75 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | S2 | 21 | | 19800 | LD | RH 91 | | 19713 | 895:56 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | SE | 21 | | 19801 | LD | RH 92 | | 19713 | 895:76 | 11/14/1977 | 0000 | 11/13/1981 |
| | | | S2 | 21 | | 19802 | LD | RH 93 | | 19713 | 895:57 | 11/14/1977 | 0000 | 11/13/1981 |

• • DISCLOSURE • • ALL INFORMATION RECEIVED IN THIS OFFICE MAY NOT YET BE LISTED ON THIS REPORT. NAMES AND ADDRESSES ARE ENTERED AS THEY APPEAR ON THE LOCATION NOTICE OR ARE ABBREVIATED TO FIT LIMITED SPACE; THEREFORE THEY MAY NOT APPEAR IN THE EXPECTED SEQUENCE. A BLANK LATEST ASSESSMENT YEAR IN THIS REPORT DOES NOT CONSTITUTE AN ABANDONED CLAIM. * AFTER S/N INDICATES LAND STATUS CHECKED.

8-132 X 64 10-6

Coal only . . . . . .

Oil and Gas only . . . . . .

Oil, Gas, and Coal only . . . . . .

Other . . . . . .

No symbol indicates no Federal minerals . . . . . .

NOTE TO MAP USEI

The surface and minerals mana overprints are published as ge and management tools. Some of th and mineral rights, may have t patented lands due to the lack available to BLM with respect to acquisition. Tracts less than 40 a omitted because of the map scale. private lands may be restricted records in the respective c Land Management or othe agencies should be checked for on any specific tract of land. Inac BLM maps should be reported to Bureau of Land Management offi the maps were obtained.

ARIZONA



QUADRANGLE LOCATION

LEGEND

Village or locality . . . . . •

Landmark building . . . . . ▪

Perennial stream, lake . . . . . ~~~~~

Intermittent stream, lake . . . . . - - - -

ROAD CLASSIFICATION

Primary highway, hard surface . . . . . ═══

Secondary highway, hard surface . . . . . ═══

Light-duty road, hard or improved surface . . . . . ═══

Street or other road . . . . . ═══

Trail . . . . . - - - - - -

Interstate route U.S. route State route

# MESA, ARIZ.

SW/4 MESA (NI 12-8) 1:250 000-SCALE MAP

N3300—W11100/30x60

**1979**

SURFACE MINERALS MANAGEMENT STATUS


29
28
27
32
33
34
5
4
3
8
10
17
16
15
2126
2020
2040
2090
2160
2200
2186
2253
BM 2090
1990
1968
1960
1940
2000
2050
Always Claims
T4S R11E Sec. 33
North Butte 7.5'

| Dep. | Dest. | Cty. |
|---|---|---|
| - Renfro Group | - Rupping Spg Dist | - Gila |
| Rattler Mine | - " " | Rural |
| (Troy Ranch) | " " | " |
| San Juan (Burkhardt) | Owl Head (Dunbar-Swayo) | Rural |
| Apache Mines (Victor) | " " | Rural |

Master owner of Alvarez group has added maps and stuff for PD, etc.
McKenna = R Gila Red Hills Hotel. Partnership.
2290 W. Broadway Apache AZ 85220 - get from old owner of property, see drill logs.
(602) 982-8224 ; phone number in Phoenix 280-9087

| | | |
|---|---|---|
| Copper Hill | Cottonwood | Rural ✓ |
| ~~Black Diamond~~ | ~~Rupert~~ | ~~Rural~~ |
| Wooley | Wooley | Rural |
| Silver King | Rupert | Rural |
| ~~Wooley~~ | ~~Wooley~~ | ~~Rural~~ |

SEE CENTERFOLD FOR CHOICE REAL ESTATE OFFERING

# ANOTHER THORP AUCTION

## CONSTRUCTION EQUIPMENT & REAL ESTATE

# AUCTION

## Custom Blade Service, Inc., & Red Hills Mining Corp., & Others

## TEMPE (Phoenix), ARIZONA

# Saturday, April 15, 1972

**Sale starts at 11:00 A.M.** **Lunch on grounds**

**LOCATION** ½ mile North of Arizona State University on Scottsdale Road, Tempe, Arizona.

**AIR TRAVEL** Schedule commercial flights to Sky Harbor International Airport, 20 minutes from sale site.

**INSPECTION DATES** Anytime after April 10, 1972.

For further information contact Gordon Schmeiser or Rodney Christensen or Dave Kessen, Thorp Commercial Corporation Office, P.O. Box 20603, Phoenix, Arizona. Phone: 602 - 252-8907, evenings Phone: 602 - 979-6252.

AUCTIONEER: Herman Behm, Phone: 414 - 862-2892.

Sale Arranged and Conducted by

THORP SALES CORPORATION THORP

Box 409 Thorp, Wisconsin 54771 715 - 669-5551

## TERMS OF SALE

### THORP ON-THE-SPOT CREDIT

**SUMS OF $1500** and under, cash. Over $1500 may be financed on regular Thorp terms. Longer terms can be arranged with the clerk before the sale.

**LEASE PLANS** available on items of $5,000 or more (except over-the-road trucks, tractors and trailers). Contact Sales Credit department at least 10 days prior to sale date. Phone 715-669-5551 Ext. 219.

**PAYMENT** may be made by personal or company checks — certification not required.

**SETTLEMENT MUST BE MADE ON SALE DAY** and may be made anytime during the sale. No property may be removed from premises before making settlement.

**INSPECTION** of equipment may be made prior to sale date.

**DEMONSTRATIONS** will be given upon request.

## DESCRIPTION OF EQUIPMENT

**Descriptions of equipment have been conscientiously set forth by the owners and are believed to be correct; however, the descriptions are not the representations of the Auctioneers. Neither the owners nor the Auctioneers are responsible for any errors in description or condition.**

**The definitions of the terms used in describing the equipment are as follows:**

**EXCELLENT:** Purchased recently. Limited use. Will show some signs of handling and use, but practically in new mechanical condition.

**VERY GOOD:** May have been overhauled or may never have been used enough to require an overhaul. In exceptionally good condition.

**GOOD:** In operating condition. However, may have some worn parts that require repairing or replacing soon. No known mechanical defects except any that may be described.

**FAIR:** May be old or may have suffered hard use. Has seen considerable service and may require general overhaul soon.

---

***If you are not presently on our mailing list and would like to receive catalogs of future Thorp auctions, fill in this coupon and mail to the address on the reverse side.***

Company: _____

By: _____
(Title)

Address: _____

City: _____ State: _____ Zip: _____

***EVERYTHING WILL BE SOLD TO THE HIGHEST BIDDER . . .***
***NO RESERVATIONS, MINIMUM OR LIMIT!***

★ ON THE SPOT CREDIT AVAILABLE ★

- Carla Henrich - 773-1000 - social worker at Heritage
  - dentist — do exam and cleaning - should be next Tuesday for this.
  - available for assistance regarding

---

Talk w/ Nigel Nesmith - couldn't find much - any of the files, but will leave it out for Technoprint

---

35-150 ton trucks -
which way to go, electric or mechanical

Talk w/ John Rio - ask him

---

11/18 - Talk w/ Mike McKenna (602) 982-8224 — Mike is brother of Morton McKenna Phx # (602) 290-9087
- competitive, bid, etc. re. Red Hills Property

have spent some time rounding up old reports from previous owners

ASARCO and P.D. data - they have some of this data, trying to get more reports,
- Their approach is to get data package together, send out to many companies, take deal w/ highest bidder
lots of bulldozer work done, says has exposed lots of veins
(Mike will ask Morton to send up info to me) - acknowledge that are some title problems, conflicting claims
- chalcocite blanket at 670'

PD business rel - took option from other leasing company - had 9 year lease, PD drilled in "center" of property that was looking for altered rock. - why drilled to 170'? -

```
Text View: B:\pinal                          Col 0          940,032 Bytes          10%
0040210101OWNER01   OWNER-OP      USA ARIZONA          1956
0040210101O-NAM02   VIA,CLARENCE
0040210101OWNER02   OWNER-OP      USA ARIZONA          1979
0040210101B-BIB 001 USGS SONORA QUAD
0040210101B-BIB 002 ADMR TROY MINES FILE
0040210101B-BIB 003 RANSOME,F L RAY FOLIO 1923 P 22
0040210101B-BIB 004 ADMR U FILE
0040210102STATE     ARIZONA              PINAL
0040210102IDENT     ALMA GROUP                          SURF-UNDERG DEVEL
DEPOSIT
0040210102LOCAT     N330209W1105841ORE BODY 100M   658100MS
0040210102UTM       12N3655068502049
0040210102TOPOG     MESA              SONORA          7.5 MINMIXED
0040210102BASIN     GILA RIVER              60P
0040210102HUC       00000000
0040210102REFER     ADMR                          M1981
0040210102PLS       GILA & SALT R 003 S013 E24NW    SURVEY
0040210102COMMO01   COPPER        OXIDE               P
0040210102COMMO02   SILVER                            P
0040210102COMMO03   GOLD          LODE                C
0040210102N-NAM01   COPPER KING M S 2881,PATENTED
0040210102N-NAM02   ALMA M S 2881,PATENTED
0040210102B-BIB 001 ADMR A OLD MINES FILE
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit

Text View: B:\pinal                          Col 0          940,032 Bytes          11%
0040210102N-NAM02   ALMA M S 2881,PATENTED
0040210102B-BIB 001 ADMR A OLD MINES FILE
0040210102B-BIB 002 ADMR MONITOR GROUP FILE-SKETCH
0040210102B-BIB 003 BLM MINING DIST SHEET 637
0040210102B-BIB 004 USGS SONORA QUAD
0040210103STATE     ARIZONA              PINAL
0040210103IDENT     ALVAREZ CLAIMS                      SURF-UNDERG PAST
PRODUCER
0040210103LOCAT     N330208W1111256ORE BODY 100M   623 10MS
0040210103UTM       12N3655058479871
0040210103TOPOG     MESA              NORTH BUTTE     7.5 MINMIXED
0040210103BASIN     GILA RIVER              60P
0040210103HUC       00000000
0040210103REFER     ADMR                          M1981
0040210103PLS       GILA & SALT R 004 S011 E33SE    SURVEY
0040210103COMMO01   COPPER        OXIDE               P
0040210103COMMO02   STONE                             P
0040210103COMMO03   IRON                              P
0040210103COMMO04   GOLD          LODE                B
0040210103N-NAM01   BEN ALVEREZ GROUP
0040210103N-NAM02   RED HILLS PROPERTY
0040210103N-NAM03   ARIZONA CONS AU AND AG PROPERTY
0040210103N-NAM04   MUNSEY PROPERTY
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit
```

ASARCO PROP. W. of Roy Mine

Red Hills

```
Text View: B:\pinal                          Col 0          940,032 Bytes          11%
0040210103N-NAM03   ARIZONA CONS AU AND AG PROPERTY
0040210103N-NAM04   MUNSEY PROPERTY
0040210103N-NAM05   ARIZONA COPPER GROUP
0040210103O-NAM01   MURRELL SMITH
0040210103OWNER01   OWNER          USA ARIZONA          1975
0040210103O-NAM02   BEN ALVEREZ
0040210103OWNER02   OWNER          USA ARIZONA          1964
0040210103O-NAM03   FRANK ALVEREZ
0040210103OWNER03   OWNER          USA ARIZONA          1964
0040210103O-NAM04   JESS BIRD
0040210103OWNER04   OWNER          USA ARIZONA          1964
0040210103O-NAM05   RED HILLS MINING CO.
0040210103OWNER05   OPERATOR       USA ARIZONA          1976
0040210103O-NAM06   BELL WESTERN
0040210103OWNER06   OPERATOR       USA TEXAS            1973
0040210103B-BIB 001 USGS WORTH BUTTE QUAD
0040210103B-BIB 002 ADMR ALVAREZ CLAIMS FILE
0040210103B-BIB 003 ENGINEERING AND MINING JOURNAL VOL.172,NO.2,FEB.1971,P132
0040210103B-BIB 004 ADMR ARIZONA COPPER GROUP FILE
0040210103B-BIB 005 ADMR ARIZ.CONS.AU AND CU MINE FILE
0040210103B-BIB 006 ADMR U FILE
0040210103B-BIB*001 CLAIMS EXTEND INTO SEC.32 AND 34
0040210104STATE     ARIZONA              PINAL
1Help   2Unwrap 3       4Hex    5       6       7Search 8Viewer 9       10Quit
```

Red Hills

** SE portion of claims Chrysocola - Area near river

Road to East @ entrance of property 135
3700' to East. Rd angle back @ 45° angle to left

SEE TRENCH I FOR TONNAGE CALCULATIONS.




PROBABLE ORE

AREA = 390 ft², Density Rock 162.0 lb/ft³

GRADE = 0.43 % Cu.

Vol. = 390 ft² X 100 ft = 39,000 ft³

TON = $\frac{39{,}000 \times 162.0}{2000}$ = 3,159 Tons @ 0.43% Cu.

Upper Channel Ave. grade 13 samples 26 feet 0.71 % Cu

Middle Channel Ave grade 13 samples 26 feet 0.37 % Cu

Lower Channel Ave grade 13 samples 26 feet 0.21 % Cu

3 1/2 9 @ 0.43 % Cu.

AREA: 26ft x 15ft = 390ft²

AREA x GRADE: 390ft² x 0.43%Cu = 167.7 ft² - % Cu.

FORM 9-1359
(REV. 11-63)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

ORDER FORM
5701 P

RF 488-69
PO # 1748

Attn: Map Information Office

Type of reproductions Contacts & Negatives QUANTITY 50 N 50 C

Paper DWSM & Film
(For aerial photographs, specify kind, weight, and finish)

Area Arizona
(Describe fully—give latitude, longitude, and quadrangle name, if applicable)

| Symbol | Roll No. | Print numbers | Total | Account |
|---|---|---|---|---|
| | | One each contacts & One each negative | | |
| VAJK | 3 | 713-720, 850-852, 859-~~878~~ ~~881~~ 865 | | |
| | 4 | 992-998, 1014-1021, 1145-1152, 1171-1177 | | |
| VAUS | 1 | 167 & 168 | | |

25 @ 1.25 = 31.25
25 @ .90 = 22.50
50 @ 2.50 = 125.00
178.75

Purchase Order No. 001748 Total prints 50 C - 50 N

Please send reproductions to Heinrichs Geoexploration Company
(Name and address—please print or type)

Date 12/24/69 806 West ~~F~~ Grant Road
(Street address—please print or type)

Signature Ltr. 12/22/69 Tucson, Arizona 85703 Attn: Gary L. Hix
(City or town, state—please print or type)

MIO No. _____ Amount Received $ _____ Amount Due $ 178.75

FINAL STATEMENT OF ACCOUNT

Prints shipped 1-22-70 (Date) via PP

Total charge _____ Refund _____ Balance due _____

Statement rendered by _____ Date not sent.

Remarks Check on what happened to prints (contacts)

Received Jan 27 1970 Negatives only P.H.

CUSTOMER'S NOTIFICATION COPY

NORTH BUTTE QUAD




Proposed IP Survey showing intent of coverage only

Dec 1969

HEINRICHS GEOEXPLORATION CO.
Box 5671 Tucson, Arizona 85703
Phone: (602) 623-0578
Cable: GEOEX

DEC 2 0 1969


Looking West
Andesite dike
Shear N82E 65SE
Fe
Granite
Cu
Granite
Granite
weathered andesite
S
N
.03 .23 .05 .10 .11 .03 .03 .02 .16 .11 .14 .03 .02 .02 .45 .03 .02 .02 .32 .50 .10 .06 .03 .02 .02 .03 .02 .08 .04 .02 .02 .03 .02
0.22% Cu
Basalt Broken
TRENCH #4 East & west Face 1" = 20 feet, Strike N40W
Assay Increments between X 5 foot Increments.
Looking East
Shear N80E65SE
Granite
Fe
Some Cu
Andesite Dike
Granite
Fe oxide
N
S
.02 .02 .03 .02 .03 .03 .08 .41 .18 .58 .41 .03 .02 .14 .05 .02 .09 .03 .46 .31 .12 .10 .40 .94 .02 .03 .05 .16 .10 .12
0.64% Cu
0.30% Cu

ESTABLISHED 1880

1435 SO. 10TH AVE.

# JACOBS ASSAY OFFICE

REGISTERED ASSAYERS

PHONE MAIN 2-0813 P. O. BOX 1889

TUCSON, ARIZONA 85702

May 13th, 1970




Bell Western
Heinrichs Geoexploration
P.O.Box 5671
Tucson, Arizona 85703

## CERTIFICATE OF ASSAYX

| Sample Marked | | Copper % |
|---|---|---|
| South Diorite Plug Hole # 1 60'-70' | # 1820 --- | 0.07 |
| Hole # 2 30'-40' | 1821 --- | 0.09 |
| Hole # 2 20'-30' | 1822 --- | 0.10 |
| Hole # 2 20'-30' | 1823 --- | 0.23 |
| Hole # 1 10'-20' | 1824 --- | 0.07 |
| Hole # 2 10'-20' | 1825 --- | 0.27 |
| Hole # 2 40'-50' | 1826 --- | 0.10 |
| Hole # 1 0'-10' | 1827 --- | 0.10 |
| Hole # 1 70'-80' | 1828 --- | 0.12 |
| Hole # 1 30'-40' | 1829 --- | 0.06 |
| Hole # 2 0'-10' | 1830 --- | 0.13 |
| Hole # 1 20'-30' | 1831 --- | 0.05 |
| Hole # 2 50'-60' | 1832 --- | 0.60 |
| Hole # 1 80'-90' | 1833 --- | 0.11 |
| Hole # 2 30'-40' | 1834 --- | 0.21 |
| Hole # 2 60'-70' | 1835 --- | 0.18 |
| Hole # 1 50'-60' | 1836 --- | 0.05 |
| Hole # 4 0'-10' | 1837 --- | 0.12 |
| Hole # 4 70'-60' | 1838 --- | 0.14 |
| Hole # 4 80'-90' | 1839 --- | 0.08 |
| Hole # 4 10'-20' | 1840 --- | 0.18 |
| Hole # 4 60'-70' | 1841 --- | 0.08 |
| Hole # 4 70'-80' | 1842 --- | 0.04 |
| Hole # 4 20'-30' | 1843 --- | 0.14 |
| Hole # 3 60'-70' | 1844 --- | 1.60 |
| Hole # 3 20'-30' | 1845 --- | 0.20 |
| Hole # 3 10'-20' | 1846 --- | 0.12 |
| Hole # 3 50'-60' | 1847 --- | 0.18 |
| Hole # 3 30'-40' | 1848 --- | 0.19 |
| Hole # 3 70'-80' | 1849 --- | 0.15 |
| Hole # 4 40'-50' | 1850 --- | 0.12 |
| Hole # 4 30'-40' | 1851 --- | 0.14 |
| Hole # 3 40'-50' | 1852 --- | 0.14 |
| East Face TRENCH No 4 0+00 - 5+00 | 1853 --- | 0.12 |
| 5+00 - 10+00 | 1854 --- | 0.10 |
| 10+00 - 15+00 | 1855 --- | 0.16 |
| 15+00 - 20+00 | 1856 --- | 0.05 |
| 20+00 - 25+00 | 1857 --- | 0.03 |
| 25+00 - 30+00 | 1858 --- | 0.02 |
| 30+00 - 35+00 | 1859 --- | 0.44 |
| 35+00 - 40+00 | 1860 --- | 0.40 |
| 40+00 - 45+00 | 1861 --- | 0.10 |
| 45+00 - 50+00 | 1862 --- | 0.12 |
| 50+00 - 55+00 | 1863 --- | 0.31 |
| 55+00 - 60+00 | 1864 --- | 0.46 |
| 60+00 - 65+00 | 1865 --- | 0.03 |
| 65+00 - 70+00 | 1866 --- | 0.09 |
| 70+00 - 75+00 | 1867 --- | 0.02 |
| 75+00 - 80+00 | 1868 --- | 0.05 |
| 80+00 - 85+00 | 1869 --- | 0.14 |
| 85+00 - 90+00 | 1870 --- | 0.02 |
| 90+00 - 95+00 | 1871 --- | 0.03 |
| 95+00 - 100+00 | 1872 --- | 0.41 |
| 100+00 - 105+00 | 1873 --- | 0.58 |
| 105+00 - 110+00 | 1874 --- | 1.18 |
| 110+00 to 115+00 | 1875 --- | 0.41 |
| 115+00 to 120+00 | 1876 --- | 0.08 |
| 120+00 to 125+00 | 1877 --- | 0.03 |
| 125+00 - 130+00 | 1878 --- | 0.03 |
| 130+00 - 135+00 | 1879 --- | 0.02 |
| 135+00 - 140+00 | 1880 --- | 0.03 |
| 140+00 - 145+00 | 1881 --- | 0.02 |
| 145+00 - 150+00 | 1882 --- | 0102 (0.02) |
| West Face 5+00 - 10+00 | 1883 --- | 0.03 |
| 10+00 - 15+00 | 1884 --- | 0.33 |
| 15+00 - 20+00 | 1885 --- | 0.05 |
| 20+00 - 25+00 | 1886 --- | 0.10 |
| 25+00 - 30+00 | 1887 --- | 0.11 |
| 30+00 - 35+00 | 1888 --- | 0.03 |
| 35+00 - 40+00 | 1889 --- | 0.03 |
| 40+00 - 45+00 | 1890 --- | 0.02 |
| 45+00 - 50+00 | 1891 --- | 0.10 |
| 50+00 - 55+00 | 1892 --- | 0.11 |

**********

Charges $ 152.00

Ben P Jacobs, Assayer

ESTABLISHED 1880 — 30 SOUTH MAIN

# JACOBS ASSAY OFFICE

## REGISTERED ASSAYERS

PHONE MAIN 2-0813 — P. O. BOX 1889

TUCSON, ARIZONA 85702

May 22nd, 1970

Bell Western
c/o Box 5671
Tucson, Arizona

CERTIFICATE OF ASSAY

| Sample Marked | | Copper % |
|---|---|---|
| 100ft down 300 ft Incline | 1901 ---- | 7.25 |
| 40ft. down 300 ft Incline | 2 ---- | 0.60 |
| West Face Trench #4 55+00 – 60+00 | 3 ---- | 0.14 |
| 60+00 – 65+00 | 4 ---- | 0.03 |
| 65+00 – 70+00 | 5 ---- | 0.02 |
| 70+00 – 75+00 | 6 ---- | 0.02 |
| 75+00 – 80+00 | 7 ---- | 0.45 |
| 80+00 – 85+00 | 8 ---- | 0.03 |
| 85+00 – 90+00 | 9 ---- | 0.02 |
| 90+00 – 95+00 | 1910 ---- | 0.02 |
| 95+00 – 100+00 | 11 ---- | 0.32 |
| 100+00 – 105+00 | 12 ---- | 0.50 |
| 105+00 – 110+00 | 13 ---- | 0.10 |
| 110+00 – 115+00 | 14 ---- | 0.06 |
| 115+00 – 120+00 | 15 ---- | 0.03 |
| 120+00 – 125+00 | 16 ---- | 0.02 |
| 125+00 – 130+00 | 17 ---- | 0.02 |
| 130+00 – 135+00 | 18 ---- | 0.03 |
| 135+00 – 140+00 | 19 ---- | 0.02 |
| 140+00 – 145+00 | 1920 ---- | 0.02 |
| 145+00 – 150+00 | 21 ---- | 0.04 |
| 150+00 – 155+00 | 22 ---- | 0.02 |
| 155+00 – 160+00 | 23 ---- | 0.02 |
| 160+00 – 165+00 | 24 ---- | 0.03 |
| 165+00 – 170+00 | 25 ---- | 0.02 |

REGISTERED ASSAYER 1041 BENJAMIN P. JACOBS DEC. 31, 19 70 Arizona U.S.A.

Charges $ 54.00

Ben P. Jacobs

Ben P Jacobs, Assayer

Composite of 100 foot of Air-Track Drill Cuttings drilled in the bottom of Trench #2 about due South at an angle of 60° from Horizontal.

# VALLEY ASSAY OFFICE

## AND ORE TESTING LABORATORY

**MEMORANDUM OF ASSAY**


P.O. Box 5063 TUCSON, ARIZONA 85703
Phone: (AREA 602) 623-0578


RECD MAY 26 1970 RECD

Kil Texaluna Corp.

Made for O. L. Hill

Tempe, Arizona 85281 May. 16, 70

| SAMPLE NO. | PER TON OF 2000 POUNDS AVOIRDUPOIS | | | | | | | | COPPER, OR | | | LEAD, OR | | | ZINC, OR | | | TOTAL | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | GOLD, ~~PLATINUM~~ | | | | SILVER | | | | | | | | | | | | | | |
| | AT 35.00 PER OUNCE | | | | AT 2.00 PER OUNCE | | | | AT 0.60 PER LB. | | | AT PER LB. | | | AT PER LB. | | | | |
| | OZS. | 100's | $ | Cts | OZS. | 100's | $ | Cts. | % | $ | Cts. | % | $ | Cts. | % | $ | Cts. | $ | Cts. |
| 100' | 0. | 02 | | 70 | 0. | 20 | | 40 | .65 | 7. | 80 | | | | | | | | |

REMARKS:

NO.

CHARGE $ Paid

BY

Registered Assayer.

Jim ~~Kil~~ Technical Management Staff
Kil Texaluna Corp. Kil Hill Planning

ESTABLISHED 1880

1435 SO. 10TH AVE.

# JACOBS ASSAY OFFICE

REGISTERED ASSAYERS

PHONE MAIN 2-0813 P. O. BOX 1889

TUCSON, ARIZONA 85702

April 30th, 1970

Bell Western Inc.,
P.O.Box 5671
Tucson, Arizona 85703

## CERTIFICATE OF ASSAY

TRENCH #2

| Sample | Marked | | Copper% |
|---|---|---|---|
| Ile Channel | 10+00 → 15+00 | # 1751 | 0.06 |
| Br Channel | 80+00 → 82+00 | 52 | 1.40 |
| " " | 82+00 → 84+00 | 53 | 0.28 |
| " " | 84+00 → 86+00 | 54 | 0.09 |
| " " | 86+00 → 88+00 | 55 | 0.08 |
| " " | 88+00 → 90+00 | 56 | 0.03 |
| " " | 38+00 → 40+00 | 57 | 0.22 |
| Ile Channel | 90+00 → 95+00 | 58 | 0.03 |
| " | 95+00 → 100+00 | 59 | 0.04 |
| " | 100+00 → 105+00 | 60 | 0.06 |
| " | 40+00 → 42+00 | 61 | 0.09 |
| " | 42+00 → 44+00 | 62 | 0.06 |
| " | 44+00 → 46+00 | 63 | 0.03 |
| " | 46+00 → 48+00 | 64 | 0.02 |
| " | 48+00 → 50+00 | 65 | 0.02 |
| " | 50+00 → 52+00 | 66 | 0.05 |
| " | 52+00 → 54+00 | 67 | 0.12 |
| " | 54+00 → 56+00 | 68 | 0.10 |
| " | 56+00 → 58+00 | 69 | 1.30 |
| " | 58+00 → 60+00 | 70 | 1.58 |
| " | 60+00 → 62+00 | 71 | 0.08 |
| " | 62+00 → 64+00 | 72 | 0.06 |
| " | 64+00 → 66+00 | 73 | 0.09 |
| " | 66+00 → 68+00 | 74 | 0.10 |
| " | 68+00 → 70+00 | 75 | 0.09 |
| " | 70+00 → 72+00 | 76 | 0.10 |
| " | 72+00 → 74+00 | 77 | 0.07 |
| " | 74+00 → 76+00 | 78 | 0.12 |
| " | 76+00 → 78+00 | 79 | 0.54 |
| " | 78+00 → 80+00 | 80 | 0.22 |
| " | 80+00 → 82+00 | 81 | 0.59 |
| " | 82+00 → 84+00 | 82 | 0.16 |
| " | 84+00 → 86+00 | 83 | 0.08 |
| " | 86+00 → 88+00 | 84 | 0.02 |
| " | 88+00 → 90+00 | 85 | 0.03 |
| Lower Chan | 42+00 → 44+00 | # 1786 | 0.02 |
| " " | 44+00 → 46+00 | 87 | 0.02 |
| " " | 46+00 → 48+00 | 88 | 0.03 |
| " " | 48+00 → 50+00 | 89 | 0.05 |
| " " | 50+00 → 52+00 | 90 | 0.09 |
| " " | 52+00 → 54+00 | 91 | 0.14 |
| " " | 54+00 → 56+00 | 92 | 0.12 |
| " " | 56+00 → 58+00 | 93 | 1.48 |
| " " | 58+00 → 60+00 | 94 | 0.66 |
| " " | 60+00 → 62+00 | 95 | 0.04 |
| " " | 62+00 → 64+00 | 96 | 0.02 |
| " " | 64+00 → 66+00 | 97 | Trace |
| " " | 66+00 → 68+00 | 98 | 0.12 |
| " " | 68+00 → 70+00 | 99 | 0.10 |
| " " | 70+00 → 72+00 | 1800 | 0.03 |
| " " | 72+00 → 74+00 | 1 | 0.02 |
| " " | 74+00 → 76+00 | 2 | 0.08 |
| " " | 76+00 → 78+00 | 3 | 0.15 |
| " " | 78+00 → 80+00 | 4 | 0.20 |
| " " | 80+00 → 82+00 | 5 | 0.29 |
| " " | 82+00 → 84+00 | 6 | 0.14 |
| " " | 84+00 → 86+00 | 7 | 0.03 |
| " " | 86+00 → 88+00 | 8 | 0.02 |
| " " | 88+00 → 90+00 | 9 | 0.02 |
| Trench No. 3. | 0+00 → 5+00 | 1810 | Trace |
| | 5+00 → 10+00 | 11 | Trace |
| | 10+00 → 15+00 | 12 | Trace |
| | 15+00 → 20+00 | 13 | 0.02 |
| | 20+00 → 25+00 | 14 | 0.02 |
| | 25+00 → 30+00 | 15 | 0.03 |
| | 30+00 → 35+00 | 16 | 0.02 |
| | 35+00 → 40+00 | 17 | Trace |
| | 40+00 → 45+00 | 18 | Trace |
| | 45+00 → 50+00 | 19 | 0.02 |




Charges $ 138.00

Ben P. Jacobs

Ben P Jacobs, Assayer


TRENCH No. 1 Strike N 50° E
Scale 1" = 10 ft. , Assay increments between X
S
N
0+00
0+10
0+20
0+30
0+40
0+50
0+60
0+70
0+80
0+90
10' zone of copper oxide 0.39% Cu
Upper channel
Zone Averaged
Upper channel Ave grade 10 samples, 20 feet 0.213% Cu
Middle Channel Ave grade 10 samples 20 feet 0.209 % Cu.
Lower Channel Ave grade 10 samples 20 feet 0.286 % Cu

ESTABLISHED 1890

HEINRICHS GEOEX
Cable: GEOEX

1435 SO. 10TH AVE.

REC'D APR 16 1970 REC'D

BOX 5064 TUCSON, ARIZONA 85703
Phone: (AREA 602) 623-0578

# JACOBS ASSAY OFFICE

REGISTERED ASSAYERS

PHONE MAIN 2-0813 P. O. BOX 1889
TUCSON, ARIZONA 85702

April 14th, 1970

Bell Western Corp.,
Heinrichs Geoexploration Co.,
P.O.Box 5671
Tucson, Arizona 85703

TRENCH # 1

## CERTIFICATE OF ASSAY

| | Sample Marked | | Copper % |
|---|---|---|---|
| Channel | 30+00→32+00 | 593 | 0.03 |
| " | 32+00→34+00 | 94 | 0.04 |
| " | 34+00→36+00 | 95 | 0.10 |
| " | 36+00→38+00 | 96 | 2.02 |
| " | 38+00→40+00 | 97 | 0.34 |
| " | 40+00→42+00 | 98 | 0.09 |
| " | 42+00→44+00 | 99 | 0.09 |
| " | 44+00→46+00 | 600 | 0.10 |
| | 46+00→48+00 | 1724 | 0.03 |
| | 48+00→50+00 | 25 | 0.02 |
| Channel | 30+00→32+00 | 26 | 0.07 |
| " | 32+00→34+00 | 27 | 0.76 |
| " | 34+00→36+00 | 28 | 0.36 |
| " | 36+00→38+00 | 29 | 0.50 |
| " | 38+00→40+00 | 30 | 0.08 |
| " | 40+00→42+00 | 31 | 0.04 |
| " | 42+00→44+00 | 32 | 0.08 |
| lle Channel | 50+00→55+00 | 762 | 0.02 |
| " | 55+00→60+00 | 63 | 0.07 |
| " | 60+00→65+00 | 64 | 0.05 |
| " | 70+00→75+00 | 66 | 0.04 |
| " | 75+00→80+00 | 67 | 0.02 |
| " | 80+00→85+00 | 68 | 0.04 |
| " | 85+00→90+00 | 69 | 0.03 |
| r Channel | 44+00→46+00 | 1733 | 0.14 |
| " | 46+00→48+00 | 34 | 0.02 |
| " | 48+00→50+00 | 35 | 0.08 |
| e Channel | 0+00→5+00 | 36 | 0.03 |
| " | 5+00→10+00 | 37 | 0.02 |
| " | 15+00→20+00 | 38 | 0.02 |
| " | 20+00→25+00 | 39 | 0.06 |
| " | 25+00→30+00 | 40 | 0.08 |
| " | 30+00→32+00 | 41 | 0.03 |
| " | 32+00→34+00 | 42 | 0.04 |
| " | 34+00→36+00 | 43 | 0.89 |
| " | 36+00→38+00 | 44 | 1.28 |
| dle Channel | 65+00→70+00 | 765 | 0.05 |

| | Sample Marked | | Copper % |
|---|---|---|---|
| middle Chan. | 38+00→40+00 | 1745 | 0.12 |
| " " | 40+00→42+00 | 46 | 0.05 |
| " " | 42+00→44+00 | 47 | 0.11 |
| " " | 44+00→46+00 | 48 | 0.12 |
| " " | 46+00→48+00 | 49 | 0.03 |
| " " | 48+00→50+00 | 50 | 0.02 |
| middle Chan. | 0+00→5+00 | 770 | 0.02 |
| " " | 5+00→10+00 | 71 | Trace |
| " " | 10+00→15+00 | 72 | Trace |
| " " | 15+00→20+00 | 73 | 0.02 |
| " " | 20+00→22+00 | 74 | 0.13 |
| " " | 22+00→24+00 | 75 | 0.10 |
| " " | 24+00→26+00 | 76 | 0.33 |
| " " | 26+00→28+00 | 77 | 0.06 |
| " " | 28+00→30+00 | 78 | 0.02 |
| " " | 30+00→35+00 | 79 | 0.03 |
| " " | 35+00→40+00 | 80 | 0.02 |
| Upper Channel | 40+00→42+00 | 81 | 0.34 |
| " " | 42+00→44+00 | 82 | 0.08 |
| " " | 44+00→46+00 | 83 | Trace |
| " " | 46+00→48+00 | 84 | Trace |
| " " | 48+00→50+00 | 85 | Trace |
| " " | 50+00→52+00 | 86 | 0.07 |
| " " | 52+00→54+00 | 87 | 0.16 |
| " " | 54+00→56+00 | 88 | 0.19 |
| " " | 56+00→58+00 | 89 | 2.57 |
| " " | 58+00→60+00 | 90 | 1.75 |
| " " | 60+00→62+00 | 91 | 0.14 |
| " " | 62+00→64+00 | 92 | 0.08 |
| " " | 64+00→66+00 | 93 | 0.11 |
| " " | 66+00→68+00 | 94 | 0.12 |
| " " | 68+00→70+00 | 95 | 0.11 |
| " " | 70+00→72+00 | 96 | 0.25 |
| " " | 72+00→74+00 | 97 | 0.37 |
| " " | 74+00→76+00 | 98 | 0.82 |
| " " | 76+00→78+00 | 99 | 0.24 |
| " " | 78+00→80+00 | 800 | 1.27 |

Trench # 2

Charges $ 148.00

Ben P. Jacobs

Ben P Jacobs, Assayer

ESTABLISHED 1880

30 SOUTH MAIN

COPY

# JACOBS ASSAY OFFICE

REGISTERED ASSAYERS

PHONE MAIN 2-0813 P. O. BOX 1889

TUCSON, ARIZONA

April 7th, 1970

BELL WESTERN INC.,
Suite 306
200 Fillmore
Denver, Colo 80206

CERTIFICATE OF ASSAY

| Sample Marked | | | | Copper % |
|---|---|---|---|---|
| Hole 21 # 7103- | H- | 135- | 20' 30' | -- 0.03 |
| 7104-1- | H | 22- | 0- 10 | -- 0.02 |
| 7104-2- | H | 21- | 30-40 | -- 0.02 |
| 7105-1- | H | 22- | 10-20 | -- 0.03 |
| 7105-2- | | - | 40-50 | -- Trace |
| 7106-1- | H | 22- | 20-30 | -- Trace |
| 7106-2- | H- | 21- | 50-60 | -- 0.02 |
| 7107- | H | 21- | 60-70 | -- 0.03 |
| 7108-1 | H | 22- | 30-40 | -- Trace |
| 7108-2 | H | 21- | 70-80 | -- Trace |
| 7109-1 | H | 22- | 40-50 | -- 0.02 |
| 7109-2 | H | 21- | 80-90 | -- 0.02 |
| 7110-1 | H | 22- | 60-60 | -- 0.02 |
| 7110-2 | H | 21- | 90-100 | -- 0.04 |
| 7111-1 | H | 16 | 0-10 | -- 0.03 |
| ~~7111-2~~ | ~~H~~ | ~~22-~~ | ~~70-80~~ | ~~-- 0.03~~ |
| ~~7112-2~~ | ~~H~~ | ~~22-~~ | ~~70-80~~ | ~~-- 0.03~~ |
| 7112-1 | H | 16- | 10-20 | -- 0.03 |
| 7113-1 | H | 11- | 0-10 | -- 0.18 |
| 7113-2 | H | 16- | 20-30 | -- 0.03 |
| 7114-1 | H- | 11- | 30-40 | -- 0.04 |
| 7114-2 | H | 16- | 30-40 | -- 0.02 |
| 7115-1 | H | 11- | 40-50 | -- Trace |
| 7115-2 | H | 16- | 40-50 | -- Trace |
| 7116-1 | H | 11- | 10-20 | -- 0.09 |
| 7116-2 | H | 16- | 50-60 | -- 0.05 |
| 7117-1 | H | 17- | 0-10 | -- 0.14 |
| 7117-2 | H | 16- | 60-70 | -- 0.05 |
| 7118-1 | H | 17- | 10-20 | -- 0.14 |
| 7118-2 | H | 16- | 70-80 | -- 0.03 |
| 7119-1 | H | 18- | 20-30 | -- 0.09 |
| 7119-2 | H | 16- | 80-90 | -- 0.07 |
| 7120-2 | H | 16- | 90-100 | -- 0.05 |
| 7120-2 | H | 17- | 30-40 | -- 0.06 |

| Sample Marked | | | | Copper % |
|---|---|---|---|---|
| # 7121-1 | H | 17 | 40' 50' | -- 0.06 |
| 7121-2 | H | 19- | 0-10 | -- 0.07 |
| 7122-1 | H | 17- | 50-60 | -- 0.03 |
| 7122-2 | H | 19- | 10-20 | -- 0.04 |
| 7123 | H | 19- | 20-30 | -- 0.04 |
| 7124 | H | 16 - | 30-40 | -- 0.08 |
| 7125 | H | 19- | 40-50 | -- 0.13 |
| 7126 | H | 19- | 50-60 | -- 0.02 |
| 7127 | H | 19- | 60-70 | -- Trace |
| 7128 | H | 19- | 70-80 | -- Trace |
| 7129 | H | 19- | 80-90 | -- Trace |
| 7130 | H | 19- | 90-100 | -- 0.02 |
| 7131 | H | 20- | 0-10 | -- 0.60 |
| 7132 | H | 20- | 10-20 | -- 0.06 |
| 7133 | H | 20- | 20-30 | -- 0.17 |
| 7134 | H | 20- | 30-40 | -- 0.03 |
| 7135 | H | 20- | 40-50 | -- 0.12 |
| 7136 | H | 23- | 0-10 | -- 0.20 |
| 7137 | H | 23- | 10-20 | -- 0.03 |
| 7138 | H | 23- | 20-30 | -- 0.04 |
| 7139 | H | 23- | 30-40 | -- 0.07 |
| 7140 | H | 23- | 40-50 | -- 0.05 |
| 7141 | H | 23- | 50-60 | -- 0.07 |
| 7142 | H | 23- | 60-70 | -- 0.03 |
| 7143 | H | 23- | 70-80 | -- 0.02 |
| 7144 | H | 23- | 80-90 | -- 0.02 |
| 7145 | H- | 18- | 0-10 | -- 0.12 |
| 7146 | H | 23- | 90-100 | -- 0.05 |
| 7147 | H | 18- | 10-20 | -- 0.05 |
| 7148 | H | 18- | 20-30 | -- 0.04 |
| 7150 | H | 18- | 40-50 | -- 0.02 |
| | H | 18- | 50-60 | -- 0.03 |
| 2\|Bonnie | 135 | | 0-10 | -- 0.02 |
| " | " | -H-21 | | -- 0.02 |
| " | 70- | H23- | 30-40 | -- 0.07 |

**********

Charges $ 144.00

REGISTERED ASSAYER
1041
STATE OF ARIZONA

Ben P Jacobs, Assayer

Established 18[illegible] 143[illegible] 10th Ave.

COPY




# JACOBS ASSAY OFFICE

REGISTERED ASSAYERS

PHONE MAIN 2-0813 P. O. BOX 1888

TUCSON, ARIZONA 85702

Feb-27-1970

RECEIVED GROUP SECTION MAR 2 1970

BELL WESTERN CORP.
P.O.Box 5671
Tucson, Arizona

BOX 5671 TUCSON, ARIZONA 85703 Phone: (602) [illegible]

## CERTIFICATE OF ASSAY

Sample Marked Copper %

| | | | |
|---|---|---|---|
| Vert | # 1719 | ------ 0.21 | center - south face |
| | Vert. 20 | ------ 0.14 | west - south face |
| | Vert. 21 | ------ 0.27 | east - south face |
| E-W | Hor. 22 | ------ 0.22 | North face |
| SE-NW | Hor. 23 | ------ 0.52 | Bottom |

**********

Charges $ 10.00
Expense
Sampling- 7.50
$ 17.50

Ben P Jacobs, Assayer

REGISTERED ASSAYER
CERTIFICATE EXPIRES
1041
BENJAMIN P.
JACOBS
DEC 31, 1970
ARIZONA U.S.A.

Established [illegible]

South 10th Ave.

COPY




# JACOBS ASSAY OFFICE

REGISTERED ASSAYERS

PHONE MAIN 2-0813 P. O. BOX 1889

TUCSON, ARIZONA 85702

Feb-25-1970

BELL WESTERN CORP.,
P.O.Box 5671
Tucson, Arizona 85703

CERTIFICATE OF ASSAY

| Sample Marked | | Copper % |
|---|---|---|
| Hole 11, 0'-10' # | 751 | ---- 0.26 |
| Hole 11, 10'-20' | 752 | ---- 0.03 |
| Hole 11, 20'-30' | 753 | ---- 0.04 |
| Hole 11A, 30'-40' | 754 | ---- 0.02 |
| Hole 11A, 40'-50' | 755 | ---- 0.02 |
| Hole 11A 50'-60' | 756 | ---- Trace |
| Hole 11A, 60'-70' | 757 | ---- Trace |
| Hole 11A, 70'-80' | 758 | ---- 0.03 |
| Hole 11A, 80'-90' | 759 | ---- 0.02 |
| Hole 11A, 90'-100' | 760 | ---- Trace |
| Hole 11A, 100'-110' | 761 | ---- 0.02 |

**********

Charges $ 22.00

Ben P Jacobs

Ben P. Jacobs, Assayer

REGISTERED ASSAYER
CERTIFICATE EXPIRES
1041
BENJAMIN P.
JACOBS
Dec. 31, 19 70
Arizona U.S.A.

File # 488

ESTABLISHED 1880




30 SOUTH MAIN

COPY

# JACOBS ASSAY OFFICE

REGISTERED ASSAYERS

PHONE MAIN 2-0813 P. O. BOX 1889

TUCSON, ARIZONA

February 11th, 1970

[illegible] CORP.,
P.O. Box 5871
Tucson, Arizona 85703

## CERTIFICATE OF ASSAY

| Sample Marked | | Copper |
|---|---|---|
| Hole # 10, 0'-10' | 708 | 0.03 |
| Hole # 10, 10'-20' | 709 | 0.03 |
| Hole # 10, 20'-30' | 710 | 0.02 |
| Hole # 10, 30'-40' | 711 | Trace |
| Hole # 10, 40'-50' | 712 | Trace |
| Hole # 10, 50'-60' | 713 | Trace |
| Hole # 10, 60'-70' | 714 | 0.02 |
| Hole # 10, 70'-80' | 715 | 0.02 |
| Hole # 10, 80'-90' | 716 | 0.03 |
| Hole # 10, 90'-100' | 717 | 0.02 |
| Hole # 9, 0'-10' | 718 | Trace |
| Hole # 9, 10'-20' | 719 | Trace |
| Hole # 9, 20'-30' | 720 | 0.02 |
| Hole # 9 30'-40' | 721 | 0.03 |
| Hole # 9, 40'-50' | 722 | 0.03 |
| Hole # 9, 50'-60' | 723 | 0.02 |
| Hole # 9, 60'-70' | 724 | Trace |
| Hole # 9, 70'-80' | 725 | Trace |
| Hole # 9, 80'-90' | 726 | Trace |
| Hole # 9, 90'-100' | 727 | 0.02 |
| Hole # 8, 0'-10' | 728 | 0.04 |
| Hole # 7-3, 0'-10' | 732 | 0.03 |
| Hole # 7-5, 0'-10' | 735 | 0.03 |
| Hole # 7-6, 10'-20' | 736 | Trace |
| Hole # 7-7, 0'-10' | 737 | 0.02 |
| Hole # 7-7, 10'-20' | 738 | 0.02 |

Charges $2.00

Ben P. Jacobs, Assayer

[illegible] 29 [illegible] Arizona U.S.A.

ESTABLISHED 1880

30 SOUTH MAIN

# COPY

## JACOBS ASSAY OFFICE

REGISTERED ASSAYERS

PHONE MAIN 2-0813 P. O. BOX 1889

TUCSON, ARIZONA

NEVADA GEOEX MINERAL TEST INC.
RECD FEB 5 1970
BOX 5671 TUCSON, ARIZONA 85703
PHONE (AREA 602) 623-0578

February 5th, 1970

BELL [illegible] CORP.,
P.O.Box 5671
Tucson, Arizona 85703
Mr. James E Sherman

### CERTIFICATE OF ASSAY

| | Sample Marked | | Copper % |
|---|---|---|---|
| Hole A 0-10' | # 651 | --- | 0.06 |
| Hole A 10-20' | 652 | --- | 0.05 |
| Hole B 0-10' | 653 | --- | 0.09 |
| Hole #1 0-10' | 654 | --- | 0.06 |
| 10-20' | 655 | --- | 0.05 |
| 20-30' | 656 | --- | 0.03 |
| 30-40' | 657 | --- | 0.05 |
| 40-50' | 658 | --- | 0.04 |
| 50-60' | 659 | --- | 0.02 |
| 60-70' | 660 | --- | 0.03 |
| Hole #2 0-10' | 661 | --- | 0.03 |
| 10-20' | 662 | --- | Trace |
| 20-30' | 663 | --- | 0.02 |
| 30-40' | 664 | --- | 0.02 |
| 40-50' | 665 | --- | 0.03 |
| 50-60' | 666 | --- | Trace |
| 60-70' | 667 | --- | Trace |
| Hole #3 0-10' | 668 | --- | 0.03 |
| 10-20' | 669 | --- | 0.02 |
| 20-30' | 670 | --- | 0.03 |
| 30-40' | 671 | --- | 0.02 |
| 40-50' | 672 | --- | 0.03 |
| 50-60 | 673 | --- | 0.02 |
| 60-70' | 674 | --- | Trace |
| 70'-80' | 675 | --- | 0.03 |
| 80-90 | 676 | --- | 0.04 |
| 90-100 | 677 | --- | 0.03 |
| Hole #4 0-10' | 678 | --- | 0.08 |
| 10'-20' | 679 | --- | 0.03 |

| | Sample Marked | | Copper % |
|---|---|---|---|
| Hole #4 20-30' | # 680 | ---- | 0.05 |
| 30'-40' | 681 | ---- | Trace |
| 40'-50' | 682 | ---- | Trace |
| 50'-60' | 683 | ---- | 0.03 |
| 60-70' | 684 | ---- | 0.04 |
| 70'-80' | 685 | ---- | 0.02 |
| 80'-90' | 686 | ---- | 0.04 |
| 90'-100' | 687 | ---- | 0.03 |
| Hole #5 0-10' | 688 | ---- | 0.02 |
| 10'-20' | 689 | ---- | 0.02 |
| 20-30' | 690 | ---- | Trace |
| 30'-40' | 691 | ---- | Trace |
| 40'-50' | 692 | ---- | Trace |
| 50'-60' | 693 | ---- | 0.02 |
| 60-70' | 694 | ---- | 0.03 |
| 70'-80' | 695 | ---- | 0.02 |
| 80-90' | 696 | ---- | 0.04 |
| 90'-100' | 697 | ---- | 0.04 |
| Hole #6 0'-10' | 698 | ---- | 0.05 |
| 10'-20' | 699 | ---- | 0.02 |
| 20'-30' | 700 | ---- | 0.03 |
| 30'-40' | 701 | ---- | 0.05 |
| 40'-50' | 702 | ---- | 0.03 |
| 50'-60' | 703 | ---- | 0.02 |
| 60'-70' | 704 | ---- | Trace |
| 70'-80' | 705 | ---- | Trace |
| 80-90 | 706 | ---- | 0.03 |
| 90'-100' | 707 | ---- | 0.02 |

Charges $ 114.00



Jon P Jacobs, Assayer

BELL WESTERN - RED HILLS AREA

DRILL HOLE AND TRENCH SAMPLE DATA

5/29/70

(13)

TRENCH No. I  strike N 53° E

scale 1" = 10 ft  Assay increments between x




Upper channel Ave grade 10 samples 20 feet = 0.213% Cu

Middle Channel Ave grade 10 samples 20 feet 0.209 % Cu.

Lower Channel Ave grade 10 samples 20 feet 0.286 % Cu

3 | .708 | 0.25%

Area: 11 ft x 19 ft = 209 ft²

Area x Grade: 209 ft² x 0.25% Cu = 52.25 ft² - % Cu.

PROVEN ORE

AVE GRADE TRENCH I + 2

AVE. GRADE = 52.2 ft² % Cu + [illegible]
390 ft² + 209 ft²

AVE GRADE = 219.95 / 599 = .32 %

AVE END AREA = 390 ft² + 120 / 2

AVE END AREA = 300 ft²

DENSITY OF ROCK ABOUT 162

Vol. = 100 ft x 300 ft² = 30,00

TONS = 30,000 ft³ x 162.0 lb/ft³ / 2000 lb/Ton =

@ 0

TRENCH No. 1 strike N 53° E

scale 1" = 10 ft. , Assay increments between x




Upper channel Ave grade 10 samples 20 feet 0.213% cu

Middle Channel Ave grade 10 samples 30 feet 0.209 % cu.

Lower Channel Ave grade 10 samples 50 feet 0.286 % cu

3 .708 0.25%

Area: 11 ft x 19 ft = 209 ft²

Area x Grade: 209 ft² x 0.25 % cu = 52.25 ft² - % cu.

PROVEN ORE

AVE GRADE TRENCH 1 & 2

$$\text{AVE. GRADE} = \frac{52.2\ ft^2\ \%cu + 167.7\ ft^2\ \%}{390\ ft^2 + 209\ ft^2}$$

$$\text{AVE GRADE} = \frac{219.95}{599} = .32\ \%\ cu.$$

$$\text{AVE END AREA} = \frac{390\ ft^2 + 209\ ft^2}{2}$$

AVE END AREA = 300 ft²

DENSITY OF ROCK ABOUT 162.0 lb/ft³

Vol. = 100 ft x 300 ft² = 30,000 ft³

$$\text{TONS} = \frac{30{,}000\ ft^3 \times 162.0\ lb/ft^3}{2000\ lb/Ton} = 2430\ T.$$

@ 0.32% cu.




TRENCH # 4 East & west Face 1" = 20 feet, Strike N 40° W

Assay Increments between X 5 foot Increments.



BELL-WESTERN - [illegible]

Location of ORE RESERVES




Scale 1" = 400 ft.

BELL-WESTERN

Location of ORE RESERVES




Scale 1" = 400 feet


PFE
(percent frequency effect)
I.P. polarization
Resistivity (ohm-ft.)
Relative anomaly strengths:
= very weak
= weak
= moderate
= strong
#488




30 - 40
35 - 45

MLG
KG

Alvarez Claims (f)

## Pages from Pinal



# CAMBIOR USA, INC. NO. 06268

ROCK: ☑ Date: 10/7/92

SOIL: ☐ State: AZ

SED.: ☐ County: Pinal

Project: Red Hills

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Silicified Rh @ 10905

Vein ~ 3' wide.

Sericite alt + Cu Ox.

Sample 4'

Hbd Hem & Sericite.

Disp by roots ~ 3-5'

# CAMBIOR USA, INC. NO. 06269

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings (Outcrop/Float) Fresh/Weathered

Outcrop Location: Pit C side of Rd

_____ NO. _____

Sample Description: LGOW Structure

S.D. + Sandstone + clay, highly

brecciated coal w/ clay.

3' ch.y

# CAMBIOR USA, INC. NO. 06270

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings (Outcrop/Float) Fresh/Weathered

Outcrop Location: 20' from #61

_____ NO. _____

Sample Description: N65W Structure
in Oxide Gr. Clay & Sericite
Banded 10% FeOx
Stringers of CuOx
Trace Bx'd Tex.
3' Ch.y

# CAMBIOR USA, INC. NO. 06271

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings (Outcrop) Float Fresh/Weathered

Outcrop Location: 10' W of #70

_____ NO. _____

Sample Description: 4' Shy Bleached Lith

Very zone on W35E Structure

+r $SiO_2$ various w/ 1/3 – vns.

mod hem +r Cu Ox.

# CAMBIOR USA, INC. NO. 06272

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: long trench ~ 50' W of P.T. NO. _____

Sample Description: Numerous parallel veinlets @ N55E / 55 N Bleached FE Ox. SiO2 in veinlets ~ 1/4" wide No Au ox. weak here

# CAMBIOR USA, INC. NO. 06273

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: Sec 7 22

_____ NO. _____

Sample Description: Select of S. Ja. Ind
Un mineralized. Vein up to
3" thick - Parallel w/
Dk Brn Iron + $SiO_2$ + $Cu O_x$
Wall $SiO_2$ up to 6"

# CAMBIOR USA, INC. NO. 06274

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings (Outcrop) Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Silicified Structure

10' wide N85E/65W

Bx + Sil. + Goss. + very light lim

w/ Sil. Banded - multiple

event Structure

10% Qtz 8' chip L

# CAMBIOR USA, INC. NO. 06275

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings (Outcrop/Float) Fresh/Weathered

Outcrop Location: 4'

_____ NO. _____

Sample Description: Clay + Ser Alt Reg

w/ occ Si-O₂ vn lt

Abd specularite in fracs

low overall lean. no Co Op

# CAMBIOR USA, INC. NO. 06276

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings (Outcrop/Float) Fresh/Weathered

Outcrop Location: 2'

_____ NO. _____

Sample Description: Spec hon on Diss into Clay + Sen Alt FE Gr. To Coxm Clay

# CAMBIOR USA, INC. NO. 06277

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Sub (Outcrop/Float) Fresh/Weathered

Outcrop Location: y'

_____ NO. _____

Sample Description: Zone of S. De vein
high iron + specular iron + Cu 0.7%

# CAMBIOR USA, INC. NO. 06278

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Select of Dump.

Chrysocolla w/ $SiO_2$ massive with

high iron 3%

# CAMBIOR USA, INC. NO. 06279

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: 6' dig

_____ NO. _____

Sample Description: Piece of qtz

qtz vein N85E/80S Stockwork

stacked. Light sericite.

Rare Blacked

Narrow $SiO_2$ zones.

Minor $Cu_2O$

.2%

# CAMBIOR USA, INC. NO. 06280

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Silicif Bx Zone very
high hem alt to QUARTZ?
WS CUT
2'

# CAMBIOR USA, INC. NO. 06281

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Wall Rx to hematite + Silica
FE Gr w/ Sericite + Clay
1'

# CAMBIOR USA, INC. NO. 06282

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings (Outcrop)/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: N85W / 80S Sheeted

Qtz Mineral fracs ~ 1 per 3-12"

w/ FeOx. PEGr Clay Alt.

Bleached w/ Dk35 Chalc in fracs (Tr)

and Pale Blue color w/ CuOxs

Play w/ clay

2°

.6%

# CAMBIOR USA, INC. NO. 06283

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S ; R _____ E/W ; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: _____

COX w/ $SiO_2$ Stockwork

1' wide very high hem w/ chrys.

# CAMBIOR USA, INC. NO. 06284

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: 10' Dyke

Part of a major ~150' wide

NB5W Structural Dyke 80 S.

Bleached FE Cr portion of S.Or Rare

Low Iron Bleached

# CAMBIOR USA, INC. NO. 06285

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: 5' ch.y

part of mgn. N85W / 30S Slo.

Bleached leached PE Gr w/

Rare unlt. Rich Concentrated

# CAMBIOR USA, INC. NO. 06286

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings (Outcrop)/Float Fresh/Weathered

Outcrop Location: 15' dump

NO

Sample Description: N80E/65N Shear Zone Brecciated w/ 4% FeOx in Structure and Footwall.

# CAMBIOR USA, INC. NO. 06287

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: 5'

Silicified Hydrothermal Breccia

w/ Fresh Bx.

w/ Ox

# CAMBIOR USA, INC. NO. 06288

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: N35E/80NW

Silicified Structure 20' thick w/

Bx + vuggy high in spec hem.

+ $SiO_2$ + Sericite +/- $Cu_2O$ x

# CAMBIOR USA, INC. NO. 06289

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings ~~Outcrop~~/Float Fresh/Weathered

Outcrop Location: 3' Zone NS Structure 85 E

_____ NO. _____

Sample Description: _____

3' Massive specularite in

sericite sheared FE Gr

# CAMBIOR USA, INC. NO. 06290

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: 2'

_____ NO. _____

Sample Description: With main Shear zone cross
N85W/85S narrow veins mostly
with PE Gr. w/ Hem + chrys.

# CAMBIOR USA, INC. NO. 06291

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: C Raft

_____ NO. _____

Sample Description: N35E Vert Structure

Cu Ox + Clay + Sed in Structure

Structure ~ +20' thick.

Sample of Structure material from

Dump Avg sample of main

Structure

# CAMBIOR USA, INC. NO. 06292

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: _____

15' chip across
Bleached Structure. Clay Alt
Supergene Hyb to Ox
Totally Leached

# CAMBIOR USA, INC. NO. 06293

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/(Float) Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: RGr w/ D.Ss
patches of Chrys + Chalc.
throughout. Work possible S.Oz +
Serpt.

# CAMBIOR USA, INC. NO. 06294

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Fresh looking int ox/

Fresh Bio mod to weak Chl ± plag.

Sl/lt $SiO_2$ pervasive

Rare/l weak green cast possible

CuOx ± plag sites.

Typical F/t Re in core.

# CAMBIOR USA, INC. NO. 06295

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: 95-96-97 road Chip

⊥ to Strike N80W NO. _____

Sample Description: _____

5' chip in area of rd surveying

High FeOx PEGr w/ FeOx fracs

w/ very high FeOx No CuOx noted

Clay + sun

# CAMBIOR USA, INC. NO. 06296

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: 6'cliff ⊥ to Strike
(at front end of 95
Cly alt PEGtrwl (\) Ox @ Cly
Glt plag silos. Rare 5.02 patch
wl chrys. Fe Ox on fracs @
N80W

.4

# CAMBIOR USA, INC. NO. 06297

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: _____

3' chip cont from end of 98

Similar to 96 but cc ox inc @ play sites and on fracs. Dia fresh. Sh + clay ~5.02

.5

# CAMBIOR USA, INC. NO. 06298

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Wall Rx Mineralization around 1" qtz ham w. Cu Oxide in c/g Alt Dike 1' wide.

3%

# CAMBIOR USA, INC. NO. 06299

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Specimen with w/

SiO2 wall Rx

1'

# CAMBIOR USA, INC. NO. 06300

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: _____

RC Gr 2' Chip

Several 11 $SiO_2$ fract w/

entire rx cs/ pervasive $SiO_2$ +

ser ± clay Peru Cu ox

.3%

# CAMBIOR USA, INC. NO. 06585

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: Red Hills

_____ NO. _____

Sample Description: Same as 06300

1 sq. ft. ox

15%

# CAMBIOR USA, INC. NO. 06586

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: Fresh looking int

w/ fresh Bio Pervasive Sil

w/ Cu Ox on fracs and tr Cpy

.07%

# CAMBIOR USA, INC. NO. 06587

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: NJOE Vert Structure

Blended w/ Patches of Dk Gs Fe Ox

2'

# CAMBIOR USA, INC. NO. 06588

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: 4' wall Rx to Structure

PEGT w/ clay @ Play.

1% recs w Fe Ox

Ox @ Play.

.25

# CAMBIOR USA, INC. NO. 06589

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: _____

Sample of Dump material
That came from Bottom of Shaft.
Below surface leaching
Oxide Specimen
10/3

# CAMBIOR USA, INC. NO. 06590

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: E-W $SiO_2$ structure

3' thick w/ 1.0 x 1 Fe ox

# CAMBIOR USA, INC. NO. 06591

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: N25E vert Struct in PEGr. Cox + Fe Ox + Ser + S. Qz

# CAMBIOR USA, INC. NO. 06592

ROCK: ☐ Date: _____

SOIL: ☐ State: _____

SED.: ☐ County: _____

Project: _____

DRILL HOLE NO. _____ FROM _____ TO _____

Loc.: T _____ N/S; R _____ E/W; _____ ¼; S _____

Quad: _____ Scale _____

RX: Dump/Tailings Outcrop/Float Fresh/Weathered

Outcrop Location: _____

_____ NO. _____

Sample Description: 15' chip

Massive RE Gr FeOx Stained

Blocky Jointing w/ minor CuOx

on fracs Tr Q Play