CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
3550 N. Central Ave, 2nd floor
Phoenix, AZ, 85012
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the Walter E. Heinrichs, Jr. Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

I. P. RECEIVER NOTES, JOB No. _____, AREA N S Inc Trend 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/18/91

HEINRICHS GEOEX

SEND	~~84~~		83-85	81-83	79-81	77-79				
RECEIVE	91-93		91-93	91-93	91-93	91-93				
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}			n=3							
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$										
DRIFT MCF			1.96.5	1.97	1.94	1.95				
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

pgs. 100-1 – 100-42

line 15

100' dipoles

I. P. Receiver Notes, Job No. _____, Area Line Heath 13

Line 13, Half _____, Sp. _____, a = 100', Bearing N-S

Sender Sta. _____ = Electrode No. _____, Date 3/18/81

HEINRICHS GEOEX

Send			83-85	81-83	79-81	77-79					
Receive			89-91	89-91	89-91	89-91					
Multiplier											
PFE											
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv			5.53	1.31	.712	1.391					
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}		n.2								
0.1 PFE	PFE_c				99.5						
3.0 MV	$\rho/2\pi$										
Drift	MCF		2.14	1.93	1.95	1.94	.106				
S. P.			1=100 .1								
Noise											
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Thirty-Six 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/13/81

PAGE 20-3

HEINRICHS GEOEX

SEND	83-85	81-83	71-81	77-79						
RECEIVE	87-89	87-89	87-89	87-89						
MULTIPLIER										
PFE	4-5	3-4	2-3	1-2						
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	5.42	5.26	1.77	.740						
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}	n=1									
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	3.41	1.32	.111	.42						
DRIFT MCF	2.58	2.12	2.05	1.98	100					
S. P.	E=300									
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Ore Hrd A.L. 15

LINE 15, HALF _____, SP. _____, α = 1000, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/18/81

HEINRICHS GEOEX

SEND			77-79	77-81	81-83	83-85					
RECEIVE			69-71	69-71	69-71	69-71					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}			n=7							
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF		2.26	2.21	2.13	2.12					
S. P.			I=300 mA								
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line No 24.13

LINE 13, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/18/81

PAGE 100-5

HEINRICHS GEOEX

SEND		77-79	79-81	81-83	83-85						
RECEIVE		71-73	71-73	71-73	71-73						
MULTIPLIER											
PFE		1 2	2	3 4	4 8						
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		8.10	7.62	1.00	1.52						
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}		11.2									
0.1 PFE PFE_c		221.2									
3.0 MV $\rho/2\pi$		4.2	177.1	133.1	125.8						
DRIFT MCF		2.24	2.25	2.13	2.10	100					
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d & 13

LINE 15, HALF _____, SR. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/18/81

HEINRICHS GEOEX

SEND	77-79	77-81	81-83	83-85						
RECEIVE	73-75	73-75	73-75	73-75						
MULTIPLIER										
PFE	1	2.5	5	9.5						
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	40	19	2.5	1.6						
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	53	114	183	1213						
DRIFT MCF	2.40	2.31	2.16	2.08	100					
S. P.	I=300 mA									
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE 18, HALF_____, SP._____, a = 100', BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE_____

HEINRICHS GEOEX

SEND										
RECEIVE										
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}									
0.1 PFE	PFE_C									
3.0 MV	$\rho/2\pi$									
DRIFT	MCF									
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Live Hill 2.5 15

LINE 13, HALF _____, SP. _____, a = 100, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/18/81

HEINRICHS GEOEX

SEND		24-51	27-77	25-41	23-25					
RECEIVE		83-81	[illegible]	85-87	65-87					
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)		6.04								
H. F. MV		[illegible]	1.07	598	500					
DRIFT										
1.0 PFE K_n/1000		n=2								
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$		1.48	1.73	106.6	111.5					
DRIFT MCF		2.18	2.07	2.03	2.05					
S. P.										
NOISE		I=20mA								
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 1100 d.h.15

LINE 13, HALF _____, SR. _____, a = 100, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 1/13/91

HEINRICHS GEOEX

SEND		3100	11 14	25 17	32 20						
RECEIVE		03 45	12 25	13 35	23 35						
MULTIPLIER											
PFE		1	2 4	2	1 2						
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2 47	2 40	2 30	2 27						
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2180	1816	1243	1203						
DRIFT	MCF	2.34	2.21	2.10	2.09	1.00					
S. P.		T=300ms									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Hwy 4415

LINE 19, HALF _____, SR. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

PAGE _____

HEINRICHS GEOEX

SEND			77-75	75-73	73-71	71-69				
RECEIVE	65		65-67	65-67	65-67	65-67				
MULTIPLIER										
PFE			1.2	0.3	0.1	3.0				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV			3.2	1.6	0.8	0.4				
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}			n=3							
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$			202.4	100.3	150.1	171.1				
DRIFT MCF			2.31	2.29	2.26	2.25				
S. P.										
NOISE			t=370mA							
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Line three 6.13

LINE 13, HALF_____, SR._____, a = 100', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 7/25/81

PAGE 100-11

HEINRICHS GEOEX

SEND			73-75	75-77	77-79	25-81					
RECEIVE			67-69	67-69	67-69	67-69					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF		2.30	2.25	2.22	2.20					
S. P.			I=300 mA								
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Hot Hardrock-19

LINE 19, HALF _____, SR. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/29/79

PAGE 100-12

HEINRICHS GEOEX

SEND		73-75	75-77	77-79	79-81						
RECEIVE		69-71	69-71	69-71	69-71						
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	296.7	200.6	180.3	163.4						
DRIFT	MCF	2.40	2.32	2.26	2.21						
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Jim Hill Ch. 15

LINE 13, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

PAGE 10-15

HEINRICHS GEOEX

SEND		75-77	73-75	71-73	69-71						
RECEIVE	81-	81-83	81-83	81-83	81-83						
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}		n=2									
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$											
DRIFT MCF		2.22	2.15	2.13	2.13						
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line Thredb. 15

LINE 15, HALF_____, SP._____, a = 100, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/19/81

HEINRICHS GEOEX

SEND			C5-67	C7-69	C9-71	71-73				
RECEIVE			57-59	57-59	57-59	57-59				
MULTIPLIER										
PFE			1.1	2.3	3.4	4.5				
CUR. (AMPS)										
POINT NO.			3.65	1.59	.877	.516				
SEP. (n)			2.25	1.37						
H. F. MV			1.79	1.54	.983					
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}		n=3							
0.1 PFE	PFE_C									
3.0 MV	$\rho/2\pi$		229.2	149.8	192.9	191.6				
DRIFT	MCF		2.36	2.30	2.29	2.26	log			
S. P.										
NOISE			I=300 μA							
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru ch. 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/91

PAGE 1m-15

HEINRICHS GEOEX

SEND		63-67	67-71	69-73	71-75					
RECEIVE		59-61	59-61	59-61	59-61					
MULTIPLIER										
PFE		1-2	2	3-4	4-5					
CUR. (AMPS)										
POINT NO.										
SEP. (n)		10.3	3.42	1.58	.833					
H. F. MV										
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}		n=2								
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$		236.9	214.1	196.9	183.2					
DRIFT MCF		2.41	2.33	2.30	2.26	109				
S. P.										
NOISE		I=310mA								
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA 1a thru dh 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

PAGE 100-16

HEINRICHS GEOEX

SEND		65-67	67-69	69-71	71-73						
RECEIVE		61-63	61-63	61-63	61-63						
MULTIPLIER											
PFE		1	2	3	4	5					
CUR. (AMPS)											
POINT NO.											
SEP. (n)		45.6	9.21	3.21	1.39						
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2.369	2.315	2.017	1.747						
DRIFT	MCF	2.46	2.36	2.30	2.24	log					
S. P.											
NOISE		I = 300mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line Hwy 6, 15

LINE 15, HALF_____, SR._____, a = 100', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/19/81

PAGE 100-17

HEINRICHS GEOEX

SEND			61-63	63-65	65-67	67-69					
RECEIVE			53-55	53-55	53-55	53-55					
MULTIPLIER											
PFE			1	2	3	4					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV			1.10	1.20	1.22	1.15					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}		n=2								
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$		267.6	238.5	268.2	240.1					
DRIFT	MCF		2.41	2.38	2.43	2.39	100				
S. P.											
NOISE			I=300 mA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Inc Hwdl 15

LINE _____, HALF _____, SR. _____, a = 100', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

PAGE _____

HEINRICHS GEOEX

SEND		61-63	63-65	65-67	67-69					
RECEIVE		55-57	55-57	55-57	55-57					
MULTIPLIER										
PFE		1	1	1	1					
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV		102	2.45	1.62	1.46					
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}		n=3								
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$		256.4	216.5	230.0	200.0					
DRIFT MCF		2.41	2.34	2.36	2.32	109				
S. P.										
NOISE		1-20 mV								
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE_____, HALF_____, SP._____, a = _____, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE_____

SEND										
RECEIVE										
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}									
0.1 PFE	PFE_C									
3.0 MV	$\rho/2\pi$									
DRIFT	MCF									
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Inc thru d.h. 15

LINE 15, HALF_____, SR._____, a = 100', BEARING N=S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/1978

PAGE 1020

HEINRICHS GEOEX

SEND			61.01	63.01	65.01	67.03				
RECEIVE			75-71	15-71	25-71	35-71				
MULTIPLIER										
PFE			4.5	2.4	2.3	1.5				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV			1.85	1.53	1.77	1.765				
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}		n=3							
0.1 PFE	PFE_c									
3.0 MV	$\rho/2\pi$		170.1	194.9	161.2	161.2				
DRIFT	MCF		2.25	2.29	2.21	2.21	109			
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru ch. 15

LINE 15, HALF _____, SR. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

HEINRICHS GEOEX

SEND		67-69	65-67	63-65	61-63					
RECEIVE		73-75	73-75	73-75	73-75					
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}	n=2								
0.1 PFE	PFE_c									
3.0 MV	$\rho/2\pi$									
DRIFT	MCF	2.30	2.31	2.24	2.21					
S. P.										
NOISE		I=300 mA								
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Joe Hrudka 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

PAGE 1 of 2

HEINRICHS GEOEX

SEND	67-69	65-67	63-65	61-63						
RECEIVE	71-73	71-73	71-73	71-73						
MULTIPLIER										
PFE	4.5	3.0	2.3	1.8						
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	39.1	9.47	3.00	1.41						
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	2457	2420	1865	1772						
DRIFT MCF	2.39	2.39	2.28	2.25	log					
S. P.		7-760mV								
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru 2.4.15

LINE 15, HALF_____, SR._____, a = 100', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/19/81

PAGE 100-23

HEINRICHS GEOEX

SEND		63-61	63-61	61-63							
RECEIVE		69-71	69-71	69-71							
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		49	7.16	5.23							
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	3.61	3.11	2.92							
DRIFT	MCF	2.49	2.36	2.31	109						
S. P.											
NOISE		I=20mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru 4.15

LINE 15, HALF _____, SR. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND			57-59	59-61	61-63	63-65				
RECEIVE			49-51	49-51	49-51	49-51				
MULTIPLIER										
PFE			1	2	3	4				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV			4.73	2.38	1.20	.700				
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}		n=3							
0.1 PFE	PFE_c									
3.0 MV	$\rho/2\pi$		297.2	299.1	283.9	246.3				
DRIFT	MCF		2.47	2.48	2.42	2.39	109			
S. P.										
NOISE			I=300mA							
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line two d.b. 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2/20/81

HEINRICHS GEOEX

SEND		57-58	58-61	61-63	63-65						
RECEIVE		51-52	51-52	51-53	51-53						
MULTIPLIER											
PFE		1.2	2.0	2.4	4.5						
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		10.2	4.20	1.45	1.01						
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}	n=2									
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2364	2689	2362	2221						
DRIFT	MCF	2.41	2.42	2.37	2.35	100					
S. P.											
NOISE		I=300 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Ho Hsu 26-15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/41

HEINRICHS GEOEX

SEND		51-53	53-61	61-63	63-65						
RECEIVE		53-55	53-55	53-55	53-55						
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2154	2210	2324	2350						
DRIFT	MCF	2.48	2.46	2.40	2.37	109					
S. P.											
NOISE		1.30 MV									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 1400 E Ln. 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND			53-55	55-57	57-59	59-61				
RECEIVE			45-47	45-47	45-47	45-47				
MULTIPLIER										
PFE			n=1-2							
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV			0.53	2.32	1.10	.751				
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}		n=2							
0.1 PFE	PFE_C									
3.0 MV	$\rho/2\pi$		3.413	2.265	2.467	2.692				
DRIFT	MCF		2.54	2.47	2.42	2.42	109			
S. P.										
NOISE		I=300 mA								
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Lee Woods 15

LINE 15, HALF_____, SP._____, a = 100', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/20/91

PAGE 10-21

HEINRICHS GEOEX

SEND			35-55	55-57	57-59	59-61					
RECEIVE			47-49	47-49	47-49	47-49					
MULTIPLIER											
PFE			1-2	2-	3-4	4-5					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV			14.4	4.96	2.10	1.25					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}		11.2								
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$		216.0	205.4	276.2	204.9					
DRIFT	MCF		2.56	2.45	2.44	2.44	100				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru A.H. 15

LINE_____, HALF_____, SR._____, a = 100', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 1/20/81

HEINRICHS GEOEX

SEND		49-53	45-57	57-59	59-61						
RECEIVE		49-51	49-51	49-51	49-51						
MULTIPLIER											
PFE		1	2	3	4						
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		73.8	10.7	4.11	2.8						
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	42.7	39.2	29.9	20.9						
DRIFT	MCF	2.67	2.50	2.47	2.48	100					
S. P.											
NOISE			1-300								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru dh. 15

LINE 15, HALF _____, SR. _____, a = 100', BEARING N-

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2/20/51

PAGE 10-21

HEINRICHS GEOEX

SEND			49-51	51-53	53-55	55-57				
RECEIVE			41-43	41-43	41-43	41-43				
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}									
0.1 PFE	PFE_c									
3.0 MV	$\rho/2\pi$									
DRIFT	MCF									
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru 06 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		47-51	51-53	53-55	55-57					
RECEIVE		43-45	43-45	43-45	43-45					
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}		n=2								
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$		287.4	345.0	276.5	330.9					
DRIFT MCF		2.46	2.39	2.44	2.36	100				
S. P.										
NOISE		I = 900 mA								
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Inc thru dh 15

LINE 15, HALF _____, SR. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND	49-51	51-53	53-55	55-57							
RECEIVE	45-47	45-47	45-47	45-47							
MULTIPLIER											
PFE	1	2	3	4							
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	25.3	27.2	16.6	6.93							
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	529.9	312.5	247.7	240.3							
DRIFT MCF	2.72	2.49	2.54	2.46	105						
S. P.											
NOISE	±.900 mV										
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Hoe thru dbl's

LINE 15, HALF _____, SR. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/24/81

HEINRICHS GEOEX

SEND			45 47	47 49	49 51	51 53				
RECEIVE			37 39	37 39	37 39	37 39				
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV			16.1	6.67	3.61	1.97				
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}			n=3							
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$			137.2	279.4	424.6	231.1				
DRIFT MCF			2.53	2.45	2.42	2.36	1.0			
S. P.										
NOISE			I=900 mA							
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Line Hwy 24.15

LINE 15, HALF_____, SR._____, a = 100', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/21/81

PAGE 00 33

SEND		45.47	47.44	49.51	51.52						
RECEIVE		39-41	39.41	39.41	39-41						
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT		64.8									
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c		543									
3.0 MV $\rho/2\pi$											
DRIFT MCF			2.58	2.54	2.48						
S. P.		2.73									
NOISE		I: 9/10 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h. 15

LINE 15, HALF _____, SR. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

HEINRICHS GEOEX

SEND		45-47	47-49	49-51	51-53						
RECEIVE		41-43	41-43	41-43	41-43						
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line three d.l. 15

LINE 15, HALF _____, SR. _____, a = 100, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 5/11/81

HEINRICHS GEOEX

SEND			41.43	43.05	45.47	47.49				
RECEIVE			35.35	33.36	33.34	33.35				
MULTIPLIER										
PFE			1.2	2.6	3.4	4.5				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV			1.20	1.10	2.96	2.15				
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}		n=3							
0.1 PFE	PFE_C									
3.0 MV	$\rho/2\pi$		272.3	256.5	240.3	252.2				
DRIFT	MCF		2.44	2.41	2.46	2.40	100			
S. P.										
NOISE			I=900	mA						
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru 4, 15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

HEINRICHS GEOEX

SEND		41-43	43-45	45-47	47-49						
RECEIVE		25-37	25-37	25-37	25-37						
MULTIPLIER											
PFE		1+2	2-3	3-4	4-5						
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		46.1	11.9	6.40	3.07						
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}		n=2									
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$		396	2415	2661	2250						
DRIFT MCF		2.59	2.40	2.43	2.35						
S. P.											
NOISE		I=900mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 16W d.b. 15

LINE 5, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

HEINRICHS GEOEX

SEND	41-43	42-45	43-47	47-49						
RECEIVE	37-37	37-37	37-39	37-39						
MULTIPLIER										
PFE	1	2	3-4	4-5						
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	3.71	4.94	16.3	6.73						
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}									
0.1 PFE	PFE_c									
3.0 MV	$\rho/2\pi$	3025	3921	3419	2817					
DRIFT	MCF	2.90	2.67	2.53	2.45					
S. P.		I=900mA								
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Hwy 64 15

LINE 15, HALF _____, SR. _____, a = 100, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

HEINRICHS GEOEX

SEND		37-29	29-41	41-43	43-45		29-41	41-43	43-45		
RECEIVE		23-35	35-47	47-35	35-33		35-37	35-37	35-37		
MULTIPLIER											
PFE		1	2	4	8		2	4	8		
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.47	4.89	10.1	20.0		2.07	4.13	12.1		
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}	n=1					n=1				
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	3.17	3.21	3.19	3.25		3.15	3.21	3.24		
DRIFT	MCF	2.71	2.59	2.44	2.41		2.91	2.60	2.40		
S. P.											
NOISE			1.4 mA				T = 6/16 w 4				
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA line thru db 15

LINE 15, HALF_____, SR._____, a = 100', BEARING N5

SENDER STA._____ = ELECTRODE NO._____, DATE 3/21/21

PAGE 100-29

HEINRICHS GEOEX

SEND										
RECEIVE										
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}									
0.1 PFE	PFE_C									
3.0 MV	$\rho/2\pi$									
DRIFT	MCF									
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA line 1 to 0 d.h.13

LINE 15, HALF_____, SP._____, a = 100, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/21/81

PAGE 2024

HEINRICHS GEOEX

SEND			9-12	9-93	15-17	17-19				
RECEIVE			13-15	91-93	13-15	15-17				
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}			n=2							
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$			78.0	61.2	49.5	64.7				
DRIFT MCF			1.97	1.79	1.69	1.79	1.69			
S. P.										
NOISE			+-300 mA							
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Inc thru 24.15

LINE 15, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/91

PAGE 102-91

HEINRICHS GEOEX

SEND		91-93	93-95	95-97	97-99					
RECEIVE		85-87	85-87	85-87	85-87					
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE K_n/1000		n=7								
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$		1204	691	466	567					
DRIFT MCF		2.10	1.84	1.67	1.75	109				
S. P.		I=300 mA								
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Lac Hrudh. 15

LINE _____, HALF _____, SP. _____, a = 100', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/24/64

PAGE 10

HEINRICHS GEOEX

SEND	91-92	93-94	95-97	97-99						
RECEIVE	87-89	87-89	87-89	87-89						
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$										
DRIFT MCF										
S. P.										
NOISE	I=200 mA									
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE 15, HALF_____, SR._____, a = _____, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE_____

HEINRICHS GEOEX

SEND											
RECEIVE											
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

pgs. 500-557
line 15
50' dipoles

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line three 2.4.15

LINE 15, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/18/81

HEINRICHS GEOEX

SEND		84-85	83-84	82-83	81-82	80-81					
RECEIVE		87-88	87-88	87-88	87-88	87-88					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}	n=2									
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.67	2.34	2.17	2.12	2.08	log				
S. P.											
NOISE		I=300mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru dl. 15

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/18/51

PAGE 502

HEINRICHS GEOEX

SEND		54-53	53-54	52-53	51-52	50-51	49-50				
RECEIVE		56-57	56-57	56-57	56-57	56-57	56-57				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		924	844	577	287	130	127				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	328	207.9	175.0	149.6	142.9	135.1				
DRIFT	MCF	3.17	2.49	2.24	2.20	2.16	2.11	1.09			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Lac thru Ch. 15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/12/91

PAGE 50

HEINRICHS GEOEX

SEND		83-79	82-83	81-82	80-81	79-80	78-79				
RECEIVE		87-86	86-85	85-84	84-83	83-82	82-81				
MULTIPLIER											
PFE		1.0	0.3	0.1	0.3	0.1	0.3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		24.9	18.2	5.42	2.63	1.36	1.00				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1096	209.7	180.2	165.2	149.5	122.3				
DRIFT	MCF	3.04	2.36	2.27	2.22	2.17	2.09	1.00			
S. P.											
NOISE			I 300 nA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA Line thru 4.15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE 7/8/81

HEINRICHS GEOEX

SEND	82-81	81-82	80-81	79-80	78-79	77-78					
RECEIVE	84-85	84-85	84-85	84-85	84-85	84-85					
MULTIPLIER											
PFE	6.7										
CUR. (AMPS)											
POINT NO.											
SEP. (n)						.790					
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1011.6	252.2	109.15	178.7	146.1	169.2				
DRIFT	MCF	2.44	2.40	2.30	2.25	2.16	2.14	100			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thirds 15

LINE 15, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2/13/81

HEINRICHS GEOEX

SEND		81-82	80-81	79-80	78-79	77-78					
RECEIVE		82-84	82-84	80-84	82-84	82-84					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE		T=300									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Thru 24, 13

LINE 15, HALF _____, SR. _____, a = Ø 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/21

PAGE 50

HEINRICHS GEOEX

SEND	74-75	73-74	72-73	71-72	70-71	69-70					
RECEIVE	72-73	72-73	72-73	72-73	72-73	72-73					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2516	2741	2345	2501	1990	1282				
DRIFT	MCF	2.41	2.44	2.41	2.40	2.30	2.27	100			
S. P.											
NOISE	I=300										
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA _____

LINE 15, HALF _____, SP. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/18/91

PAGE 5C7

HEINRICHS GEOEX

SEND											
RECEIVE											
MULTIPLIER		7-8									
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	$K_n/1000$										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.47	2.35	2.29	2.27	2.17	2.14				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 46W of L. 15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

HEINRICHS GEOEX

SEND	71-80	72-73	73-74	76-77	75-76	74-75					
RECEIVE	81-82	81-82	81-82	81-82	81-82	81-82					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.38	2.36	2.37	2.28	2.24	2.17				
S. P.											
NOISE		1-200 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.h. 19

LINE 19, HALF _____, SP. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 7/18/81

PAGE 509

HEINRICHS GEOEX

SEND		76-79	77-78	76-77	75-76	74-75	73-74				
RECEIVE		80-81	80-81	80-81	80-81	80-81	80-81				
MULTIPLIER											
PFE		1.7	2.0	2.6	3.4	4.3	4.2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.40	2.12	2.25	3.27	1.64	1.0				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	244.1	266.9	227.8	211.7	180.3	192.5				
DRIFT	MCF	2.39	2.43	2.36	2.33	2.26	2.29	106			
S. P.		300 mV									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No._____, AREA Line 15 Thru 6-15

LINE 15, HALF_____, SR._____, a = 50', BEARING N-S

SENDER STA._____ = ELECTRODE No._____, DATE 3/18/81

PAGE 5#

HEINRICHS GEOEX

SEND		77-74	76-72	75-70	74-68	73-66					
RECEIVE		79-80	78-80	77-80	76-80	75-80	74				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2736	2461	2402	2111	2743					
DRIFT	MCF	2.44	2.39	2.39	2.32	2.35	100				
S. P.											
NOISE		I = 200 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Inv Thrvd. 15

LINE 15, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/51

PAGE 511

HEINRICHS GEOEX

SEND		70-71	71-72	72-73	73-74	74-75	75-76				
RECEIVE		70-69	73-69	69	69-69	69-69	69-69				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.37	2.39	2.33	2.33	2.23	2.25				
S. P.											
NOISE		T=3 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 1 Prod. to 15

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

PAGE 512

HEINRICHS GEOEX

SEND		76-77	75-76	74-75	73-74	72-73	71-72				
RECEIVE		78-79	78-79	78-79	78-79	78-79	78-79				
MULTIPLIER											
PFE		1-2	2-3	3-4	4-5	5-6	6-7				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		771	1656	1617	3278	1784	1768				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2438	2307	2177	2327.5	1957	1815				
DRIFT	MCF	2.39	2.37	2.34	2.38	2.29	2.27	109			
S. P.											
NOISE		I-30 x 4									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA Line 1kw dh.15

LINE 15, HALF _____, SP. _____, α = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/19/81

PAGE 513

HEINRICHS GEOEX

SEND		75-76	74-75	73-74	72-73	71-72	70-71				
RECEIVE		77-78	77-78	77-78	77-78	77-78	77-78				
MULTIPLIER											
PFE		7.5	6.0	5.6	4.5	3.4	2.3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)		86.6									
H. F. MV		96.6	240	420	3.89	211	1100				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	172.1	251.3	292.2	244.4	232.0	192.5				
DRIFT	MCF	2.43	2.40	2.47	2.39	2.37	2.29	loa			
S. P.											
NOISE		I=314 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru el. 6.15

LINE 15, HALF _____, SR. _____, a = 525, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

HEINRICHS GEOEX

SEND		74-75	73-74	72-73	71-72	70-71	69-70				
RECEIVE		76-77	76-77	76-77	76-77	76-77	76-77				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.39	2.46	2.40	2.39	2.30	2.28				
S. P.											
NOISE		I=200mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Three 4, 5, 15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

HEINRICHS GEOEX

SEND		73-74	72-73	71-72	70-71	69-70					
RECEIVE		75-76	73-74	75-74	75-76	75-76					
MULTIPLIER											
PFE		5.0	4.5	4	3.5	3.2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)			21.2	8.56							
H. F. MV		191	~~47~~	~~[illegible]~~	3.55	1.88					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	211.3	206.7	206.9	223.1	206.7					
DRIFT	MCF	2.49	2.43	2.43	2.35	2.32	log				
S. P.											
NOISE		I=20 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru L.L. 15

LINE 15, HALF _____, SP. _____, α = 50°, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 7/19/61

HEINRICHS GEOEX

SEND		66-67	67-68	68-69	69-70	70-71	71-72				
RECEIVE		64-65	64-65	64-65	64-65	64-65	64-65				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		138	211	7.65	3.43	1.89	1.14				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	4721	2852	2466	2469	2078	2006				
DRIFT	MCF	2.60	2.42	2.39	2.39	2.32	2.30	100			
S. P.											
NOISE		± 300 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru 24-13

LINE 13, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/91

HEINRICHS GEOEX

SEND		72-73	71-72	70-71	69-70	68-69	67-68				
RECEIVE		74-75	74-75	74-75	74-75	74-75	74-75				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		21.2	20.5	6.76	3.24	4.55	1.01				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	295.4	287.6	211.3	203.6	170.4	177.7				
DRIFT	MCF	2.41	2.41	2.34	2.31	2.23	2.25				
S. P.											
NOISE		I 300 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Head h. 15

LINE _____, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

HEINRICHS GEOEX

SEND	20-21	20-21	59-72	65-69	67-69	66-67					
RECEIVE	73-74	73-74	73-74	73-74	73-74	73-74					
MULTIPLIER											
PFE	2	2.7	3-4	4.5	3.0	2-3					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	111	214	9.10	3.39	2.01	1.27					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	345	268	254.5	213.0	220.6	216.4				
DRIFT	MCF	2.54	2.43	2.41	2.33	2.34	2.34	hg.			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Joe Thud 6, 15

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

PAGE 519

HEINRICHS GEOEX

SEND		70-71	69-70	68-69	67-68	66-67	65-66				
RECEIVE		72-73	72-73	72-73	72-73	72-73	72-73				
MULTIPLIER											
PFE		6	6.6	4.5	2.4	2	1.2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		102	202	1.91	3.61	1.99	1.22				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2204	2551	2171	2268	2192	2146				
DRIFT	MCF	2.51	2.41	2.34	2.36	2.34	2.33	1.09			
S. P.											
NOISE		I = 200 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Third 6.15

LINE 15, HALF _____, SR. _____, α = 50°, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

HEINRICHS GEOEX

SEND		69-70	69-69	67-68	66-67	65-66					
RECEIVE		71-72	71-72	71-72	71-72	71-72					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		106	104	8.09	4.17	2.33					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	233.0	245.7	269.4	262.0	266.2					
DRIFT	MCF	2.52	2.40	2.43	2.43	2.41	log				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru db. 15

LINE 15, HALF _____, SP. _____, a = 50', BEARING W-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/01

HEINRICHS GEOEX

SEND	68-69	7-67	66-67	65-66	64-65	63-64					
RECEIVE	70-71	70-71	70-71	70-71	70-71	70-7					
MULTIPLIER											
PFE	8-9	7-8	6-7	5-6	4-5	3-4					
CUR. (AMPS)											
POINT NO.											
SEP. (n)		21.4									
H. F. MV	73.9	21.4	8.53	4.21	1.90	1.19					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	2310	2649	2730	2645	2067	2094					
DRIFT MCF	2.37	2.43	2.43	2.42	2.32	2.32					
S. P.											
NOISE	I=30mA										
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru dh. 15

LINE 15, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/8

PAGE 522

HEINRICHS GEOEX

SEND		67-68	66-69	65-66	64-65	63-65	62-63				
RECEIVE		69-70	69-70	69-70	69-70	69-70	69-70				
MULTIPLIER											
PFE		7.5	6.2	5.1	4.5	3.9	2.7				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		120	257	966	1,90	2.11	120				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	42.5	32.0	30.92	24.50	23.6	21.1				
DRIFT	MCF	2.64	2.51	2.49	2.39	2.38	2.32	log			
S. P.											
NOISE		I=30mA									
POT RES.											
CULT & CMTS											

Note: H raised slightly not much

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Thev d.h. 15

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		66-67	65-66	64-65	63-64	62-63	61-62				
RECEIVE		68-69	68-69	68-69	68-69	68-69	68-69				
MULTIPLIER											
PFE		1-1	0-0	4	4	2-2	1-1				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1.15	2.69	1.25	3.08	1.41	1.19				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1114.0	938.0	840.3	2375	2100	209.7				
DRIFT	MCF	3.00	2.53	2.38	2.36	2.32	2.32	109			
S. P.											
NOISE		1.300	mA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Shed A-15

LINE 15, HALF _____, SR. _____, α = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/24/81

HEINRICHS GEOEX

SEND		65-66	64-63	62-64	60-62	61-62					
RECEIVE		67-68	67-68	67-66	67-65	67-68					
MULTIPLIER											
PFE		5.6	4.6	3.4	2.3	1.2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		3.26	1.09	0.49	3.95	2.45					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1024	1626	2661	2419	2997					
DRIFT	MCF	3.01	2.42	2.43	2.39	2.38	109				
S. P.											
NOISE		T=200MS									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru 6-15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND	62-63	63-64	64-65	65-66	66-67	67-68					
RECEIVE	60-61	60-61	60-61	60-61	60-61	60-61					
MULTIPLIER											
PFE	2	3	4	5	6	7					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	9.32	22.0	2.39	4.51	2.24	1.30					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	272.5	276.5	260.6	283.4	246.3	223.7					
DRIFT MCF	2.47	2.44	2.42	2.45	2.39	2.36	log				
S. P.											
NOISE	I=700 #1										
POT RES.											
CULT & CMTS											

Wash channel between 60-62

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru dh. 15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		53-54	69-62	60-61	61-62	62-63	63-64				
RECEIVE		56-57	56-57	56-57	54 57	56-57	56-57				
MULTIPLIER											
PFE		2	3.0	4	6	8	10				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		4.50	5.61	7.20	4.32	2.85	1.23				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	414	579	2016	291.4	225.1	216.4				
DRIFT	MCF	3.15	2.76	2.45	2.43	2.36	2.34	log			
S. P.											
NOISE		E = 30 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d 6.15

LINE 15, HALF _____, SP. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		64-65	63-64	62-63	61-62	60-61	59-60				
RECEIVE		66-67	66-67	66-67	66-67	66-67	66-67				
MULTIPLIER											
PFE		0.9	1.9	6.1	5.6	4.5	3.4				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1.20	2.20	9.25	11.7	22.7	11.27				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	402.1	286.5	259.2	262.0	249.6	223.4				
DRIFT	MCF	2.60	2.46	2.41	2.42	2.40	2.35	109			
S. P.											
NOISE		I=300 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 11 rev d.b. 15

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		63-64	62-63	61-62	60-61	59-60	58-59				
RECEIVE		65-66	65-66	65-66	65-66	65-66	65-66				
MULTIPLIER											
PFE		1	0.4	0.6	4.5	1	2.3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1.72	2.35	1.43	4.53	2.20	1.30				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	54.04	29.72	24.73	284.6	35.07	23.43				
DRIFT	MCF	2.73	2.47	2.47	2.45	2.40	2.38	log			
S. P.											
NOISE		I=30 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru dh. 15

LINE 15, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		62-63	61-62	60-61	59-60	58-59	57-58				
RECEIVE		64-65	64-65	64-65	64-65	64-65	64-65				
MULTIPLIER											
PFE		6.7	5.5	4.5	3.4	2.3	1.2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1.71	2.20	2.42	3.73	2.07	1.20				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	5.272	2.765	2.645	2.394	2.221	2.111				
DRIFT	MCF	2.73	2.44	2.42	2.37	2.35	2.32	log			
S. P.											
NOISE		I=300mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Thirty-Four

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		61-62	60-61	59-60	58-59	57-58					
RECEIVE		63-64	63-64	63-64	63-64	63-64					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		140	222	5.04	2.89	2.13					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	405.0	277.1	232.6	244.7	232.1					
DRIFT	MCF	2.67	2.44	2.40	2.39	2.37	1.09				
S. P.											
NOISE		I=300uA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h. 15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		54-55	55-56	56-57	57-58	58-59	59-60				
RECEIVE		52-53	52-53	52-53	52-53	52-53	52-53				
MULTIPLIER											
PFE		2.2	2.4	2.5	2.6	2.7	2.8				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		502	504	716	3.82	228	196				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	15.77	235.11	224.9	242.5	250.7	253.1				
DRIFT	MCF	3.20	2.41	2.35	2.39	2.40	2.41	109			
S. P.											
NOISE			L=30m.n4								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line No. ch. 15

LINE 15, HALF_____, SR._____, a = 50, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/20/81

PAGE 5232

HEINRICHS GEOEX

SEND		60-61	59-60	58-59	57-58	56-57	55-56				
RECEIVE		62-63	62-63	62-63	62-63	62-63	62-63				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)		95.0	19.7	8.02	3.94	2.10	1.34				
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	208.5	247.6	252.0	247.6	230.9	235.7				
DRIFT	MCF	2.47	2.39	2.40	2.39	2.36	2.37	1.09			
S. P.											
NOISE		I=300mA									
POT RES.											
CULT & CMTS											

A

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru 1+15

LINE 15, HALF _____, SP. _____, a = ~~2~~ 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/79

PAGE 529

HEINRICHS GEOEX

SEND		56-60	55-59	57-58	56-57	55-56	54-55				
RECEIVE		61-62	61-62	61-62	61-62	61-62	61-62				
MULTIPLIER											
PFE		2-8	2-7	2-6	4-5	3-4	2-3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.70	2.67	2.10	2.25	2.40	1.80				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2491	2771	2659	2703	2727	3167				
DRIFT	MCF	2.40	2.44	2.46	2.44	2.44	2.50				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru 6+15

LINE 15, HALF_____, SP._____, a = 50', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/20/81

PAGE 4-0

HEINRICHS GEOEX

SEND		59-58	57-58	56-57	55-56	54-55	53-54				
RECEIVE		61-61	60-61	0-61	60-61	0-11	61-11				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		100.5	251	251	2.74	1.00	100				
DRIFT											
1.0 PFE	$K_n/1000$										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	215.7	215.4	204.1	207.0	231.5	204.1				
DRIFT	MCF	2.50	2.50	2.48	2.47	2.53	2.31	ok			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Joe Shreve 15

LINE 15, HALF_____, SP._____, α = 50, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/25/91

HEINRICHS GEOEX

SEND		57-58	56-57	55-56	54-55	53-54					
RECEIVE		59-60	59-60	59-60	59-60	59-60					
MULTIPLIER											
PFE		3	4.0	3.4	2.2	1.2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)			46.5								
H. F. MV		3.71	4.[illegible]	11.3	5.62	1.01					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1.87	5.74	555	246.9	245.6					
DRIFT	MCF	3.07	2.77	2.55	2.54	2.31	1.09				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Inc thru 21.4.15

LINE 15, HALF _____, SP. _____, α = 60°, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/20/81

HEINRICHS GEOEX

SEND		50-51	51-52	52-53	53-54	54-55	55-56				
RECEIVE		48-49	48-49	48-49	48-49	48-49	48-49				
MULTIPLIER											
PFE		5-3	4-4	4.6	4.54	4.41	4.5				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1160	142	918	1460	1321	650				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	P_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$P/2\pi$	3.15	3.40	3.30	2.92	4.01	3.25				
DRIFT	MCF	3.08	2.77	2.52	2.47	2.69	2.51	log			
S. P.											
NOISE		I=910 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Joe Thrv d. h. 15

LINE _____, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/ 2014

HEINRICHS GEOEX

SEND		56-57	55-56	54-55	53-54	52-53	51-52				
RECEIVE		58-59	54-55	59-60	58-59	58-59	58-59				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1260	124	52.9	9.48	6.71	4.77				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1414	519.4	244.6	197.5	245.7	271.7				
DRIFT	MCF	3.15	2.72	2.54	2.30	2.39	2.45	Inv.			
S. P.											
NOISE		I=40 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 1 Thru 24, 1.5

LINE 15, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/30/11

HEINRICHS GEOEX

SEND		55-56	54-55	53-54	52-53	51-52	50-51				
RECEIVE		57-55	57-55	57-58	57-58	57-58	57-58				
MULTIPLIER											
PFE		7-3	6-4	5-5	4-5	3-5	2-5				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1090	873	170	114	7.45	4.95				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	114	365.7	107.4	239.5	273.1	290.5				
DRIFT	MCF	3.06	2.56	2.27	2.38	2.44	2.46	loc			
S. P.											
NOISE		I=900 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Joe Hay Pg. 15

LINE 15, HALF_____, SR._____, a = 50, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/20/81

HEINRICHS GEOEX

SEND		54-55	53-54	52-53	51-52	50-51	49-51				
RECEIVE		54-57	53-57	52-57	51-57	50-57	49-57				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1702	1615	2220	2201	2815	2879				
DRIFT	MCF	2.67	2.21	2.75	2.41	2.45	2.47				
S. P.											
NOISE		I=900mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE_____, HALF_____, SR._____, a = _____, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE_____

HEINRICHS GEOEX

SEND											
RECEIVE											
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Head 6 15

LINE 15, HALF _____, SR. _____, a = ~~50~~, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/61

HEINRICHS GEOEX

SEND		41-47	37-43	38-44	49-50	50-51	51-52				
RECEIVE		44-45	44-45	44-45	44-45	44-45	44-45				
MULTIPLIER											
PFE		2	3	4	5	6	7	8			
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		6.91	11.3	24.6	12.4	6.27	3.81				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	123.6	175.3	254.6	259.7	229.8	237.4				
DRIFT	MCF	2.46	2.68	2.41	2.41	2.36	2.35	100			
S. P.											
NOISE			T=900 mA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru dh 15

LINE 15, HALF _____, SP. _____, α = 50°, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

PAGE 5-8

HEINRICHS GEOEX

SEND	52-53	51-52	50-51	49-50	48-49	47-48					
RECEIVE	54-55	54-55	54-55	54-55	54-55	54-55					
MULTIPLIER											
PFE	8-9	7-8	6-7	5-6	4-5	3-4					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	15 10	1-0	523	203	12 9	8.07					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	1501 3	1150	855 2	5299	4123	4232					
DRIFT MCF	3.20	2.97	2.75	2.72	2.67	2.68					
S. P.											
NOISE		I=90 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Inc Hood Co. TX

LINE 13, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/51

PAGE 539

HEINRICHS GEOEX

SEND		51-52	50-51	49-50	48-49	47-48	46-47				
RECEIVE		53-54	53-54	53-54	52-54	53-54	53-54				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.46	2.64	2.54	2.46	2.46	2.44				
S. P.											
NOISE			I-700 mA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru dh. 15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

PAGE 540

HEINRICHS GEOEX

SEND	50-51	49-50	48-49	47-48	46-47	45-46					
RECEIVE	52-53	52-53	52-53	52-53	52-53	52-53					
MULTIPLIER											
PFE	6.7	5.6	4.6	3.7	2.9	1.2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	221	215	210	142	279	485					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	7351	491.7	3246	297.4	285.5	2444					
DRIFT MCF	2.88	2.64	2.51	2.47	2.46	2.45	105				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.h.15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/51

HEINRICHS GEOEX

SEND		49-50	48-49	47-48	46-47	45-46					
RECEIVE		51-52	51-52	51-52	51-52	51-52					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1140	1140	1155	1167	1170					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1216	586.4	577.8	578.9	579.9					
DRIFT	MCF	3.10	2.77	2.57	2.52	2.50					
S. P.											
NOISE		1-900 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru dh. 15

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

HEINRICHS GEOEX

SEND		42-43	43-44	44-45	45-46	46-47	47-48				
RECEIVE		40-41	40-41	40-41	40-41	40-41	40-41				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1510	802	517	410	354	335				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1491	1265	642	422	364	337				
DRIFT	MCF	3.20	3.10	2.78	2.56	2.75	2.69	log			
S. P.											
NOISE			I=600 mA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Lake Hiwood 6.15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/31

HEINRICHS GEOEX

SEND		48-49	47-48	46-47	45-46	44-45	43-44				
RECEIVE		50-51	50-51	50-51	50-51	50-51	20-31				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	3.09	2.78	2.58	2.57	2.36	2.51	100			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h. 15

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/71

HEINRICHS GEOEX

SEND		47-48	46-47	45-46	44-45	43-44	42-43				
RECEIVE		47.50	46.56	49.56	49.50	49.50	49.50				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1330	154	100.1	12.4	7.94	5.10				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1397	645.1	422.0	259.7	208.3	209.1				
DRIFT	MCF	3.14	2.91	2.63	2.41	2.56	2.48	1.06			
S. P.											
NOISE			1-900	0.1							
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Lines thru db. 15

LINE 15, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

PAGE 245

HEINRICHS GEOEX

SEND		46-47	45-46	44-45	43-44	42-43	41-42				
RECEIVE		48-49	48-49	48-49	48-49	48-49	48-49				
MULTIPLIER											
PFE		1-7	0-2	0-3	3-1	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		92.7	12.6	24.6	16.3	7.46	4.28				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1034	2774	2576	2425	2404	2510				
DRIFT	MCF	3.01	2.72	2.41	2.54	2.45	2.40				
S. P.											
NOISE			T=900 mA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h. 15

LINE _____, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

HEINRICHS GEOEX

SEND		46-46	44-45	43-44	42-43	41-42					
RECEIVE		45-48	47-48	47-48	47-48	7140					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1 min	116	524	1820						
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1403	4611	2497	3711	3162					
DRIFT	MCF	3.15	2.68	2.74	2.56	2.50		109			
S. P.			T-900	mA							
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 1100 d.l. 15

LINE 15, HALF _____, SR. _____, a = 50', BEARING N45

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2/21/81

PAGE 547

HEINRICHS GEOEX

SEND		34-35	35-40	40-41	41-42	42-43	43-44				
RECEIVE		36-37	36-37	36-37	36-37	36-37	36-37				
MULTIPLIER											
PFE		2	4	4	5-6	6-7	7				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		7.47	9.20	9.12	9.46	10.8	8.77				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	79.23	98.15	96.50	98.15	89.53	93.09				
DRIFT	MCF	2.49	2.96	2.98	2.71	2.60	2.53	log			
S. P.											
NOISE		T=900	nA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Jue Hill d.h.15

LINE 15, HALF_____, SP._____, a = 50', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/21/21

PAGE 548

HEINRICHS GEOEX

SEND	44-45	43-44	42-43	41-42	40-41	39-40					
RECEIVE	46-47	46-47	46-47	46-47	46-47	46-47					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$											
DRIFT MCF	2.86	2.94	2.71	2.55	2.75	2.51	log				
S. P.											
NOISE	T=9:10 A.M.										
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru d.b. 15

LINE 15, HALF_____, SP._____, a = 50, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 2/21/81

HEINRICHS GEOEX

SEND	43-44	42-43	41-42	40-41	39-40	38-39				
RECEIVE	45-46	45-46	45-46	45-46	45-46	45-46				
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	1131	2498	5152	1153	3715	3712				
DRIFT MCF	3.05	2.87	2.71	2.87	2.58	2.57	109			
S. P.										
NOISE	2.00 mA									
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA _____

LINE _____, HALF _____, SP. _____, a = _____, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE _____

PAGE _____

HEINRICHS GEOEX

SEND		42-43	41-42	40-41	39-40	38-39	37-38				
RECEIVE		44-45	44-45	44-45	44-45	44-45	44-45				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.72	2.63	2.79	2.46	2.43	2.38	109			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.b.15

LINE 15, HALF _____, SP. _____, α = 90°, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

PAGE 551

HEINRICHS GEOEX

SEND		41-42	40-41	39-40	38-39	37-38					
RECEIVE		43-44	43-44	43-44	43-44	43-44					
MULTIPLIER											
PFE		2-2	4-4	8-8	2-2	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		241	204	1-46	2.82	10.2					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c					392.2					
3.0 MV	$\rho/2\pi$	176.0	127.3	516.1	4040	1182					
DRIFT	MCF	2.89	3.10	2.76	2.69	2.59	1.09				
S. P.											
NOISE		1-900	mA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 1 thru D.b.15

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

HEINRICHS GEOEX

SEND		40-41	39-40	38-39	37-38	36-37	35-36				
RECEIVE		42-43	42-43	42-43	42-43	42-43	42-43				
MULTIPLIER											
PFE		1-2	2-3	3-4	4-5	5-6	6-7				
CUR. (AMPS)											
POINT NO.											
SEP. (n)				69.7							
H. F. MV		1490	200		24.0	10.9	4.79				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1629	3375	7293	5027	5495	2457				
DRIFT	MCF	3.19	2.92	2.86	2.70	2.60	2.39	109			
S. P.											
NOISE		1=90[illegible] mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.4.15

LINE 15, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

PAGE 533

HEINRICHS GEOEX

SEND		39-40	38-39	37-38	36-37	35-36	34-35				
RECEIVE		41-42	41-42	41-42	41-42	41-42	41-42				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 1600 Sh 15

LINE 15, HALF _____, SP. _____, a = 50, BEARING N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/61

PAGE 554

HEINRICHS GEOEX

SEND	39-39	37-38	36-37	35-36	34-35						
RECEIVE	40-41	40-41	40-41	40-41	40-41						
MULTIPLIER											
PFE	3-4	4-5	5-6	6-7	7-8						
CUR. (AMPS)											
POINT NO.											
SEP. (n)			91.5								
H. F. MV	1190	1216	1124	2515	1116						
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	1346	1114	952.2	591.1	915.2						
DRIFT MCF	3.10	3.05	2.98	2.73	2.63	1.00					
S. P.											
NOISE	I=50 mA										
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE_____, HALF_____, SP._____, a = _____, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE_____

HEINRICHS GEOEX

SEND										
RECEIVE										
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE	K_n/1000									
0.3 PFE	ρ_{CAL}									
0.1 PFE	PFE_C									
3.0 MV	$\rho/2\pi$									
DRIFT	MCF									
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 16+15

LINE _____, HALF _____, SP. _____, a = 50, BEARING N25

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/81

HEINRICHS GEOEX

SEND		36-36	36-37	37-38	38-39	39-40	40-41				
RECEIVE		33-34	33-34	33-34	33-34	33-34	33-31				
MULTIPLIER											
PFE		2.7	5.2	4.9	3.4	2.2	1.8				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		260	272	46.5	179	116	251				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	P_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$P/2\pi$	3770	4072	4867	3749	2510	4580				
DRIFT	MCF	2.58	2.61	2.64	2.57	2.55	2.66	109			
S. P.											
NOISE		f=90 mV									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru d & 15

LINE_____, HALF_____, SR._____, a = 50', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 2/21/81

PAGE 557

HEINRICHS GEOEX

SEND		36-37	37-38	38-39	39-40	40-41		37-34	38-35	39-40	40-41
RECEIVE		34-35	34-35	34-35	34-35	34-35		35-36	35-36	35	35-3
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.63	2.77	2.63	2.58	2.63		2.88	2.78	2.73	2.7
S. P.											
NOISE		T=90 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA E-W line through D.H 20

LINE 20, HALF _____, SP. _____, a = 50', BEARING E-W

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/2/81

HEINRICHS GEOEX

SEND	87-89	89-91	91-93	93-95						
RECEIVE	85-83	85-83	85-83	95-88						
MULTIPLIER										
PFE	3-4	4-5	5-6	6-7						
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	7.59	6.36	2.25	1.11						
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	169.2	119.1	110.7	104.6						
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through O.H. 20

LINE 20, HALF _____, SR. _____, a = 50', BEARING E-W

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/2/81

HEINRICHS GEOEX

SEND		89-91	91-93	93-95							
RECEIVE		85-91	85-87	85-87							
MULTIPLIER											
PFE		4-5	5-6	6-7							
CUR. (AMPS)											
POINT NO.											
SEP. (n)				2.28							
H. F. MV		44.4	6.52	7.8							
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	204.2	123.1	107.4							
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W line through D.H. 20

LINE 20, HALF_____, SR._____, a = 50', BEARING E-W

SENDER STA._____ = ELECTRODE NO._____, DATE 3/2/81

HEINRICHS GEOEX

SEND	93-95	91-93	89-91	87-89	85-87	83-85				
RECEIVE	97-99	97-99	97-99	97-99	97-99	97-99				
MULTIPLIER										
PFE	6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	5.64	6.57	2.27	1.12	.625	.348				
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	261	124.2	107.9	105.6	101.1	91.8				
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through D.H. 20

LINE 20, HALF _____, SR. _____, a = 50', BEARING E-W

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/2/81

HEINRICHS GEOEX

SEND		91-93	89-91	87-89	85-87	83-85	81-83			
RECEIVE	~~91-93~~	95-97	95-97	95-97	95-97	95-97	95-97			
MULTIPLIER										
PFE		6-7	5-6	4-5	3-4	2-3	1-2			
CUR. (AMPS)										
POINT NO.										
SEP. (n)			7.41							
H. F. MV		72.2	~~74.0~~	2.51	1.25	.622	.419			
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c			139.7							
3.0 MV $\rho/2\pi$		42.1	~~[illegible]~~	118.3	117.8	102.6	110.6			
DRIFT MCF										
S. P.										
NOISE			2							
POT RES.			↑							
CULT & CMTS										

Note - Stakes 94 and 95 were transposed, corrected

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W line through BH 20

LINE 20, HALF_____, SR._____, a = 50', BEARING E-W

SENDER STA._____ = ELECTRODE NO._____, DATE 2/2/81

HEINRICHS GEOEX

SEND	89-91	87-89	85-87	83-85	81-83	79-81					
RECEIVE	93-95	93-95	93-95	93-95	93-95	93-95					
MULTIPLIER											
PFE	6-7	5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	65.2	4.55	2.35	1.11	.614	.342					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	307.2	124.0	110.7	104.6	101.3	90.5					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through O-H 20

LINE 20, HALF _____, SR. _____, a = 50', BEARING E-W

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/2/81

HEINRICHS GEOEX

SEND		87-89	85-87	93-95	81-83	79-81					
RECEIVE		91-93	91-93	91-93	91-93	91-93					
MULTIPLIER											
PFE		6-6	4-5	2-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		60.1	6.78	2.36	1.15	.617					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2632	1240	1112	1112	1018					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through D.H.19

LINE 19, HALF _____, SP. _____, a = 50', BEARING 86° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/2/81

HEINRICHS GEOEX

SEND		83-85	85-87	87-89	89-91	91-93	93-95				
RECEIVE		79-81	79-81	79-81	79-81	79-81	79-81				
MULTIPLIER											
PFE		1-2	2-3	3-4	4-5	5-6	6-7				
CUR. (AMPS)											
POINT NO.						I = 300 mA					
SEP. (n)						.413/1.5 = .229					
H. F. MV		2.72	2.71	1.4	1.01	0.276	.159				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1077	1164	620	570	463	4205				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W lines through QM 17

LINE 19, HALF_____, SP._____, a = 50', BEARING 96° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/2/81

HEINRICHS GEOEX

SEND		85-87	87-89	89-91	91-93	93-95	93-95				
RECEIVE		81-83	81-83	81-83	81-83	81-83	81-83				
MULTIPLIER											
PFE		2-1	3-1	4-1	5-1	6-1					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		527	46	152	1577	797					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2483	867	766	5416	4110					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through DH. 19

LINE 19, HALF _____, SR. _____, a = 50', BEARING 96° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/21/84

PAGE 26

HEINRICHS GEOEX

SEND		87-89	89-91	91-93	93-95		89-91	91-93	93-95		
RECEIVE		83-85	85-87	87-89	89-91		85-87	87-89	89-91		
MULTIPLIER											
PFE		3-4	4-5	5-6	6-7		4-5	5-6	6-7		
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		515	532	1.01	.65		993	1.00	2.98		
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	242.7	174.4	11.2	11.3		210.0	169	116.9		
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA E-W line thrust P.U. 19

LINE 19, HALF _____, SP. _____, a = 50', BEARING 86° W of N

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/2/81

HEINRICHS GEOEX

SEND	93-95	91-93	89-91	87 89	85-87	83-85					
RECEIVE	97-99	97-99	97-99	97-99	97-99	97-99					
MULTIPLIER											
PFE	6-7	5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	5.29	5.27	1.8	.711	.317	.142					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	2.643	1.012	8.98	1.4	52.2	57.3					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through D H M

LINE 19, HALF _____, SP. _____, a = 50', BEARING 86° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2/2/81

PAGE 20

HEINRICHS GEOEX

SEND		91-93	89-91	87-89	85-87	83-85	81-83				
RECEIVE		75-97	95-97	95-97	95-97	95-97	95-97				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		7.72	6.16	2.04	.922	.705	.464				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	265.2	1256	96.1	71.8	50.3	48.8				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA E-W line through O.H. 19

LINE 19, HALF _____, SP. _____, a = 50', BEARING S6° W of N

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/2/81

PAGE 39

HEINRICHS GEOEX

SEND	89-91	87-89	85-87	83-85	81-83	79-81					
RECEIVE	93-95	93-95	93-95	93-95	93-95	93-95					
MULTIPLIER											
PFE	6-7	5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)				.614							
H. F. MV	51.5	6.91	1.71	[illegible]	1.292	1.19					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C				57.9							
3.0 MV $\rho/2\pi$	2241	1221	329	[illegible]	43.2	42.0					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W Line through L19

LINE 19, HALF _____, SR. _____, a = 50', BEARING 86° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/2/81

HEINRICHS GEOEX

SEND		87-89	85-87	83-85	81-83	77-81					
RECEIVE		91-93	91-93	91-93	91-93	91-93					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.6	1.09	1.07	.571	.216					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	414.1	113.1	67.3	24.0	45.5					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through D.H. 19

LINE 19, HALF _____, SR. _____, a = 25, BEARING 86° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/2/81

PAGE 41

HEINRICHS GEOEX

SEND	86-87	87-88	88-89	89-90	90-91	91-92		86-87	87-88	
RECEIVE	84-85	84-85	84-85	84-85	84-85	84-85		84.5-85.5	84.5-85.5	
MULTIPLIER										
PFE	1-2	2-3	3-4	4-5	5-6	6-7		1-2	2-3	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	626	249	65.1	21.4	11.2	6.02		4990	142	
DRIFT										
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	498.2	328.9	153.4	116.0	93.2	79.4		9674.2	7218	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W Line thru D.H. 19

LINE 19, HALF _____, SP. _____, a = 25, BEARING 86° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/3/81

HEINRICHS GEOEX

SEND	87-88	88-89	89-90	90-91	91-92		87-88	88-89		
RECEIVE	85-86	86-87	85-86	85-86	85-86		85.5-86.5	86.5-87.5		
MULTIPLIER										
PFE	2-3	3-4	4-5	5-6	6-7		2-3	3-4		
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	7.7	4.4	3.04	2.76	1.75		4.70	1.63		
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	1795.6	996.7	1190.7	1272	1021		2456.6	870		
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. Receiver Notes, Job No. _____, Area E-W Line 1 through D.H. 19

Line 19, Half _____, Sr. _____, a = 25', Bearing 96° W of N

Sender Sta. _____ = Electrode No. _____, Date 3/3/81

HEINRICHS GEOEX

Send	88-89	89-90	90-91	91-92		88-89	99-00			
Receive	86-87	86-87	86-87	86-87		86.5-87.5	86.5-87.5			
Multiplier										
PFE	3.4	4.5	5.6	6.7		3.4	4.5			
Cur. (amps)										
Point No.										
Sep. (n)										
H. F. Mv	924	2.56	2.74	2.89		2190	212			
Drift										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	21771	5240	2054	1338		45570	10927			
Drift MCF										
S. P.										
Noise										
Pot Res.										
Cult & Cmts										

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W line thru D.H. 19

LINE 19, HALF_____, SP._____, a = 25', BEARING S6°W or N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/3/81

HEINRICHS GEOEX

SEND		89-90	90-91	91-92		87-90	90-91				
RECEIVE		87-88	87-88	87-88		87.5-88.5	87.5-88.5				
MULTIPLIER											
PFE		4-5	5-6	6-7		4-5	5-6				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		956	504	919		1080	227				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2252.5	4402	2201		4417.6	1104.8				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W Line thru O.H.19

LINE 19, HALF_____, SR._____, α = 25, BEARING 86° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/31/81

PAGE 45

HEINRICHS GEOEX

SEND	91-92	90-91	89-90	88-89	87-85	86-87		11-42	11-41	
RECEIVE	92-94	93-94	93-94	93-94	93-94	93-94		12.5-92.5	92.5-12.5	
MULTIPLIER										
PFE	0-1	91-0	90-91	89-90	88-89	87-88		86-87	11-42	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	7.7	5.70	7.2	2.90	1.82	1.02		4.01	1.19	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	1.22	4.71	2.12	1.67	1.09	1.21		2.94	9.73	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. Receiver Notes, Job No._____, Area E-W line thru D.H. 19

Line 19, Half_____, Sr._____, a = 25', Bearing 86° W of N

Sender Sta._____ = Electrode No._____, Date 3/3/91

HEINRICHS GEOEX

Send		90-91	89-90	88-89	87-88	86-87	85-86		90-91	89-90	
Receive		92-93	92-93	92-93	92-93	92-93	92-93		91.5-92.5	91.5-92	
Multiplier											
PFE		6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv		934	864	1030	2100	1324	623		6700	216	
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1965.1	1824.1	2060.4	4239.9	2672.3	1257.1		4223.5	1112.3	
DRIFT	MCF										
S. P.											
Noise											
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W line thru d.H 19

LINE 19, HALF_____, SP._____, a = 25', BEARING 26° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/27/81

HEINRICHS GEOEX

SEND		89-90	89-91	87-88	86-87	85-86	84-85		90-91	88-89		
RECEIVE		91-92	91-92	91-92	91-92	91-92	91-92		90.5-91.5	90-91.5		
MULTIPLIER												2
PFE		6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6		
CUR. (AMPS)												
POINT NO.												
SEP. (n)												
H. F. MV		92.4	58.3	94.4	2.30	1.23	60.2		59.10	20.7		
DRIFT												
1.0 PFE	K_n/1000											
0.3 PFE	ρ_{CAL}											
0.1 PFE	PFE_C											
3.0 MV	$\rho/2\pi$	21.71	5.496	22.4	1.267	10.21	10.2		4.905	1.674		
DRIFT	MCF											
S. P.												
NOISE												
POT RES.												
CULT & CMTS												

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W line thru d.H. 19

LINE 19, HALF_____, SR._____, α = 25', BEARING 86° W of S N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/31/81

HEINRICHS GEOEX

SEND	88-89	87-88	86-87	85-86	84-85		88-87	87-88		
RECEIVE	90-91	90-91	90-91	90-91	90-91		89.5-90.5	89.5-90.5		
MULTIPLIER										
PFE	5-6	4-5	3-4	2-3	1-2		5-6	4-5		
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	934	610	318	127	1.14		5350	219		
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	2316.5	1514.0	789.5	329.5	296.0		13386.5	569.5		
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru d.H 16 and 17

LINE 16, HALF_____, SP._____, a = 50', BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/4/57

PAGE 10

HEINRICHS GEOEX

SEND		93-95	91-93	89-91	97-99	85-87	83-85				
RECEIVE		97-99	97-99	97-99	97-99	97-99	97-99				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Lac Thiverge D.H. 16 and 17

LINE 16, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/8/51

HEINRICHS GEOEX

SEND		91-93	93-91	87-89	95-97	83-85	81-83				
RECEIVE		95-97	95-97	95-97	95-97	95-97	95-97				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line through 16+17

LINE 16, HALF_____, SP._____, a = 50', BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/4/81

HEINRICHS GEOEX

SEND		89-91	87-89	85-87	83-85	81-83	79-81				
RECEIVE		92-95	93-95	93-95	93-95	93-95	93-95				
MULTIPLIER											
PFE		6-7	5-6	#4-5	#3-4	2-3	1-2				
CUR. (AMPS)									I- 200 MA		
POINT NO.											
SEP. (n)											
H. F. MV		42.9	9.57	2.28	980	442	222				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	202.2	148.3	107.4	92.9	79.5	58.16				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru 16 & 17

LINE 16, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND		87-89	83-87	83-85	81-83	79-81					
RECEIVE		91-93	91-93	91-93	91-93	91-93					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		45.0	7.04	2.30	.504	.1271					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	212.1	132.7	108.4	78.1	61.2					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru D.H.'s 1K and 1Z

LINE 1E, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND		85-87	83-85	81-83	79-81	77-79	75-77				
RECEIVE		89-91	89-91	89-91	89-91	89-91	89-91				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		41.0	6.71	1.9	.652	.302	.146				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1932	1265	891.5	643	448.6	464.1				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

River channel West of Stake 90

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru D. N'c Hiend 17

LINE 16, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND		83-85	81-87	79-81	77-79	75-77	73-75				
RECEIVE		87-89	85-89	83-89	81-89	79-89	77-89				
MULTIPLIER											
PFE		1-2	2-4	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)							.182n				
H. F. MV		49.0	7.15	1.90	.660	.247					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c						48.0n				
3.0 MV	$\rho/2\pi$	220.4	134.2	59.6	64.1	57.6					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru to W's Ikend 17

LINE 16, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND	81-83	79-81	77-79	75-77	73-75	71-73				
RECEIVE	85-87	85-87	85-87	85-87	85-87	85-87				
MULTIPLIER										
PFE	6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	650	679	669	672	267	174				
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	206	177.0	79.6	63.4	50.6	45.9				
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru O.D.'s 16 and 17

LINE 16, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/91

HEINRICHS GEOEX

SEND		79-81	77-79	75-77	73-75	71-73					
RECEIVE		83-85	81-83	83-85	83-85	83-85					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)			7.46								
H. F. MV		76.1	~~71.6~~	2.00	71.6	35.3					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	340.6	140.6	34.2	67.4	58.2					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru D.H.'s 16 and 17

LINE 16, HALF _____, SP. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/79

HEINRICHS GEOEX

SEND	77-79	75-77	73-75	71-73	69-71	67-69				
RECEIVE	81-83	81-83	81-83	81-83	81-83	81-83				
MULTIPLIER										
PFE	6.7	9.2	4.5	3.4	2.1	1.2				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	5.6.6	7.12	4.77	.704	.375	.221				
DRIFT										
1.0 PFE / K_n/1000										
0.3 PFE / ρ_{CAL}										
0.1 PFE / PFE_c										
3.0 MV / $\rho/2\pi$	2667	1760	534	66.4	41.9	41.5				
DRIFT / MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 1 Ext. P.H. 16 & 17

LINE 16, HALF _____, SR _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/9/81

HEINRICHS GEOEX

SEND		75-77	73-75	71-73	69-71	67-69	65-67				
RECEIVE		79-81	79-81	79-81	79-81	79-81	79-81				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		59.1	6.70	1.82	.790	.436	.226				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2191	1152	955	745	703	411				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru N.W's 16 and 17

LINE 16, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND		73-75	71-73	69-71	67-69	65-67	63-65				
RECEIVE		77-79	77-79	77-79	77-79	77-79	77-79				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		53.8	62.9	1.97	.967	.400	.213				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	253.5	118.6	92.8	81.7	66.0	56.2				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru D.H's 16 and 17

LINE 16, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND		71-73	69-71	67-69	65-67	63-65					
RECEIVE		75-77	75-77	75-77	75-77	75-77					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		56.2	7.07	2.31	.563	.196					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	264.8	133.3	108.9	91.3	65.2					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line 16 thru P.N.'s 16 and 17

LINE 16, HALF _____, SR. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/91

HEINRICHS GEOEX

SEND		65-69	67-69	69-71	71-73	73-75	75-77				
RECEIVE		61-63	61-63	61-63	61-63	61-63	61-63				
MULTIPLIER											
PFE		1-2	2-3	3-4	4-5	5-6	6-7				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		5.93	3.22	1.17	.743	.376	.234				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2774	1549	72.8	10.0	62.0	61.2				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 16 w D+H's 16 and 17

LINE 16, HALF _____, SP. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND	67-69	69-71	71-73	73-75	75-77	77-79					
RECEIVE	63-65	63-65	63-65	63-65	63-65	63-65					
MULTIPLIER											
PFE	1-2	2-3	3-4	4-5	5-6	6-7					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	60.6	6.58	1.80	.738	.394	.215					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	285.6	124.0	84.8	69.6	65.0	56.7					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE_____, HALF_____, SR._____, a = _____, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE_____

HEINRICHS GEOEX

SEND											
RECEIVE											
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

Pgs. 300-312
line "Bluff"
25' dipoles
only

I. P. RECEIVER NOTES, JOB NO. _____, AREA line connecting northends of lines 14+15

LINE 1055, HALF _____, SP. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/01

HEINRICHS GEOEX

SEND		87-88	88-89	89-90	90-91	91-92					
RECEIVE		84-85	84-85	84-85	84-85	84-85					
MULTIPLIER											
PFE		1-2	2-3	3-4	4-5	5-6					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		120	4/12	1.83	116-4	577					
DRIFT											
1.0 PFE K_n/1000		n=2									
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$		50.4	62.3	57.5	56.8	50.8					
DRIFT MCF		1.91	1.80	1.76	1.75	1.71	bg				
S. P.											
NOISE		I=300 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA Connecting earth rods of lines 14 15

LINE 14/15, HALF _____, SR. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/16/91

HEINRICHS GEOEX

SEND		87-88	88-89	89-90	90-91	91-92	92-93				
RECEIVE		85-86	85-86	85-86	85-86	85-86	85-86				
MULTIPLIER											
PFE		1-2	2-3	3-4	4-5	5-6	6-7				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		240	121	4.09	2.00	1.022	.125				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}	n=1									
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	551.4	76.0	64.2	62.8	56.2	55.9				
DRIFT	MCF	2.59	1.85	1.81	1.80	1.75	1.75	bg			
S. P.											
NOISE		I=300 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA connecting north ends of lines 14+15

LINE P/65, HALF _____, SR. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/81

HEINRICHS GEOEX

SEND	88-89	89-90	90-91	91-92	92-93	93-94					
RECEIVE	86-87	86-87	86-87	86-87	86-87	86-87					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	92.7	11.2	4.21	1.98	1.054	.715					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1451	710	661	581	578	629				
DRIFT	MCF	2.16	1.55	1.82	1.76	1.76	1.80	1.09			
S. P.		I=500mA									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA connecting north ends of lines 14 & 15

LINE 15&5, HALF _____, SP. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 7/16/81

HEINRICHS GEOEX

SEND		89-90	90-91	91-92	92-93	93-94	94-95				
RECEIVE		87-85	87-86	87-88	87-85	87-88	87-88				
MULTIPLIER											
PFE		5-1	4-5	5-6	6-7	7-8	8-9				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		66.9	122	4.11	2.00	1.23	.677				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	105.1	77.3	64.6	62.8	67.6	59.6				
DRIFT	MCF	2.02	1.89	1.81	1.80	1.83	1.77	1.69			
S. P.		I=300 mA									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA connecting north end of lines 14+15

LINE 13/14, HALF_____, SR._____, a = 25, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/12/81

PAGE 105

HEINRICHS GEOEX

SEND		90-91	91-92	92-93	93-94	94-95					
RECEIVE		88-89	89-90	88-89	88-89	89-90					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		6.19	11.5	4.23	2.28	1.14					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	94.1	72.3	66.0	71.6	62.7					
DRIFT	MCF	1.97	1.86	1.83	1.96	1.80	1.09				
S. P.											
NOISE		1-2 mV									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA correction northeast of line 14115

LINE 3105, HALF _____, SR. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/81

HEINRICHS GEOEX

SEND				94-95	93-94	92-93	91-92				
RECEIVE		75-90		92-93	95-96	93-94	93-91				
MULTIPLIER											
PFE				8.0	7.5	6.7	5.6				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV				2.98	2.11	1.62	1.61				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}			n=2							
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$			60.0	66.8	56.1	54.5				
DRIFT	MCF			1.78	1.82	1.75	1.74	ec			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Lonesome Point E of Line 19

LINE 5W5, HALF_____, SR._____, a = 2_____, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 5/16/81

PAGE 307

HEINRICHS GEOEX

SEND		94-93	93-94	92-93	91-92	90-91					
RECEIVE		97-98	97-98	97-98	97-98	97-98					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000		n 2								
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$		631	692	547	525	565				
DRIFT	MCF		1.50	1.51	1.74	1.72	1.75				
S. P.			T-C-I-A								
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA connection north ends of Lines 19 [illegible]

LINE 1, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/81

HEINRICHS GEOEX

SEND	24-95	92-94	92-93	91-92	90-91	89-90					
RECEIVE	96-97	96-97	96-97	96-97	96-97	96-97					
MULTIPLIER											
PFE	0-1	1-2	2-3	3-4	4-5	5-6					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	41.6	18.0	2.32	1.56	.966	.678					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	45.3	47.2	52.3	49.6	53.1	50.7					
DRIFT MCF	1.82	1.96	1.72	1.70	1.77	1.71	1.69				
S. P.											
NOISE		+-20mV									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Connect no north end of Hne 14
LINE Plot, HALF_____, SP._____, a = 3S, BEARING_____
SENDER STA._____ = ELECTRODE NO._____, DATE 3/16/81

HEINRICHS GEOEX

SEND		93-94	92-93	91-92	90-91	89-90	88-89				
RECEIVE		95-96	94-95	93-94	92-93	91-92	90-91				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA connecting north end of lines 14+15

LINE 15, HALF _____, SR. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 7/6/91

HEINRICHS GEOEX

SEND		92-93	91-92	90-91	89-90	88-89	87-88				
RECEIVE		94-95	94-95	94-95	94-95	94-95	94-95				
MULTIPLIER											
PFE		6.7	5.6	4.5	3.4	2.7	1.2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		6.23	10.41	4.78	2.05	1.16	.70				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	6.22	6.55	6.93	6.94	6.99	6.13				
DRIFT	MCF	1.41	1.84	1.84	1.8	1.81	1.79	105			
S. P.											
NOISE		~200 mA									
POT RES.											
CULT & CMTS											

I. P. Receiver Notes, Job No._____, Area connection northside of lines 19-
Line 1155, Half_____, Sr._____, a = 25', Bearing_____
Sender Sta._____ = Electrode No._____, Date 2/16/81

HEINRICHS GEOEX

Send		91-92	90-91	89-90	88-89	87-88					
Receive		93-94	93-94	93-94	93-94	93-94					
Multiplier											
PFE											
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv		47.6	41.6	43.2	2.16	4.18					
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	39.9	34.1	6.70	6.75	6.49					
Drift	MCF	1.87	1.87	1.83	1.53	1.81	log				
S. P.		T=3:20									
Noise											
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB NO. _____, AREA connection on the end of lines 14 & 15

LINE 16+1, HALF _____, SR. _____, a = 25', BEARING 76° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/57

HEINRICHS GEOEX

SEND		90-91	89-90	88-89	87-88		89-90	88-89	87-88		
RECEIVE		92-93	92-93	92-93	92-93		91-92	91-92	91-92		
MULTIPLIER											
PFE		4.5	3.9	2.7	1.2		3.4	2.3	1.0		
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		48.7	14.95	4.17	1.95		45.8	11.5	4.17		
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}						n=1				
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	76.5	69.2	65.6	61.8		74.1	72.3	65.5		
DRIFT	MCF	1.98	1.83	1.82	1.79	1.09	1.85	1.86	1.82		
S. P.		I=2.00 A									
NOISE											
POT RES.											
CULT & CMTS											

Southerly most receiver electrode is 5300' N. of South Boundary

I. P. RECEIVER NOTES, JOB NO._____, AREA ℄ Sec 14

LINE 15, HALF_____, SR._____, a = 50', BEARING N 2° E

SENDER STA._____ = ELECTRODE NO._____, DATE 2-28-81

PAGE 1

HEINRICHS GEOEX

SEND	87-86	86-85	85-84	84-83	83-82	82-81					
RECEIVE	89-88	89-88	89-88	89-88	89-88	89-88					
MULTIPLIER											
PFE	7.6	6.57	5.41	4.3	3.2	2.1					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	1.50	1.16	1.21	1.60	0.681	0.384					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	612.6	275.2	194.8	150.9	112.3	101.3					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA ℄ Sec 14 550N. of South Base

LINE 15, HALF _____, SP. _____, a = 50', BEARING N. 2° E

SENDER STA. _____ = ELECTRODE No. _____, DATE 2-28-81

PAGE 12

HEINRICHS GEOEX

SEND	86-85	85-84	84-83	83-82	82-81	81-86					
RECEIVE	88-87	88-87	88-87	88-87	88-87	88-87					
MULTIPLIER											
PFE	7-6	6-5	5-4	4-3	3-2	2-1					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	25.0	15.8	9.97	6.31	3.979	2.485					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	1112.1	702.8	443.2	279.9	176.5	111.2					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

Southerly receiver electrode is 75' N. of South Bank

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S Runs through 14A

LINE 14, HALF _____, SR. _____, a = 2.5, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2-28-81

HEINRICHS GEOEX

SEND	96½-96	96-95½	95½-95	95-94½	94½-94	94-93½		96½-96	96-95½	
RECEIVE	97½-97	97½-97	97½-97	97½-97	97½-97	97½-97		97¼-96½	97½-96½	
MULTIPLIER										
PFE	7-6	6-5	5-4	4-3	3-2	2-1				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	649	505	240	219	114	61		960	670	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	1529	1178	1673	1032	1140	806		2695	961	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA N-S runs through 14A

LINE 14, HALF_____, SP._____, a = 25, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 2-28-81

HEINRICHS GEOEX

SEND	96-95½	95½-95	95-94½	94½-94	94-93½			96-95½	95½-95	
RECEIVE	97-96½	97-96½	97-96½	97-96½	97-96½	97-96½		96¼-96¼	96¼-96¼	
MULTIPLIER										
PFE	7-6	6-5	5-4	4-3	3-2	2-1				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	7.2	4.23	2.51	2.58	1.72	2.705		3.700	1.17	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	172.5	109	197.2	162.7	191.3	114.4		237.2	103.3	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S runs through D.H. 149

LINE 14, HALF _____, SP. _____, a = 2.5, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2-28-81

HEINRICHS GEOEX

SEND	95½-95	95-94½	94½-94	94-93½	93½-93	93-92½	92½-92	92-91½	91½-91	91-90½	90
RECEIVE	96½-96	96½-96	96½-96	96½-96	96½-96	96½-96		96¼-95¾	96¼	95½	
MULTIPLIER											
PFE	1.0	0.7	0.5	0.3	0.2	0.1		1.0	0.7		
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	446	264	103	44.8	3.16	1.22		2760	1006		
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	1163	243.1	254.5	211.1	179.1	161.0		2.79	515.3		
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA 4 SEC 14, DM 15 IS 50'E

LINE 15, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE FEB 27 81

PAGE 2A

HEINRICHS GEOEX

SEND	97½-97	97-96½	96½-96	96-95½	95½-95	95-94½		97½-97	97-96½	
RECEIVE	98-98½	→	→	→	→	→		97¾-98½	→	
MULTIPLIER										
PFE										
CUR. (AMPS)	100	→	→	→				100	100	
POINT NO.										
SEP. (n)	320									
H. F. MV	2.40	1.80	2.08	0.710	0.427	0.278		2.80	1.47	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C	1507									
3.0 MV $\rho/2\pi$	1502	339	1640	669	404.4	279.3		2856	2800	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

15,03

I. P. RECEIVER NOTES, JOB NO._____, AREA 4 SEC 14 DN 15 15 50' E

LINE 15, HALF_____, SP._____, a = 25, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE FEB 27 81

HEINRICHS GEOEX

SEND	97-96½	96½-96	96-95½	95½-95	95-94½	94½-94		97-96½	96½-96	
RECEIVE	97½-98							97½-97½		
MULTIPLIER										
PFE										
CUR. (AMPS)	100									
POINT NO.										
SEP. (n)										
H. F. MV	46.2	24.1	12.00	0.842	0.429	0.259		2740	2012	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	2176	2975	1447	744.3	422.3	248.2		4033	935.5	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

15,047

I. P. RECEIVER NOTES, JOB No. _____, AREA Sec 14 DM 15 15 50'E

LINE 15, HALF _____, SP. _____, a = 25, BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE FEB 27 81

PAGE 4A

HEINRICHS GEOEX

SEND		96½-96	96-95½	95½-95	95-94½	94½-94	96-93½		96½-96	96-95½	
RECEIVE		97-97½							96¾→	97½→	
MULTIPLIER											
PFE											
CUR. (AMPS)		100	→		→				100	→	
POINT NO.											
SEP. (n)											
H. F. Mv		411	1.1	2.14	1.40	2.468			2520	5.54	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1936	265.6	101.7	94.2	76.8			3709	570.8	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

15,05

I. P. RECEIVER NOTES, JOB NO. _____, AREA LSE IA DMIS IS 50 E

LINE 15, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE FEB 27 81

PAGE 1A

HEINRICHS GEOEX

SEND		96-95½	95½-95	95-94½	94½-94	94-93½	93½-93				
RECEIVE		97½-97	→								
MULTIPLIER		7-6	6-5	5-4	4-3	3-2	2-1				
PFE											
CUR. (AMPS)		100	→								
POINT NO.											
SEP. (n)											
H. F. MV		1.65	1.32	1.02	0.824	0.665	—				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	310.9	104.6	91.0	79.9	69.9					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

15,06

I. P. Receiver Notes, Job No. _____, Area $ SEC 14 DM 15 IS 50'E

Line 15, Half _____, Sr. _____, a = 25', Bearing N-S

Sender Sta. _____ = Electrode No. _____, Date FEB 27 81

Page 1A

Send		96-95.5	95½-95	95-94½	94½-94	94-93½	93½-93				
Receive		97-96½	→	→	→	→	→				
Multiplier											
PFE											
Cur. (amps)		100	100	100	100	100	100				
Point No.											
Sep. (n)											
H. F. Mv											
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
Drift	MCF										
S. P.											
Noise											
Pot Res.											
Cult & Cmts											

15,07

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE 15, HALF_____, SP._____, a = _____, BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE FEB 27 '81

PAGE 1A

HEINRICHS GEOEX

SEND		96-95½	95½-95								
RECEIVE		95½-96	→								
MULTIPLIER											
PFE											
CUR. (AMPS)		100	100								
POINT NO.											
SEP. (n)											
H. F. MV		1470	33.3								
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c	2164	205								
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

15, 08

I. P. RECEIVER NOTES, JOB No. _____, AREA 4 SEC 14 DMIS 15 60'E

LINE 15, HALF _____, SR. _____, a = 25', BEARING N1-S

SENDER STA. _____ = ELECTRODE No. _____, DATE FEB 27 81

PAGE _____

HEINRICHS GEOEX

SEND		95½-95	95-94½	94½-94	94-93½	93½-93	93-92½				
RECEIVE		96½-96									
MULTIPLIER		7	6	5	4	3	2				
PFE		1.00									
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		137	7.15	1.82	0.727	0.254	0.217				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$P/2\pi$	0.453	1.00	0.271	0.15	5.84	0.72				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

15,09

I. P. RECEIVER NOTES, JOB No. _____, AREA _____

LINE 15, HALF _____, SP. _____, a = _____, BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE FEB 27 81

PAGE 2AA

HEINRICHS GEOEX

SEND		95A-95	95-94A								
RECEIVE											
MULTIPLIER											
PFE											
CUR. (AMPS)		100	100								
POINT NO.											
SEP. (n)											
H. F. MV		16.7	14.3								
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1202	1265								
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

15,10

I. P. RECEIVER NOTES, JOB NO. _____, AREA 1 SEC 1A DM15 IS SO'E

LINE 15, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE FEB 27 81

PAGE 3A

HEINRICHS GEOEX

SEND	96-95½	94½-94	94-92½	93¼-93	93-92½	92½-92					
RECEIVE	96-95½	→									
MULTIPLIER											
PFE	7-0	6-5	5-4	4-3	3-2	2-1					
CUR. (AMPS)	100	→									
POINT NO.											
SEP. (n)											
H. F. MV	116	9.09	1.94	0.741	0.348	0.227					
DRIFT											
1.0 PFE $K_n/1000$											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	5AC 4	1713	91.4	69.8	65.6	62.5					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

15, 11

I. P. RECEIVER NOTES, JOB No. _____, AREA E SECTA DMIS IS 50'E

LINE 15, HALF _____, SP. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE FEB 27 61

PAGE 4A

HEINRICHS GEOEX

SEND		94½-96	96-93½	93½-93	93-93½	93½-92						
RECEIVE		95½-95	→	→	→	→						
MULTIPLIER		6-5	5-4	4-3	3-2	2-1						
PFE		+										
CUR. (AMPS)		100	→	→								
POINT No.												
SEP. (n)												
H. F. MV		135	110	2.59	4.09	5.55						
DRIFT												
1.0 PFE	K_n/1000											
0.3 PFE	ρ_{CAL}											
0.1 PFE	PFE_c											
3.0 MV	$\rho/2\pi$	1.50	2.07	2.42	3.10	3.27	3.45					
DRIFT	MCF											
S. P.												
NOISE												
POT RES.												
CULT & CMTS												

I. P. RECEIVER NOTES, JOB NO._____, AREA 4 SEC 14 - DMIS IS 50' TOE

LINE 15, HALF_____, SP._____, a = 50', BEARING N-S GOING N

SENDER STA._____ = ELECTRODE NO._____, DATE FEB 20 1981

PAGE 1

HEINRICHS GEOEX

SEND		97-96	96-95	95-94	94-93	93-92	92-91				
RECEIVE		99-98	99-98	99-98	99-98	99-98	99-98				
MULTIPLIER											
PFE											
CUR. (AMPS)		100	100	100	100	100	100				
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

STA 99 IS 990 FT NORTH OF S/4 COR OF SEC 14

I. P. RECEIVER NOTES, JOB NO. _____, AREA d SEC 14 - DM 15 1SSL TE

LINE 15, HALF _____, SP. _____, a = 5N, BEARING N - S

SENDER STA. _____ = ELECTRODE NO. _____, DATE FEB 26 - 1981

PAGE 2

HEINRICHS GEOEX

SEND	96-95	95-94	94-93	93-92	92-91	91-90					
RECEIVE	97-98	97-98	97-98	97-98	97-98	97-98					
MULTIPLIER	7-6	6-5	5-1	4-3	3-2	2-1					
PFE	6-5	5-4	4-3	3-2	2-1						
CUR. (AMPS)	100	100	100	100	100	100					
POINT NO.											
SEP. (n)	REPEAT	2.75	2.674								
H. F. MV	90.8	0.75	0.173	0.216	0.168	0.109					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1457	1444	1501	569	667	573				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No._____, AREA_____

LINE 15, HALF_____, SR._____, a = 50', BEARING_____

SENDER STA._____ = ELECTRODE No._____, DATE FEB 26 81

PAGE_____

HEINRICHS GEOEX

SEND											
RECEIVE	15-94	14-93	13-92	12-91	11-90						
MULTIPLIER	96-97	96-97	96-97	96-97	96-97						
PFE											
CUR. (AMPS)	6-5	5-4	4-3	3-2	2-1						
POINT NO.	100	100	100	100	100						
SEP. (n)											
H. F. MV											
DRIFT	13.0	4.80	0.643	0.284	0.100						
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	127.5	47.1	6.05	2.78	0.981						
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA ~~SEC 14 - DM15 IS 50' E~~

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE ~~FEB 26 '61~~

PAGE 4

HEINRICHS GEOEX

SEND	94-93	93-92	92-91	91-90	90-89	89-88					
RECEIVE	96-95	96-95	96-95	96-95	96-95	96-95					
MULTIPLIER											
PFE											
CUR. (AMPS)	150	150	150	150	150	150					
POINT NO.											
SEP. (n)											
H. F. MV	24.0										
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}				62.							
0.1 PFE PFE_c	150.7				49.8						
3.0 MV $P/2\pi$											
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA L SEC 14 - PM15 IS 50' DE

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE FEB 26 81

PAGE 5

HEINRICHS GEOEX

SEND	93-92	92-91	91-90	90-89	89-88	88-87					
RECEIVE	95-94	95-94	95-94	95-94	95-94	94-93					
MULTIPLIER	1-1	1-1									
PFE	1-2		5 4	4 3	3-2	2-1					
CUR. (AMPS)	150	150	150	150	150	150					
POINT NO.											
SEP. (n)	5-9	6-10									
H. F. MV	2.31	5.99	11.80	0.176	0.355	0.178					
DRIFT	34.9	5.08									
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C				84.9							
3.0 MV $\rho/2\pi$	10.7	27.3	43.0	44.9	78.2	62.6					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA ℄ SEC 14 - DM15 IS 50' E

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE FEB 27 81

HEINRICHS GEOEX

SEND	92-91	91-90	90-89	89-88	88-87	87-86					
RECEIVE	94-93	94-93	94-93	94-93	94-93	94-93					
MULTIPLIER											
PFE	7-6	6-5	5-4	4-3	3-2	2-1					
CUR. (AMPS)	200	200	200	200	200	200					
POINT NO.											
SEP. (n)											
H. F. MV	49.9	8.67	2.67	1.20	0.523	0.265					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	2-5.0	6.3	175.2	113.0	66.3	60.9					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE 15, HALF_____, SR._____, α = _____, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE_____

HEINRICHS GEOEX

SEND											
RECEIVE											
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA SECTA PM 15 1550'E

LINE 15, HALF _____, SP. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE FEB 27 81

PAGE 8

HEINRICHS GEOEX

SEND		92-89	89-88	88-87	87-86	86-85					
RECEIVE		92-91	92-91	92-91	92-91	92-91					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA ℄ Sec. 14 400' N. of South Bank OM 1S 1E 50 E

LINE 15, HALF_____, SP._____, a = 50', BEARING N 2° E

SENDER STA._____ = ELECTRODE NO._____, DATE 2-28-81

PAGE 9

HEINRICHS GEOEX

SEND	89-88	88-87	87-86	86-85	85-84	84-83				
RECEIVE	91-90	91-90	91-90	91-90	91-90	91-90				
MULTIPLIER										
PFE	7-6	6-5	5-4	4-3	3-2	2-1				
CUR. (AMPS)	200	200	200	200	200	200				
POINT NO.										
SEP. (n)										
H. F. MV	1.2	1.1	3.88	1.65	0.739	0.365				
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	104.5	231.8	168.7	155.5	124.1	96.3				
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA ¢ Sec. 14 450 N. of South Bank

LINE 15, HALF _____, SP. _____, a = 50', BEARING N 2° E

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2-28-81

HEINRICHS GEOEX

SEND	88-87	87-86	86-85	85-84	84-83	83-82				
RECEIVE	90-89	90-89	90-89	90-89	90-89	90-89				
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$										
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru P.H's 16 & 17

LINE 16, HALF _____, SP. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND		69-71	71-73	73-75	75-77	77-79					
RECEIVE		65-67	65-67	65-67	65-67	65-67					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT				2.03							
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF			95.7							
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h's 16 & 17

LINE 16, HALF _____, SP. _____, a = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND		71-73	73-75	75-77	77-79		73-75	75-77	77-79		
RECEIVE		67-69	67-69	67-69	67-69		69-71	69-71	69-71		
MULTIPLIER											
PFE		3-4	4-5	5-6	6-7		4-5	5-6	6-7		
CUR. (AMPS)											
POINT NO.											
SEP. (n)							53.5				
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 16a Day 14 & 17

LINE 16, HALF _____, SP. _____, a = 2.5, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/19

HEINRICHS GEOEX

SEND	70-71	71-72	72-73	73-74	74-75	75-76		70-71	71-72	
RECEIVE	69-69	68-69	68-69	69-69	68-69	68-69		695-695	693-695	
MULTIPLIER										
PFE	1-2	2-3	3-4	4-5	5-6	6-7		1-2	2-3	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	667	378	791	234	162	890		4240	125	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c	+2.0	+1.8	+1.7	+1.19						
3.0 MV $\rho/2\pi$	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]		[illegible]	[illegible]	
DRIFT MCF	1572	356	196	153	124	117		7196	444	
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru d.h.'s 16 and 17

LINE 16, HALF_____, SP._____, a = 25, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/9/81

HEINRICHS GEOEX

SEND	71-72	72-73	70-71	72-46	70-71		71-72	72-73		
RECEIVE	70-71	70-71	70-71	70-71	70-71		70.5-71	70.5-71		
MULTIPLIER										
PFE	2-3	3-4	4-5	5-6	6-7		7-8	8-9		
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	622	302	772	524	437		4550	121		
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$										
DRIFT MCF	1461	322	1183	153	120		3250	649		
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB No. _____, AREA Line Hick drill Lds 16-17

LINE 16, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND	72-73	73-74	74-75	75-76	72-73	73-74					
RECEIVE	71-72	72-73	73-74	74-75	71-72	72-73					
MULTIPLIER	70-71	70-71	70-71	70-71	70-71	70-71					
PFE	2.4	0.5	0.2	0.7	2.4	0.5					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	210	38.9	249	206	210	110					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	1396	220	72	141	2717	1					
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru 6's K417

LINE 16, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2/4/81

PAGE 111

HEINRICHS GEOEX

SEND		72-74	74-76	75-76		73-74	74-75				
RECEIVE		71-72	71-72	71-72		71.5-72	71.5-72.5				
MULTIPLIER											
PFE		10	5	1		4	2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		650	272	76		490	13				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	642	704	360		1130	1423				
DRIFT	MCF	1572	351	190		3564	711				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA Line thru 16 and 17

LINE 16, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND	75-76	74-75	73-74	72-73	71-72	70-71		75-76	74-75	
RECEIVE	77-78	77-78	72-79	77-80	77-78	77-79		765-775	765-775	
MULTIPLIER										
PFE	67	3-6	4-5	3-4	2-3	1-2		67	45-6	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	601	329	256	2.90	1.41	.772		4.30	112	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$										
DRIFT MCF	1416	338	179	137	116	104		3166	577	
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru dbs 16+17

LINE 16, HALF _____, SP _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND	74-75	73-74	72-73	71-72	70-71	69-70		74-7	73-74	
RECEIVE	76-77	76-77	76-77	76-77	76-77	76-77		75.5-76	75.5-76	
MULTIPLIER										
PFE	6-7	5-6	4-5	3-4	2-3	1-2		6-7	6-7	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	316	353	736	207	152	.067		2460	125	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	254	76.2	37.6	19	7.6	2.6		570	47.5	
DRIFT MCF	1272	361	195	145	1262	112		2698	644	
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 16W & Ls 16+17

LINE 16, HALF _____, SR. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/81

HEINRICHS GEOEX

SEND		75-74	74-73	73-72	72-71	71-70	69-70	69-68		74-73	73-72	
RECEIVE		75-76	75-76	75-76	75-76	75-76	75-76			74.5-75	74.5-75	
MULTIPLIER												
PFE		67	90	94	94	93	97			67	92	
CUR. (AMPS)												
POINT NO.												
SEP. (n)												
H. F. MV		569	272	240	170	167	144			670	480	
DRIFT												
1.0 PFE	K_n/1000											
0.3 PFE	ρ_{CAL}											
0.1 PFE	PFE_c	1729	251	182	148	130	118					
3.0 MV	$\rho/2\pi$	2645	2442	2367	2294	2251	2184			6730	7640	
DRIFT	MCF	1285								3108	670	
S. P.												
NOISE												
POT RES.												
CULT & CMTS												

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru d.h. 16+17

LINE 16, HALF_____, SP._____, a = 25, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/4/81

HEINRICHS GEOEX

SEND		72-73	71-72	70-71	69-70	68-69	4	72-73	71-72		
RECEIVE		74-75	74-75	74-75	74-75	74-75		73-74	72-73		
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2	1	5-6	4-5		
CUR. (AMPS)											
POINT NO.											
SEP. (n)									138		
H. F. MV		611	2.0	2.7	1.1	1.02		960			
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	1451	361	181	150	134		424	211		
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line 7 thru d.h.'s 16 & 17

LINE 16, HALF _____, SR. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2/4/81

HEINRICHS GEOEX

SEND		91-92	91-90	89-90	85-89	83-88	86-87		91-92	90-91	
RECEIVE		92-94	93-94	93-94	93-94	93-94	93-94		92.5-93	92.5-93	
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2		6-1	5-6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2	2.61	6.42	2.45	1.67	1.20		1.20	6.42	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C	2629	246	1513	163	138	121		[illegible]		
3.0 MV	$\rho/2\pi$	1120	442	260	2.24	2.24			2.13	2.32	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

this shot starts cault. comp. valus - 2% smaller

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru 163 16417

LINE 1's, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/9/81

HEINRICHS GEOEX

SEND	90-91	89-90	88-89	87-88	86-87	85-86		90-91	89-90	
RECEIVE	91-92	92-93	92-93	92-93	92-93	92-93		91.5-92.5	91.5-92.5	
MULTIPLIER										
PFE	6.7	5.6	4.5	3.4	2.2	1.1		6.7	5.6	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	231	212	192	211	163	.951		130	56.0	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	244	201	1772	160	1-4	112		95.7	209	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB No. _____, AREA line thru d-h's 16+17

LINE 16, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/9/81

HEINRICHS GEOEX

SEND	89-90	85-89	87-89	5&7	95-96	94-97		89 90	85-87	
RECEIVE	91-92	91-92	"					90.5-91.5	90.5-91.5	
MULTIPLIER										
PFE	6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	710	240	69	31	15	9.2		1200	775	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	445	254	165	142	126	120		964	392	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Line 1600 Abe 1+11/17

LINE 16, HALF_____, SR._____, a = 25, BEARING 3/0/61

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE 127

HEINRICHS GEOEX

SEND	88-87	87-86	86-85	85-84	84-83		83-82	1-83		
RECEIVE	90-91	90-91	90-91	6091	90-91		82-83	83-84		
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru dike 16+17

LINE 16, HALF _____, SR. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 7/16/81

HEINRICHS GEOEX

SEND		82-83	83-84	84-85	85-86	86-87	87-88				
RECEIVE	79-80	79-00	79-00	79-00	79-00	79-00	79-00				
MULTIPLIER											
PFE		1.2	2.2	2.4	4.5	5.6	6.7				
CUR. (AMPS)		2-N									
POINT NO.											
SEP. (n)			10.7	3.61	1.40						
H. F. MV		413	[illegible]	[illegible]		729	413				
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$		329	252	~~75~~	~~86~~	96.1	81.7				
DRIFT MCF				170	116						
S. P.											
NOISE											
POT RES.											
CULT & CMTS	N	2	3	4	5	6	7				

Heavy rain - wet ground

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h. = 16+17

LINE 16, HALF _____, SP. _____, α = 25°, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/79

HEINRICHS GEOEX

SEND		96-87	95-86	94-85	93-84	82-83	81-82		81-87	8.5-96	
RECEIVE		84-89	86-89	86-89	86-89	86-89	89-89		87.5-84	87.5-85	
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		3.04	2.45	1.69	3.51	1.61	0.91		3030	76.8	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	158	231	161	165	133	105		2251	316	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

Heavy rain - water flowing in channel

I. P. RECEIVER NOTES, JOB NO._____, AREA line three d.b.s of 117

LINE 16, HALF_____, SP._____, a = 25, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 2/5/71

HEINRICHS GEOEX

SEND		27-28	26-27	25-26	24-25	23-24	22-23		27-28	26-27	
RECEIVE		89-90	89-90	89-90	89-90	89-90	89-90		88-89	88-89	
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		400	253	574	252	144	339		2090	904	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c	943	238	140	132	119	97.5				
3.0 MV	$\rho/2\pi$								2091	415	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru 2.6+ 1617

LINE 16, HALF _____, SP. _____, α = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/6/81

PAGE 131

HEINRICHS GEOEX

SEND		86-36	84-35	83-34	82-33	81-32	80-31		86-26	84-25	
RECEIVE		97-55	97-80	97-99	97-99	97-99	97-99		96.5-97	96.5-97	
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		291	268	267	203	129	073		2220	962	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	0.44	253	171	193	115	92.0		1635	709	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Dr. Thor Ck. 1417

LINE 16, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/91

HEINRICHS GEOEX

SEND		84-85	83-84	82-83	81-82	[illegible]	<-80-81		84-85	83-84	
RECEIVE		86-87	86-87	84-87	84-87	84-87	[illegible]7		85-86	85-86	
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2			5-6	4-5	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		270	241	823	308	140			2630	110	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$P/2\pi$	172	166	194	145	116			1137	367	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA Line thru d 1+5 16+17

LINE 16, HALF _____, SP. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/6/81

HEINRICHS GEOEX

SEND		78-79	79-80	80-81	81-82	82-83	83-84				
RECEIVE		75-76	75-76	75-76	75-76	75-76	75-76				
MULTIPLIER											
PFE		1-2	2-3	3-4	4-5	5-6	6-7				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		4.03	2.79	3.19	1.47	.771	.462				
DRIFT											
1.0 PFE	K_n/1000	↑									
0.3 PFE	ρ_{CAL}	2N	3N	4N	5N	6N	7N				
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	320	178	150	121	102					
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru L.L.'s 16+17

LINE 16, HALF _____, SR _____, α = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/6/81

HEINRICHS GEOEX

SEND		82-84	82-83	81-82	80-81	79-80	78-79		83-84	82-83	
RECEIVE		85-86	85-86	85-86	85-86	85-86	85-86		845-855	845-855	
MULTIPLIER											
PFE		4.7	5.0	4.5	3.4	2.3	1.7		6.7	5.6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		441	40.4	8.82	3.15	1.45	.686		2140	127	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1039	215	207	149	120	96.5		2165	665	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru dd's 16 & 17

LINE 16, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/6/81

HEINRICHS GEOEX

SEND		87-83	91-87	80-81	79-80	78-79	77-78		92-89	91-92	
RECEIVE		89-85	94-85	84-85	84-85	84-85	84-85		83.5-84.5	83.5-84.5	
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		405	464	492	362	148	791		3630	1267	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1143	489	234	171	122	104		2673	938	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA line thru d.h.'s 16+17

LINE 16, HALF_____, SP._____, a = 25, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/6/81

HEINRICHS GEOEX

SEND	81-82	80-81	79-80	78-79	77-78	76-77		81-82	80-81	
RECEIVE	83-84	83-84	83-84	83-84	83-84	83-84		82.5-83	82.5-83	
MULTIPLIER										
PFE	6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	600	512	1088	364	170	864		530	140	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	1414	1178	1256	172	140	114		2599	923	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA Line Head 6's 16 & 17

LINE 16, HALF_____, SP._____, α = 25°, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/6/81

HEINRICHS GEOEX

SEND		80-81	79-80	78-79	77-78	76-77		80-81	79-80		
RECEIVE		82-83	81-82	80-81	79-80	78-79		81.5 82.5	81.5 82.5		
MULTIPLIER											
PFE		5	4	3	2	1					
CUR. (AMPS)								5-6	4-5		
POINT NO.											
SEP. (n)											
H. F. MV		480	410	280	350	167		2770	780		
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1152	595	210	165	120-130		2040	546		
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. Receiver Notes, Job No. _____, Area Line threaded in 16 & 17

Line 16, Half _____, Sr. _____, a = 25, Bearing _____

Sender Sta. _____ = Electrode No. _____, Date 3/6/81

HEINRICHS GEOEX

78-77 79-80

Send		74-75	75-76	76-77	77-78	[illegible]	[illegible]				
Receive		71-72	71-72	71-72	71-72	71-72	71-72				
Multiplier											
PFE		1-2	2-3	3-4	4-5	5-6	6-7				
Cur. (amps)											
Point No.		n=2									
Sep. (n)											
H. F. Mv		4.04	7.72	3.02	1.401	1.685					
Drift											
1.0 PFE	K_n/1000	2N	3	4	5	6					
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	3.01	172	142	116	90.4					
Drift	MCF										
S. P.											
Noise											
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB No. _____, AREA Line thru d.h.'s 16+17

LINE 16, HALF _____, SR. _____, α = 25, BEARING _____

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/6/81

HEINRICHS GEOEX

SEND		79-80	78-79	77-78	76-77	75-76	74-75		79-80	7-7	
RECEIVE		81-82	81-82	81-82	81-82	81-82	81-82		805-815	805-815	
MULTIPLIER											
PFE		6.7	5.6	4.8	2.4	2.2	1.2		6.7	5.6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		414	340	234	150	152	76		1100	937	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	974	329	217	165	125	111		1451	932	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru D.h.s 16 & 17

LINE 16, HALF_____, SP._____, a = 25, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/6/81

HEINRICHS GEOEX

SEND	78-79	77-78	76-77	75-76	74-75	73-74		71-70	71-70		
RECEIVE	80-81	80-81	80-81	80-81	80-81	80-81		79.5-80.5	79.5-80.5		
MULTIPLIER											
PFE	6-7	5-6	4-5	3-4	2-3	1-2		1-7	5-6		
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	290	400	387	312	137	107		2150	929		
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	607	805	202	150	113	146		1583	477		
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Lin thru d.b. 16+17

LINE 16, HALF_____, SP._____, a = 25, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/6/81

HEINRICHS GEOEX

SEND		77-78	76-77	75-76	74-75	73-74	72-73		77-78	76-77	
RECEIVE		79-80	79-81	79-80	79-80	79-80	79-80		78.5-79.5	78.5-79.5	
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)		3+4	2+6						2580	105.3	
H. F. MV		2.2	1.4	0.99	0.96	1.34	0.76		2520	107.9	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1.34	2.26	1.98	1.40	1105	76.1		1900	513	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h. 16+17

LINE 16, HALF _____, SR. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/6/81

HEINRICHS GEOEX

SEND		76-77	75-76	74-75	73-74	72-73		76-77	75-76		
RECEIVE		78-79	78-79	78-79	79-80	78-79	~~78-79~~	77.5-78.5	77.5-78.5		
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2		5-6	4-5		
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		404	302	7.47	2.70	1.21		1600	132		
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1023	570	175	127	106		1993	670		
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

15, 01

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE 15, HALF_____, SR._____, a = 25', BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE 1A

HEINRICHS GEOEX

SEND											
RECEIVE											
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S runs through D.H.149

LINE 14, HALF _____, SP. _____, a = 25, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 2-28-81

PAGE 16

HEINRICHS GEOEX

SEND	95-94½	95-94½					95-94½	94½	-94	
RECEIVE	96-95½	96-95½	96-95½	96-95½	96-95½	96-95½	95¾-95¼	95¾-95¼	95¾-95¼	
MULTIPLIER										
PFE	1-0	6-3	3-2	3-2	2-1					
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	2.01	1.23	12.1	4.58	2.49		176.0	90.9		
DRIFT										
1.0 PFE K_h/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	2.43	1.40	2.85	2.40.0	2.04.5		10.45.9	4.63.5		
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W line through D.H. 20

LINE 20, HALF_____, SP._____, a = 25, BEARING E-W

SENDER STA._____ = ELECTRODE NO._____, DATE 7/11/81

PAGE 2c

HEINRICHS GEOEX

SEND		9-10	10-91	11-92		1-90	90-91				
RECEIVE		87-88	87-88	87-88		87½-88					
MULTIPLIER											
PFE		4-5	2-3	1-1		0-5	3-6				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		351	27.7	7.15		2440	524				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2710	266.0	163.5		2533.1	425.7				
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through D.H. 20

LINE 20, HALF _____, SP. _____, a = 25', BEARING E-W

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/11/81

HEINRICHS GEOEX

SEND	91-92	91-90	90-89	89-88	88-87	87-86		91-92	91-90	
RECEIVE	93-94	93-94	93-94	93-94	93-94	93-94		93-94	93-94	
MULTIPLIER										
PFE	6-7	5-6	4-5	3-4	2-3	1-2		6-7	5-6	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H.F. MV	443	220	761	256	134	48		3540	115	
DRIFT										
1.0 PFE $K_n/1000$										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	1067	1193	1345	1105	1116			2106.5	1402	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W Line through Y 11.20

LINE 20, HALF_____, SP._____, a = 25, BEARING E-W

SENDER STA._____ = ELECTRODE NO._____, DATE 3/11/81

HEINRICHS GEOEX

SEND		90-91	90-89	89-88	88-87	87-86	86-85		90-91	89-90	
RECEIVE		92-93	92-93	92-93	92-93	92-93	92-93		925-915	925-915	
MULTIPLIER											
PFE		1-7	6-6	5-5	4-4	3-3	2-2		1-7	2-6	
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		597	378	278	274	193	213		4620	107	
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	4061	2573	1893	1871	1314	1093		31491	1515	
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W Ice throw DH20

LINE 20, HALF_____, SP._____, a = 25', BEARING E-W

SENDER STA._____ = ELECTRODE NO._____, DATE 2/15

HEINRICHS GEOEX

SEND		89-90	90-91	91-92	92-93	93-94	94-95	95-96	96-97	97-98	
RECEIVE	87-92	91-92	91-92	91-92	91-92	91-92	91-92	903-94			
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA E-W line through D.H.20

LINE 20, HALF _____, SR. _____, a = 25', BEARING E-W

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/1/81

PAGE 24

HEINRICHS GEOEX

SEND	83-89	87-82	82-87	85-85	84-85		89-89		87-88	
RECEIVE	90-91	90-91	90-91	90-91	90-91		89.5-90.5		89.5-90.5	
MULTIPLIER										
PFE	5-6	4-5	3-4	2-3	1-2		5-6		4-5	
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	415	283	232	277	138		1420		707	
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	9.22.9	14.2	17.01	13.13	11.8		23.37		13.76	
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

D.H. #20 at electrode 89

I. P. RECEIVER NOTES, JOB No. _____, AREA E-W line through D.H. 20

LINE 20, HALF _____, SP. _____, a = 50', BEARING E-W

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/2/81

PAGE 26

HEINRICHS GEOEX

SEND	83-85	85-87	87-89	89-91	91-93	93-95				
RECEIVE	79-81	79-81								
MULTIPLIER										
PFE	1-2	2-3	3-4	4-5	5-6	6-1				
CUR. (AMPS)										
POINT NO.										
SEP. (n)			2.43	1.18						
H. F. MV	41.5	6.82	2.42	1.66	.619	.243				
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	1286	1286	1145	1112	1013	905				
DRIFT MCF										
S. P.										
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB No._____, AREA E-W line through O.H. 20

LINE 20, HALF_____, SP._____, a = 50', BEARING E-W

SENDER STA._____ = ELECTRODE No._____, DATE 3/2/81

HEINRICHS GEOEX

SEND	87-85	87-89	89-91	91-93	93-95						
RECEIVE	83-81	93-81									
MULTIPLIER											
PFE	2-3	3-4	4-5	5-6	1-7						
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	40.9	1.95	2.49	1.18	1.68						
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	192.7	121.6	117.3	111.2	101.7						
DRIFT MCF											
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

PLOT ORIGINALS

PAGE #

LINE	25'	50'
14	✓ PG 14	NONE
15	✓ PG 15	✓
16	✓ PG 16 A & B	✓
19	✓ PG 19	✓
20	✓ PG 20	✓
15	15-A	—
15	—	15-B





Map showing scale relationship of lines 19, 20 and 22, Santa Maria River area

1" = 200 ft.
20 scale


N
line 15 is 3300 ft. long
from station 99
Map showing Scale relationship
of "Bluff" line and lines 14, 15 and 16,
Santa Maria River area.
line 14
line 15
line 16
79
drill hole 14A
93
Bluff 99
Bluff 96
line 14 sta. 99
(14°
Bluff line
95
drill hole 15
50'
96
Bluff 83
97
98
121
99
99
89
drill hole 16
75
73
drill hole 17
61
1" = 200 ft.
20 rule scale

HEINRICHS GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE March 17, 1981 AREA Santa Maria River

LINE# 14 SP a= 25', 50' BEARING N-S

RESISTIVITY FREQUENCIES 1 Hz FREQUENCIES & Hz



This is a true North-South line that runs through drill hole 14A and lies roughly perpendicular across the wash.

MEINRICHS GEOEXPLORATION COMPANY

806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 3/18/81 - 3/21/81 AREA Santa Maria River

LINE# 15 SP a= 50' & 100' BEARING North-South

RESISTIVITY FREQUENCIES 1 Hz FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 3/18/81 - 3/21/81 AREA Santa Maria River

LINE# 15 SP a= 50' & 100' BEARING N-S

RESISTIVITY FREQUENCIES 1 Hz FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT
DATE 3/18/81-3/21/81 AREA Santa Maria River

LINE# 15 SP a= 50' & 100' BEARING N-S

RESISTIVITY FREQUENCIES 1 Hz FREQUENCIES & Hz



MEINRICH'S GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 3/18/81 - 3/21/81 AREA Santa Maria River

LINE# 15 SP a= 50' & 100' BEARING N-S

RESISTIVITY FREQUENCIES 1 Hz FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY

806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE March 16, 1981 AREA Santa Maria River

LINE# Bluff SP a= 25' BEARING 76° W of N

RESISTIVITY FREQUENCIES 1 Hz FREQUENCIES & Hz



Line located along the sandstone bluff, roughly parralel to the wash. West end of line located 76° West of North while standing at east-most point of line. This line is roughly perpendicular to and located in between lines 14 and 15.

HEINRICHS GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT
DATE 3/14/81 - 3/16/81 AREA Santa Maria River
LINE# 22 SP a= 25', 50' BEARING 92° West of North
RESISTIVITY FREQUENCIES 1 Hz FREQUENCIES & Hz


West
Facing North
25' dipoles
50' dipoles
drill hole 22
99
98
97
96
95
94
93
92
91
90
89
88
87
86
85
84
83
82
81
3040
1240
2300
426
258
894
2160
200
396
232
935
2120
196
382
845
248
1940
410
944
2280
203
248
931
1790
209
382
177
230
186
184
349
567
224
225
168
1540
198
243
240
452
452
183
181
181
189
181
168
355
1110
2080
2066
1920
1930
1150
1910
2604
1940
2040
582
584
408
418
1090
1940
274
348
226
641
1220
2190
2270
2420
2240
1240
694
744
734
2360
2580
2490
2500
2490
2330
2490
2040
2150
2040
2670
2590
2690
2780
2990
2360
2550
2960
2660
2080
2080
1940
2280
2220
1940
1280
1220
1940
1900
1900
1910
1800
1995
1961
1018
1520
1570
1520
1570
2040
1810
1810
1240
2300
2590
2780
2990
2360
2280
3090
2750
1710
1500
1050
1500
1050
2280
2360
2940
2300
2530
1940
1810
783
1940
1244
2450
3460
3620
3220
3220
804
442
472
610
683
454
935
353
694
676
449
957
961
640
451
722
476
684
507
796
818
510
440
367
445
695
544
734
744
1260
1090
1040
1040
1940
2040
2040
1940
1940
1940

HEINRICHS GEOEXPLORATION COMPANY

806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 3/14/81 – 3/16/81 AREA Santa Maria River

LINE# 22 SP a= 25', 50' BEARING 92° W of N

RESISTIVITY FREQUENCIES 1 Hz FREQUENCIES & Hz




1400
1400
RIVER GOLD
No. 31
RIVER GOLD
No. 32
14
14
1320
RIVER GOLD No. 34
RIVER GOLD No. 33
MOHAVE CO
YUMA CO
20
21
22
15
16
11
13
18


1400
1400
1660
Springs
Grapevine Springs
1694
1600
1678
23
23
., R. 11 W.
Scale 1" = 600'

Bohrprofil am Südufer des Sta. Maria River



LEGENDE

- gelber Sand
- bräunlicher Sand
- rötlicher Sand
- brauner Sand
- lehmiger Sand
- Bedrock
- 10% Geröll, jeder Punkt oder Kreis pro Quadrat bedeutet 5%
- --- Die gestrichelte Linie zeigt masstabgerecht die Tiefe der Bohrlöcher
- _____ mögl. Oberkante des löffigen Schicht

HEINRICHS GEOEXPLORATION COMPANY

806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE AREA SANTA MARIA RIVER

LINE# 14 SP PG 14 a= 25' BEARING 0° (S-N)

RESISTIVITY FREQUENCIES 1.0 HZ FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 2/27/81 AREA SANTA MARIA RIVER

LINE# 15 PG 15 a= 50' AND 25' BEARING 0° (S-N)

RESISTIVITY FREQUENCIES 1.0 HZ FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY

806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 3/4-6/81 AREA SANTA MARIA RIVER

LINE# 16E (DH16,17) SP PAGE 16 A a= 50', 25' BEARING 90° (W-E)

RESISTIVITY FREQUENCIES 1.0 HZ FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 3/4-6/81 AREA SANTA MARIA RIVER

LINE# 16W (DH 16, 17) SP PAGE 16 B a= 50', 25' BEARING 90° (W-E)

RESISTIVITY FREQUENCIES 1.0 HZ FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 3/2-3/81 AREA SANTA MARIA RIVER

LINE# 19 PAGE 19 a= 50' AND 25' BEARING 86° W OF NORTH

RESISTIVITY FREQUENCIES 1.0 HZ FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY

806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 3-12-81 AREA SANTA MARIA RIVER

LINE# 20 PAGE 20 a= 25, 50 BEARING APP 90° (W-E)

RESISTIVITY FREQUENCIES 1.0 HZ FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY
806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 2/27/81 AREA SANTA MARIA RIVER

LINE# 15 (25') SP PAGE 15A a= 25' BEARING APP 0° (S-N)

RESISTIVITY FREQUENCIES 1.0 HZ FREQUENCIES & Hz



HEINRICHS GEOEXPLORATION COMPANY

806 W. GRANT RD., P.O. BOX 5964 TUCSON, ARIZ. 85703. PH: (602) 623-0578

JOB # 1506 CLIENT

DATE 2/20-27/81 AREA SANTA MARIA RIVER

LINE# 15 (50') SP PAGE 15 B a= 50' BEARING APP 0° (S-N)

RESISTIVITY FREQUENCIES 1.0 HZ FREQUENCIES 1. & Hz



INSURED 744160 0 DOLS 00 CTS

HEINRICHS GEOEXPLORATION COMPANY

P.O. BOX 5964, TUCSON, ARIZONA 85703. 806 WEST GRANT ROAD. PHONE: (602) 623-0578

February 27, 1981

STATEMENT

Mr. Hale C. Tognoni, Esq.
Suite No. 1260 Del Webb's TowneHouse
100 W. Clarendon Avenue
Phoenix, AZ 85013

Re: Minerals Trust Corp.
River Gold Grubstake
T.11N., R.11W., GEOEX #1506

PROFESSIONAL FEES & SERVICES

Advance on account to be allocated
against future itemized billings----------$2,000.00

Check rec'd 2-26-81

(301)


9
10
11
11
12
7
RIVER
SANTA MARIA
RIVER
Gaging Station
RIVER GOLD No. 31
RIVER GOLD No. 32
RIVER GOLD No. 35
RIVER GOLD No. 36
RIVER GOLD No. 29
PW-22A PW-22B PW-22C PW-22D
RIVER GOLD No. 30
RIVER GOLD No. PW 22
PW-22E PW-22F PW-22G PW-22H
MOHAVE CO
YUMA CO
RIVER GOLD No. 34
RIVER GOLD No. 33
RIVER GOLD No. 37
RIVER GOLD No. 38
16
15
14
14
13
18
Cem
Spring Mine
Grapevine Springs
Grapevine Springs
Grapevine
JEEP TRAIL
21
22
23
23
24
19
T. 11 N., R. 11 W.
Scale 1" = 600'


1400
1400
RIVER GOLD
No. 31
RIVER GOLD
No. 32
14
14
1320
30
RIVER GOLD No. 34
RIVER GOLD No. 33
MOHAVE CO
YUMA CO
East

I. P. RECEIVER NOTES, JOB No. _____, AREA Line 11 and 22 21+22

LINE 22, HALF _____, SR. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/14/91

PAGE 200

HEINRICHS GEOEX

SEND		89-90	90-91	91-92	92-93	93-94	94-95				
RECEIVE		87-88	88-89	89-90	90-91	91-92	92-93				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2120	456	124	40.6	16.1	5.22				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2490	1140	1000	813	716	653				
DRIFT	MCF	3.40	3.33	3.18	2.98	2.87	2.55	1.09			
S. P.											
NOISE		Tr 400mV									
POT RES.											
CULT & CMTS											

pgs. 200-224, 230-242
line 22
25' dipoles

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h's 21+22

LINE 22, HALF _____, SR. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/91

HEINRICHS GEOEX

SEND		95-96	14-95	93-94	92-93	91-92	90-91				
RECEIVE		97-98	97-98	97-98	97-98	97-98	97-98				
MULTIPLIER											
PFE		8-9	7-8	6-7	5-6	4-5	3-4				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2730	1604	209	57.9	19.5	6.70				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2214	2227	2450	1264	504	442				
DRIFT	MCF	3.51	3.91	3.39	3.13	2.91	2.65	109			
S. P.											
NOISE		I=400 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h's 21 & 22

LINE 22, HALF _____, SR. _____, a = 2.5, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND		94-95	93-94	92-93	91-92	90-91	89-90				
RECEIVE		96-97	96-97	96-97	96-97	96-97	96-97				
MULTIPLIER											
PFE		7.0	6.7	5.1	4.5	3.4	2.8				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2940	769	195	61.0	19.0	7.16				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	420	1024	2217	1400	752	472				
DRIFT	MCF	3.54	3.56	3.36	3.16	2.89	2.67	109			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.l.'s 21+22

LINE 22, HALF _____, SR. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND		93-94	92-93	91-92	90-91	89-90	88-89				
RECEIVE		95-96	95-96	95-96	95-96	95-96	95-96				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.00	578	154	44.7	14.8	4.98				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2995	2526	1514	1053	510	454				
DRIFT	MCF	3.47	3.40	3.26	3.02	2.79	2.66	1.00			
S. P.											
NOISE		I = 400 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru 4 = 21+22

LINE 22, HALF _____, SP _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/91

HEINRICHS GEOEX

SEND		92-93	91-92	90-91	89-90	88-89					
RECEIVE		94-95	94-95	94-95	92-93	92-95					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2108	484	127	37.9	15.4					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1356	2271	1196	903	685					
DRIFT	MCF	3.37	3.36	3.17	2.95	2.80	log				
S. P.											
NOISE		T-400 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h's 21+52

LINE 22, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND	85-86	86-87	87-88	88-89	89-90	90-91					
RECEIVE	82-84	82-84	82-84	82-84	82-84	82-84					
MULTIPLIER											
PFE	2.0	3.0	4.0	5.0	6.0	7.0	8.0				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	1930	365	177	102	19.3	7.69					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	2274	2062	2015	1418	746	507					
DRIFT MCF	3.36	3.43	3.32	3.15	2.90	2.71	109				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h's 21 + 22

LINE 22, HALF _____, SR. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND		91-92	90-91	89-90	88-89	87-88	86-87				
RECEIVE		92-94	93-94	93-94	92-94	92-94	91-94				
MULTIPLIER											
PFE		2-9	7-8	6-7	5-6	4-5	3-4				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		21.20	5.83	1.50	24.9	16.4	6.90				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2087	2040	1767	1291	676	449				
DRIFT	MCF	3.49	3.44	3.25	3.11	2.83	2.65	1.0			
S. P.											
NOISE		I = 400 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line threads 21+22

LINE 22, HALF _____, SR. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/91

HEINRICHS GEOEX

SEND		70-91	89-90	88-89	87-88	86-87	85-86				
RECEIVE		92-93	92-93	92-93	92-93	92-93	92-93				
MULTIPLIER											
PFE		1-5	2-7	3-8	4-5	5-9	6-10				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2360	498	154	408	145	84				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1190	2300	1814	961	610	451				
DRIFT	MCF	2.44	3.36	3.26	2.98	2.79	2.65	109			
S. P.											
NOISE		I=400 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA line thru d.h's 21+22

LINE 22, HALF _____, SP. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/14/91

HEINRICHS GEOEX

SEND		89-90	88-89	87-88	86-87	85-86	84-85				
RECEIVE		91-92	91-92	91-92	91-92	91-92	91-92				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2200	570	133	43.2	17.5	7.26				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2592	2108	1517	1018	722	427				
DRIFT	MCF	3.40	3.48	3.20	3.01	2.86	2.68				
S. P.											
NOISE		I=400 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d h's 21+22

LINE 22, HALF _____, SP. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/91

HEINRICHS GEOEX

SEND		88-89	87-85	86-97	95-96	94-95					
RECEIVE		90-91	90-91	90-91	90-91	90-91					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2270	433	124	45.2	16.6					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2674	2040	1461	1065	694					
DRIFT	MCF	3.43	3.31	3.16	3.03	2.84					
S. P.											
NOISE		400 MA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.h's 21+22

LINE 22, HALF _____, SR. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND		81-82	82-83	83-84	84-85	85-86	86-87				
RECEIVE		79-80	79-80	79-80	79-80	79-80	79-80				
MULTIPLIER											
PFE		2-3	3-4	4-5	5-6	6-7	7-8				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1770	408	974	247	91	507				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2085	1923	1148	582	405	224				
DRIFT	MCF	3.32	3.28	3.06	2.76	2.61	2.52	bg			
S. P.											
NOISE		t=400ms									
POT RES.											
CULT & CMTS											

I. P. Receiver Notes, Job No. _____, Area Jute thru d.h.s 21+23

Line 22, Half _____, Sr. _____, a = 25', Bearing _____

Sender Sta. _____ = Electrode No. _____, Date 3/14/91

HEINRICHS GEOEX

Send		87-93	86-92	85-91	84-90	83-89	22-83				
Receive		89-90	88-90	87-90	86-90	85-90	89-90				
Multiplier											
PFE		8-9	7-8	6-7	5-6	4-5	3-4				
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv		2116	1491	1581	1504	1982	1773				
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2401	2223	2102	1166	916	510				
DRIFT	MCF	3.46	3.37	3.26	3.07	2.91	2.71				
S. P.											
Noise											
Pot Res.											
Cult & Cmts											

I. P. Receiver Notes, Job No. _____, Area line thru d.l.s 21+22

Line 22, Half _____, Sp. _____, a = 25, Bearing _____

Sender Sta. _____ = Electrode No. _____, Date 3/14/81

HEINRICHS GEOEX

Send		96-97	95-96	94-95	93-94	92-93	91-92				
Receive		88-89	88-89	88-89	88-89	88-89	88-89				
Multiplier											
PFE		7-8	6-7	5-6	4-5	3-4	2-3				
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv		2116	1960	1669	662	210	536				
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2493	2259	1911	1442	516	367				
Drift	MCF	3.40	3.42	3.30	3.16	2.94	2.56	1.09			
S. P.											
Noise		I=400 μA									
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line 16W dlo 21+22

LINE 22, HALF _____, SP. _____, a = 25, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND		85-86	84-85	83-84	82-83	81-82	80-81				
RECEIVE		87-88	87-88	87-88	87-88	87-88	87-88				
MULTIPLIER		6-7									
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2190	1641	1177	544	120	6.21				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2.58	2.54	2.08	1.28	1.15	1.10				
DRIFT	MCF	3.41	3.41	3.32	3.11	2.69	2.61	1.03			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thread 6's 21+22

LINE 22, HALF _____, SR. _____, a = 25', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/4/91

HEINRICHS GEOEX

SEND		84-85	93-94	92-83	81-82	80-81					
RECEIVE		96-97	86-87	96-97	86-87	86-87					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)						13.2					
H. F. MV		2000	560	140	29.5	13.2					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2286	2602	1433	1051	544.2					
DRIFT	MCF	3.37	3.43	3.26	2.84	2.74					
S. P.											
NOISE		2:400mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA Line thru d.h's 21+22

LINE 22, HALF _____, SR. _____, a = 25, BEARING 92° W of N

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/14/81

HEINRICHS GEOEX

		77-78	78-79	79-80	80-81	81-82	82-83				
SEND											
RECEIVE		75-76	75-76	75-76	75-76	75-76	75-76				
MULTIPLIER											
PFE		2-3	3-4	4-5	5-6	6-7	7-8				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2100	293	72.1	26.7	6.29	3.07				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	247.1	124.3	86.2	48.1	25.5	15.3				
DRIFT	MCF	3.29	3.13	2.94	2.69	2.41	2.41				
S. P.											
NOISE			I=400 μA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru dh's 21+22

LINE 22, HALF _____, SP. _____, a = 25', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/91

HEINRICHS GEOEX

SEND		83-84	82-83	81-82	80-81	79-80	78-79				
RECEIVE		85-86	85-86	85-86	85-86	85-86	85-86				
MULTIPLIER											
PFE		8-9	7-8	6-7	5-6	4-5	3-4				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1260	1178	1041	815	1013	415				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2191	2138	1943	1742	1417	1178				
DRIFT	MCF	3.34	3.35	2.97	2.87	2.62	2.44	bg			
S. P.											
NOISE		I=400mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.h's 21+23

LINE 22, HALF _____, SP. _____, a = 25', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND		82-83	81-82	80-81	77-80	78-79	72-73				
RECEIVE		84-85	84-85	84-85	84-85	84-85	84-85				
MULTIPLIER											
PFE		7-8	6-7	5-6	4-5	3-4	2-3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2050	274	920	252	345	348				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2415	1291	1094	5038	2476	2263				
DRIFT	MCF	3.38	3.11	3.04	2.77	2.54	2.35	1.00			
S. P.											
NOISE		T-4 0.1 M									
POT RES.											
CULT & CMTS											

I. P. Receiver Notes, Job No. _____, Area line thru N.b's 21+22

Line 23, Half _____, Sr. _____, α = 25°, Bearing 92° W of N

Sender Sta. _____ = Electrode No. _____, Date 3/14/81

HEINRICHS GEOEX

Send		81-82	80-81	79-80	78-79	77-78	76-77				
Receive		83-84	83-84	83-84	83-84	83-84	83-84				
Multiplier											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv		15.10	11.32	18.4	27.2	9.60	5.64				
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1533	2026	1164	1409	3592	1993				
Drift	MCF	3.26	3.31	3.07	2.91	2.55	2.39	109			
S. P.											
Noise											
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line three d.h's 21-23

LINE 22, HALF _____, SP. _____, a = 25, BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/51

HEINRICHS GEOEX

SEND		80-81	79-80	78-79	77-78	76-77					
RECEIVE		82-83	82-83	82-83	82-83	82-83					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2210	910	96.5	24.0	0.39					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2819	1922	1197	584.3	245.5					
DRIFT	MCF	3.42	3.29	3.06	2.77	2.54	log				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

Note transition of clay/sand around 76-77: clay>76, sand<76

I. P. RECEIVER NOTES, JOB NO._____, AREA line thru d.h's 21+22

LINE 22, HALF_____, SR._____, a = 25', BEARING 92° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 2/14/81

PAGE 220

HEINRICHS GEOEX

SEND		74-75	75-76	76-77	77-78	78-79	79-80				
RECEIVE		72-73	72-72	72-73	72-73	72-73	72-73				
MULTIPLIER									Note - reverse		71-72
PFE		2-3	3-4	4-5	5-6	6-7	7-8				
CUR. (AMPS)									Sender start at		
POINT NO.									73.74 end 76-77		
SEP. (n)											
H. F. MV		1.00	1.81	2.21	3.14	3.93	2.16				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c	140.2	852.9	263.9	191.8	162.0	140.5				
3.0 MV	$\rho/2\pi$	7.00	11.4								
DRIFT	MCF	3.15	2.93	2.42	2.28	2.21	2.15	1.09			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.h.s 21+22

LINE 22, HALF _____, SP. _____, a = 25', BEARING 92°W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND		74-80	75-79	77-78	76-77	75-76	74-75				
RECEIVE		81-82	81-82	81-82	81-82	81-82	81-82				
MULTIPLIER											
PFE		6-9	7-8	6-7	5-6	4-5	3-4				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1740	321	66.5	1.12	6.29	2.78				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	206.2	15.11	7.04	4.28	2.69	1.84				
DRIFT	MCF	33.1	3.18	2.89	2.63	2.41	2.26	log			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h.s 21-22

LINE 22, HALF _____, SP. _____, a = 25', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 5/14/81

HEINRICHS GEOEX

SEND		78-79	77-78	76-77	75-76	74-75	73-74				
RECEIVE		80-81	80-81	80-81	80-81	80-81	80-81				
MULTIPLIER											
PFE		7-8	6-7	5-6	4-5	3-4	2-3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2230	3451	7715	2120	656	259				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2477	1620	813.0	404.5	210.5	170.9				
DRIFT	MCF	3.42	3.71	2.96	2.69	2.43	2.23	109			
S. P.											
NOISE		T=400 n.1									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line 4bis d.h 21+22

LINE 22, HALF _____, SR. _____, α = 25°, BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/91

HEINRICHS GEOEX

SEND		77-78	76-77	75-76	74-75	73-74	72-73				
RECEIVE		79-80	79-80	79-80	79-80	79-80	79-80				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		176.0	234	73.9	12.4	4.70	2.96				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2.01	1.82	1.70	3.64	1.92	1.62				
DRIFT	MCF	3.36	3.20	2.94	2.59	2.29	2.29				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.h. 21+22

LINE 22, HALF _____, SP. _____, a = 25', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/19/81

HEINRICHS GEOEX

SEND		76-77	75-76	74-75	73-74	72-73					
RECEIVE		78-79	78-79	78-79	78-79	78-79					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1610	2.89	49.0	9.36	4.75					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1991	1257	1145	2276	1959					
DRIFT	MCF	3.30	3.13	2.75	2.34	2.29	log				
S. P.		I=400 mA									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line three Nos 21+22

LINE 22, HALF _____, SR. _____, a = 25', BEARING 22° W. of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/15/81

HEINRICHS GEOEX

SEND		69-70	70-71	71-72	72-73	73-74	74-75				
RECEIVE		67-65	67-65	67-65	67-65	67-65	67-65				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c						156.9				
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	3.39	3.29	2.83	2.51	2.15	2.19				
S. P.											
NOISE		2-4mv									
POT RES.											
CULT & CMTS											

Nick Switch Truck Jumper Stop

I. P. RECEIVER NOTES, JOB No. _____, AREA line thru d.h.: 21+22

LINE 22, HALF _____, SR. _____, a = 25', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/15/81

PAGE _____

HEINRICHS GEOEX

SEND	75-76	74-75	73-74	72-73	71-72	70-71					
RECEIVE	77-78	77-78	77-78	77-78	77-78	77-78					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	2100	2917	3011	1111	3387	2094					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_c											
3.0 MV $\rho/2\pi$	2474	1211	2946	2615	1996	1279					
DRIFT MCF	3.39	3.09	2.55	2.42	2.20	2.14	loc				
S. P.											
NOISE	I=400 μA										
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line Thru ch. 21+22

LINE 22, HALF_____, SP._____, a = 25, BEARING 22° W. of N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/15/81

PAGE 222

HEINRICHS GEOEX

SEND		74-75	73-74	72-73	71-72	70-71	69-70				
RECEIVE		76-77	76-77	76-77	76-77	76-77	76-77				
MULTIPLIER											
PFE		1-5	1-4	1-3	1-2	1-1	1-3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1406	1218	210	1255	1377	1161				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1412	5296	5710	1850	1372	1115				
DRIFT	MCF	3.29	2.76	2.58	2.27	2.17	2.05	1.09			
S. P.											
NOISE		I=400 μA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru P.h. 21+22

LINE 22, HALF_____, SP._____, a = 25', BEARING 92° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/15/81

PAGE 223

HEINRICHS GEOEX

SEND	73-74	72-73	71-72	70-71	69-70	68-69					
RECEIVE	75-76	75-76	75-76	75-76	75-76	75-76					
MULTIPLIER											
PFE	6.1	5.6	4.5	3.4	2	1.2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	9.41	1.75	2.12	1.28	3.03	2.41					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	1045	650	2545	1739	1249	1890					
DRIFT MCF	3.04	2.81	2.41	2.24	2.10	2.20	log				
S. P.											
NOISE	E=40mV										
POT RES.											
CULT & CMTS											

I. P. Receiver Notes, Job No. _____, Area Lion Hill dist 21422

Line 23, Half _____, Sr. _____, a = 3.5', Bearing 92° W-S-N

Sender Sta. _____ = Electrode No. _____, Date 3/15/51

Page 234

HEINRICHS GEOEX

Send		72-73	71-72	70-71	69-70	68-69					
Receive		74-75	74-75	74-75	74-75	74-75					
Multiplier											
PFE											
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv											
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
Drift	MCF										
S. P.											
Noise											
Pot Res.											
Cult & Cmts											

W. shielded between electrodes 74 on 76

I. P. Receiver Notes, Job No. _____, Area Line 11 thru 16's 21+27

Line 22, Half _____, Sp. _____, a = 25', Bearing 92° W of N

Sender Sta. _____ = Electrode No. _____, Date 3/15/91

Page 25

HEINRICHS GEOEX

Send		63-66	66-67	67-68	68-69	69-70	70-71				
Receive		63-64	63-64	67-64	63-64	63-64	63-64				
Multiplier											
PFE											
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv		3.10	2.03	4.12	12.9	4.91	2.01				
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	3.00	1.45	4.89	2.64	1.10	1.22				
Drift	MCF	3.59	3.16	2.69	2.41	2.08	2.12	log			
S. P.		I=400 mA									
Noise											
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB NO._____, AREA line thru d b's 21+22

LINE 22, HALF_____, SR._____, a = 25', BEARING 92°W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/15/81

HEINRICHS GEOEX

SEND		66-67	67-68	68-69	69-70	70-71	71-72				
RECEIVE		64-65									
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1970									
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h's 21+22

LINE 23, HALF _____, SP. _____, a = 25', BEARING 92° West N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/25/81

HEINRICHS GEOEX

SEND		61-64	63-65	64-70	70-71	71-72					
RECEIVE		65-66	65-66	65-66	65-66	65-66					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line thru d.h.'s 2K22

LINE 22, HALF_____, SR._____, a = 25', BEARING 92° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/15/81

HEINRICHS GEOEX

SEND		63-69	66-70	70-71	71-72						
RECEIVE		66-67	66-67	66-67	66-67						
MULTIPLIER											
PFE											
CUR. (AMPS)		5-6									
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	3.33	2.75	2.69	2.35	1.09					
S. P.		T=4006 A									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA line thru d.h.'s 21+22

LINE 22, HALF_____, SR._____, α = 25°, BEARING N2°W to N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/15/81

HEINRICHS GEOEX

SEND		71-72	70-71	69-70	68-69	67-68	66-67				
RECEIVE		73-74	73-74	73-74	73-74	73-74	73-74				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1160	1.8	2.5	11.5	3.72	1.07				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1.41	2.52	3.03	2.10	1.34	1.02				
DRIFT	MCF	3.14	2.90	2.48	2.43	2.19	2.04	1.09			
S. P.											
NOISE		E= 400 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.h.'s 21+22

LINE 33, HALF _____, SP. _____, α = 25°, BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/15/81

HEINRICHS GEOEX

SEND	70-71	69-70	68-69	67-68	66-67	65-66				
RECEIVE	72-73	72-73	72-73	72-73	72-73	72-73				
MULTIPLIER										
PFE										
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV										
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_C										
3.0 MV $\rho/2\pi$	200	157	100	206	172	130				
DRIFT MCF	3.48	3.14	3.00	2.53	2.24	2.12	log			
S. P.										
NOISE	I=400	WA								
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d.h. 21+22

LINE 22, HALF _____, SP. _____, a = 25', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/15/81

HEINRICHS GEOEX

SEND		69-70	68-69	67-68	66-67	65-66	64-65				
RECEIVE		71-72	71-72	71-72	71-72	71-72	71-72				
MULTIPLIER											
PFE		6.7	5.6	4.5	3.4	2.2	1.2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2560	1717	1218	959	345	117				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	3016	2710	2261	1710	1423	1102				
DRIFT	MCF	3.48	3.43	2.96	2.35	2.15	2.04	ka			
S. P.											
NOISE		1.400 mV									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Lupe thru db's 21+22

LINE 22, HALF _____, SR. _____, a = 25', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/15/81

HEINRICHS GEOEX

SEND		68-69	67-69	66-67	65-66	64-65					
RECEIVE		70-71	70-71	70-71	70-71	70-71					
MULTIPLIER											
PFE		3-4	2-3	2-3	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		611.4	411.1	274	91.02	38.1					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	602.5	1424	440.6	212.5	144.7					
DRIFT	MCF	3.78	3.30	2.64	2.33	2.16	109				
S. P.											
NOISE		I 400 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA_____

LINE_____, HALF_____, SP._____, a = _____, BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE_____

PAGE_____

HEINRICHS GEOEX

SEND											
RECEIVE											
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

pgs. 400-415
line 14
25' dipoles

I. P. RECEIVER NOTES, JOB NO. _____, AREA N.E. line through d.h. 14

LINE 14, HALF _____, SR _____, a = 25, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

PAGE 401

HEINRICHS GEOEX

SEND		96-97	95-96	94-95	93-94	92-93	91-92				
RECEIVE		98-99	97-98	96-97	95-96	94-95	93-94				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N.S. Lic trench L.L. 14

LINE 14, HALF _____, SP. _____, a = 25', BEARING N.S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		93-94	94-95	95-96	92-93	91-92	90-91				
RECEIVE		97-98	97-98	97-98	97-98	97-98	97-98				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	4101	1262	1106	564	724	538				
DRIFT	MCF	2.69	2.10	1.96	1.94	1.55	1.77	1.09			
S. P.		F-300 mV									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA N-S line through 4+14

LINE 14, HALF_____, SR._____, a = 25', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/17/81

HEINRICHS GEOEX

SEND		94-95	92-94	92-93	91-92	90-91	89-90				
RECEIVE		96-97	95-97	96-97	96-97	96-97	96-97				
MULTIPLIER											
PFE		1-7	1-6	1-5	1-4	1-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.58	2.46	2.24	2.05	1.84	1.702				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	5118	1734	1107	801	627	522				
DRIFT	MCF	2.24	2.24	2.06	1.90	1.80	1.79	109			
S. P.		T=200 n.1									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S Line through 41+14

LINE 14, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/91

HEINRICHS GEOEX

SEND		93-94	92-93	91-92	90-91	89-90					
RECEIVE		95-96	95-96	95-96	95-96	95-96					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c	636.2									
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.80	2.39	2.14	1.98	1.96	1.05				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru d.h. 14

LINE 14, HALF _____, SR _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		92-93	91-92	90-91	89-90	28-89	87-88				
RECEIVE		94-95	94-95	94-95	94-95	94-95	94-95				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		715	421	104	5.09	2.50	1.39				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c			171	166						
3.0 MV	$\rho/2\pi$			171	160	151	121				
DRIFT	MCF	2.91	2.42	2.23	2.20	2.1	2.1	1.09			
S. P.		I=300 mA									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru d.h 14

LINE 14, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		91-92	90-91	89-90	88-89	87-88	86-87				
RECEIVE		93-94	93-94	93-94	93-94	93-94	93-94				
MULTIPLIER											
PFE		1.0	0.3	0.1	0.3	0.1	0.3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.54	3.79	1.35	5.09	3.01	1.79				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.75	2.38	2.33	2.27	2.23	2.20				
S. P.		I = 300 mA									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru d.h. 14

LINE 14, HALF _____, SP. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		10-91	09-90	08-89	07-88	06-87	05-86				
RECEIVE		92-93	92-93	92-93	92-93	92-93	92-93				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		313	444	15.2	6.88	3.05	1.34				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.69	2.45	2.38	2.33	2.30	2.21	109			
S. P.		± 300mV									
NOISE											
POT RES.											
CULT & CMTS											

1.83

I. P. RECEIVER NOTES, JOB No. _____, AREA N-S line thru d.h. 14

LINE 14, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE No. _____, DATE 2/17/81

HEINRICHS GEOEX

SEND		83-84	84-85	85-86	86-87	87-88	85-89				
RECEIVE		81-82	82-83	83-84	84-85	85-86	83-87				
MULTIPLIER											
PFE		2	3	4	5	6	7				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.20	2.03	1.21	4.16	2.28	1.27				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	261.3	194.1	105.3	146.4	160.5	116.8				
DRIFT	MCF	2.56	2.27	2.16	2.17	2.12	2.09	1.00			
S. P.		1-300mV									
NOISE											
POT RES.											
CULT & CMTS											

Edge of first island located at 82, edge of channel at 85

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line Tree 24.14

LINE 14, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		84-95	85-86	86-87	87-88	84-85	89-90				
RECEIVE		82-83	82-83	82-83	82-83	82-83	82-83				
MULTIPLIER											
PFE		2-4	4-5	5-6	6-7	7-8	8-9				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.14	4.28	12.4	6.82	3.50	2.42				
DRIFT							2.20				
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1112	2689	2411	2196	1463	2172				
DRIFT	MCF	2.69	2.43	2.39	2.33	2.29	2.32	109			
S. P.											
NOISE		I=300 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N.S line 16+00 to 6+14

LINE 14, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/12/81

HEINRICHS GEOEX

SEND		95-56	92-87	89-71	91-89	93-96					
RECEIVE		93-84	93-84	93-84	93-84	93-84					
MULTIPLIER											
PFE		4.71	5.0	6.71	7.8	9.7					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.7	4.5	12.2	5.81	2.31					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	520.4	2226	2012	1825	142.0					
DRIFT	MCF	2.72	2.42	2.32	2.26	2.26	log				
S. P.											
NOISE		I = 300 mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru L.14

LINE 14, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		86-87	87-88	88-89	89-90						
RECEIVE		84-85	94-95	94-95	94-95						
MULTIPLIER											
PFE		5.6	4.7	7.3	4.9						
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		27	63.3	12.6	6.15						
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	425.3	240.6	119.9	148.2						
DRIFT	MCF	2.63	2.38	2.30	2.29	109					
S. P.		I=20ma									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N. Lac Hardy 14

LINE 14, HALF _____, SP. _____, α = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		84-90	88-99	97-88	86-97	83-86	84-85				
RECEIVE		91-92	91-92	91-92	91-92	91-92	91-92				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE		I=350mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru 0, 6, 14

LINE 14, HALF _____, SR. _____, a = 2.5, BEARING 14-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/51

HEINRICHS GEOEX

SEND		85-89	87-88	86-87	85-86	84-85	83-84				
RECEIVE		90-91	90-91	90-91	90-91	90-91	90-91				
MULTIPLIER											
PFE		1-2	2-1	3-2	4-3	5-4	6-5				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		3.12	2.63	12.5	4.98	3.01	1.04				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	3330	2218	1965	1565	1710	1619				
DRIFT	MCF	2.52	2.35	2.29	2.19	2.23	2.21	109			
S. P.											
NOISE		I=300MA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru d6, 19

LINE 14, HALF _____, SR. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/12/81

HEINRICHS GEOEX

SEND	97-98	96-97	95-96	94-95	93-94	92-93					
RECEIVE	89-90	89-90	89-90	89-90	89-90	89-90					
MULTIPLIER											
PFE	0.7	0.8	0.9	1.4	2.7	1.2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	234	249	11.2	6.12	3.30	2.29					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	3.676	2.218	1.726	1.422	1.314	1.970					
DRIFT MCF	2.57	2.37	2.25	2.28	2.26	2.29	bg				
S. P.											
NOISE	1 - 20 mV										
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru d.h. 14

LINE 14, HALF _____, SP. _____, a = 25', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		56-87	55-86	54-85	53-84	52-83					
RECEIVE		88-89	88-89	88-89	88-89	88-89					
MULTIPLIER											
PFE		5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		227	302	125	5.77	3.56					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	251.6	189.8	106.3	191.3	146.9					
DRIFT	MCF	2.55	2.28	2.29	2.26	2.29	log				
S. P.											
NOISE		I = 20 ma									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S Line Hiv Pd-14

LINE 4, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/12/21

PAGE 416

HEINRICHS GEOEX

SEND		93-95	91-93	89-91	87-89	85-87	83-85				
RECEIVE		97-99	97-99	97-99	97-99	97-99	97-99				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	102	76.2	57.9	51.1	47.4	51.4				
DRIFT	MCF	2.01	1.88	1.75	1.71	1.69	1.71	100			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

pgs. 416-422
line 14
50' dipoles

I. P. RECEIVER NOTES, JOB NO. _____, AREA N S line 16 to 24, 14

LINE 14, HALF _____, SR. _____, α = 50°, BEARING N-3

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

PAGE 417

HEINRICHS GEOEX

SEND	91-93	89-91	87-89	85-87	83-85	81-83				
RECEIVE	95-97	95-97	95-97	95-97	95-97	95-97				
MULTIPLIER										
PFE	2.0	1.0	0.5	0.3	0.2	0.1				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	5.62	6.62	2.15	1.24	0.81	2.43				
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$	1828	3326	6715	5515	5515	4018				
DRIFT MCF	2.26	1.92	1.93	1.74	1.74	1.70	1.69			
S. P.	+.300									
NOISE										
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru 6-14

LINE 14, HALF _____, SR. _____, a = 50', BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND	89-91	87-89	85-87	83-85	81-83	79-81					
RECEIVE	93-95	93-95	93-95	93-95	93-95	93-95					
MULTIPLIER											
PFE	1.0	0.3	0.1								
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	67.6	12.6	4.02	1.85	0.84	0.64					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	212.4	126.4	107.5	116.2	97.1	81.6					
DRIFT MCF	2.33	2.21	2.11	2.07	1.99	1.91	1.69				
S. P.											
NOISE	1.200 mA										
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA N-S line thru St. 14

LINE 14, HALF_____, SP._____, a = 50', BEARING N-S

SENDER STA._____ = ELECTRODE NO._____, DATE 3/17/91

HEINRICHS GEOEX

SEND		87-89	85-87	83-85	81-83	79-81					
RECEIVE		91-93	91-93	91-93	91-93	91-93					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.37	2.27	2.24	2.17	2.09	109				
S. P.		I=300									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA N-S line thru el. 14

LINE 14, HALF _____, SR. _____, a = ≠50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

PAGE 430

HEINRICHS GEOEX

SEND		83-85	85-87	87-89	89-91	91-93	93-95				
RECEIVE		79-81	79-81	79-81	79-81	79-81	79-81				
MULTIPLIER											
PFE		3-9	4-6	5-7	6-8	7-9	8-10				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1.21	1.14	2.23	2.17	1.11	4.12				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	87.1	208.1	169.0	136.3	122.1	81.1				
DRIFT	MCF	2.35	2.31	2.22	2.13	2.09	1.91				
S. P.		± 30mV									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Doe Thru d.b. 14

LINE 14, HALF _____, SR. _____, a = 50, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		83-87	87-89	89-91	91-93	93-95					
RECEIVE		81-83	81-83	81-83							
MULTIPLIER											
PFE		1-3	3-5	5-7	7-9	9-11					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		72.5	114.2	141.0	2.31	59.0					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	22.19	17.14	156.8	145.1	92.9					
DRIFT	MCF	2.36	2.25	2.20	2.16	1.99	1.09				
S. P.		I = 300 mA									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru'd 4-14

LINE 14, HALF _____, SP. 50', a = _____, BEARING N-S

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/17/81

HEINRICHS GEOEX

SEND		87-7	79-91	71-92	63-93		95-97	87-99	79-01		
RECEIVE		73-85	71-85	73-73	573-85		85-97	83-97	99-97		
MULTIPLIER											
PFE		1-6	8-7	1-8	8-9		1-7	1-8	8-9		
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		720	1144	1041	1124		1659	1917	1420		
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2114	1610	1722	1181		2000	1841	1432		
DRIFT	MCF	2.34	2.26	2.24	2.06	69	2.32	2.27	2.10		
S. P.		1.30mV									
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA Ann Harbor Chic 2142

LINE 22, HALF _____, SP. _____, a = 50', BEARING 270 W S N

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/12/91

PAGE 225

HEINRICHS GEOEX

SEND		81-82	79-80	78-79	77-78	76-77	75-76				
RECEIVE		77-78	77-78	77-78	77-78	77-78	77-78				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		607	460	1021	432	228	134				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	119	454	1420	2755	1854	1161				
DRIFT	MCF	2.07	2.66	2.39	2.35	2.27	2.25	109			
S. P.											
NOISE											
POT RES.		I 400	A								
CULT & CMTS											

pgs. 225-229,
243-255
line 22
50' dipoles

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru d h's 21+22

LINE 22, HALF _____, SR. _____, α = 50°, BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

PAGE 226

HEINRICHS GEOEX

SEND		93-95	91-93	89-91	87-89	85-87	83-85				
RECEIVE		97-99	97-99	97-99	97-99	97-99	97-99				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1240	131	191	547	247	157				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	3040	1235	476.5	257.8	199.6	180.8				
DRIFT	MCF	3.48	3.09	2.63	2.41	2.30	2.26	109			
S. P.											
NOISE		T=400mA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA line thru dbs 21+22

LINE 22, HALF _____, SP. _____, a = 50', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

HEINRICHS GEOEX

SEND	91-93	89-91	87-89	85-87	83-85	81-83					
RECEIVE	95-97	95-97	95-97	95-97	95-97	95-97					
MULTIPLIER											
PFE	6-7	5-6	4-5	3-4	2-3	1-2					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV	977	994	1685	4973	2238	1137					
DRIFT											
1.0 PFE K_n/1000											
0.3 PFE ρ_{CAL}											
0.1 PFE PFE_C											
3.0 MV $\rho/2\pi$	2302	2344	3958	2223	1492	1108					
DRIFT MCF	3.36	2.95	2.60	2.37	2.29	2.26	109				
S. P.											
NOISE											
POT RES.	I=400 mA										
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line Hwy dh's 21+22

LINE 22, HALF _____, SP. _____, a = 50', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/14/81

PAGE 225

HEINRICHS GEOEX

SEND		89-91	87-89	85-87	83-85	81-83	79-81				
RECEIVE		93-95	93-95	93-95	93-95	93-95	93-95				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		915	992	16.2	5.26	2.46	1.42				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2156	1349	361.7	247.9	202.9	184.7				
DRIFT	MCF	3.33	2.97	2.58	2.39	2.31	2.28	100			
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA line thru d.h. 21+22

LINE 22, HALF _____, SP. _____, a = 50', BEARING 92° W.S.N

SENDER STA. _____ = ELECTRODE No. _____, DATE 1/14/81

HEINRICHS GEOEX

SEND		87-89	85-87	83-85	81-83	79-81					
RECEIVE		91-93	91-93	91-93	91-93	91-93					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		979	997	174	577	2.03					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	2116	895	410	2463	2086					
DRIFT	MCF	3.33	2.93	2.61	2.40	2.32	169				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thrudh 21+22

LINE 23, HALF _____, SR. _____, a = 2 50, BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/15/81

PAGE 24

HEINRICHS GEOEX

SEND		75-75	75-77	77-79	79-81	81-83	83-85				
RECEIVE		69-71	69-71	69-71	69-71	69-71	69-71				
MULTIPLIER											
PFE		6.5	7.4	4.5							
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		2.07	1.87	3.20	2.81	1.51	1.92				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	48.11	48.79	123.5	132.4	129.7	121.1				
DRIFT	MCF	2.69	~~2.15~~	2.09	2.12	2.10	2.09	1.69			
S. P.			2.18								
NOISE											
POT RES.											
CULT & CMTS											

I. P. Receiver Notes, Job No._____, Area Line thru St's 21+22

Line 22, Half_____, Sp._____, a = 50', Bearing 92° W of N

Sender Sta._____ = Electrode No._____, Date 3/15/81

HEINRICHS GEOEX

Send		85-87	93-95	81-83	79-81	77-79	75-77				
Receive		89-91	89-91	89-91	89-91	89-91	89-91				
Multiplier											
PFE											
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv		824	1012	1202	1407	1623	1821				
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1042	1284	1517	1773	1989	1676				
Drift	MCF	3.29	2.98	2.58	2.36	2.26	2.22	kg			
S. P.											
Noise		I = 400 mA									
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB No. _____, AREA Line thru dks 21+22

LINE _____, HALF _____, SR. _____, a = 5, BEARING 92° W-S N

SENDER STA. _____ = ELECTRODE No. _____, DATE 5/15/81

HEINRICHS GEOEX

SEND		73-83	71-81	79-51	77-79	75-77	73-75				
RECEIVE		87-89	91-89	91-84	87-87	87-89	87-87				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT No.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	2.36	2.97	2.54	2.35	2.30	2.26				
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. Receiver Notes, Job No._____, Area line thru d.h. 21+22

Line_____, Half_____, Sp._____, α = 50°, Bearing 72° W of N

Sender Sta._____ = Electrode No._____, Date 3/15/81

HEINRICHS GEOEX

Send		21-22	19-21	17-19	15-17	13-15	11-13				
Receive		25-27	25-27	25-27	25-27	25-27	25-27				
Multiplier											
PFE											
Cur. (amps)											
Point No.											
Sep. (n)											
H. F. Mv											
Drift											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
Drift	MCF	3.25	2.75	2.38	2.26	2.23	2.19				
S. P.											
Noise											
Pot Res.											
Cult & Cmts											

I. P. RECEIVER NOTES, JOB No. _____, AREA Inc thru dh. 21+22

LINE 23, HALF _____, SR. _____, α = 50°, BEARING 92° W of N

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/15/81

HEINRICHS GEOEX

SEND		79.91	77.79	75.77	73.75	71.73					
RECEIVE		83.85	83.85	83.85	83.85	83.85					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF	3.19	2.66	2.32	2.23	2.20					
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA line thru d.h. 21+22

LINE_____, HALF_____, SP._____, α = 50°, BEARING 92° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 7/15/81

PAGE 345

HEINRICHS GEOEX

SEND		65-67	67-69	69-71	71-73	73-75	75-77				
RECEIVE		61-63	61-63	61-63	61-63	61-63	61-63				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)							1,593				
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	704	706	577	900	761	772				
DRIFT	MCF	2.96	2.23	1.94	1.95	1.90	1.99	109			
S. P.											
NOISE		1.42 mV									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB No. _____, AREA Line thru d&3 21+22

LINE 22, HALF _____, SP. _____, a = 50', BEARING 92° W&S N

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/15/81

HEINRICHS GEOEX

SEND		71-75	73-77	75-77	77-79						
RECEIVE		67-69	67-69	67-69	67-69						
MULTIPLIER											
PFE		5-6	6-7	7-8	8-9						
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		748	2.24	2.07	2.02						
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	1762	2205	1480	1201						
DRIFT	MCF	3.25	2.39	2.16	2.14	69					
S. P.											
NOISE		1-400									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA _____

LINE _____, HALF _____, SR. _____, a = _____, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE _____

PAGE _____

HEINRICHS GEOEX

SEND											
RECEIVE											
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA _____

LINE 22, HALF _____, SR. _____, α = _____, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/81

PAGE _____

HEINRICHS GEOEX

SEND		17.65	19.71	21.77	23.83	25.89	27.95				
RECEIVE		63.65	63.65	63.65	63.65	63.65	63.65				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		255	191	447	1.34	1.01	1.10				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	100	112.9	110.5	99.1	93.2	104				
DRIFT	MCF	2.79	2.12	2.04	1.95	1.94	1.95	1.09			
S. P.											
NOISE			1.47 mA								
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Northern Hills 21+22

LINE 22, HALF_____, SR._____, a = 50', BEARING_____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/16/71

HEINRICHS GEOEX

SEND		27-29	25-27	21-23	21-23	23-25	25-27				
RECEIVE		31-33	29-31	27-29	25-27	27-29	29-31				
MULTIPLIER											
PFE		1-3	1-3	1-3	1-3	1-3	1-3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		5.06	7.40	7.40	7.40	7.40	7.40				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	1192	333.6	1744	1563	1237	1284				
DRIFT	MCF	3.08	2.52	2.24	2.20	2.09	2.14	1.94			
S. P.											
NOISE		1-400									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA L. Hardy

LINE 22, HALF _____, SR. _____, α = 50', BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/71

HEINRICHS GEOEX

SEND		75-77	73-75	71-73	69-71	67-69	65-67				
RECEIVE		77-81	77-81	75-81	73-81	71-81	69-81				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Lisa Flow Pt. 21+22

LINE 22, HALF _____, SR. _____, α = 30°, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/51

HEINRICHS GEOEX

SEND		73-75	71-73	69-71	67-69	65-67	63-65				
RECEIVE		77-79	77-79	77-79	77-79	77-79	77-79				
MULTIPLIER											
PFE		6-7	5-6	4-5	3-4	2-3	1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		545	217	5.20	2.93	1.26	1.60				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c			122.5							
3.0 MV	$\rho/2\pi$	312.9	204.5	122.5	139.1	108.9	98.1				
DRIFT	MCF	2.91	2.31	2.09	2.14	2.02	1.45	bg			
S. P.											
NOISE		I=400 μA									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Lee Hendrix 21122

LINE _____, HALF _____, SR. _____, a = _____, BEARING _____

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/16/21

PAGE Re-6

HEINRICHS GEOEX

SEND		21-22	20-21	17-19	15-17	13-15					
RECEIVE		75-77	75-77	[illegible]-77	75-77	29-72					
MULTIPLIER											
PFE											
CUR. (AMPS)		5-6	4-5	3-4	2-3	1-2					
POINT NO.											
SEP. (n)											
H. F. MV		1.5	15.7	10.7	2.17	1.06					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$	4773	1490	1130	1023	211					
DRIFT	MCF	2.68	2.17	2.16	2.01	1.94 log					
S. P.											
NOISE		+.400									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru Sh 21+22

LINE 22, HALF _____, SP. _____, α = 50', BEARING 92°W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/15/81

PAGE 249

HEINRICHS GEOEX

SEND		67-69	69-71	71-73	73-75	75-77	77-79				
RECEIVE		63-65	65-67	63-65	65-67	65-67	63-65				
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SER. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE		I=400 mA						See Remarks			
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line 1400 dl's 21-22

LINE 22, HALF_____, SP._____, a = 50', BEARING 92° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 3/15/81

HEINRICHS GEOEX

SEND		69-71	71-73	73-75	75-77	77-79					
RECEIVE		65-67	65-67	65-67	65-67	65-67					
MULTIPLIER											
PFE		4-5	5-6	6-7	7-8	8-9					
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		1.76	1.49	4.64	12.19	1.21					
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE			I-400 MA								
POT RES.											
CULT & CMTS											

K.I done

I. P. RECEIVER NOTES, JOB NO. _____, AREA Jinc Hee Ab. 21x22

LINE 22, HALF _____, SP. _____, a = 50', BEARING 92° W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 3/15/91

HEINRICHS GEOEX

SEND		77-71	75-77	73-75	71-73	69-71	67-69				
RECEIVE		91-87	89-91	91-93	91-93	81-83	81-83				
MULTIPLIER											
PFE		5-9	7-9	1-7	5-7	4-5	3-4				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT		5.14	6.5	7.48	3.37	1.50					
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE		I 400 nA									
POT RES.											
CULT & CMTS											

Recline
Separate

I. P. RECEIVER NOTES, JOB NO._____, AREA Line Thru d.h.'s 21+25

LINE 23, HALF_____, SR._____, a = 50', BEARING 22° W of N

SENDER STA._____ = ELECTRODE NO._____, DATE 2/15/91

PAGE 253

HEINRICHS GEOEX

SEND		75-77	73-75	71-73	69-71	67-69	65-67				
RECEIVE		79-81	77-79	75-77	73-75	71-73	69-71				
MULTIPLIER											
PFE		7-4	6-7	5-6	4-5	3-4	2-3				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		520	2.61	1.47	2.91	1.87	1.29				
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE		T-400mV									
POT RES.											
CULT & CMTS											

transpose w/ 1+3 wrong reading 2+6 re-4

I. P. RECEIVER NOTES, JOB NO. _____, AREA Line thru d.h.'s 21-22

LINE 22, HALF _____, SR. _____, a = 50', BEARING 22°W of N

SENDER STA. _____ = ELECTRODE NO. _____, DATE 7/15/51

PAGE 254

HEINRICHS GEOEX

SEND	72-75	71-72	69-71	67-69	65-67	63-65				
RECEIVE	77-79	77-79	77-79	77-79	77-79	77-79				
MULTIPLIER										
PFE	6.7	5.0	4.5	3.0	2.1	1.2				
CUR. (AMPS)										
POINT NO.										
SEP. (n)										
H. F. MV	3.20	2.27	5.27	2.99	1.93	1.70				
DRIFT										
1.0 PFE K_n/1000										
0.3 PFE ρ_{CAL}										
0.1 PFE PFE_c										
3.0 MV $\rho/2\pi$										
DRIFT MCF										
S. P.										
NOISE	7-400 μv									
POT RES.										
CULT & CMTS										

I. P. RECEIVER NOTES, JOB No. _____, AREA line thru dl. 21+23

LINE 22, HALF _____, SR. _____, a = 50, BEARING 22° W of N

SENDER STA. _____ = ELECTRODE No. _____, DATE 3/15/81

PAGE 25

HEINRICHS GEOEX

SEND		71-73	69-71	67-69	65-67	63-65					
RECEIVE		75-77	75-77	75-77	75-77	75-77					
MULTIPLIER											
PFE											
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV											
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_C										
3.0 MV	$\rho/2\pi$										
DRIFT	MCF										
S. P.											
NOISE		E-40mV									
POT RES.											
CULT & CMTS											

I. P. RECEIVER NOTES, JOB NO._____, AREA Line 20 (from 6+20 _____

LINE 20, HALF_____, SP._____, a = 25', BEARING F-W _____

SENDER STA._____ = ELECTRODE NO._____, DATE 3/78 _____

PAGE 18

HEINRICHS GEOEX

SEND		97-98	89-88	84-80	80-81	81-82						
RECEIVE		85-86	85-86	85-86	85-86	85-82		85-84				
MULTIPLIER												
PFE												
CUR. (AMPS)												
POINT NO.												
SEP. (n)												
H. F. MV												
DRIFT												
1.0 PFE	K_n/1000											
0.3 PFE	ρ_{CAL}											
0.1 PFE	PFE_c											
3.0 MV	$\rho/2\pi$											
DRIFT	MCF											
S. P.												
NOISE												
POT RES.												
CULT & CMTS												

I. P. RECEIVER NOTES, JOB NO._____, AREA E-W Line Head GH20

LINE 20, HALF_____, SP._____, a = 25, BEARING E-W

SENDER STA._____ = ELECTRODE NO._____, DATE 2/11/01

HEINRICHS GEOEX

SEND		89-99	89-90	90-91	91-92		55-99	89-00			
RECEIVE		86-87	86-87	86-87	86-87		86½-87½				
MULTIPLIER											
PFE		3-4	4-5	5-6	6-7		1-2				
CUR. (AMPS)											
POINT NO.											
SEP. (n)											
H. F. MV		225	249	223	209		2230	241	249		
DRIFT											
1.0 PFE	K_n/1000										
0.3 PFE	ρ_{CAL}										
0.1 PFE	PFE_c										
3.0 MV	$\rho/2\pi$	2.27	2.47	1104	1240		1.27	1.43			
DRIFT	MCF										
S. P.											
NOISE											
POT RES.											
CULT & CMTS											