CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
3550 N. Central Ave, 2nd floor
Phoenix, AZ, 85012
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the Walter E. Heinrichs, Jr. Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

Prospects

Well

Spring

Ripsey

JEEP TRAIL

R-HM-9

R-HM-8

Spring

R-HM-10

R-HM-12

R-HM-11

R-HM-13

R-HM-15

R-HM-14

R-HM-16

R-HM-1

R-HM-2

R-HM-3

R-HM-4

R-HM-5

R-HM-6

R-HM-7

Check location in field to see if No. 2988 X

Check location at ± 1/2 Line

Wash

Ripsey Wash

Ripsey Hill 3570

Ripsey Hill 3920

Old Ripsey Mine

DIVIDEND 1261-A

EXTENSION 1261-A

NORMAN NO. 1 1261-A

BADGETT DH #2 X 3476

Drill Hole #3

FIELD COPY
10/9/68
SEVERO CHAVEZ

R-HM indicates recon heavy metals (No results yet)
A-1 indicates sample #
20 " Cu p.p.m.
6 " Mo "
10 " Zn "
150 " Pb "

Geochem SKETCH
9-6-68



~~Etc~~

Corners found & flagged

Private surface only

PP — state Mineal leased

Private (fee simple)

state - surface only

state Mineral

Salas & Associates Claims

— Badgett Rip claims

Prospects

Well

3238

PP

Freeport Exploration

3476

3079

Spring

JEEP

Ripsey

TRAIL

T 1 S R 1 E

Tortilla

3425

Badgett

3231

Spring

3274

Wash

3330

3339

3400

3240

3010

2988

3550

Ripsey Hill

3570

16
15
15
14
13
15
14
13
22
23
24
Old Ripsey Mine
Ripsey Wash
Ripsey Hill
3200
3400
3476
3316
3347
3677
3764
3600
3300
3320
3360
3920
3800
3283
3397
3806
3440
3282
3414
3280
3861
3408
3241

R. 13 E.

T. 5 S.

R. 13 E.

EXPLANATION

- P.P. — STATE MINERAL PROSPECTING PERMIT
- STATE MINERAL (OPEN ?)
- STATE SURFACE ONLY
- EXT. — PATENT MINING CLAIM
- 10 — UNPAT. MINING CLAIM WITH LOCATION MONUMENT
- SURVEY PT. HORIZONTAL CONTROL +/- 1.0' ACCURACY FOUND IN FIELD
- 10 — UNPAT. MNG. CLAIM WITH SECONDARY RIGHTS
- DH — DRILL HOLE LOCATION
- PUBLIC DOMAIN OPEN FOR PROSPECTING
- PRIVATE SURFACE & MINERAL
- I.P. LOCATION
- I.P. LOCATION & ANOMALISM
- GEOCHEM ANOMALISM

AURORA, WEST RIPSEY, BLUE BOY } SALAS et AL CLAIM'S

RIP BADGETT CLAIMS

HEINRICHS
GEOEXPLORATION COMPANY
POST OFFICE BOX 5671, TUCSON, ARIZONA, 85703
Phone: 602/623-0578 Cable: GEOEX, Tucson
geophysical engineers
vancouver
sydney

COMPOSITE

RIPSEY PROJECT
PINAL COUNTY, ARIZONA

FOR
RUSSELL BADGETT, JR.

SCALE 1" = 2000' | DRAWN BY EGH | DATE 6-7-68

R. 13 E.

T. 5 S.

FREEPORT P.P.

BADGETT P.P.

AURORA

WEST RIPSEY

BLUE BOY

RIPSEY HILL

DIVIDEND EXT.

NORMAN

Old Ripsey Mine

Claims to be conveyed & held

Proposed DDH 3

RIP

R. 13 E.

EXPLANATION

- STATE MINERAL PROSPECTING PERMIT
- STATE MINERAL (OPEN ?)
- STATE SURFACE ONLY
- PATENT MINING CLAIM
- UNPAT. MINING CLAIM WITH LOCATION MONUMENT
- SURVEY PT. HORIZONTAL CONTROL +/- 1.0' ACCURACY FOUND IN FIELD
- UNPAT. MNG. CLAIM WITH SECONDARY RIGHTS
- DRILL HOLE LOCATION
- posts in as of 9-24-68
- " to be set 9-24-68
- AREA to be maintained while drilling is in progress. Drill Holes or pits need to be completed
- SALAS Claim Group
- Claims to be held by DH-3
- Public Domain OPEN FOR PROSPECTING
- PRIVATE SURFACE & MINERAL
- I.P. LOCATION
- I.P. LOCATION & ANOMALISM
- GEOCHEM ANOMALISM

AURORA, WEST RIPSEY, BLUE BOY } SALAS et AL CLAIMS

RIP

BADGETT CLAIM

HEINRICHS GEOEXPLORATION COMPANY

POST OFFICE BOX 5671, TUCSON, ARIZONA, 85703

Phone: 602/623-0578 Cable: GEOEX, Tucson

geophysical engineers — vancouver, sydney

COMPOSITE

RIPSEY PROJECT
PINAL COUNTY, ARIZONA

FOR

RUSSELL BADGETT, JR.

Rev. 9-25-68

SCALE 1" = 2000' | DRAWN BY EGH | DATE 6-7-68

Copy sent Badgett 9-25-68

R. 13 E.



R. 13 E.

EXPLANATION

- P.P. — STATE MINERAL PROSPECTING PERMIT
- STATE MINERAL (OPEN ?)
- STATE SURFACE ONLY
- EXT. — PATENT MINING CLAIM
- 10 — UNPAT. MINING CLAIM WITH LOCATION MONUMENT
- SURVEY PT. HORIZONTAL CONTROL +/- 1.0' ACCURACY FOUND IN FIELD
- 10 — UNPAT. MNG. CLAIM WITH SECONDARY RIGHTS
- DH — DRILL HOLE LOCATION
- PUBLIC DOMAIN OPEN FOR PROSPECTING
- PRIVATE SURFACE & MINERAL
- I.P. LOCATION
- I.P. LOCATION & ANOMALISM
- GEOCHEM ANOMALISM

AURORA, WEST RIPSEY, BLUE BOY } SALAS et AL CLAIMS

RIP — BADGETT CLAIMS

N

HEINRICHS GEOEXPLORATION COMPANY
POST OFFICE BOX 5671, TUCSON, ARIZONA, 85703
Phone: 602/623-0578 Cable: GEOEX, Tucson
geophysical engineers
vancouver sydney

COMPOSITE

RIPSEY PROJECT
PINAL COUNTY, ARIZONA

FOR
RUSSELL BADGETT, JR.

SCALE 1" = 2000' | DRAWN BY EGH | DATE 6-7-68

IN THIS AREA GROUP OF CLAIMS LOCATED BY FILMORE HIDKILA?

NEW DAWN GROUP
LOCATED BY RAY SHINN, JOE LOPEZ
& THERESA MEJIA
FROM SUPERIOR, ARIZ

THIS CLAIM COR. 60 LINKS 053 WITH 1/4 COR

STATE LAND

Plat of Three Groups of
Lode Mining Claims
West Ripsey Nos 1 thru 45
Blue Boy Nos 1 thru 46
Aurora Group Nos 1 - 14

Located in Ripsey Mining District
Pinal County, Arizona
In Sections 9, 10, 11, 13, 14, 15, 22
23 and 25, T 5 S, R 13E and overlapping Sec. 16

Scale: 1" to 600 ft.

° Location Mon.

. Claim corners

D.H. Location Drill Holes

_Plat by Frank Sales, Sr.
Oracle, Arizona

R 13 E

10

11

15

14

DH-2

DH-1

N

EXPLANATION

- Recent Alluvium
- Laramide Intermediate Dikes
- Precambrian-Cambrian Diabase
- Older Precambrian Granite
- Mineralized Faults & Fractures
- Post-Mineral Fault
- Tectonic Breccia
- Zone of Significant Hydrothermal Alteration
- Diamond Drill Hole

WEST RIPSEY GROUP
Ripsey Mining Dist. Pinal Co.
ARIZONA
Frank F. Salas. Oracle, Ariz.
Mapped by
RAY STAUFFER for AMAX

Prospects
Well
JEEP
3248
Donelly
Spring
Ripsey
TRAIL
Spring
Tortilla
3425
Wash
JEEP
TRAIL
Ripsey Hill
3570
Old Ripsey Mine
Ripsey Wash
Ripsey Hill
3920
3764
3283
3282
3414
3397
3806
3861
3837
3856
3426
3393
Ripsey
Ranch
(Ruins)
Tank
Tank
T. 10 S.
R. 17 E.
T. 10 S.
R. 18 E.

2955

QUAD 364 GS-CV
SCS

2910

QUAD 342
SCS

2911

QUAD 364 GS-CV
SCS

BADGETT - RIPSEY

DIAMOND DRILL HOLES

PINAL COUNTY - ARIZONA

KEARNY QUAD

T. 5 S. R. 13 E S. ½ SEC. 11

N

VERT SCALE: 1"=100'

HORZ. SCALE: 1"= 500'







PORPHRYTIC GRANITE

DIABASE

GRANODIORITE & QTZ MONZANITE

CRSE & FINE GR. GRANITE

DIORITE

INTRUSIVE (ANDESITE?)

CONGLOMERATE

SULFIDE CONCENTRATION (visual Estimate)

TRACE

TO ½%

½% TO 1%

HEINRICHS
GEOEXPLORATION COMPANY
POST OFFICE BOX 5671, TUCSON, ARIZONA, 85703
Phone: 602/623-0578 Cable: GEOEX, Tucson
vancouver
sydney
geophysicists engineers

N

1" = 500'

Gauntlet Creek

LINE 2

LINE 3

LINE 4

LINE 5

PP #2 (est.)

PP #1 Gr.

PP #2 Gr.

for
R.B. Baigent M.D.
T.P. Survey
Ripsey Area
S. B. - 2

K+E STANDARD ⊗ CROSS SECTION
10×10 TO THE INCH

KEUFFEL & ESSER CO.
MADE IN U.S.A.

① Fd. 1/4 cor 11/19 (3' W. of Fn.)

② 1/4 cor to 500 N.E / Line 2 Elev. S 28° E

③ Occ 500 NE / Line 2 Bearing to 500 SE / L 4 N 30° E

④ Ed L.4 Sta 0+00

R. 13 E.

Prospects

Well

FREEPORT P.P.

BADGETT P.P.

Ripsey

TRAIL

Spring

Tanks

JEEP

NEED SAMPLES

AURORA

WEST RIPSEY

M.M.

DH

DIVIDEND

NORMAN

Old Ripsey Mine

Ripsey Hill

BLUE BOY

T. 5 S.

R. 13 E.

MANNER FUDGE ROAD

EXPLANATION

- P.P. — STATE MINERAL PROSPECTING PERMIT
- STATE MINERAL (OPEN ?)
- STATE SURFACE ONLY
- PATENTED MINING CLAIM
- UNPAT. MINING CLAIM WITH LOCATION MONUMENT
- SURVEY PT. HORIZONTAL CONTROL +/- 1.0' ACCURACY FOUND IN FIELD
- UNPAT. MNG. CLAIM WITH SECONDARY RIGHTS
- DH — DRILL HOLE LOCATION
- PUBLIC DOMAIN OPEN FOR PROSPECTING
- PRIVATE SURFACE & MINERAL
- I.P. LOCATION
- I.P. LOCATION & ANOMALISM
- GEOCHEM ANOMALISM

AURORA, WEST RIPSEY, BLUE BOY } SALAS et AL CLAIMS

RIP — BADGETT CLAIMS

Pioneer on Geochem 775 S.W. Assayers

550 x 1450 ?

HEINRICHS GEOEXPLORATION COMPANY

POST OFFICE BOX 5671, TUCSON, ARIZONA, 85703

Phone: 602/623-0578 Cable: GEOEX, Tucson

geophysical engineers — vancouver, sydney

FIELD COPY 10/9/68

COMPOSITE

SEVERO CHAVEZ

RIPSEY PROJECT

PINAL COUNTY, ARIZONA

FOR

RUSSELL BADGETT, JR.

SCALE 1" = 2000' | DRAWN BY EGH | DATE 6-7-68

P.P. STATE MINERAL - LEASED

STATE Mineral open for leasing?

" Surface Only

Federal (open for unpatented claims)

Private (Fee Mineral Simple)

Private Surface Only

SALAS & ASSOC. CLAIM GROUP (Note Boundary approximate to be surveyed @ later date*)

Note Revise location Ripsey Mine group
Location now approximate.

Prospects

Well

JEEP

Spring

Ripsey

TRAIL

T 1 S R 10 E

3238

P.P.
Freeport Exploration

3476

3079

3425

Tortilla

P.P.
BADGETT

3231

Spring

3274

3208

Wash

3330

3339

3400

3240

RIP 1

RIP 2

RIP 38

RIP 39

RIP 19

RIP 20

RIP 5

Copper King III
Hawkeye Fraction
Reg. of Claims

3010

2988

3550

Ripsey Hill
3570

Mound of Stones

16
15
15
15
14
14
13
13
22
23
24
Old Ripsey Mine
Ripsey Hill
3920
3764
3677
3316
3347
3476
3400
3300
3320
3200
3600
3360
3283
3397
3806
3282
3414
3440
3861
3241
3406
3680
3400
3200
3280
U.S.C.M. 3383
PATENTED PURCHASE FROM STATE
NEW DAWN GROUP
ROY SMITH
JOE LOPEZ
THERESA MEJIA
SUPERIOR, ARIZ.
P.P.
Bridgett
Ripsey Wash
T. 13 E.

Pinal County

UNIVERSITY OF ARIZONA
ARIZONA BUREAU OF MINES
J. D. FORRESTER, DIRECTOR

From the desk of -
E. GROVER HEINRICHS

GEOLOGIC MAP
OF
PINAL COUNTY, ARIZONA

PREPARED BY THE

ARIZONA BUREAU OF MINES
UNIVERSITY OF ARIZONA
TUCSON, ARIZONA

BY

Eldred D. Wilson and Richard T. Moore, Ariz. Bureau of Mines,
with additional data from maps by L. A. Heindl and S. C. Creasey,
U. S. Geol. Survey, and others.

Base materials furnished by U. S. Geol. Survey.

Scale $\frac{1}{375,000}$

10 0 10 20 30 Miles

10 0 10 20 30 Kilometers

Contour interval 500 feet
datum is mean sea level

1959

Speedway & Wilmot

INDEX MAP OF ARIZONA
Showing Location of Pinal County.



Map showing sources of geologic data.



- Creasey, S.C.; U.S. Geol. Survey
- Darton, N.H.; U.S. Geol. Survey
- Hargraves, R.B.; Newmont Expl. Ltd.
- Heindl, L.A.; U.S. Geol. Survey
- Heindl, L.A. and others; U.S. Geol. Survey
- Mayo, E.B. and others; Univ. of Ariz.
- Moore, R.T.; Ariz. Bur. Mines
- Peterson, N.P. and Peterson, D.W.; U.S. Geol. Survey
- Ransome, F.L.; U.S. Geol. Survey
- Ross, C.P.; U.S. Geol. Survey
- Short, M.N. and others; Univ. of Ariz.
- Wilson, E.D.; Ariz. Bur. Mines.
- Wilson, E.D. and Moore, R.T.; Ariz. Bur. Mines
- Wilson, E.D. and O'Haire, R.T.; Ariz. Bur. Mines



1"=6 mi

EXPLANATION

SEDIMENTARY ROCKS

- **Qs** — **Gravel, sand, and silt**
- **QTs** — **Silt, sand, and gravel.**
- **Ts** — **Sand, gravel, and conglomerate.**
- **TKs** — **Sandstone, shale, and conglomerate** *Includes some volcanic rocks.*
- **Ks** — **Shale, quartzite, and limestone**
- **CDl** — **Carboniferous and Devonian limestone, shale, sandstone, and quartzite**
- **Cr** — **Bolsa and Troy quartzites and Abrigo and related limestones.**
- **Au** — **Apache group** *Mescal limestone, Dripping Spring quartzite, Barnes conglomerate, Pioneer shale, and Scanlan conglomerate. Locally includes some Cambrian Troy quartzite.*

METAMORPHIC ROCKS

- **sch** — **Schist**
- **gr** — **Granite gneiss**

IGNEOUS ROCKS

- **Qb** — **Basalt** *Locally includes tuff and agglomerate.*
- **Qi** — **Dikes and plugs** *Mainly basaltic in composition.*
- **QTb** — **Basalt** *Locally includes tuff and agglomerate.*
- **Ti** — **Dikes and plugs**
- **Tr** — **Rhyolite**
- **Td** — **Dacite**
- **Ta** — **Andesite**
- **Lgr** — **Granite and related crystailine intrusive rocks**
- **Ka** — **Andesite** *Locally includes tuff and agglomerate.*
- **Ab** — **Diabase**
- **df** — **Diorite porphyry**
- **gr** — **Granite**

SYMBOLS

- Contact, showing dip
- Fault, showing dip *Dashed where approximately located* U, *upthrown side;* D, *downthrown side*
- Thrust fault (T, upper plate)
- Axis of anticline
- Axis of syncline
- Strike and dip of beds
- Strike of vertical beds
- Mine

QUATERNARY		
TERTIARY	LARAMIDE	
CRETACEOUS		
CAMBRIAN CARBONIFEROUS AND DEVONIAN		
YOUNGER PRECAMBRIAN	YOUNGER PRECAMBRIAN TO TERTIARY	
OLDER PRECAMBRIAN		

B-262-68
MOULINET
HEINRICHS
MAY-29, 1968
TR. MK. REG. U.S. PAT. OFF.

TRANSIT – STADIA
CONTROL LINE (N-S)

• BACK SIGHT ON HILL NO. 1

4 | 3
9 | 10

9 • 90 1/4 COR

@	B.S.	STADIA DIST.	FS, R.I	VERT L	HOR. DIS
4 | 3 / 9 | 10	No. 1	2.50 / 5.00	T.P.1	2° 47' 45"	
			500.00 / 1.20 / 498 80		498.8
TP.1	4 | 3 / 9 | 10	1.80 / 2.30 / 5.10	TP.2	1° 11' 00"	
			560.00 / 24 / $59 76		559.76

PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILA., PHIA. PA. 1917

89°
4.90
4.0°

840
45°
390

14500
1058.6
391.9

498.8
559.8
10586
390
1448.6

T@	BS	ST.	FS	RI	V∠	H∠	DIST
TP2	TP1	390	TP3	840 450 390	0		390 ±1

TR.MK. REG. U.S. PAT. OFF.

At	BS	R.I.	FS	Left	Horiz Dist	Accum
						1498.6
TP-3	See con	3:2 1.8 1.4 ½	TP-4	0	280	1728.6
TP-4		8.6 2.0 6.6	TP-5	1°00'	660	2388.6
TP-5		11.45 9.00	¼ cock 9/10	0	245	2633.6
TP-5			TP-6	88°47'40"		2768.6
		6.8 3.0 3.8				
TP-6		9.0 9.00 .05 ½ 130	TP-7	7°22'	128	2896.6



PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA. 19

TR.MK. REG. U.S. PAT. OFF.

TP	BS	RI	FS	VERT ∠	HOR DIS	ACCUM
TP7	TP6		RIP38		270	270
	∠ 90° EAST		39			
	6.35					
	1/2 = 5.00					
	1.35					
	2					
	2.70					
RIP38	7.25	RIP37				820
39	4.50	40				
	2.75					
	1/2 2					
	5.50					
RIP37	12.75	RIP36				1370
40	10.00	41				550
	2.75					920
	1/2 2					
	5.50					
RIP36	10.75	RIP35				1920
41	8.00	RIP42				
	2.75					
	1/2 2					
	5.50					
RIP35	13.50	TP15		271° 41' 20"		2620
42	10.00	1				
	3.50					
	1/2 2					
	3.50					

PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA. 1918

550
5
2750
275
3025

700
500
220
440

2620
150
2470
400
2870

91
82
90

550
5
2750
275
3025

3020
90
3110
250
3360
190
3550

250
90
340

550
340
210

6 3/4 W x 10 1/2 L
7 1/2 H

TR.MK. REG. U.S. PAT. OFF.

TO	BS	RI	FS	Vert	Hor Dis	Accum
TP 15	TP 7	1.50	RIP 31 43	-0	150	2470
TP-15	TP-7	7.05 5.00 2.05 2 4.10	RIP 33 44		40ft -8	3920 ~~3912~~
RIP 33 44	TP 7	9.1 8.2 90	TP 25		90	3110
TP 25	TP 7	1.00 2.50 2.50	TP 35	-0	250	3360
TP 35	TP 25	10.30 8.40 1.90	TP 45	-0	190	3550
TP 45						

FD POST 4x6

TP 45 — TP 35

256° 25' 30"

5'20
3'90
1'30
35
1265

99 12 20
90
9 12 20

126.5'

COPYRIGHT LEFAX, PHILADELPHIA, PA 19103 IN U.S.A.

$$\begin{array}{r} 3570 \\ 556 \\ \hline 3126 \end{array}$$

$$\begin{array}{r} 3550 \\ 556 \\ \hline 4106 \end{array}$$

$$\begin{array}{r} 3570 \\ 550 \\ \hline 4120 \end{array}$$

$$\begin{array}{r} 3550 \\ 880 \\ \hline 4430 \end{array}$$

$$\begin{array}{r} 3550 \\ 1100 \\ 20 \\ \hline 4670 \\ 4930 \\ \hline +240 \end{array}$$

TR.MK. REG. U.S. PAT. OFF.

At	BS	RI	FS	Vert ∠	Hor Dis	Acc
TP45	TP35	CHAIN 20' TO	RIP 32 45			3570
TP45		12.80 / 1.00 / 280 / 2 / 560 / 4 / 556	TP55	4° 43'	556	4106
No SETUP Here ↙						
TP55		CHAIN 14' EAST TO	RIP 31 46			
TP48		9.40 / 5.00 / 4.40 / 2 / 8.80	TP65		880	4430
TP65		3.40 / 1.00 / 2.40	RIP 30 47		240	4670

PRINTED IN U.S.A.

LEFAX, PHILADELPHIA, PA. 19102

COPYRIGHT

620 10
500
120 2

290 9
236 4

276

4670
550
5220
4943
277

269 59 60
266 52 20
3 3 40

5220
550
5770
5312
458

236
40
276

4430
513
4943

550 9
4950
270
5220

5220

4943
277
5220

4943
369
5312

TR.MK. REG. U.S. PAT. OFF.

BS R.I FS VOLTZ Hor

TP6 760 500 TP7 1/2 260 2 52° 276° 50' 270 6°50' 513 4943

3:30 PM

TP.7

6:00 PM

98993

TUES 8:45

TP.7 TP45 570 300 280 R.ip29 98 5°15' 277 5220

TP75 670 300 370 TP-85 266 50 20 369 5312

TP.8 R.ip29 98



PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA. 19132

269 60
204
5.46

6320
550
6870
550
7420

780
500
280
2
560

269 59 60
264 23 30
5.36
150
150
150
7

269 59 60
265 38 30
4 21 30

269 60
266 29
3

730
500
230
2
460

5312
458
5770

5770
550
6320
550
6870

5312
830
6142
178
6320

6320
6142
178

269 59 60
259 06 05
10 53 55

6142
984
7126

6142
728
6870

6142

6870
6642
728

TR.MK. REG. U.S. PAT. OFF.

At	BS	R.I	F.S	VERT L	Hor	
~~TP 85~~		7.80 5.00 2.80 2 5.60		3° 18'	558	
TP85	TP75	7.30 5.00 1/2 2.30 2 4.60	RIP 28 49	3° 31'	458	5770
TP85	TP75	13.30 5.00 8.30	TP95	LEVEL	830	6192
TP95	TP75	6.00 5.00 1.80	RIP 27 50		173 + 5 CH 178	6320
TP95	TP75	8.30 1.00 7.30	RIP 26 51 ~~TP 105~~	2° 23' 30" 5° 36' 30"	723 + 5 CHAIN	
TP95	TP75	1.95 5.00 1/2 4.95 2 9.90	TP 105	265° 35' 30"	728 984	6870 7126

PRINTED IN U.S.A.

COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

269 60
241 32
28 06

269 60
255 20
14 40

7126
215
7341
79
420

7420
7341
79

7420
550
7970
7341
629

550
79
629

485
200
685

545
200
635

7341
639
7975
5
7970

7970
550
8520
8469
51

272
242 20

8520
545

7341
1128
8469
51
8520
550
9070

269 59 60
259 09 20
1550 40

TR.MK. REG. U.S. PAT. OFF.

TO	BS	RI	FS	VER ∠	HOR	AOC
TP 105	~~FP~~ RIP 26/51	1.30 / 10.00 / 2.30	TP 115	255 20'	215	7341
TP 115	TP 105	1.05 RIP 25/52			79	7420
		FOUGE LINE 125' ± 0				
		BEARING S 70° E				
TP-115	TP 105	6.35 RIP 24/53		2° 05'	634	
					− 5. CHAIN	
					629	7970
TP 115	TP 105	10.69 / 5.00 / ½ 5.69 / 2 / 1130	TP 125	212° 49' 20"	1128	8469
TP 125		780 / 500 / 280 / 520 / 17 / 545	[redacted] RIP 23/54		+51	8520
RIP 23/54				254° 09' 20"		
			TP 135	545		9065
		TO RIP 22/55	CHAIN	5'		9070
		50' ± WEDGE WASH (RIP 55)				

PRINTED IN U.S.A.
COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

265
2
5 5

5280
5280
10560

9065
555
9620

9065
1100
10,165
9912
253

625
200
425

9065
847
9912
253
10165

847
555
292

269 5960
260 4820
9 1140

550
9
4950
4950
9900
275
10,175
210
10,445

253
275
528
9912
10,440

165
500
265
100

TR.MK. REG. U.S. PAT. OFF.

@	BS	R.I.	Fs.	Vert ∠	Horiz.	Acc
TP135	RIP 23/59	7.80 / 5.00 / 2.80 / 5.60	RIP 24/56	273 11 30	558 − 3 = 555	9065 / 9620
TP135	FIP 23/59	10.60 / 2.00 / 8.60 / −.13 = 8.47	TP145	276 55 10	847	9912
TP145	½	130 / 260 / −6 / 254	RIP 20/57	260 48 20	253	10,165
TP145 TP		7.65 / 5.00 / 2.65 / 2 = 5.30		3° 34'	528 / 253 / 275	10,440
		106 13 10 / 140		90° 5'	278 / 263	

PRINTED IN U.S.A.

COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

2 ll

5 5 0
5 5 0
2 7 5
5 7 7 5

4125
3908
217



550
9
4950
275
5225

5240

275



TR.MK. REG. U.S. PAT. OFF.

550

T@ BS RI

Rip 1 275X

550

2 825 ✓

550

3 1375 ✓

550

4 1925 ✓

550

5 2475 ✓

550

6 3025 ✓

550

7 3575 ✓

550

8 4125 ✓

550

9 4675 ✓

550

5225 ✓

550

5775 ✓

550

6325

PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA. 19132

905 825
500 220
410 1045
820 330
1375
270
1645
280
1925
550
2475

TRIM MARK OFF.

JUNG 7

T@	BS.	R.I.	F.S.	VERT	HOR.	ACC.
¼C 11-12 ~~T22~~						
	BRUNTON		TP22			
	BEARING			~~TP23~~		
	SOUTHERLY					
		618				
		~~400~~				
		210				
		~~265~~			~~255~~	
		~~10~~			+ 5	
		255			260	
		3				
		620				
		350		91°48		
		270				
		-11				
		259			259	~~258~~
					+1	
					260	
		~~535~~				
TP22	¼C	500	TP23	10°10'	68	68
		35			260	
		K2			328	
		70				
		-2				
		68				
~~TP23 TP22~~		~~590~~		~~5°42~~	~~288~~	
		~~302~~				
		~~298~~				
		~~5~~				
		~~288~~				

PRINTED IN U.S.A.

COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

207

805
700
105
210

620
500
120
240

260 04

207
68
275

275 RIP
550

207
550
757
745
12

275
745
1020

278 80 49
69
279
270
9

1032 RIP
12
1044
550
1594 at Next Rip

We NEED
562

267 48 59
2011

785
500
285
2
570
-1
569

1020
+ 987
TP25 2007

G 562
550
1112
1020
2132

1375
550
1925

273 01
70
1925
1652

JUNCT

At	B.S.	R.I.	F.S.	VERT.	HOR	Acc
TP23	TP22	805 700 105 x2 210 6 204	RIP75 RIP58	9°55'	204 +3 207 68 275	275
TP23	TP22	880 500 380 2 760 -15 745	TP24	8° 11'	745	~~825~~ ~~1020~~ 813
TP24	TP23	12	RIP74 RIP59	0°	12	825 ~~1012~~
RP24	TP23	780 500 280 2 560 -1 559	RIP73 RAP60	2°11'	559 +3 562	~~1574~~ 1375
TP24	TP23	995 500 495 2 990 3 987	TP25	3°1'	987	1800 ~~2007~~

PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA. 19132

TP 25 = 1800

1375
550
1925 Rip 72-61
550
2475 pip 71 need 675
550
3025 70

1800
675
24 75

560
500
60
2
120

570
500
70
2
140

837
500
337
2
670

270°
258 35
22'

274 56
60 4
20
275

1800
851
2651

315
300
30

270 60
268 36
2 24
3025
2681
344

8° 32'

755
500
255
2
510
23
487

71 60
258 46
12° 14

2681
487
3168

440
344

JUNE 7

TO	B.S.	R.I	FS.	VERT.	HOR	Acc
TP25	TP24	570 500 70 2 140 20 120	RIP72 RIP61	2 2°	120 + 5 125	1925
TP25	TP24	840 500 340 2 680 -6 674	RIP71 RIP62	5°20'	674 +1 675	2475
TP25	TP24	1035 600 435 2 870 -19 851	TP26	8°32'	851	2651 30
TP26	RIP73	315 300 15 2 30	TP27	2°24	30	2681 440 3121
TP27	TP26	510 -	TP28	22°14'	487	3168

PRINTED IN U.S.A.
LEFAX, PHILADELPHIA, PA. 19132
COPYRIGHT



JUNE 7

At	B.S.	R.I.	F.S.	VERT.	HOR.	ACC.
TP27	TP26	390 −50 340	RIP70 RIP63	19°	340 +4 344	3025
TP28	TP27	450 400 50 3 100 19 81	TP29	25°46'	81	3249 830 Δ 074
TP29	TP28	400	RIP69 RIP64	26°31'	326	3575
TP29	TP28	970 500 470 2 940	TP30	19°55'	830	~~4054~~ 4079 Δ 125
TP30		~~46~~ 46	RIP68 RIP65		46	4125
TP30	~~BS~~	830 200 630 −35 595	67 66	13°18'	595 +1 596	4675

PRINTED IN U.S.A.
COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

1225
1400
125

TR.MK. REG. U.S. PAT. OFF.

TP 30 TO ROAD EAST

R.I = 2.50
VERT ∠ = 16°00'
HOR DIS = 2.30



675
500
175 — 103
2
350

PRINTED IN U.S.A.

COPYRIGHT BY LEFAX, PHILADELPHIA, PA. 19132

$$
\begin{array}{rrr}
 & 89 & 59 & 60 \\
- & 89 & 23 & 25 \\
\hline
 & & 36 & 35
\end{array}
$$

$$
\begin{array}{rrr}
 & 89 & 59 & 60 \\
- & 88 & 38 & 55 \\
\hline
 & 1 & 21 & 05
\end{array}
$$

$$
\begin{array}{rr}
 & 269^\circ \quad 60' \\
- & 258^\circ \quad 54' \\
\hline
 & 11^\circ \quad 06'
\end{array}
$$

$$
\begin{array}{rr}
 & 570^\circ \\
- & \cancel{360^\circ} \\
\hline
 & 90^\circ \\
 & 82^\circ \\
\hline
 & 75^\circ
\end{array}
$$

$$
\begin{array}{rrrr}
 & 179 & 59 & 60 \\
- & 119 & 21 & 05 \\
\hline
 & 60^\circ & 38' & 55''
\end{array}
$$

$$
\begin{array}{rrrr}
 & 89 & 59 & 60 \\
- & 60 & 38 & 55 \\
\hline
 & 29^\circ & 21' & 05''
\end{array}
$$

$$
\begin{array}{rrr}
 & 119^\circ & 21' & 05'' \\
- & 90^\circ & & \\
\hline
 & 29^\circ & 21' & 05''
\end{array}
$$

TR.MK. REG. U.S. PAT. OFF.

813
562
375

745
66
813
12
825

823
987
1810

813
987
1800

PRINTED IN U.S.A.

COPYRIGHT BY LEFAX, PHILADELPHIA, PA. 19132

89 59 60
89 00 15
57 45

269 60
268 08
01 52

269 59 60
266 21 20
3 38 40

700
2
3,50

89 59 60
83 44 30
6 15 30

JUNE 1

No	BS.	R.I.	F.S.	VERT	HOR	ACC.
C.P. 2896	HILL	770 500 270 540	C.P.	2°30'	539	3436
C.P.	HILL	975 900 150	NW. 10'	0°	150	3586
C.P.	HILL	840 500 340 680	C.P.	1°	680	4116
C.P.	HILL	518 400 118 236	Rip 126 109	0°	236	4352



PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA 19122

550
275
5

4352
277
4075

550
1375
550
1925
550
2475
550
3025

1300
940
360
120

1500
1000
415
85
415

1500
1165
335
335

1500
1285
275
550

1500
980
520

3025
2725
300

540
540
0

1245
700
545
100

2295
490
1805

1925
370
2295
180
2475

TR.MK. REG. U.S. PAT. OFF.

At	B.S.	R.I.	F.S.	VERT	HOR	ACC
~~RIP~~ CP	HILL	1500 1365 135 270	RIP 126/109	0°	275	275
CP	HILL	1410 1000 410 820	RIP 125/110	0°	820 +5 825	825
RIP 125/110	CP	1500 1225 275 550	RIP 124/111	0°	550	1375
RIP 125/110	CP	1245 700 545 1090	RIP 123/112	0°	1090 +10 1100	1925
RIP 123/112		785 600 185 2 370	TP-1W		370	2295
TP1W	RIP 123/112	109° 100 90 2 180	RIP 122/113	0°	180	2475
TP1W	RIP 123/112	~~845~~ 400 245 2 490	TP2W	0°	490	2785

PRINTED IN U.S.A.

COPYRIGHT © LEFAX, PHILADELPHIA, PA 19107

@	BS.	R.I.	F.S.	VERT	HOR	
TP2N	Rip 123 112	~~250~~ 500 720 240	Rip 121 114	3°	240	-
TP2N.	Rip 123	900 500 400 800	Rip 120 115	2°17'	799 −9 790	3575
Rip 120 115	Rip 121	1275 1001 275 550	Rip 119 116	0°	550	4125
Rip 119 116	120 115	775 500 275 550	Rip 118 117	2°38	549 +1 550	4675
Rip 119 116	120 115	1245 700 545 1090	Rip 127 128	0°	1090 +10 1100	5225

PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA 19139

PRINTED IN U.S.A.
LIGHT LEFAX, PHILADELPHIA, PA 19132

1183

T Moonlight
A Homesteads
B Bridgett
B-262-68
(R) U.S. No. 40 1948

BS. R.I FS. Vert L. Hor. Acc

TRP

CONTROL LINE NORTH



1/4 COR ~~10.55~~ ~~10.00~~ ~~.55~~

12.48
10.00
2.48

9.28
1.00
3.28
2
6.56

980
700
280

1375
1020
355

276
744
1020

267 11

775
215
990
590

275
500
225
2
450

675
900
175
2
350

2750
550
825
550
1375
550
1925

95 40
90
5940

267
690
500
190
2
380

930
500
430
2
860

2°20'

355
550
905

1245
800
445
2
890
889

1455
1000
455
2
910

TR.MK. REG. U.S. PAT. OFF.

At	BS	R.I.	FS	Vert'l	Hor	Acc
CONT POINT 1184-N. of 1/4 9/10						
	1/4 Cor	5.38 4.00 1.38 2 2.76	NEC 108 SEC 91 ~~TPIW~~	~~0~~	276	276
NEC 108 ~~TPIW~~ SEC 91	C.P.	[illegible] 598	107 92	3°	558 -8 550	826
NC 108 SC 91	CP	875 130 745 1 744	TPIW	2°7'	744	1020 908
TPIW	~~108~~ 108 91	350	106 93	5°40'	350 +5 355	1375
TPIW	108 91	1455 1000 455 2 910	105 94	2°22'	910 -5 905	1925

PRINTED IN U.S.A.
COPYRIGHT © LEFAX, PHILADELPHIA, PA 19125

625

1020
829
1849

1100

1925
1849
76

1430
780
650

500
313

1925 105
550
2475
550
2925
550
2575

2475
550
3025
2749
276

3025
2749
276

3025
550
3575
3079
496

3399
3079
320

1500
1410
90

100

550
+76
626

1425
1100
325

313
2
626

2749
2474
275

550
276
274

100
140
240

900
626
274

2475
274
2749
274

1350
190
1160
320

TR.MK. REG. U.S. PAT. OFF.

T@	B.S.	R I	F S	VCR T.L.	Hor.	ACC
		915				
TP1W	108 91	500 415 2 830 -1 829	TP2W	2°21'	829	1849 1020
TP2W	~~R/S~~ 108 ~~91~~ 91	313 2 622	RIP 104 95	0°	626	2475
		550 100 450 2 900				
TP2W	RIP 108 91		TP3W	0°	900	2749 3300
TP3W	RIP 108 91	240 +100 140 280	RIP 103 96	0°	280 -4 276	3025
TP3W	RIP 108 91	665 500 165 2 330	TP4W	2°09'	330	3077 3742
TP4W	RIP 108 91	1350 1190 160 320	TP5W	0°	320	3399 1800
TP5W	TP4W	1500 1410 90 2 180	RIP 102 97	0°	180	3579

PRINTED IN U.S.A.

COPYRIGHT LEFAX, PHILADELPHIA, PA 19122

3579
550
4129

4125
550
4675
4677
550
5225

865
500
365
730

810
500
310
2
620

870
500
370
2
40

3399
727
4116

260
500
260
2
520

5225
4607
618

33
4125
3399
726

845
500
345
2
690

270
260
10

3399
1208
4607

4677

4677
448
25
5125
4677
448

516
5125
4677
450

4677
548
5225

PRINTED IN U.S.A.

JUNE 11

At	BS	RI	FS.	NCRL	Hor	Acc
TP5W	TP4W	865 500 365 730 727	RIP 101/98	3°25	727	4/26
TP5N	TP4W	1105 500 605 1210 1205	TP6W	2°30	~~1208~~ 1208	~~4607~~ 4607
TBAN	TP5N	970 900 70	RIP 100/99	0°	70	4677
TP6W	TP5N	760 500 260 520.	RIP 127/130	0°	520 chain + 100 620	5127 +100 5227

COPYRIGHT LEFAX, PHILADELPHIA, PA 19107

1450
3
4350

4350
2896
1454

2897
539
3436

3436
680
4116

5 2 0
4 0 0
1 2 0
2 4 0

L- 1-N LOC MON CLAIMS 1 — 19 1 76-84

TR.MK. REG. U.S. PAT. OFF.

T@ Sec. Cor	BS	R.I.	FS	Vert L	Hor Dis	Acc
4 | 3 / 9 | 10	1/4 9|10		Loc Rip 1	-0-	275'	275



4 | 3 / 9 | 10	1/4 9|10	915 500 415 2 / 830	Loc Rip 2	-0-	800 15 825 ~~825~~	825
Rip 2	4 | 3 / 9 | 10	610 500 110 2 / 220	TPIN	-0-	220	1045
TPIN	"	1/2 665 500 165 2 / 330	Rip 3	-0-	330	1375
Rip 3		570 300 / 270	TPN	-0-	270	1695

PRINTED IN U.S.A.
LEFAX, PHILADELPHIA, PA. 19132
COPYRIGHT

550
280
830
1645
2475
76

269 59 60
261 41 20
8 18 40
269 59 60
267 46 40
2 13 20

16

1340
500
840

1645
975
2620
2625

1645
1050
595
330
3025

1050
980
70

269 59 60
258 57 50
11 2 10

3575 2
2695
880
550
1430
1220
210

269 60
260 38
9 22

2695
880
3575
550
4125
3810
315

2695
1220
3810

1210
500
710
1420
2695
4115

4125

2695
330
3025
550
3575

TR.MK. REG. U.S. PAT. OFF.

At @	BS	RI	FS	∠	HORIZ	ACCUM
TP2N	1/4 COR	680 400 280	RIP 4	36 19 20 8° 18' 40"	275 + 5 CHAIN 280	1925
TP2N	1/4	1340 500 840	RIP 5	2° 13' 20"	839 - 9 CHAIN 830	2475
TP2N	1/4 COR	~~980~~	1/4 COR	~~0~~	~~980~~	2625
TP2N	1/4 COR	1250 200 1050	TP3N	1° 41'	1050	2695
TP3N		10.40 7.00 3.40	RIP 6	11° 02	328 + 2 330	3025
TP3N		945 500 445	RIP 7	9° 20'	877 13 850	3575
	890 23 867	900 23 877				

PRINTED IN U.S.A.
COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19102

269 60
269 58
5 02

2695
1213
3908
483
4391

4675
4391
284

4391
217
4608

3908
483

4125
3908
217

1213
88
333
3575
3908
483
4391

625
340
325
40
285

289
257
27

269 59 60
250 12 30
19 47 30

TR.MK. REG. U.S. PAT. OFF.

At	BS	RI	FS	∠	Horiz	Accum
TP3N	1220	1110 / 500 / 610 / 2 / 1220 / 7 / 1213	RIP8		1213	3905
				T 217 OH	217	
					4125	
RIP8		495 / 12 / 483	TP4N	9°26'30"	483	4391
						4508
						284
		4391 / 285 / 4676				
32		690 / 400 / 290 / 33 / 257			285 / 1 / 284	
TP4N		625 / 300 / 325 / 40 / 285	RIP9	19°47'	285 / -1 / 284	4675
					55° / 4400 / 275 / 4675	

PRINTED IN U.S.A.
LEFAX, PHILADELPHIA, PA. 19132
COPYRIGHT

Accum

4675
365
5040

5725
5040
5

550
4950
275
5225

4675
365
5040

TR.MK. REG. U.S. PAT. OFF.

TP	BS	RF	FS	∠	HORIZ	ACC
Rip 9	~~4.75~~ ~~4.80~~ ~~4.80~~ 4.65	1165 800 365	~~4.80~~ 4.80 Rec. Cor	2°02'		5040

PRINTED IN U.S.A.

COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

4675
365
5040

284
266
550

4125
25
4675

TR.MK. REG. U.S. PAT. OFF.

PRINTED IN U.S.A.

1/4 COR 5m ~~2650~~ 2625

TP 3N 2695

Rip 6 3025

Rip 7. 3575
550
425

Rip 8 3908
217
4125 217

Rip 8 (Rev) 4125
550

266

TP 4N

Rip 9 4675

783
217
266
284
550

COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

289 19
270
19 14

540
450
532

504
425
915

550
238
788

675
788
1463

349.25
295
644.25
35
675.25
238
913.25

675.25
923
1598.25

~~923~~
675
238
913

1598.25
913.
785.25

RE RUN
LINE BACK TO
RIP-7 - CHECK ERROR

At	BS	RI	FS	∠	Adj 2	Adj 1
Rip 9	SEC COR	7.75 6.00 175 2 350.75		2° 38' 30"	11	349.25
		349.25				
Rip 9	Sec Cor	[redacted]	TPN	19° 14'		
		665 500 165 2 330			29.5'	644.25
TPN	SEC COR	0.35	TPX	LEVER	35	675.25
TPX	Rip 8	~~3.30~~ 3.00 330 580 3.00 280	Rip 8	112 36 30 22 36 30	238'	913.25
TPX	Rip 8	10.30 1.00 930 -7 923	TPY	4° 54' 20"	923	158.25

PRINTED IN U.S.A.
TR.MK. REG. U.S. PAT. OFF.
COPYRIGHT © LEFAX, PHILADELPHIA, PA 19132

730
500
270

460

1598.25
65.00
1663.25

5046
3575
1465

3575
1663.25
5238.25

550
70
480

375

TR.MK. REG. U.S. PAT. OFF.

TC	BS	R.I	FS	∠	Horiz	Acc
~~RIP~~ TPY	~~360°~~	70'	RIP7	14°49'	65	1663.2

TPY RIP7 730 RIP8
500
230
2
460

460
+ 25 CHAIN
485

3575 RIP 7
65
485
4225 RIP 8
550
4675
550
5225

PRINTED IN U.S.A.
COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

535

550

253
230
483

5240
253
5493
230
5723
52
5775

535
483
52

5723
667
6390

632
6325
550
6875

550
52
602

150

7.70
1.50
620

755
1.50
605

8.00
1.85
615

605
17
588

5723
602
6325

615
16
599

5775
602
6377

6325
550
6875
6390
485

JOB# B-262-68

MOULINET
HEINRICHS
BADGETT
HAWKINS

TRADEMARK REG. U.S. PAT. OFF.

JUNE. 6, 1968

T@	BS	RI	FS	VERT	HORIZ	ACC
SECCOR.						5240
3/2 10:11	RIP9	5.80 4.50 1.30 260	TP5N	9°21'	253	5493
TP5N	3/2 10:11	4.15 -3.00 1.15 2.30	TP6N		230 483 52 535	5723
~~TP6N~~			~~RIP10~~	~~+7°43'~~		
TP6N	TP5N	5.55 5.00 55	RIP10	7°93'	50 +2 52	5775
TP6N	TP5N	8.00 1.85 6.15	RIP11	9°15'	599 +3 602	6325
TP6N	~~RIP10~~	8.30 1.50 680 -13 667	TP7N	7°44' 40"	667	6390

PRINTED IN U.S.A.

COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

6390
122
6512

269 - 59 - 60
260 - 47 - 30
9 - 12 - 30

6325
550
6875
-6512
363
+122
485

755
400
355

6512
363
6875

269 59 60
262 32 20
7 - 27 - 40

6875
550
7425
7068
357

269 60 60
265 05
4 55

6512
556
7068

690
310
380
269 60
265 11 00
449

550
13
1650
550
7150
275
7425

269 60 380
263 39 15
6 21 377

JUNE 6

℄ @	B.S.	R.I	F.S.	VER.∠	HOR∠	Acc.
TP7N	RIP10	525 400 125 -3 122	TP8N	9°12′ 30″	122	6512
TP8N	RIP10	770 400 370 6 364	RIP12	7°27′ 40″	364 -1 363	6875
TP8N	RIP10	780 500 280 2 560 -4 556	TP9N	4°55′	556	7068
~~TP7N~~	~~RIP10~~	~~RIP11~~		~~6°22′~~		
TP9N	RIP10	RIP13		6°21′		
		685 315 370 5			~~365~~	

PRINTED IN U.S.A.
COPYRIGHT BY LEFAX, PHILADELPHIA, PA. 19132

TR.MK. REG. U.S. PAT. OFF.





47' 45"

270°

PRINTED IN U.S.A.

COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

7425 680
550 320
7975 360
7683
292
198
94

865
550
315
2
630
15
615

7683
198
7881
5240
2641

7975
550
8525 Rip 15

7975
640
8615

7068
357
7425

279 05
270
9 05

7068
615
7683

600
300
300

750
185
565

369 59 60
363 09 30
6 50 30

8615
8525
90

269 59 60
256 27 30
13 32 30

600
310
290

269 59 60
260 21 40
9 38 20

7683
292
7975

269 59 60
261 21 40
8 38 20

269 59 8
262 55
7

8615
8525

JUNE 6

T@	B.S.	R.I.	F.S.	VER.∠	Hor.	Acc.
TP9N	RIP10	680 − 320 = 360 − 5 = 355	RIP13	6°50'	355 + 2 = 357	7425
TP9N	RIP10	615	TP10N	9°05'	615	7683
TP10N	RIP10	555 − 345 = 210	@ 1/4	13°32	@198	7881
TP10N	RIP10	300 − 8 = 292	RIP14	9°38'	292	7975 − 595 = 2775 − 800 = 1975
RIP14	1/4	565 − 13 = 552	RIP15	8°38	552 + 8 = 550	8525
RIP14	1/4	775 − 450 = 325 − 2 = 650 − 10 = 640	TP11N	7°4'		8615

PRINTED IN U.S.A.
COPYRIGHT BY LEFAX, PHILADELPHIA, PA 19132

8525
550
9075
8615
460

9075 Rip 16
550
9625 Rip 17
9484
141 in Rip 18

9625
550
10175 Rip 18
9484
691

10175
550
10725
10282
443 in Rip

8615
460
9075

269 59
268 47
1012
272 52 45
270

9075
409
9484

385
300
85
160

268

900
500
400
400

269 59
265 35 40
424

252
575
425
150

380
300
80
160

570
500
70 140
500
365
205

94484
798
10282

5280
5240
1520

10282
10520
2

10520
10282
238

TRUARC JUNGE PAT. OFF.

At	B.S.	R.I.	F.S.	VERT'L	HOR.	ACC
TP11N	1/4	720 265 455 -3 452	RIP16	4°24'	452 +8 460	9075
RIP16	1/4	705 500 205 2 410 -1 409	TP12N	2°52'	409	9484 9491
TP12N	1/4	570 500 70 2 140	RIP17 16		140 +1 141	9625
TP12N	1/4	850 500 350 2 700	RIP18 17	1°46' 40'	700 -9 691	10175
TP12N	1/4	900 500 400 2 800 -2 798	TP13N	1°38' 30"	798	10282

3675
60.00
9075

350
11
2200
550
7700

3625
60.00
9625

PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA 19132

443 in Rip 14

10282
243
10525

X20
270
450

269 59
260 02 20
9° 57'

269 59
266 48 00
3 02'
3

10282
443
10725
550
11275 Rip20

10282
760
11042
10725
317

720
550
170
340

10725
550
11275
11042
233

645 625
400 360
245 265

645
400
245

615
380
235

11382
11275
107

550
107
443

TRADEMARK REG. U.S. PAT. OFF.

June 6

At	B.S.	R.I.	F.S.	VERT'L	HOR.	ACC.
TP13N	1/4	588 − 125 = 463; 463 − 220 = 243	~~FS~~ N 9°57′		243	10525
		sec. calc: 2 | 1; 11 | 12				
TP13N	1/4	720 − 275 = 445	Rip 19	3°11′	444 − 1 = 443	~~10725~~ 10725 + 6000 − 9725
			18			
TP13N	1/4	480 − 100 = 380; 380 − 220 = 160	TP14N	0°	760	11042

THIS CLAIM IS LOC. IN SEC. 12

NEW CLAIMS SEC. 12

TP14N	1/4	~~625~~ 370 − 135 = 235	Rip 76	4°21′	234 − 1 = 233	~~11225~~ 11275 + 6000 − 5275
TP14	1/4	720 − 550 = 170 × 2 = 340	TP15	1°	340	11382

760 − 443 = 317

4550 + 6000 − 10550

PRINTED IN U.S.A.
COPYRIGHT © LEFAX, PHILADELPHIA, PA. 19132

11275 RIP 76
107
11382 TPIS

11275
550
11825

11825
550
12375

12375
550
12925
21
12904
12396
5608

11382
443
11825

12040
11825
215

5240
5260
10500
12040
60

12920
12040
680

12040
356
12396

12925

1240
1000
240
2
480

1500
1275
225
2
450

1500

11382
+ 658
12040

550
215
335

12040
10500
1540

680
320
360

67
260

12040
356
12396

556

765
500
265
2
530

273

665
325
340

259 60

675
325
350

59
52

69 56
2642
517

JUNG 6

At	BS	RI	FS	VERT	HOR.	ACC
		1500				
TP15	1/4C	1275	RIP 77	00	443	11825
		225				
		450				
		-7				
		443				
TP15	1/4C	830	TP16	3°3'	~~650~~ 658	12040
		-170				395
		660				
TP16	1/4C	670	RIP 78			
		325		9°43'	335	12,375
		345				
		-10				
TP16	1/4C	680	TP17	9°7'		
		315			356	12396
		~~365~~				569
		365				
		-9				
		356				
~~TP17~~	~~TP16~~	~~730~~		~~5°20'~~		
		~~210~~				12925
		~~560~~				
		~~-4~~				
		~~556~~				
TP17	TP16	530	RIP 79	5°17'	526	12925
		4			+3	
		526			529	

PRINTED IN U.S.A.
COPYRIGHT LEFAX, PHILADELPHIA, PA 19132

12925-79
550
13475-80
12990
485
180
305

12990
180
13170

13475-80
550
14025-81

700
065

7
100
23°02'

13525
575
14100

12396
594
12990

13475
13170
305

770
225
545

13170
535
13705

750
250
500

12990
485
785
210
575

13170
485
13655
525
13475
50

200 59
268 21
68 36
650
45
90

269 59
264 22
5 37
594
327
65

269
251 07 30
18 07

269 59
261 48
8 11

755
240
515

69
261 03
8 50

12990
535
13525

14100
75
14025

TRADEMARK REG. U.S. PAT. OFF.

JUNE 6

T@	B.S.	R.I.	F.S.	VER.∠	HOR.	Acc.
TP17	TP16	800 500 300 2 600 594	TP18	5°37'	594	12990
TP18	TP17	988 800 100 2 200 -20 180	1/4 C	18°7'	180	13170
TP18	TP17	750 250 500 -12 488	RIP80	8°50'	488 -3 485	13475
TP18	TP17	770 225 545 -10 535	TP19	8°11'	535	[illegible] 13529
~~TP20~~ TP20	TP17	~~80~~ ~~-15~~ 75	RIP81	23°15'	75	14025
~~TP19~~ TP19	TP17	785 210 575	TP20	1°38'	575	14100

PRINTED IN U.S.A.
COPYRIGHT © LEFAX, PHILADELPHIA, PA 19132

14025 81
550
14575 82
550
15125 -83
14100
1025

15125

755
245
510

14100
475
14575

550
475

755
245
510

745
260
485

269 59
262 94
7015

1450
1000
450

14100
900
15000

1165
1000
165
2
130

JUNE 6

T@	BS.	R.I	F.S.	VER.∠	HOR.	ACC
		745				
TP20	TP17	260	RIP82	7°15	477	
		485			-2	
		-8			475	14575
		477				
TP20	TP17	900	TP21	0°	900	15,000
TP21	TP17	1165	RIP83	15°2'	120	15125
		1100			+5	
		65			125	
		2				
		130				
			Sec. Cr.			
TP21	TP17		~~Rail~~		334	15334
		700				
TP21	TP17	290	RIP84	8°19'	401	15401
		410				

675
325
350
16
334
Sec. Cr

DISTANCE=

Hor. 17°34'

TP21

TP 17

VERT. 12° 14"

PRINTED IN U.S.A.
COPYRIGHT BY LEFAX, PHILADELPHIA, PA. 19132
15675
42

550
18
4400
550
9900
275
10175

Spring
Ripsey
RM-10
R-RM-10
TRAIL
RM-9
Spring
RM-8
TORTILLA
Tortilla
A-25
3476
3079
3231
3339
3330
3340
3476
3316
3010
2988
3677
3764
3570
3550
3920
3397
3283
3282
3414
3241
3408
3440
3806
3861
A-20
A-19
R-RM-8
A-18
A-17
9¼/10
A-16
CLM-37
A-15
A-14
A-13
A-12
A-11
A-10
A-9
A-8
A-7
A-6
A-5
A-4
A-3
A-2
A-1
L-RM-4
RM-4
RM-5
RM-6
RM-7
LINE ④ 60NW
LINE ⑤ 30NW
LINE ⑥ 30SW
LINE ⑦ 30SW
LINE ② 30SE
LINE ① 30SW
SPREAD
O-NE/SW
O-NW/SE
Wash
Wash
Wash
JEEP TRAIL
DIVIDEND 1261-A
EXTENSION 1261-A
NORMAN NO. 1261-A
RAINY 1261-A
Old Ripsey Mine
Ripsey Hill
Ripsey Hill
3570
3920
FRANK SEWARDS GEOCHEM LOCATION MAP

#4 - 1500 SE in Ripsey wash
Tok Deb. Pit sample from adjacent
and Rds. soil at + 200
R-L at Blue Mesa 1 mile 100' N of Chin Draw Ed 41-42 ?

Blue Cy
Red Hy
Brown -
Green - Pz

Gravy mottled Basalt porph. dike 41°-5°

Ripsey Wash

Ripsey Hill 3522

Ripsey Pinnacle Nine

Ripsey Hill 3570

TRAIL

JEEP

Spring

TORTILLA

SOUTHWESTERN ASSAYERS & CHEMISTS, Inc.

REGISTERED ASSAYERS

FELIX K. DURAZO
WIL WRIGHT
ARIZONA REG. NO. 5875

P. O. BOX 7517
TUCSON, ARIZONA 85713

710 E. EVANS BLVD.
PHONE 602-294-5811

Heinrichs Geoexploration Company
P. O. Box 5671
Tucson, Arizona Purchase Order 000791

JOB # 003127
RECEIVED 9-19-68
REPORTED 9-21-68

SAMPLE NUMBER	GOLD OZ.*	SILVER OZ.*	LEAD ppm	COPPER ppm	ZINC ppm		MOLYBDENUM ppm
# 1	NW-41		80	36	36		< 5
2	NW-42		60	28	24		< 5
3	NW-43		70	24	56		< 5
4	NW-44		80	68	96		< 5
5	NW-45		120	252	180		< 5
6	NW-46		115	84	188		< 5
7	NW-47		85	36	64		< 5
8	NW-56		70	44	60		< 5
9	NEC-56		80	84	44		< 5
10	NW-57		65	20	16		< 5
11	NEC-57		90	36	40		<5
12	NW-58		95	32	60		< 5
13	NEC-58		90	44	104		< 5
14	NW-59		125	80	100		< 5
15	NEC-59		160	168	152		< 5
16	NW-60		130	124	128		< 5
17	NEC-60		145	176	126		< 5
18	NW-61		140	104	132		< 5
19	NEC-61		120	64	88		< 5
20	NW-62		95	60	84		< 5
21	NEC-62		150	72	128		< 5
22	NW-63		160	92	160		< 5

REGISTERED ASSAYER
CERTIFICATE NO.
5875
WILBUR D.
WRIGHT
Date Signed
Arizona U. S. A.

HEINRICHS GEOEX
GEOPHYSICAL ENGINEERS
TUCSON, ARIZONA

SEP 2 3 1968

BOX 5671 TUCSON, ARIZONA 85703
Phone: (AREA 602) 623-0578

CHARGE $ 99.00

* Gold and Silver reported in troy oz. per 2,000 lb. ton.

INVOICE

SOUTHWESTERN ASSAYERS & CHEMISTS, Inc.

REGISTERED ASSAYERS

FELIX K. DURAZO
WIL WRIGHT
ARIZONA REG. NO. 5875

P. O. BOX 7517
TUCSON, ARIZONA 85713

710 E. EVANS BLVD.
PHONE 602-294-5811

Heinrichs Geoexploration Company
P. O. Box 5671
Tucson, Arizona Purchase Order 000791

JOB # 003127
RECEIVED 9-19-68
REPORTED 9-21-68

SAMPLE NUMBER	GOLD OZ.*	SILVER OZ.*	LEAD ppm	COPPER ppm	ZINC ppm		MOLYBDENUM ppm
# 1			80	36	36		< 5
2			60	28	24		< 5
3			70	24	56		< 5
4			80	68	96		< 5
5			120	252	180		< 5
6			115	84	188		< 5
7			85	36	64		< 5
8			70	44	60		< 5
9			80	84	44		< 5
10			65	20	16		< 5
11			90	36	40		<5
12			95	32	60		< 5
13			90	44	104		< 5
14			125	80	100		< 5
15			160	168	152		< 5
16			130	124	128		< 5
17			145	176	126		< 5
18			140	104	132		< 5
19			120	64	88		< 5
20			95	60	84		< 5
21			150	72	128		< 5
22			160	92	160		< 5

CHARGE $ 99.00

* Gold and Silver reported in troy oz. per 2,000 lb. ton.

INVOICE

SOUTHWESTERN ASSAYERS & CHEMISTS, Inc.

REGISTERED ASSAYERS

FELIX K. DURAZO
WIL WRIGHT
ARIZONA REG. NO. 5875

P. O. BOX 7517
TUCSON, ARIZONA 85713

710 E. EVANS BLVD.
PHONE 602-294-5811

Heinrichs Geoexploration Company
P. O. Box 5671
Tucson, Arizona

P. O. # 000785 (262-68-418)

JOB # 003110
RECEIVED 9-16-68
REPORTED 9-17-68

	SAMPLE NUMBER	GOLD OZ.*	SILVER OZ.*	LEAD 4. ppm	COPPER 1. ppm	ZINC 3. ppm		MOLYBDENUM 2. ppm
NW 49	# 1			240	56	800		N.D.
NW 52	2			120	68	320		N.D.
NEC 49	3			80	36	280		N.D.
NW 53	4			200	52	576		N.D.
NW 54	5			80	84	248		N.D.
NW 48	6			120	56	312		N.D.
NEC 40	7			60	40	120		N.D.
NW 55	8			80	100	104		N.D.
NEC 50	9			120	72	448		N.D.
NEC 48	10			40	68	80		N.D.
NEC 39	11			60	28	48		N.D.
NEC 41	12			120	36	192		N.D.
NW 40	13			40	28	72		N.D.
NEC 44	14			160	160	360		N.D.
NEC 47	15			40	24	88		N.D.
NEC 46	16			60	32	152		N.D.
NEC 52	17			80	88	104		N.D.
NEC 42	18			60	40	128		N.D.
NW 51	19			65	128	160		***
NEC 54	20			85	92	88		N.D.
NEC 45	21			65	44	48		N.D.
NEC 55	22			40	36	136		N.D.
NW 50	23			110	64	304		N.D.
NEC 43	24			90	60	104		N.D.
NW 39	25			40	36	56		N.D.
NEC 51	26			45	116	56		N.D.
NEC 53	27			65	80	160		N.D.

*** Sample # 19 developed a color indicative of Mo. however it is not a true responsive color.

SEP 1968 GEOEX

CHARGE $ 135.00

* Gold and Silver reported in troy oz. per 2,000 lb. ton.

INVOICE

SOUTHWESTERN ASSAYERS & CHEMISTS, Inc.

REGISTERED ASSAYERS

FELIX K. DURAZO
WIL WRIGHT
ARIZONA REG. NO. 5875

P. O. BOX 7517
TUCSON, ARIZONA 85713

710 E. EVANS BLVD.
PHONE 602-294-5811

Heinrichs Geoexploration Company
P. O. Box 5671
Tucson, Arizona

P. O. # 000785 (262-68-418)

JOB # 003110
RECEIVED 9-16-68
REPORTED 9-17-68

SAMPLE NUMBER	GOLD OZ.*	SILVER OZ.*	LEAD ppm	COPPER ppm	ZINC ppm		MOLYBDENUM ppm
# 1			240	56	800		N.D.
2			120	68	320		N.D.
3			80	36	280		N.D.
4			200	52	576		N.D.
5			80	84	248		N.D.
6			120	56	312		N.D.
7			60	40	120		N.D.
8			80	100	104		N.D.
9			120	72	448		N.D.
10			40	68	80		N.D.
11			60	28	48		N.D.
12			120	36	192		N.D.
13			40	28	72		N.D.
14			160	160	360		N.D.
15			40	24	88		N.D.
16			60	32	152		N.D.
17			80	88	104		N.D.
18			60	40	128		N.D.
19			65	128	160		***
20			85	92	88		N.D.
21			65	44	48		N.D.
22			40	36	136		N.D.
23			110	64	304		N.D.
24			90	60	104		N.D.
25			40	36	56		N.D.
26			45	116	56		N.D.
27			65	80	160		N.D.

HEINRICHS GEOEX GEOLOGICAL ENGINEERS TUCSON, ARIZONA
SEP 18 1968
BOX 5671 TUCSON, ARIZONA
Phone: (AREA 602) 623-0570

REGISTERED ASSAYER CERTIFICATE NO. 5875 WILBUR D. WRIGHT Date Signed 9/17 Arizona U. S. A.

*** Sample # 19 developed a color indicative of Mo. however it is not a true responsive color.
Lower limits of detection for Mo is 5ppm

CHARGE $ 135.00

* Gold and Silver reported in troy oz. per 2,000 lb. ton.

INVOICE