G-Cm-1

R.15 E.
R.16 E.
R.16 E.
R.17 E.
T. 22 S.
T. 23 S.
TO FLUX
TO PATAGONIA
TO PATAGONIA
TO SAN RAFAEL
TO SAN RAFAEL
HUMBOLDT
HARSHAW
SUNNYSIDE
VOLCANO
STANDARD
BLUENOSE
THUNDER
SPR.
AUGUSTA
HARDSHELL
BLACK EAGLE
HARDSHELL GULCH
ALUM CANYON
HARSHAW CREEK
ENDLESS CHAIN
MORNING GLORY
DOVE CANYON
SPR.
OLIVE
WINIFRED
OFFPOINTER
WILLOW SPRING
COKRAL CANYON
CHIHAMPA DRAW
GOLD BAUM CANYON
H.E.S. #305
WILLOW SPRING CANYON
H.E.S. #307
H.E.S. #323
H.E.S. #304
H.E.S. #330
H.E.S. #314
H.E.S. #315
MINE
MINE
MINE

DRILL HOLES PLACED FROM MEASUREMENTS TAKEN OFF 1/1000 COMPOSITE MAP

CLAIM LINES PLACED FROM SAME DATA SOURCE

E. M. PHASE ANGLE DIFFERENCE of 400 cycle galvanic, 100' dual coil, average observed component, relative field intensity gradient.

Tucson Office Copy

MINERALS EXPLORATION COMPANY

AREA C-G, PETE, BLOCK "B" (South)

SECTION 28-33 TOWNSHIP 19S RANGE 25E

TYPE SURVEY — ELECTROMAGNETIC, PHASE ANGLE

CONTOUR INTERVAL — ONE DEGREE

INTERPRETATION BY

SCALE — 1 INCH = 100 FEET

DATE — JANUARY 23/1/58

FOR TUCSON OFFICE

DETAIL TO SOUTH TO CONTINUE

Section E-E´ E-W



Section F-F´ N-S



LEGEND

Qal	Alluvium	Tertiary & Quaternary
TKl	Quartz latite	Cretaceous or Tertiary
TKl	Altered quartz latite	
Jmp	Monzonite porphyry	Triassic or Jurassic
Ce	Escabrosa(?) limestone	Carboniferous
Cu	Abrigo limestone	Cambrian
Cb	Bolsa quartzite	

- Magnetite
- Silicified rock
- Copper mineralization > 0.7%
- Copper mineralization 0.4% - 0.7%
- Fault zone

[redacted]

PLATE NO. 7

COURTLAND-GLEESON AREA, ARIZONA
MINERAL EXPLORATION CO. PROPERTY

Sections E-E´, F-F´, shown on Plate no. 5.

DATE JULY 17, 1958 SCALES: HORIZ. & VERT. 1in.= 100 ft. COMPILED BY: W.M.P.K.

Section A-A' E-W



Section B-B' N-30-W



Section C-C' E-W



Section D-D' N-85-E



LEGEND

Qal	Alluvium	Tertiary & Quaternary
TKl	Quartz latite	Cretaceous or Tertiary
TKl	Altered quartz latite	
Jmp	Monzonite porphyry	Triassic or Jurassic
Ce	Escabroso(?) limestone	Carboniferous
€a	Abrigo limestone	Cambrian
€b	Bolsa quartzite	

- Magnetite
- Silicified rock
- Copper mineralization < 0.4 %
- Copper mineralization > 0.4 %
- Fault zone

BEAR CREEK MINING COMPANY
SOUTHWEST DISTRICT

PLATE NO. 6

COURTLAND-GLEESON AREA, ARIZONA
MINERAL EXPLORATION CO. PROPERTY

Sections: A-A, B-B, C-C, D-D, shown on Plate no. 5

DATE JULY 7, 1956 HORIZ. & VERT. SCALES 1in=100ft. COMPILED BY: W.M., R.K.

Eops Minerals Exploration Co.

Section A-A' E-W



Section B-B' N-30-W



Section C-C' E- W



Section D-D' N-85-E



LEGEND

Qal	Alluvium	Tertiary & Quaternary
TKl	Quartz latite	Cretaceous or Tertiary
TKl	Altered quartz latite	
Jmp	Monzonite porphyry	Triassic or Jurassic
Ce	Escabrosa(?) limestone	Carboniferous
€a	Abrigo limestone	Cambrian
€b	Bolsa quartzite	
	Magnetite	
	Silicified rock	
	Copper mineralization	0.4 %-0.7 %
	Copper mineralization	> 0.7 %
	Fault zone	

[redacted]

PLATE NO. 6

COURTLAND-GLEESON AREA, ARIZONA
MINERAL EXPLORATION CO. PROPERTY

Sections: A-A, B-B, C-C, D-D, shown on Plate no. 5

DATE JULY 12, 1958 | HORIZ & VERT. SCALES 1IN=100FT | COMPILED BY: W.M. A.K.


TKI
TKI
TKI
TKI
TKI
T
Jmp
PCP
Cb
Ce
Ch
Ca
Cn
Ea
Eb
Eb
Cb
Cb
Cb
Ea
Ea
Ea

Report

MINERALS EXPLORATION COMPANY

AREA COURTLAND – GLEESON

SECTION ____ **TOWNSHIP** 19S. **RANGE** 25E.

TYPE SURVEY E.M. Phase Angle

CONTOUR INTERVAL one degree

INTERPRETATION BY P.A.M.

SCALE 1" = 500'

DATE ~~2/6/58~~ 3/18/58

New info consists of EM Sta Locations & Electrode pits Drill holes

LEGEND

PROFILE POINT ---------- o

MINERALS EXPLORATION CLAIM POST ----- o

BASE LINE ----------

RELATIVE PHASE ANGLE CONTOUR

MINERALS EXPLORATION COMPANY
AREA C-G PETE

SECTION 28 TOWNSHIP 19S RANGE 25E

TYPE SURVEY E.M. RELATIVE PHASE ANGLE
CONTOUR INTERVAL ONE DEGREE
INTERPRETATION BY DAT
SCALE 1" = 100 FEET
DATE SEPT. - OCT., 1957

E.M. PHASE ANGLE DIFFERENCE of 1000 cycle galvanic, 100' dual coil, average observed vertical component, relative field intensity gradient.

INFORMATION

GEOLOGY

ALLUVIUM	LIMESTONE (ABRIGO)
LATITE	BOLSA QUARTZITE
GRANITE (STRONG.)	PINAL SCHIST
BISBEE	BASALT PORPHYRY
MONZONITE PORPHYRY	LIMESTONE (COLINA-PERMIAN)
NACO	GRANITE (TURQ.)
LIMESTONE (ESCABROSA & MARTIN)	

Field Office Copy

MINERALS EXPLORATION COMPANY
AREA COURTLAND – GLEESON

SECTION ___ **TOWNSHIP** 19S. **RANGE** 25E.

TYPE SURVEY	E.M. Phase Angle
CONTOUR INTERVAL	ONE degree
INTERPRETATION BY	P.H.M.
SCALE	1" = 500'
DATE	2/6/58

2/58 EGH

LEGEND

PROFILE POINT

MINERALS EXPLORATION CLAIM POST

BASE LINE

Proposed future S.P. Profiles

Field Copy

MINERALS EXPLORATION COMPANY

AREA C-G ASTIC

SECTION 28 TOWNSHIP 19S RANGE 25E

TYPE SURVEY S.P.

CONTOUR INTERVAL 25 M/N

INTERPRETATION BY E.G.H.

SCALE 1" = 100 FEET

DATE 3/11/58

INFORMATION

GEOLOGY

	ALLUVIUM	Ca	LIMESTONE (ABRIGO)
Tki	LATITE	Cb	BOLSA QUARTZITE
Tg	GRANITE (STRONG.)	pCp	PINAL SCHIST
Kb	BISBEE	Qtb	BASALT PORPHYRY
Jmp	MONZONITE PORPHYRY	Pc	LIMESTONE (COLINA - PERMIAN)
Cn	NACO	Gt	GRANITE (TURQ.)
Ce, dm	LIMESTONE (ESCABROSA & MARTIN)		

This area data is in question. (dry ground ? Techniques)

Eng. Office Copy Report

MINERALS EXPLORATION COMPANY
AREA COURTLAND – GLEESON

SECTION ____ **TOWNSHIP** 19S. **RANGE** 25E.

TYPE SURVEY	Self Potential
CONTOUR INTERVAL	25 MV
INTERPRETATION BY	E.G.H.
SCALE	1" = 500'
DATE	4/1/58

2/58 EGH

HIGHLAND

IRON

MEADOW

SAMPSON

CLINTON

TURQUOISE

NAUSTRALIA

NATCHA

PETE

STAR

NORTH

T A T 15

T A T 14

T A T 33

T A T 34

T A T 32

T A T 31

25W 24W 23W 22W 21W 20W 19W 18W 17W 16W 15W 14W 13W 12W 11W 10W 9W 8W 7W 6W 5W 4W 3W 2W 1W

22N 21N 20N 19N 18N 17N 16N 15N 14N 13N 12N 11N 10N 9N 8N 7N 6N 5N 4N 3N 2N 1N ZERO 1S 2S 3S 4S 5S 6S 7S

No 2 No 5

A

B

C

1.0 0.0 -1.0 -2.0 -3.0 -4.0 -5.0 -6.0 2.0 3.0 4.0 5.0 6.0 7.0 8.0 9.0 10.0 250 225

ε_2 ε_1 $\rightarrow 80° \pm 10$

N

MILOH2 MEOH5 MECH4 MEOH6

LEGEND

PROFILE POINT ---------- o

MINERALS EXPLORATION CLAIM POST ------ M

BASE LINE ----------

Vote displacement of Phase and Water Hills

MINERALS EXPLORATION COMPANY
AREA C-G ASTIC
SECTION 28 TOWNSHIP 19S RANGE 25E
TYPE SURVEY EM Preliminary Report Map
CONTOUR INTERVAL RATIO .025 PHASE 1.0°
INTERPRETATION BY
SCALE 1" = 100 FEET
DATE April 1, 1958

HIGHLAND

IRON

HOMESTEAD

SAMPSON

CLINTON

TURQUOISE

AUSTRALIA

PARISIAN

ATLANTIC

PETE

NORTH STAR

TAT 31

TAT 32

TAT 33

TAT 34

TAT 14

TAT 15

TAT 16

TAT 17

+25 N/M

-25 N/M

-50 N/M

-75 N/M

-100 N/M

+50 N/M

+75 N/M

-125 N/M

± 0 N/M

UGDH 4

S.P. Base

LEGEND

PROFILE POINT

MINERALS EXPLORATION CLAIM POST

BASE LINE

Field Copy Report

MINERALS EXPLORATION COMPANY

AREA C-G ASTIC

SECTION 28 TOWNSHIP 19S RANGE 25E

TYPE SURVEY	S.P.
CONTOUR INTERVAL	25 M/M
INTERPRETATION BY	E.T.H.
SCALE	1" = 100 FEET
DATE	3/28/58

X——X Future planned lines


OBSOLETE BASE
BASE LINE
11W
10W
9W
8W
7W
6W
5W
4W
3W
2W
1W
1E
2E
3E
4E
5E
6E
7E
8E
9E
10E
11E
12E
4N
3N
2N
1N
ZERO
1S
2S
3S
4S
5S
6S
7S
8S
9S
10S
11S
12S
13S
14S
15S
16S
17S
18S
19S
20S
21S
22S
23S
24S
25S
N
1.080
1.040
1.060
1.100
1.180
1.160
1.140
1.120
1.200
1.220
1.240
1.260
1.280
MECH 6
MECH 7
MECH 4
MECH 5
NE DH-2
NE DH-3
NE DH-4
NE DH-5
NE DH-6
NE DH-7
NE DH-8
NE DH-9
NE DH-10
NE DH-11
NE DH-12
NE DH-13
NE DH-14
NE DH-15
NE DH-16
NE DH-17
NE DH-18
NE DH-19
NE DH-20
NE DH-21
NE

Line 7W

Line 6W

Line 5W

Indicates approximate Stream boundary

LINE 0 N/S

C-G
Section 3

COURTLAND. SEC H 3

L 5 4 3 2 W1 ↓Zero 1E 2 3 4 5 6 7 8 9

4N

3N

2N

1N

0

1S

2S

3S

4S

5S

6S

7S

8S

9S

10S

11S

2500'

Line

Electrode

Generator Location

2B SCALE TIE

Scale: 1" = 100'

Mag. Contour Interval: 25'

T A T 19 | T A T 20 | T A T 21 | T A T 22 | T A T 23

T A T 28 | T A T 29 | T A T 30

11W 10W 9W 8W 7W 6W 5W 4W 3W 2W 1W BASE LINE 1E 2E 3E 4E 5E 6E 7E 8E 9E

20S 21S 22S 23S 24S 25S 26S 27S 28S 29S 30S 31S 32S 33S 34S 35S 36S 37S 38S 39S 40S 41S 42S 43S 44S 45S 46S 47S 48S 49S 50S

ELECTRODE LINE

ASR CH 2 · ASR CH 3 · ASR CH 4

1.140 · 1.160 · 1.180 · 1.200 · 1.220

MEDX #10 · MEDX #20 · MEDX #30

ARROX S SEC LINE 28

DRILL HOLES PLACED FROM MEASUREMENT TAKEN OFF 1/1000 COMPOSITE MAP

CLAIM LINES PLACED FROM SAME DATA SOURCE

E. M. RATIO DIFFERENCE
of 400 cycle galvanic,
100' dual coil, average
observed vertical component,
relative field intensity
gradient.

Tuc. Off. Copy

MINERALS EXPLORATION COMPANY
AREA C-G, PETE, BLOCK "E" (South)

SECTION 28-33 TOWNSHIP 19S RANGE 25E

TYPE SURVEY — ELECTROMAGNETIC, INTENSITY RATIO
CONTOUR INTERVAL — 0.020
INTERPRETATION BY
SCALE — 1 INCH = 100 FEET
DATE — JANUARY 23/1/58

FOR TUCSON OFFICE
DETAIL TO SOUTH TO CONTINUE