



CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
3550 N. Central Ave, 2nd floor
Phoenix, AZ, 85012
602-771-1601
<http://www.azgs.az.gov>
inquiries@azgs.az.gov

The following file is part of the Walter E. Heinrichs, Jr. Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

Memo from

WALTER E. HEINRICHS, JR.

2/20/63

Re: Vesty - Lundy

Grove: Claim is located in Sec 5

T13 N, R1W, Walker Mining Dist,
about 1 mile south on Walker road from

Junction with Prescott - Black Canyon Hwy
about ~~4~~ to 5 miles E of Prescott. Sec 5
is split by Lyux Creek - there there have
been considerable placering over the years.

Walker road goes down west part of Sec 5
mostly. She has a cabin or claim - is it a
summer cabin or mining cabin? - Take

pictures. etc Should be quite handy to
check out when going from or to Prescott. ??!

(See "Prescott" Quad.)

WALTER E. HEINRICHS, JR.
ASSAYERS AND CHEMISTS, INC.
DOUGLAS, ARIZONA

SINCE 1914

Company Mrs. Lundy
Location YAVAPAI Co., ARIZ.

Date 3/15/63

Description:

General course of claim N45°E.

A 5" channel sample, 5' long, 2" deep
and located in a small cut near location
pit 8' + N. 55° E. to location monument.

Au-Trace

Sample N° 1-2001

Company

Location

Date 3/15/63

Description:

A 2' 8" chipped sample located in location pit on the north wall approx. 20' \pm N. 50° W from location monument. This chipped sample is half down the sidewall (4' 8").

Au-Assay 1.010 oz.

Sample N° 2-2002 ¹/_{Ton}

Company

Location

Date

3/15/63

Description:

A 2' 10" channel sample in
small cut 23' N. 50° E. of
location monument.

Au - Trace

Sample N° 3-2003

Prescott, Arizona
Feb. 19, 1963

Gentlemen;

In an interview with
Mr. Victor H. Verity at his
Ineson office, he suggested
that I contact you while
you were in Prescott.

He wants a report on
a mining claim which I
have and he says you
know just how to do it.


Will you please telephone
me at my home-445-3972

I can come to see you
and give the full details.

Mrs. Lucille Busby
38 Pine Knoll Drive

Mrs. Lucille Lundy
38 Pine Knoll Drive
445 3972

2 miles off Black Canyon
Highway off Walker
Turn off
30' back of x rd.



Mr. Grover Heinrichs

or

Mr. Walter Heinrichs

620
765
621

Prescott, Mar 6,

Dear Mr. Hennrichs:

Mr. Peters, who originally located my claims, went out over the week-end and worked with a bucket-hoe. Will you please look about and see if he found anything interesting, Mrs. Lundy.

Mr. Grover Heinrichs
Apache Motor Lodge
Prescott,
Arizona.

From Mrs. Lucille Sundry
38 Pine Knoll Drive
Prescott, Arizona

Photo 1 NW Mon.

N 48° E From NW Mon. to
hill top approx. 700'
off claim.

W. Side hill, from NW
Mon. is pocked with numerous
small pits some may be as
old as 50 yrs. apparently
following qtz. stringers see
Specimen 1.

photo 2 example of some
of workings off claim. Pit
is approx. 8' deep & 15' dia.
pit is located 220' due North
of NW Mon. by Brunton & Pace,
counted a total of eight pits in this zone.

Photo 3 Dry Washer on property
of L.L. Located in area A.

Photo 4 Potential placer area "A"
looking NE down
wash

Photo 5 1 oz. gold

Photo 6 Cabin & Mrs. Lundy
13' x 15' one room a ^{wood} stove.
no modern facilities

Photo 7 Loc pit 8' deep
" 8 qtz. string in loc. 15' long
pits 6' bottom
15' wide at Top

Mrs. Cundy

2/28/63

Double "L"

TM. MK. REG. U.S. PAT. OFF.

Node & Placer

Loc. 6/31/61

Rec. " " " BK. ? Pg. ?

750' Southerly 750 N.
from Cabin.

Could not find shaft 20'
deep to N.W. E

ORIGINAL COPY. 1916 BY J. O. PARKER

LEFAX, PHILADELPHIA 7, PA., MADE IN U.S.A.

April 9, 1963

Mrs. Lucille Lundy
38 Pine Knoll Drive
Prescott, Arizona

Re: Double "L" Lode & Placer
Claim, Yavapai County,
Arizona

Dear Mrs. Lundy:

Enclosed is a sketch map on which the Double "L"
claim is shown.

At Mr. Verity's request I am adding a supplement to
my report of April 1, 1963 and it is herewith enclosed.

Thank you for your prompt payment which arrived
April 5, 1963.

Very truly yours,

E. Grover Heinrichs

EGH:jh

Enclosures: 2

cc: V. H. Verity

SUPPLEMENT REPORT

Double "L" Lode and Placer Claim
Walker Mining District
Yavapai County, Arizona

Placer Potential

Although the placer material was not sampled during my reconnaissance examination of February and March 1963, Mrs. Lundy reportedly has panned one ounce of gold from the placer area on the Double "L" Claim.

The Claim is located on a bench that could have contributed in part to the gold that was placered from the Doodle Bug Diggings of Lynx Creek.


The approximate average of the placer material is 4.017 acres or 19,339 sq. yds. The area starts at a line somewhat easterly of the ridge line and for the most part takes in the NE quarter of the claim.

Maximum depth of placer material can only be estimated. The mantle of covering is thickening along the bench southeasterly from the claim and 8.0 ft. in my opinion appears to be the maximum depth of alluvial material probable.

An average of 4.0 ft. was used to compute the average depth of placer material for the area. Again this is strictly an estimate based on what can be seen on the surface. Using the above estimates, a figure of 25,141 yards of placer material is computed.

Respectfully submitted,


E. Grover Heinrichs



1. ESTIMATED AREA OF PLACER:
4 acres (19,339 sq. yds.)
2. Depth of Placer material:
Maximum est. 8'
Minimum est. 1'
An est. of 4.0' used as average depth
OVER PLACER AREA.
3. ESTIMATED TOTAL YARDAGE OF
PLACER MATERIAL: 25,141 yds.

Info. from
U. S. G. S. PRESCOTT Quad.

SKETCH MAP
DOUBLE "L" PLACER
& LODE MINING CLAIM
FOR
MRS. L. LUNDY
Scale 4" = 1 mile
April 1963
by
HEINRICHS GEOEXPLORATION CO.



1. ESTIMATED AREA OF Placer:
4 acres (19,339 sq. yds.)
2. DEPTH OF Placer material:
Maximum est. 8'
Minimum est. 1'
An est. of 4.0' used as average depth
OVER PLACER AREA.
3. ESTIMATED TOTAL YARDAGE OF
PLACER MATERIAL: 25,141 yds.

Info. from
U. S. G. S. PRESCOTT Quad.

SKETCH MAP
DOUBLE "L" PLACER
& LODE MINING CLAIM
FOR
MRS. L. LUNDY
Scale 4" = 1 mile
April 1963
by
HEINRICHS GEODEXPLORATION CO.



April 3, 1963

VICTOR H. VERITY
ATTORNEY AT LAW
SUITE 902 PHOENIX TITLE BUILDING
CHURCH AT ALAMEDA
TUCSON, ARIZONA

AREA CODE 602
TELEPHONE 622-7446

Mr. E. Grover Heinrichs
Heinrichs Geoexploration Co.
P.O. Box 5671
Tucson, Arizona

Re: Double "L" Lode & Placer
Claim, Yavapai County,
Arizona

Dear Grover:

This acknowledges receipt of a copy of your report to Mrs. Lucille Lundy of Reconnaissance Examination and Sampling of the above property.

In anticipation of future action on behalf of my client, Mrs. Lundy, I would like you to supplement your report by writing a letter to Mrs. Lundy (with copy to me) setting forth the information concerning the placer material on the above mining claim. Specifically, I wish you could confirm (1) approximate acreage of placer material (2) approximate location on claim of placer material (3) approximate minimum and maximum depths of placer material (4) approximate or probable total yardage of placer material.

Any other observations you might have as to the placer potential of the property will also be appreciated.

Very truly yours,

Victor H. Verity

1ns

HAWLEY & HAWLEY

ASSAYERS AND CHEMISTS, INC.
 1800 W. GRANT RD. AT AZTEC • BOX 5934, ANNEX STATION • MAIN 2-4836
 TUCSON, ARIZONA

BRANCHES

DOUGLAS, ARIZONA
 HAYDEN, ARIZONA
 EL PASO, TEXAS
 AMARILLO, TEXAS

IDENTIFICATION	GOLD OZS	SILVER OZS	LEAD %	COPPER %	ZINC %	INSOL. %	IRON %		
Sample 2001	Trace								
2002	0.010								
2003	Trace								

CC: _____

ADD: _____

CITY: _____

STATE: _____

CITY: _____

REMARKS: Special

ANALYSIS CERT. BY: *[Signature]*

2.25 Preparation
 5.25 Analyses

ACC: HEINRICHS GEOEXPLORATION COMPANY

DATE SPL. RECEIVED: 3/18/63

DATE COMPL: 3/19/63

\$ 7.50

317374

SAMPLING RESULTS

Sample No. 2001

Five inch channel sample five ft. long, two inches deep and located in a small dozer cut on bedrock of exposed quartz stringer. Strike (?) 8 ft S 55° W to location monument.

Assay trace of gold.

Sample No. 2002

Chip sample two ft, eight inches long from north wall of the location pit at a bearing of N 50° W. 20 ft. from the location monument and 4 ft. 8 inches down the north wall from the top of the pit.

Assay 0.010 oz. gold.

Sample No. 2003

A two ft, ten inch channel sample in small cut at a bearing N 50° E. 23 ft. from location monument.

Assay, trace of gold.

In conclusion it appears that the quartz stringers sampled at the location pit and in the general vicinity of pit are not economic, at least where sampled. The area, however, appears potentially favorable and a worthwhile area to prospect because:

1. Numerous ferruginous quartz veins.
2. Assays indicate an area higher in gold than normal background.
3. Gold reportedly recovered from alluvial placer area at NE part of claim.

Approved:


Walter E. Heinrichs, Jr.
Registered Professional Engineer (Mining)
CERTIFICATE EXPIRES
DEC 31, 1963
March 30, 1963
P. O. Box 5671
Tucson, Arizona

Very truly yours,
HEINRICHS GEODEXPLORATION CO.


E. Grover Heinrichs



Scale: 1" = 1 mile approx. Sec. 5, T. 13 N.; R. 1 W.
 From U.S.G.S. Prescott Quad. Double L Mining Claim
 FOR MRS. L. LUNDY Index MAP
 By HEINRICHS Geodexploration
 DATE MARCH 1963

Heinrichs Geodexploration

RECONNAISSANCE EXAMINATION AND SAMPLING

**of
DOUBLE "L" MINING CLAIM**

**Walker Mining District
Yavapai County, Arizona**

At the request of Mrs. Lucille Lundy of Prescott, Arizona a brief examination and sampling program was undertaken on a mining claim known as the Double "L".

A total of five hours was spent on or adjacent to the property. Three hours spent Feb. 28, 1963 working over the area noting outcrops and cuts and obtaining a general impression of the mineralization distribution. On March 15, 1963 two hours was spent sampling and measuring the locations of various workings on and immediately adjacent to the Double "L" claim.


The Double "L" claim is located approximately in the E $\frac{1}{4}$ of SW $\frac{1}{4}$ Sec. 5, T 13 N, R 1 W, Yavapai County, Arizona and strikes about N 45° E enveloping portions of a NE bearing ridge above Lynx Creek approximately 1 mile south of state highway 69.

Sampling was done using a single jack sledge and tungsten carbide tipped moil. Channels were cut across apparent lineation or structure as nearly as could be determined.

The largest working on the property is the location pit which measures 8 ft. deep, 15 ft. long and 15 ft. wide at the top and 6 ft. wide at the bottom. The pit is located 750 ft. NE of the southerly end center monument. A ferruginous quartz stringer is exposed in this pit and a chip sample was cut of this exposure and assayed for gold.

Numerous other cuts and pits are located on and adjacent to the property. The most significant workings near the property are located 200 ft. due north of the NW corner of the Double "L" and consist of eight cuts and pits, some of which may be as old as 50 years.

**Assay Certificate #317374
Hawley & Hawley
Tucson, Arizona**



Scale: 1" = 1 mile approx. Sec. 5, T. 13 N.; R. 1 W.
 From U.S.G.S. Prescott Quad. Double L Mining Claim
 FOR MRS. L. LUNDY Index MAP
 By HEINRICHS GeosExploration
 DATE MARCH 1963

INTERIOR GEOLOGICAL SURVEY WAS

heavy-duty