56,000N
55,000N
54000N
53,000N
52000N
51000N
50,000N
49000N
48,000N

APPROXIMATE BOUNDARY - WITHDRAWN AREA

WITHDRAWAL FENCE

Zimmerman Pt.
6674

16 1/4
21

20
29

20 21
29 28

6600
6500
6400
6300
6200
6100
6000
5900
5800
5700
5600
5500
5400
5300
5200
5100
5000

5650
5700

46000E
47000E
48,000E
49,000E
50,000E
51,000E
52,000E
53,000E
54000E
55,000E
56000E
57,000E

LEGEND
- Iron Outcrops
- Claim Boundaries
- Road
- 5000 Contour from USGS Sheet-1:62500

Note- Coordinates & Bearings of All Points Need to be Corrected to California to Dec. 1927 Triangulation

| PLANT UNIT NO | REVISIONS | SURVEY BY: R.A.S. DATE: 11-21-58 | CERRO DE PASCO CORPORATION NEW YORK | BLOCK |
|---|---|---|---|---|
| | | GEOLOGY BY R.R. DATE: 11-21-58 | IRON KING AREA | |
| | | DRAWN- R.A. DATE 11-3-58 | | DRAWING NO. |
| | | TRACED- R.A. DATE 11-3-58 | SCALE- 1" TO 300' COORD- 1,000' DATUM- S.L. | IK-2-7-N-AEU |

#12

OK PF do

# IRON KING MINE
## GILA COUNTY, ARIZONA
SOUTH ORE BODY

0 100 200

51.000N
50.500N
50.000N
49.500N
49.000N
46.500E
47.000E
47.500E
48.000E
48.500E
49.000E
49.500E

DDH #7
5807
5693 > 45' @ 64
5647

DDH #1
5754
5728
5700
5670
5638
28.5 @ 34.0
31' @ 24.8

DDH #5
5825
5680
5595 > 93' @ 30.7

DDH #6
5816
5711
5666' 55.5' @ 24.1
5655
5621 > 24' @ 23.1

CDH #4
5859
5719 > 35' @ 19.3
5684 > 45' @ 31.7
5639 > 45' @ 31.7
5544 > 35' @ 21.8
5529

TRENCH #1
5702 > 41.5' @ 24.1
5658

TRENCH #2
5765 > 63' @ 29.9
5707

DDH #3
5861
5770
5729 > 65' @ 24.7
5733 > 8.5' @ 37.6
5722
5677
5644 > 65.5' @ 19.9

REUSS POINT SAMPLING
5805 > 176 @ 7.5
5736

### GEOLOGY LEGEND

- YOUNG ROCK, ALLUVIUM, ETC.
- INTRUSIVE DIABASE
- MESCAL LIMESTONE
- DRIPPING SPRINGS QUARTZITE
- OLDER GRANITE & METAMORPHICS
- IRON BED — UPPER
- IRON BED — LOWER

### CULTURAL DATA

FILL: DUMP, ROAD, TAILINGS

CUT: PIT, TRENCH, ROAD, ADIT, SHAFT, PROSPECT

### ENGINEERING DATA

SURVEY CONTROL: 20|21 / 29|28 SECTION CORNER; 20 / 29 1/4 CORNER

SURVEY POINTS: STATION; 00,000N 00,000E NORTH EAST COORDINATES

DRILL HOLES: DDH DIAMOND; CDH CHURN; RDH ROTARY

PROPERTY BOUNDRY

CONTOUR INTERVAL USGS 100

CERRO DE PASCO CORPORATION

GEOLOGY GW 5-60
DRAWN GW 5-60
TRACED GW 5-60

# IRON KING PRELIMINARY DRILLING

1" = 100'

IK-82 N AEU

## EXPLANATION

Mescal fm

Diabase

Access Road

Drill Holes with assay data

Trenches

Line of sections

Block Numbers (18)

Block boundries

Outcrop portions of blocks are colored

plus 20% iron

plus 30% iron

Triangulation Stations △

50,500 E

51,000 E

51,500 E

52,000 E

52,500 E

52 500 N

53 000 N

53 500 N

54 000 N

54 500 N

55 000 N

55 500 N

G H I J K L M

5900 5800 5700 5600 5500 5400 5300 5200

DDH #8
5702
5677 > 38' @ 89

DDH #10
5672
None

DDH #9
5691
5677 > 52' @ 310
5673 > 47' @ 330
5677 > 15' @ 328

DDH #12
5591
5413 > 42' @ 132
5391

DDH #14
5356
None

Trench #4A
5301
5839
5837 > 298 @ 214

Trench
None

Trench # 3
5535
5518 > 93' @ 42

Trench # 4
5510
5510
5447 > 66' @ 324

Mescal fm
Diabase

17 18 19 20

NE. J. S.END - TRENCH Nº 2

Cherty Limy Sandstone

Cherty Silty Sandstone

Fault

Cherty

S.END OUTCROP SAMPLING - PEUGH POINT

N

S

5770'

W. S.END - TRENCH Nº 1, (Near N. Sideline Iron King Nº 4).

E.

Covered Intervals Considered Average Grade

CERRO DE PASCO CORPORATION

5-58 IRON KING PROFILES OF TRENCHES & ASSAY RESULTS
1" TO 10'

RR

Sheet 1

## N. END – NE. BULLDOZED TRENCH ON IRON KING Nº 13

## TRENCH Nº 4




## N. END – OFFSET LOWER END OF NE BULLDOZED TRENCH ON IRON KING Nº 13

## TRENCH Nº 4




## Road – Covered N. END – SE. BULLDOZED TRENCH ON IRON KING Nº 12

## TRENCH Nº 3




Tests show a concentration Ratio of 2 to 1 to 2½ to 1 to produce a 60% to 70% Fe concentrate all a grind of 100 mesh by magnetic separation.

5-58 1"=10' RR

N.END - BULLDOZED TRENCH ON IRON KING Nº 10
Samples 1105 through 1111 44.5' of 15.62% Fe (Chem.)

Trench-4A




Trench 4A contd.




N.END - BULLDOZED TRENCH NEAR N. SIDELINE IRON KING Nº 14
Samples 1113 through 1115 8.5' of 14.01% Fe. (Chem)

Trench-4B




Sheet 3

Iron King