K

K

SECTION 2-2'

SECTION 1-1'

TOMBSTONE TOWN SITE

MAIN

SULPHURET DIKE

EMPIRE DIKE

VEIN FISSURE SECTION 5-5'

SILVER THREAD SHAFT

SKI-U SAFT FISSURE

FAULT TRANQUILITY - CONTENTION

ROAD

9000

8800'

8600'

8400'

8200'

8000'

7800'

7600'

7400'

7200'

7000'

6800'

6600'

6400'

6200'

6000'

5800'

5600'

5400'

5200'

5000'

4800'

4600'

4400'

4200'

4000'

3800'

3600'

3400'

3200'

3000'



K-K'

1"=200'

NO. 1294—CROSS SECTION 10 x 10
"CLEARPRINT PAPER CO."
MADE IN U.S.A.

Looking NORTH EAST

N

N'



NO. 1294—CROSS SECTION 10 x 10
"CLEARPRINT PAPER CO."
MADE IN U.S.A.

TOMSTONE
1"=200'
SECTION ~~A-A'~~ N-N'

M

LOCKING NORTH-NORTHEAST



TOMBSTONE
1"=200'
SECTION
PLATE II

Sec

8138

R

5200'
5000'
4800'
4600'
4400'
4200'
4000'
3800'
3600'
3400'
3200'
3000'

FAULT
FAULT
SOUTH FORK
FAULT
FAULT
TAILINGS PILE
CANYON HOTEL FAULT
PIPE ROAD
BOSS DIKE
PIPE ROAD
PIPE ROAD
ROAD
SULPHUR ST. FAULT
SULPHUR ST. FAULT
ROAD
EMPIRE DIKE
TOMBSTONE TOWNSITE
ROAD
HIGHWAY

R'

5000'
4800'
4600'
4400'
4200'
4000'
3800'
3600'
3400'
3200'
3000'

TOMBSTONE
1"=200'
SECTION
R-R'

Q

Q'

Looking NORTHWEST

5000'
4800'
4600'
4400'
4200'
4000'
3800'
3600'
3400'
3200'
3000'
2800'
2600'

DIRT ROAD
FAULT
SECTION K-K'
FAULT
FAULT
DIRT ROAD
BRAND CENTRAL FAULT (CROSSCUT NO.2)
TRIBUTE DIKE
DIRT ROAD
DIRT ROAD
WEST SIDE SHAFT
ROAD
BOSS PIKE
TOMBSTONE FAULT (CROSSCUT NO.1)
SECTION L-L'
ROAD
TOMBSTONE TOWN SITE
ROAD

NO. 1394—CROSS SECTION 10 x 10
"CLEARPRINT PAPER CO."
MADE IN U.S.A.

Tombstone
1"=200'
Section Q-Q'



TOPOGRAPHIC SECTION u-u'


Looking North West
S
S'
FAULT
FAULT
DIKE
DIKE
DIKE



Toughnut
2d Level
Scale 1"=50FT

E 9800 E 10000 E 10200 E 10400 E 10600 E 10800 E 11000 E 11200 E 11400

N 10,600 N 10,400 N 10,200 N 10,000 N 9,800 N 9,600

10,400E

June 14, 1989
DRAFT

SCALE 1"=50' circa JULY 1989

TOPOGRAPHY EXPLANATION

- NAD83 STATE GRID
- CONTROL
- INDEX CONTOUR
- INTERMEDIATE CONTOUR
- SPOT ELEVATION +5000.00
- ROAD – PAVED
- ROAD – PAVED CL
- ROAD – DIRT
- ROAD – TRAIL
- RAILROAD
- RAILROAD – ABANDONED RIGHT OF WAY
- BRIDGE
- STRUCTURE
- TRAILER
- FENCE
- TANK
- FOUNDATION
- STREAMS – PERENNIAL
- STREAMS – INTERMITENT
- POND
- DITCH
- PIPE
- CUTS
- CREST
- TOE
- POLE
- WELL ○ WELL NUMBER
- DRILL HOLE – SURVEYED ⊞ DH OWNER / DH NUMBER
- DRILL HOLE – UNSURVEYED ⊗ DH OWNER / DH NUMBER
- MINE SHAFT – OPEN / FENCED / COVERED / BULK HEADED / BACK FILLED
- MINE SHAFT – MULTI COMPARTMENT
- MINE SHAFT – INCLINED WITH DEGREE OF INCLINATION (30°, 60°, 90°)
- PROSPECT
- ADIT PORTAL
- TRENCH

GEOLOGIC EXPLANATION

ROCK TYPES

- RECENT — Qwtc — WASHED TAILS – COARSE & FINES
- Qmd — QHlt — MINE DUMPS & HEAPLEACH TAILS

DISCONFORMITY

- CENOZOIC / QUATERNARY — Qu — QUATERNARY UNDIVIDED – PRIMARILY UNTILTED SOIL
- TERTIARY — Tfb — TERTIARY ? RHYOLITIC DIKES
- Qb — BASALT INTRUSIVE
- Tgg — GILA CONGLOMERATE - CEMENTED & SOMETIMES TILTED GRAVELS

UNCONFORMITY

- MESOZOIC / CRETACEOUS — Kho — HORNBLENDE ANDESITE PLUG AND ASSOCIATED DIKES
- Krd — RHYODACITE
- Kg — GRANOPHYRE
- Kr — RHYOLITE PLUG AND ASSOCIATED DIKES (AGE, 63 M.Y.; POSSIBLE HYPABYSSAL EQUIVALENT OF THE Kcom
- Kcomt — COMSTOCK QUARTZ MONZONITE PORPHYRY (AGE, 63.5 M.Y. FROM SANIDY COLLECTED BY BRISCOE & DREMES, DATED BY USGS) INTRUSIVE INTO Kgg
- Kqlp — QUARTZ LATITE PORPHYRY
- Ksg — SCHIEFFELIN GRANODIORITE (AGE, 72 M.Y.)
- Kut — UNCLE SAM TUFF (AGE, 71.9 ±2.4 M.Y.)
- Kbr — BRONCO RHYOLITE – DOMES AND FLOWS ?
- Kap — ANDESITE PORPHYRY DIKES
- Kbq — BRONCO ANDESITE – LAHARIC FLOW BRECCIAS, FLOWS AND DIKES ?

UNCONFORMITY

- Kb — BISBEE FORMATION - UNDIFFERENTIATED REDBEDS – SHALE, ARKOSIC QUARTZITE (Kc INDICATES MARKER HORIZON OF PETRIFIED WOOD IDENTIFIED BY DR. ERIC FORCE, USGS.
- K Hs — ICE LIMESTONE
- Kbls — LIMESTONE - INCLUDES BLUE, 12 FOOT, AND 6 FOOT LIME OF LOCAL USAGE
- Kbg/Kbr — GLANCE CONGLOMERATE - "NOVACULITE" OF LOCAL USAGE - RANSOME & BUTLER & WILSON - CHARACTERIZED BY INTENSE SILICIFICATION IN MINERALIZED ZONES

UNCONFORMITY

- PALEOZOIC / PERMIAN — Pcm — CONCHA / NACO LIMESTONE
- Ped — EPITAPH DOLOMITE
- Pc — COLINA LIMESTONE
- Pe — PERMIAN - PENNSYLVANIAN EARP LIMESTONE
- Ph — HONQUILLA LIMESTONE

DISCONFORMITY

- PENNSYLVANIAN - MISSISSIPPIAN — Me — ESCABROSA LIMESTONE

DISCONFORMITY

- DEVONIAN — Dm — MARTIN LIMESTONE

DISCONFORMITY

- CAMBRIAN — Cc — ABRIGO LIMESTONE
- Cb — BOLSA QUARTZITE

NONCONFORMITY

- PROTEROZOIC — Pcg — GRANITE
- Pcp — PINAL SCHIST

SYMBOLS

SECTION LINES
a. GEOLOGIC CROSS SECTIONS FROM BUTLER – WILSON REPORT
b. GEOLOGIC CROSS SECTIONS FROM THIS REPORT

CONTACT
DASHED WHERE APPROXIMATELY LOCATED, AND DOTTED WHERE CONCEALED OR INTERPRETED

FAULT
DASHED WHERE APPROXIMATELY LOCATED, AND DOTTED WHERE CONCEALED OR INTERPRETED

VEINS
INCLUDES THE SO CALLED "FISSURES" OF LOCAL USAGE

STRIKE AND DIP
a. BEDDING TRENDS
b. JOINT TRENDS
c. VERTICAL DIP

FLOW STRUCTURE
a. INDICATING STRIKE AND DIP
b. VERTICAL DIP

ANTICLINES AND SYNCLINES
a. THESE ANTICLINES AND SYNCLINES HAVE BEEN TAKEN FROM OLD HISTORIC DATA
b. THESE ANTICLINES AND SYNCLINES WERE INTERPRETED FROM EXISTING MAPPED GEOLOGY BY J. A. BRISCOE

ALTERATION AND MINERALIZATION

- HORNFELS
- SKARN
- SILICIFICATION – MASSIVE TO WEAK
- MARBLE, BLEACHING AND/OR PHYLLIC ALTERATION
- LIMONITE AFTER SULFIDES – MASSIVE TO DISSEMINATED
- MANGANESE – MASSIVE TO DISSEMINATED
- MINED ORE MINERALIZATION FROM HISTORIC DATA
- INTERMITTENT MINERALIZATION – SWUP TO INTENSELY MINED
- MEASURED ORE FROM DRILL HOLE INFORMATION
- INFERRED DISSEMINATED GOLD & SILVER MINERALIZATION FROM GEOLOGY AND/OR GEOCHEMISTRY SUPPORTED AND/OR SCALE DRILLING

UNDERGROUND WORKINGS

SHAFT, STOPE, INCLINE

LEVELS 1–10 (LEVEL 1 … LEVEL 10)

LEVEL	FEET	MILES	% TOTAL	Σ TOTAL
1	9,040	1.7	7.8	7.8
2	11,580	4.1	16.2	23.8
3	46,280	9.6	34.2	57.8
4	23,220	4.4	17.8	74.8
5	14,720	2.8	11.2	86.0
6	14,260	2.7	11.0	96.8
7	5,060	1.1	4.0	100.0
8	900	0.2	1.0	101.0
9	0	0	0	101.0
10	560	0.1	0.4	101.4
	136,060	25.9	101.4	

NUMBERS INDICATE UNDERGROUND MINE LEVEL FROM SHAFT COLLAR

EXPLANATORY NOTES

PROPERTY DATA ARE FROM THE RECORDS OF THE COCHISE COUNTY COURTHOUSE, U.S. GEOLOGICAL SURVEY MAP I-1189, AND FROM THE TOMBSTONE DEVELOPMENT CO., INC., RESEARCHED BY THOMAS E. WALDRUP, JR. THEY HAVE BEEN PLOTTED AS CLOSELY AS RECORDS WOULD PERMIT ON THE U.S.G.S. 7 1/2 MINUTE TOPOGRAPHIC MAP, TOMBSTONE, S.E., FAIRBANK AND LEWIS SPRINGS 7 1/2 MINUTE QUADRANGLES. 22 PLATS DRAWN BY WALDRUP, FROM THE DATA FROM PLATS MORE THAN 100 YEARS OLD, THE NORTHERN PART OF THE TOMBSTONE HILLS WAS REMAPPED. A BASE TRIANGULATION SURVEY WAS PERFORMED BY "THE A-TEAM" REGISTERED PROFESSIONAL SURVEYORS, OF PHOENIX AND TUCSON, AZ USING GPS EQUIPMENT AND A HEAP LEACH PAD WHERE THEY WERE LEACHED WITH CYANIDE SOLUTIONS. THE AREA WAS THEN FLOWN PHOTOGRAMMETRICALLY BY THE ORTHO SHOP OF TUCSON AT A SCALE OF 1:24,000 A BLACK AND WHITE ORTHOPHOTO MAP WITH SURVEY BASE AND 1,000 FOOT GRID TICKS. 2. AT A SCALE OF 1:2,400 (1" = 200') AND 5' CONTOURS A DIGITAL TERRAIN MODEL (DTM) WITH A TOPOGRAPHIC HARD COPY B. ORTHOPHOTO MAP WITH 20' CONTOURS SUPERIMPOSED. C. ORTHOPHOTO MAP WITH GRID TICKS BUT NO TOPOGRAPHY. SHEET 5 PRODUCED IN OCTOBER 1992 AND SHEET 8 IN NOVEMBER 1993. NO OTHER SHEETS (AS SHOWN ON THE INDEX MAP ARE EXTANT AT THIS DATE). STILL EXISTING MINE OPENINGS WERE INTERPRETED FROM PHOTOGRAPHY AND LIMITED FIELD CHECKING. MOST MINE DUMPS ASSOCIATED WITH EARLY DAY MINING WERE REMOVED CIRCA 1972 BY 1971 MINERALS LIMITED. TO A CENTRAL HEAP LEACH PAD WHERE THEY WERE LEACHED WITH CYANIDE SOLUTIONS. THE OPEN PIT WAS PRIMARILY EXCAVATED CIRCA 1978 – 1980 BY TCI (TOMBSTONE EXPLORATION INC.), WITH MINIMAL FURTHER EXCAVATION BY TDC. ALL MINERAL PRODUCTS FROM THIS PHOTOGRAMMETRIC WORK HAVE BEEN PRODUCED TO DATE: 1. AT A SCALE OF 1" = 200' CONTOUR INTERVAL 5 FEET. 2. AT A SCALE OF 1" = 100' CONTOUR INTERVAL 2.5 FEET. 3. AT A SCALE OF 1" = 50' CONTOUR INTERVAL 1 FOOT. 4. AT A SCALE OF 1" = 20' CONTOUR INTERVAL 1 FOOT. 5. AT A SCALE OF 1" = 10' CONTOUR INTERVAL 1 FOOT. 6. AT A SCALE OF 1" = 5' CONTOUR INTERVAL 1 FOOT. 7. AT A SCALE OF 1" = 2' CONTOUR INTERVAL 1 FOOT. 8. AT A SCALE OF 1" = 1' CONTOUR INTERVAL 1 FOOT. 9. AT A SCALE OF 1" = 1' CONTOUR INTERVAL 1 FOOT. 10. AT A SCALE OF 1" = 1' CONTOUR INTERVAL 1 FOOT. 11. AT A SCALE OF 1" = 1' CONTOUR INTERVAL 1 FOOT. 12. AT A SCALE OF 1" = 1' CONTOUR INTERVAL 1 FOOT. 13. AT A SCALE OF 1" = 1' CONTOUR INTERVAL 1 FOOT. 14. AT A SCALE OF 1" = 1' CONTOUR INTERVAL 1 FOOT. 15. AT A SCALE OF 1" = 1' CONTOUR INTERVAL 1 FOOT.

1	2	3
4	CONTENTION SHEET 5	6
7	GRAND CENTRAL 8	9
10	11	12
13	14	15

Produced from the Tombstone Development Co. Tombstone basin area has been plotted directly from the 1905? vintage map noted in the references on this map sheet. South of the Prompter Fault, geology from the 1955? map was updated according to the more recent work by Merrill and Dremes, as interpreted by James A. Briscoe.

Aerial photo Date: October 12, 1992

Ground control provided by the A-Team Professional Associates.

Data was digitized using "NAD83" State Plane coordinates for the central zone.

REFERENCES - GEOLOGY

DREWES, HARALD, 1982, TECTONIC MAP OF SOUTHEAST ARIZONA, U.S. GEOLOGICAL SURVEY MAP I-1109

NEWELL, ROGER A., 1974, EXPLORATION GEOLOGY AND GEOCHEMISTRY OF PORPHYRY COPPER DEPOSITS, CHIRICAHUA MOUNTAINS, COCHISE COUNTY, ARIZONA, PH.D. THESIS, UNIVERSITY OF ARIZONA, TUCSON, 1974

UNKNOWN, CIRCA 1955 PROBABLY A NEWMONT MINING CO. GEOLOGIC AND ALTERATION MAP, WITH SURFACE PROJECTION OF UNDERGROUND MINE WORKINGS, PLOTTED ON AERIAL PHOTOGRAPHY OF THE TOMBSTONE ARIZONA AND VICINITY TOPOGRAPHIC MAP, 1985, REPRINTED 1948, CONTOUR INTERVAL 10 FEET. FROM THE FILES OF THE TOMBSTONE DEVELOPMENT COMPANY, INC.

INDEX MAP 1992 PHOTOGRAPHY & PHOTOGRAMMETRY (SHADING SHOWS SHEETS EXTANT AS OF THIS DATE)

1	2	3
4	CONTENTION SHEET 5	6
7	GRAND CENTRAL 8	9
10	11	12
13	14	15

APPROXIMATE MEAN DECLINATION, 1988

DRAWN BY	JABA INCORPORATED TUCSON, ARIZONA		
	AUTHORS LIST		DATE
GEOLOGY	JAMES A. BRISCOE		
SURVEY	THE A-TEAM		
ORTHO PHOTO	THE ORTHO SHOP		
SURVEY	A-TEAM SURVEYORS		
CADD	GARY M. BLACHARSKI		12/05/93
APPROVED			

TOMBSTONE, ARIZONA
COCHISE COUNTY
GRAND CENTRAL SHEET NO. 8

TOMBSTONE, ARIZONA
COCHISE COUNTY
GRAND CENTRAL SHEET No 8
WITH MINE WORKINGS

SCALE 1" = 200' CONTOURS AT 5'

PREPARED FOR	Tombstone Development Co. (TDC) Inc.
	P.O. BOX 1445
	Grand Island, Nebraska
COUNTRY	U.S.A. STATE: ARIZONA COUNTY: COCHISE
MOUNTAIN RANGE	TOMBSTONE HILLS
MINING DISTRICT	TOMBSTONE
USGS QUAD SHEET(S)	TOMBSTONE, Az 7 1/2 MIN.
CAD No.	TMD-8882
REV. DATE	06/17/94
DWG NUMBER	
REV.	6