Court House
Alien St.
GILDED
WARRIOR GAVEL
WAY UP
SILVER BELT
NORTH POINT
DEFENCE
INTERVENER
POOR LEFTOVER
WEST SIDE
NEXT SULPHURET
FIRST SOUTH EX TOUGHNUT
FORTUNE
TRANQUILITY
CONTENTMENT
CONTENT
OLD GUARD
HERSCHEL
BOB INGERSOL
BLUE MONDAY
TRIBUTE
HERALD
NINETY NINE
MAYFLOWER
FLORA MORRISON
NEW YEAR
OWLS LAST HOOT
EAST SIDE
HARD UP
SAN RAFAEL
BON TON
OWLS NEST
EAST SIDE No 2
McCANN
COYOTIE
AUNT SALLY
NAUMKEAG
GRAND CENTRAL
ILLINOIS
MICHIGAN
UNION
WEDGE
C.O.D.
FLUX
BLACK HAWK
SYDNEY
MOONLIGHT
S.EX. GRAND CENTRAL
SOUTHERN BELLE
BUFFALO
BUCKSKIN
OREGON
PROMPTER
CONTACT
FLORODORO
BLACK TOM
APACHE
TELEPHONE
GRAND DIPPER
MELLGREN
HARDY
BUNKER HILL
RATTLESNAKE
MAMMOTH
VIDGET
AVENUE

JUNCTION ERNIE'S
DIGGING TO SURFACE

PROVEN

FILL TO SURFACE?

296 8' 0.46

297 4'X30' 0.42

298 4'X4' 0.52

SAMPL# WIDTH
300 4' 2.13 0.01

299 3' 1.58 .005

304 MUCK 1.51 .005

303 5'X16' 2.10 .005

386 12' 0.5

382.383 4' 0.88

312 3' 2.46

213 3' 0.16

385 8' 0.31

281 283 3' 1.54 .005
282 2' 2.38
285 2' 3.32
286 5' 0.12
290 8'X4' 3.22 .010
284 3' 1.32
291 4' 0.22
292 7' 1.86 .005
7' 2.61 .005

WIDE AREA

288 3' 1.41
289 3' 5.83 .010
311 18" 4.11 .005
309 3' 4.21 .010
310 3' 4.46 .010
287 18" 3.25 .005

295 FT.WLL 0.94
293 MUCK 1.35
305 6' 5.38 .010
306 5' 7.28 .015

PROPOSED SLUSHER DRIFT

PROPOSED SLUSHER DRIFT

#1 POSSIBLE ORE SHOOT

#2 POSSIBLE ORE SHOOT

#3 POSSIBLE ORE SHOOT

PLAN SKETCH OUTSIDE DUMP

#307 2'X4' TRENCH AG 0.50

HG PILE AG + 5.00 OPT

#302 2'X5' TRENCH AG 4.85 AU .010

#308 3 POST HOLES AG 0.83

SCALE 1" = 40'

SAMPLE WIDTH AG AU

1"=20'

from
SOUTHWEST RESOURCES – MARCH 1982
SADDLE AREA #2 SHAFT AND NE DRIFT



from
SOUTHWEST RESOURCES – MARCH 1982
SADDLE AREA #2 SHAFT AND NE DRIFT

SOLST.DWG 7-22-86

1"=40'?

SMPL # WIDTH Ag Au

NOTE: NOT ALL SAMPLES INCLUDE Au

3 of 5

ROUGH

#296-8"V 0.46 Ag

Fill To Surface

#297-4'x30'V Ag 0.42

#298-4'x4'V Ag 0.52

#301-6'V Ag 5.84 - Au .020

#300-4'V Ag 2.13 - Au 0.01

#299-3'V Ag 1.58 Au .005

#303-5'x16 Ag 2.16 Au .005

#386-12"V Ag .50

Muck Ag 2.15 Au .005

Proposed Slushroad

#382+383 4'V Ag .88

#385-3'V Ag 1.54 Au

#381-3'V Ag 3.37

#384-3'V Ag 3.23

#385-5'V Ag .12

#386-8"x4'V Ag 3.32 Au 0.01

#390-5'V Ag 1.32

#394-4'V Ag 3.23

#391-7'V-Ag 1.8 Au

#392-4'V Ag 2.67 Au

W-4 Area

#388-3'V Ag 1.41

#275 Ft Wall Ag .94

#298 Muck Ag 1.35

#305-6'V Ag. 5.38 Au .010

#306-5'V Ag. 7.28 Au .015

#312-3'V Ag 1.46

#313-3' Ag 1.16

#389-3'V Ag 5.83 - Au 0.01

#311-18"V Ag 4.11 Au .005

#309-310-V3' Ag 4.11 + 4.46 Au .010

#385-8"V Ag .31

#387-2'V Ag 3.25 Au .005

Proposed Slushroad Dr

(900, 200)

Possible ore Contact

Possible ore Contact

Possible ore

14.92 CREDIT

2584

#307-2'x4' Trench Ag .50

HG P/o Ag 4.5.02

#302-2'x5' Trench Ag. 4.85 Au .010

#308-3' Post holes Ag .83

Plan Sketch outside Dump

PN MINE

~~Au Assay~~

LAYERS

MINE - W

SMRF - G

TIMB - Y

PMINE - C

PORE - R

CMINE - W

LAD - M

PORE H - R

PORE HT - W

ASSAY - C

SMPL WIDTH Ag Au

1' TEXT

ASSAY

TITLE

Cat West Resources Inc. Claim 1222

SKETCH - RE=1

10-9

10-10

SOLST.DWG 7-22-86

1"=40'?

SMPL# WIDTH Ag. Au

NOTE: NOT ALL SAMPLES INCLUDE Au

#296-8"V 0.46 Ag

#297-4'x30V Ag 0.42

#298-4"x4'V Ag 0.52

#301-6'V Ag. 5.84 - Au .020

#300-4'V Ag 2.13 - Au 0.01

#299-3'V Ag 1.58 Au .005

#303-5'x10 Ag 2.10 Au .005

#386-12'V Ag .50

#385-8'V Ag .31

#382+383 4'V Ag .88

#381-3'V Ag 1.54 Au

#380-3'V Ag 3.23

#295-5'V Ag .12

#286-8"x4'V Ag 3.22 Au 0.01

#290-3'V Ag 1.32

#284-4'V Ag 1.32

#291-7'V Ag 1.8 Au

#292-3'V Ag 2.61 Au

#312-3'x Ag 1.46

#313-3' Ag 1.16

#288-3'V Ag 1.41

#289-3'x Ag 5.83 - Au 0.01

#311-18"x Ag 4.11 Au .005

#275 FT WALL Ag .94

#293 MUCK Ag 1.35

#305-6'V Ag 5.38 Au .010

#306-5'V Ag 7.28 Au .015

#309-310-V3' Ag 4.11 + 4.46 Au .010

#287-2½V Ag 7.25 Au .005

(900,200)

Plan sketch outside Dump

PN MINE

#307-2x4 Trench Ag .50

HG P/c Ag .4 5. oz

#302-2x5' Trench Ag. 4.85 Au .010

#308-3 POST holes Ag .83

Post 16 ore chute

2 possible ore chutes

Proposed Skyline Dr

14.92 CREDIT

2584

LAYERS
ALIVE - W
SURF - G
TIMB - Y
PMINE - C
PORE - R
CMINE - W
LAD - M
POREH - R
POREHH - W
ASSAY - C

SMPL# WIDTH Ag Au
TEXT

TITLE

SKETCH - RI=1

10-9
40-16

0,0


Set 22
RMD

Toughnut Shaft

Girard Shaft

Empire Shaft

Tranquility SHAFT

Silver Thread Incline

Toughnut Incline

Empire dike

Solution channel

Chimo Stope above 3rd Level

Girard Stope

Girard Stope below 3rd Level

Girard Roll

Blanked

35 inc UP

4th Level West Side

Raise to connect with Chimo Stope

Raise to connect with Girard Stope

Jeff drive 3rd level

Raise to connect with Jeff drive 3rd level

Raise to connect with Girard Stope

Raise to connect with Chimo Stope

Stope To Surface

North west Shaft

To Surface

Stope near Surface

Stope open at Surface

Stope below Level

To Surface

crest of Roll

Incline to Lower level

Grizzly Incline Surface

open to Surface

Pit of Glory Hole

Stope to 2nd Level

Tough Nut Shaft

Minor Roll

West Side fissure

Stope to 2nd Level

Stope to 2nd Level

incline dips with vein

to 2nd level

To Surface

To Surface

open pit To Surface

Compilation Map of 100
Tough Nut
North West
+
stopes above and below the 100
Level
Goodenough
Way up
Vizina
Million Dollar
North West under Wheeler's
House and Toughnut

Way up Shaft

100 Level


NORTHWEST
EAST
Looking NOTHEAST
Looking NORTH
Ped
Road
Tombstone rhyolite
Tribute Fissure
Defense Fissure
Kbr
KB
Qal
Railroad
Dirt Road
Fault
Highway 89
Comihan
Sherrer
lk
dol
Epitaph
calc. siltstn
Colina
Ehrp
Horquilla
disconformity
Escabrosa
Martin
Thin to v thin bedd'd ls
Abrigo
Bolsa
Qtzite
SEA LEVEL

G'

WEST

6000'
5500'
5000'
4500'
4000'
3500'
3000'
2500'
2000'
1500'
1000'
500'
SEA LEVEL
500'
1000'
1500'
2000'
2500'
3000'
3500'
4000'

Road
Dirt Road
Fault
Road
Dirt Road
Fault
Lucky Gate Mine
Fault
Fault
Fault
Fault
Fault
Trail/Gulch - Continental Fault
Fault
Rail Road
Dirt Road
Rail Road
Dirt Road
Road
Dirt Road
Fault
Fault
Fault
Highway 50
Fault
Dirt Road
Dirt Road

G'

EAST

6000'
5500'
5000'
4500'
4000'
3500'
3000'
2500'
2000'
1500'
1000'
500'
SEA LEVEL
500'
1000'
1500'
2000'
2500'
3000'
3500'
4000'

SCALE 1" = 500'
TAMBURO
SECTION G - G'

TOPOGRAPHY EXPLANATION

NAD83 STATE GRID
CONTROL
INDEX CONTOUR
INTERMEDIATE CONTOUR
SPOT ELEVATION — 5000.00
ROAD – PAVED
ROAD – PAVED CL
ROAD – DIRT
ROAD – TRAIL
RAILROAD
RAILROAD – ABANDONED RIGHT OF WAY
BRIDGE
STRUCTURE
TRAILER
FENCE
TANK
FOUNDATION
STREAMS – PERENNIAL
STREAMS – INTERMITTENT
POND
DITCH
PIPE
CUTS
CREST
TOE
POLE
WELL — WELL NUMBER
DRILL HOLE – SURVEYED — DH OWNER / DH NUMBER
DRILL HOLE – UNSURVEYED — DH OWNER / DH NUMBER
MINE SHAFT — OPEN / FENCED / COVERED / BULK HEADED /BACK FILLED
MINE SHAFT – MULTI COMPARTMENT
MINE SHAFT – INCLINED WITH DEGREE OF INCLINATION — 60°
PROSPECT
ADIT PORTAL
TRENCH

GEOLOGIC EXPLANATION

ROCK TYPES

CENOZOIC — RECENT
- Qwlc / Qwlt — WASHED TAILS – COARSE & FINES
- Qmd / Qhlt — MINE DUMPS & HEAPLEACH TAILS

CENOZOIC — QUATERNARY
DISCONFORMITY
- Qu — QUATERNARY UNDIVIDED – PRIMARILY UNTILTED SOIL

CENOZOIC — TERTIARY
- Tfr — TERTIARY ? RHYOLITIC DIKES
- Qb — BASALT INTRUSIVE
- Tgg — GILA CONGLOMERATE- CEMENTED & SOMETIMES TILTED GRAVELS

UNCONFORMITY
- Kha — HORNBLENDE ANDESITE PLUG AND ASSOCIATED DIKES
- Krd — RHYODACITE
- Kg — GRANOPHYRE
- Kr — RHOLITE PLUG AND ASSOCIATED DIKES (AGE: 63 M.Y.) POSSIBLE HYPABYSSAL EQUIVALENT OF THE Kcqm
- Kcqm — COMSTOCK QUARTZ MONZONITE PORPHYRY (AGE: 63.5 M.Y. FROM SAMPLE COLLECTED BY BRISCOE & DREMES, DATED BY USGS) INTRUSIVE INTO Kqg
- Kqlp — QUARTZ LATITE PORPHYRY
- Ksg — SCHEIFFELIN GRANODIORITE (AGE: 72 M.Y.)
- Kut — UNCLE SAM TUFF (AGE: 71.9 ±2.4 M.Y.)
- Kbr — BRONCO RHYOLITE – DOMES AND FLOWS ?
- Kap — ANDESITE PORPHYRY DIKES
- Kba — BRONCO ANDESITE – LAHARIC FLOW BRECCIAS, FLOWS AND DIKES ?

MESOZOIC — CRETACEOUS
UNCONFORMITY
- Kb — BISBEE FORMATION – UNDIFFERENTIATED REDBEDS – SHALE, ARKOSIC QUARTZITE — — — LINE INDICATES MARKER HORIZON OF PETRIFIED WOOD IDENTIFIED BY DR. ERIC FORCE, USGS.
- K-Js — JOX LIMESTONE
- Kbls — LIMESTONE – INCLUDES BLUE, 12 FOOT, AND 6 FOOT LIME OF LOCAL USAGE
- Kbg/Kbn — GLANCE CONGLOMERATE - "NOVACULITE" OF LOCAL USAGE – KINSOM & BIEUS & WILSON, CHARACTERIZED BY INTENSE SILICIFICATION IN MINERALIZED ZONES

PALEOZOIC — PENNSYLVANIAN – PERMIAN
UNCONFORMITY
- Pcn — CONCHA (NACO) LIMESTONE
- Ped — EPITAPH DOLOMITE
- Pc — COLINA LIMESTONE
- IPe — PERMIAN – PENNSYLVANIAN EARP LIMESTONE
- IPh — HORQUILLA LIMESTONE

PALEOZOIC — DEVONIAN MISSISSIPPIAN
DISCONFORMITY
- Me — ESCABROSA LIMESTONE

PALEOZOIC — DEVONIAN
DISCONFORMITY
- Dm — MARTIN LIMESTONE

PALEOZOIC — CAMBRIAN
DISCONFORMITY
- Ca — ABRIGO LIMESTONE
- Cb — BOLSA QUARTZITE

PROTEROZOIC
NONCONFORMITY
- Pcg — GRANITE
- Pcp — PINAL SCHIST

SYMBOLS

SECTION LINES
a. GEOLOGIC CROSS SECTIONS FROM BUTLER – WILSON REPORT
b. GEOLOGIC CROSS SECTIONS FROM THIS REPORT

CONTACT
DASHED WHERE APPROXIMATELY LOCATED, AND DOTTED WHERE CONCEALED OR INTERPRETED

FAULT
DASHED WHERE APPROXIMATELY LOCATED, AND DOTTED WHERE CONCEALED OR INTERPRETED

VEINS
INCLUDES THE SO CALLED "FISSURES" OF LOCAL USAGE

STRIKE AND DIP
a. BEDDING TRENDS
b. JOINT TRENDS
c. VERTICAL DIP

FLOW STRUCTURE
a. INDICATING STRIKE AND DIP
b. VERTICAL DIP

ANTICLINES AND SYNCLINES
a. THESE ANTICLINES AND SYNCLINES HAVE BEEN TAKEN FROM OLD HISTORIC DATA
b. THESE ANTICLINES AND SYNCLINES WERE INTERPRETED FROM EXISTING MAPPED GEOLOGY BY J. A. BRISCOE

ALTERATION AND MINERALIZATION

- HORNFELS
- SKARN
- SILICIFICATION – MASSIVE TO WEAK
- MARBLE, BLEACHING AND/OR PHYLLIC ALTERATION
- LIMONITE AFTER SULFIDES – MASSIVE TO DISSEMINATED
- MANGANESE – MASSIVE TO DISSEMINATED
- MINED ORE MINERALIZATION FROM HISTORIC DATA
- INFERRED MINERALIZATION SIMILAR TO PREVIOUSLY MINED
- MEASURED ORE FROM DRILL HOLE INFORMATION
- INFERRED DISSEMINATED GOLD & SILVER MINERALIZATION FROM GEOLOGY AND/OR GEOCHEMISTRY/ GEOPHYSICS AND/OR SCOUT DRILLING

UNDERGROUND WORKINGS



LEVELS	FEET	MILES	% TOTAL	Σ TOTAL
1	9,040	1.7	7.0	7.0
2	21,580	4.1	16.0	23.0
3	46,200	8.8	34.0	57.0
4	23,220	4.4	17.0	74.0
5	14,720	2.8	11.0	85.0
6	14,280	2.7	11.0	96.0
7	5,560	1.1	4.0	100.0
8	580	0.2	1.0	101.0
9	–	–	–	–
10	560	0.1	0.4	101.4
	136,000	25.9	101.4	

NUMBERS INDICATE UNDERGROUND MINE LEVEL FROM SHAFT COLLAR

EXPLANATORY NOTES

PROPERTY DATA ARE FROM THE RECORDS OF THE COCHISE COUNTY COURTHOUSE, U.S. PATENTS, DILIGENT RESEARCH BY THE CARTOGRAPHIC RESEARCH GROUP, INC., AND FIELD SURVEYS BY A-TEAM SURVEYORS, INC. RESEARCHED BY THOMAS E. WALDRUP, JR. THEY HAVE BEEN PLOTTED AS CLOSELY AS RECORDS WOULD PERMIT ON THE U.S.G.S. 7 1/2 MINUTE MAPS ENTITLED TOMBSTONE AND ITS INCLUDES CHIEF ARE TOMBSTONE, TOMBSTONE S.E., FAIRBANK AND LEWIS SPRINGS 7 1/2 MINUTE QUADRANGLES. SEE PLATE 3 BRISCOE & WALDRUP, 1993 THE DATA FROM PLATE 3 WERE ASSEMBLED ON A 1:12,000 ENLARGEMENT OF THE TOMBSTONE 7 1/2 MINUTE TOPOGRAPHIC MAP, 1952, PHOTO REVISION, 1978. THE CLAIM DATA WAS RE-DRAFTED AND ADJUSTED BASED UPON SURVEYS DONE BY A-TEAM SURVEYORS. THE DATA WAS DONE Using NAD83 State Plane coordinates for the Arizona Southeast Zone.

LOCATIONS OF MINE SHAFTS WERE DIGITIZED FROM THE 1909 U.S.G.S. 1" = 500' TOPOGRAPHIC SHEET. THE GEOLOGY OF THE TOMBSTONE BASIN AREA HAS BEEN PLOTTED DIRECTLY FROM THE 1952/9 VINTAGE MAP NOTED IN THE REFERENCES ON THIS MAP SHEET. SOUTH OF THE PROMPTER FAULT, GEOLOGY FROM THE 1893 MAP WAS UPDATED ACCORDING TO THE MORE RECENT WORK BY NEWELL AND DREMES, AS INTERPRETED BY JAMES A. BRISCOE.

IN SEPTEMBER 1992, THE NORTHERN PART OF THE TOMBSTONE HILLS WAS REMAPPED. A BASE TRIANGULATION SURVEY WAS PERFORMED BY "THE A-TEAM" REGISTERED PROFESSIONAL SURVEYORS, OF PHOENIX AND TUCSON, AZ USING EDM EQUIPMENT AND CONTROL ESTABLISHED BY THE CARTOGRAPHIC RESEARCH GROUP, INC. THE PHOTOGRAMMETRIC WORK WAS PERFORMED BY THE ORTHO SHOP OF TUCSON AT A SCALE OF 1" = 200'. SEVERAL PRODUCTS FROM THIS PHOTOGRAMMETRIC WORK WERE PRODUCED TO DATE: 1. AT A SCALE OF 1:24,000 A BLACK AND WHITE ORTHOPHOTO MAP WITH SURVEY BASE AND 1,000 FOOT GRID TICKS. 2. AT A SCALE OF 1:2,400 (1" = 200') AND 5' CONTOURS A DIGITAL TERRAIN MODEL (DTM) WITH A TOPOGRAPHIC HARD COPY. B. ORTHOPHOTO MAP WITH 20' CONTOURS SUPERIMPOSED. C. ORTHOPHOTO MAP WITH GRID TICKS BUT NO TOPOGRAPHY. SHEET 5 PRODUCED IN OCTOBER 1992 AND SHEET 8 IN NOVEMBER 1993. NO OTHER SHEETS (AS SHOWN ON THE INDEX MAP) ARE EXTANT AT THIS DATE). STILL EXISTING MINE OPENINGS WERE INTERPRETED FROM PHOTOGRAPHY AND LIMITED FIELD CHECKING. MOST MINE DUMPS ASSOCIATED WITH EARLY DAY MINING WERE REMOVED CIRCA 1972 BY 1971 MINERALS LIMITED, TO A CENTRAL HEAP LEACH PAD WHERE THEY WERE LEACHED WITH CYANIDE. THE OPEN PIT WAS PRIMARILY EXCAVATED CIRCA 1978 – 1980 BY TCI (TOMBSTONE EXPLORATION INC.), WITH MINIMAL FURTHER EXCAVATION BY NOR – CHINOOK MINES INC. AND MERRILL–CROWE PLANT AND HEAP LEACH PAD CONSTRUCTION (SEE SHEET 8) CIRCA 1987 – 1990. MANY SHAFTS WERE BACKFILLED OR FILLED PRIMARILY BY SANTA FE MINERALS INC UNDER THEIR LEASE WITH TOMBSTONE DEVELOPMENT CO., INC. CIRCA 1987 – 1990.

THIS MAP WAS PRODUCED USING COMPUTER AIDED DRAFTING (AUTOCAD R. 12.22) SOFTWARE AND PRINTED IN COLOR USING A HEWLETT – PACKARD DNJ JET PLOTTER. THE DATA IN THE COMPUTER IS A 3 DIMENSIONAL DIGITAL TERRAIN MODEL. CAD DRAFTING WAS WORK DONE BY MESSRS PETER BONDANTE CIRCA 1988 – 1993, AND UPDATED AND REVISED BY GARY M. BLACHARSKI. SUPERVISION PROVIDED BY JAMES A. BRISCOE, THOMAS E. WALDRUP JR., AND ROBERT J. MACER, GEOLOGISTS, JABA INC.

1	2	3
	CONTENTION SHEET 5	6
7	GRAND CENTRAL 8	9
10	11	12
13	14	15

FOLD

REFERENCES - GEOLOGY

DREMES, HAROLD, 1988, TECTONIC MAP OF SOUTHEAST ARIZONA, U.S. GEOLOGICAL SURVEY MAP I–1189.

NEWELL, ROGER S. 1974, EXPLORATION GEOLOGY AND GEOCHEMISTRY OF THE TOMBSTONE MINING DISTRICT, COCHISE COUNTY, ARIZONA, PH.D. THESIS.

UNKNOWN, CIRCA 1955 PROBABLY A NEWMONT MINING CO. GEOLOGIC AND ALTERATION MAP, WITH SURFACE PROJECTION OF UNDERGROUND MINE WORKINGS, PLOTTED ON U.S.G.S. TOPOGRAPHIC MAP TOMBSTONE ARIZONA AND VICINITY TOPOGRAPHIC MAP, 1988, REPRINTED 1948, CONTOUR INTERVAL 10 FEET. FROM THE FILES OF THE TOMBSTONE DEVELOPMENT COMPANY, INC.

SCALE 1" = 200'
200 0 200 400 600 800

TRUE NORTH / MAGNETIC NORTH — APPROXIMATE MEAN DECLINATION, 1988 — 13°

INDEX MAP 1992 PHOTOGRAPHY & PHOTOGRAMMETRY (SHADING SHOWS SHEETS EXTANT AS OF THIS DATE)

1	2	3
4	CONTENTION SHEET 5	6
7	GRAND CENTRAL 8	9
10	11	12
13	14	15

	AUTHORS LIST	DATE
GEOLOGY:	JAMES A. BRISCOE	
PROPERTY:	T.E.W. Jr.	
TOPOGRAPHY:	THE ORTHO SHOP	
SURVEY:	A–TEAM SURVEYORS	
CADD:	GARY M. BLACHARSKI	12/05/93
APPROVED:	J.A.B.	05/01/94

PREPARED BY: JABA INC. TUCSON ARIZONA

TOMBSTONE, ARIZONA COCHISE COUNTY CONTENTION SHEET No 5 WITH MINE WORKINGS

200 100 0 400
SCALE 1" = 200' CONTOURS AT 5'

PREPARED FOR: Tombstone Development Co. (TDC) Inc.
P.O. BOX 1445
Grand Island, Nebraska

COUNTRY: U.S.A. STATE: ARIZONA COUNTY: COCHISE
MOUNTAIN RANGE: TOMBSTONE HILLS
MINING DISTRICT: TOMBSTONE
USGS QUAD SHEETS: TOMBSTONE, Az 7 1/2 MIN.

CAD No	REV. DATE	DWG NUMBER	REV
TMD–05B2	06/17/94		6