CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
416 W. Congress St., Suite 100
Tucson, Arizona 85701
602-771-1601
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the A. F. Budge Mining Ltd. Mining Collection

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t	
1574	900-B	30	8/29	.431 ~~.476~~	1.51 ~~1.38~~	
1575	Smelter	4t.	8/30	.180	1.42	
1576	800 l.g.	16	8/30	.180	1.24	
1577	900-B	34	8/30	.190	.98	
1578	900-B	27	8/30	.295	1.60	
1579	Smelter	4 tr	8/31	.168	1.08	
1580	900-B	30	8/31	.162	.93	
1581	900-B	29	8/31	.143	.91	re-run
1582	900-B		8/31	.199	1.15	"
1583	900-B	30	9/01	.144	.45	" "
1584	900-B	45	9/01	.186	.73	
1585	Smelter	4 trucks	9/01	.142	1.22	
1586	"	4 "	9/05	.131	1.92	
1587	900 B	26	9/06	.437	1.11	
1588	800	33	9/05	.218	2.19	
1589	900B	30	9/05	.438	1.09	
1590	900B	18	9/05	.395	1.13	
1591	800	12	9/12	.150	1.11	
1592	900 B-C	70	9/12	.240	0.67	
1593	900	30	9/12	.115	0.74	
1594	900 B-C	30	9/12.	.130	0.81	
1595	900	40	9/13	.246	13.58	
1596	800 l.g.	25	9/13	.203	1.23	
1597	900	33	9/14	.310	1.09	
1598	800	30	9/14	.182	2.60	

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
1599	800	32	9/14	.244	1.84
1600	Smelter	4 trucks	9/15	.223	1.62
113903	800	20	9/15	.086	1.96
3904	Smelter	4	9/18	.135	1.68
3905	900	30	9/18	.268	1.00
3906	800	12	9/18	.168	1.97
3907	900	15	9/18	.284	.90
3908	900	32	9/19	.208	.70
3909	Smelter	4	9/19	.217	2.30
3910	Smelter	4	9/20	.218	1.65
3911	900 B	45	9/20	.211	.74
3912	Smelter	4	9/21	.180	1.27
3913	900	20	9/21	.204	.77
3914	900	25	9/21	.197	.91
3915	900	40	9/21	.420	1.63
3916	Smelter	4	9/22	.174	1.56
3917	900 B	54	9/22	.262	.83
18	900 A+B	40	9/22	.211	.83
19	Smelter	4 trucks	9/25	.256	1.70
20	900	17	9/25	.381	.97
21	900	30	9/25	.354	.97
22	900	30	9/25	.405	.97
23	900	30	"	.423	1.07
24	900	25	9/26	.201	1.03
25	900	22	"	.191	.95

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
26	900	30	9/26	.282	.98
27	900	30	"	.240	1.20
28	Smelter	4 truck	"	.282	1.90
3929	Smelter	4 truck	9/27	.243	1.46
3930	900	30	"	.250	.76
31	Smelter	4 trucks	9/28	.304	1.71
32	900	30	"	.512	1.25
33	900	30	"	.656	1.43
34	900	30	"	.326	1.41
35	900	30	"	.377	.93
36	900	30	"	.331	1.36
37	900	30	9/29	.389	1.45
38	900	20	9/28	.457	1.53
39	Smelter	4 trucks	9/29	.365	1.52
40	Smelter	4 trucks	10/2	.368	1.91
41	900	30	10/2	.369	1.10
42	Smelter	4 truck	10/3	.360	1.78
43	900	30	10/2	.440	1.46
44	900	30	10/3	.212	1.63
45	900	36	10/2	.308	1.98
46	900	30	10/2	.383	1.08
47	900	36	10/3	.455	2.06
48	900	30	10/3	.349	1.08
49	900	40	10/3	.393	.88
50	Smelter	4 trucks	10/4	.305	1.49

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
5901	900	20	10/4	0.345	0.95
02	900	40	10/4	0.216	1.18
03	900	30	10/4	0.321	1.05
04	900	30	10/4	0.161	0.94
05	Smelter	4 T	10/5	0.230	2.30
06	900	35	10/6	0.388	1.31
07	900	30	10/6	0.368	1.05
08	900	30	10/6	0.436	1.26
09	900	30	10/6	0.438	1.23
5910	Smelter	4T	10/6	0.408	1.44
11	900	30	10/6	.462	1.18
12	900	20	10/6	.443	.72
13	Smelter	4T	10/9	.405	1.21
14	900	40	10/9	.304	1.06
15	900	30	10/9	.324	1.65
16	900	30	10/9	.343	1.24
17	Smelter	4T	10/10	.421	1.20
18	900	30	10/12	.354	1.30
19	900	40	10/12	.358	1.16
5920	900	30	10/11	.558	1.90
21	900	25	10/10	~~.557~~ .533	1.28
22	900	30	10/12	.459	1.40
23	900	30	10/11	.592	1.27
5924	900	30	10/11	.344	1.49
25	Smelter	5 T	10/12	.580	1.60

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
5926	900	30	10/11	.767	1.54
27	900	30	10/12	.562	1.40
28	900	24	10/12	.415	1.37
29	900	35	10/12	.508	1.62
5930	Smelter	5T	10/13	.372	1.15
31	900	?25	10/13	.379	1.23
32	900	?25	10/13	.443	1.45
33	900	?25	10/13	.279	1.20
34	Smelter	5T	10/16	.367	1.37
35	900	30	10/16	.258	1.17
36	900	30	10/16	.301	1.03
37	900	30	10/16	.208	.80
38	Smelter	5T	10/17	.363	1.21
39	900	30	10/17	.244	1.45
5940	900	40	10/17	.180	1.03
41	900	30	10/17	.320	1.43
42	Smelter	5T	10/18	.356	1.20
43	900	40	10/19	.281	1.11
44	900	30	10/19	.474	1.29
45	900	40	10/19	.245	1.01
46	900	30	10/18	.368	1.26
47	900	35	10/17	.322	1.10
48	900	20	10/18	.198	0.81
49	900	30	10/20	.298	1.28
5950	900	30	10/20	.324	1.14

10-27-89

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
5951	900	30	10/20	.277	1.50
52	Smelter	5	10/19	.261	1.07
53	Smelter	5	10/20	.341	1.30
54	Smelter	5	10/23	.314	1.38
55	900	30	10/23	.145	1.03
56	900	30	10/23	.171	1.03
57	900	60	10/23	.184	1.03
58	Smelter	5	10/24	.194	1.08
59	900	50	10/24	.130	.83 10-30-89
60	900	30	10/24	.220	1.02
61	900	30	10/24	.162	.96
62	900	30	10/24	.190	1.28
63	Smelter	5	10/25	.156	.96
64	Smelter	5	10/26	.202	1.21 11-01-89
65	900	30	10/26	.168	1.19
66	900	40	10/25	.172	1.36
67	900	30	10/26	.188	1.58
68	900	30	10/25	.214	1.26
69	900	30	10/26	.168	1.77
70	900	30	10/25	.168	1.11
71	900	30	10/26	.236	1.23
5972	Smelter	5	10/27	.204	1.64
5973	900	27	10/27	.141	1.00
74	900	30	10/27	.087	1.24
75	Smelter ~~900~~	5 truck ~~27~~	10/30	.232	1.17

Iron King Assay 632-7410

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
5976	900	27	10/30	.237	.85
77	900 ~~Smelter~~	29	10/30	.185	.63
78	Smelter	5T	10/31	.237	.81
79	900	30	10/31	.220	.80
80	900	30	10/31	.100	.87
81	900	35	10/31	.125	.88
82	Smelter	5T	11/1	.220	1.25
83	900	35	11/1	.330	1.90
84	900	23	11/1	.261	1.45
85	Smelter	5T	11/2	.260	1.45
86	Smelter	4T	11/3	.452	1.24
87	Smelter	5T	11/6	.430	1.34
5988	"	5T	11/7	.356	1.05
89	"	5	11/8	.295	1.06
90	"	5	11/9	.273	1.41
91	"	5	11/10	.273	1.36
92				.208	.99 11-30-89
93				.237	.97
94				.249	1.02
95				.306	1.80
96				.288	1.33
97				.235	.98
98				.254	1.31
99				.204	1.20
~~6000~~					

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
7002	Smelter	4 trucks	11/27	.250	1.20
3	900	30	11/28	.166	.68
4	900	30	11/28	.179	.80
5	Smelter	4	11/28	.165	1.23
6	Stockpile	Sample for	85% 19.5% SiO_2 & Fe	.186	4.63
7	900	30		.163	.54
8	900	40		.134	1.10
9	Smelter	4	11/29	.165	1.39
7010	Smelter	4	11/30	.208	1.20
11	Smelter	4	12/01	.156	1.45
12	800	cut sample for	88.3% 8.6% SiO_2 & Fe	.129	2.75
13	900	44		.151	.90
14	900	36		.184	.76
15	Smelter	4	12/04	0.201	0.81
16	900	35		0.156	.76
17	Smelter	4	12/05	0.081	2.55
18	Smelter	4	12/06	0.173	4.97
19	900	30	12/05	.177	.81
7020	900	40	12/06	.163	.83
21	Smelter	4	12/07	.185	.82
22	900	30	12/07	.169	.89
23	Smelter	4	12/08	.188	3.60
24	900	30	12/08	.149	.88
25	Smelter	4	12/11	.147	1.65
26	Smelter	4	12/12	.160	2.61

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
7027	900	34	12/12	.197	1.38
28	900	30	12/11	.138	.93
29	900	30	12/12	.273	1.05
30	900	30	12/12	.226	.96
31	900	30	12/12	.323	.78
32	Smelter	4	12/13	.188	.93
33	900	40	12/13	.379	.96
34	900	35	12/14	.128	2.08
35	900	30	12/13	.283	.68
36	Smelter	4	12/14	.280	.91
37	900	28	12/14	.247	.86
38	900	35	12/14	.208	1.05
39	900	20	12/14	.186	.90
40	Smelter	4	12/15	.192	1.22
41	test 907 to Congress 100 T.		12/15	.160	2.89
70 42	Smelter	4	12/18	.167	6.12
70 43	Smelter	4	12/19	.190	1.07
44	"	4	12/20	.194	1.82
45	"	4	12/21	.183	1.23
46	911	10	12/21	.065	.95
47	900	15	12/22	.286	.78
48	911	6	12/22	.114	1.00
49	900	35	12/26	.216	1.43
50	900	35	12/27	.221	1.36
51	900	45	12/27	.197	.99

632-7410

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
7052	900	30	12/27	.242	1.25
53	900	30	12/28	.272	1.16 1-10-90
54	900	20	12/29	.516	1.43
55	900	?	12/29	.598	1.26
56	Smelter	4 c	1/02/90	.355	1.08
57	900	35	1/02	.801	~~1.43~~ 1.43
58	900	35	1/02	.551	1.53
59	900	40	1/03	.385	1.52
60	900	30	1/03	.421	1.23
61	900	35	1/04	.538	1.41
62	900	40	1/04	.335	1.33
63	Smelter	4 c	1/04	.394	1.49
64	"	" c	1/05	.375	1.16
65	900	15	1/05	.292	.97
66	900	35	1/05	.310	1.23
67	900	?	1/08	.289	1.14
68	900	45	1/08	.221	1.50
69	900	30	1/08	.246	1.10
70	900	25	1/09	.379	1.02
71	Smelter	4C	1/08	.306	1.34
72	Smelter	4C	1/09	.356	1.37
73	900	30	1/09	.333	1.13
74	Smelter	4C	1/10	.337	1.20
75	Smelter	4C	1/11	.413	1.39 1-26
76	900	35	1/10	.381	.97

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
77	900	35	1/11	.428	1.08
78	900	35	1/11	.321	1.34
79	Smelter	4C	1/12	.365	1.05
80	Smelter	4C	1/15	.280	1.47
81	900	30	1/15	.245	1.06
197082	Smelter	4T c	1/17 c	.287	.78
83	Smelter	4T c	1/18 c	.269	.96
84	Smelter	4T c	1/19 c	.224	.80
85	900	22	1/17	.151	.57
86	900	30	1/18	.171	.65
87	900	30	1/17	.179	.76
88	900	30	1/17	.337	.96
89	900	30	1/16	.568	1.23
7090	900	30	1/16	.186	1.08
91	900	30	1/16	.151	.68
92	900	30	1/17	.231	.74
93	900	20	1/19	.201	.50
94	900	35	1/22	.256	1.09
95	900	30	1/23	.288	.75
96	Smelter	4T c	1/22 c	.220	1.28
97	Smelter	4T c	1/23 c	.243	.96
98	900	30	1/23	.286	.98
99	900	13	1/23	.168	.88
7100	900	25	1/24	.243	.70
01	900	30	1/24	.202	.91

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
7102	900	36	1/24	.242	.86
7103	Smelter	4T c	1/24	.211	1.11
7104	Smelter	4T c	1/25	.226	.96 2-06
05	900	30	1/25	.193	.84
06	900	30	1/25	.173	.81
07	900	15	1/25	.166	.98
08	900	30	1/26	.438	.83
09	900	36	1/26	.305	.33
10	Smelter	4T c	1/26	.366	.98
11	Smelter	4T c	1/29	.283	1.05
12	900	30	1/29	.339	.94
13	900	20	1/29	.193	1.16
14	900	30	1/30	.160	.94
15	900	30	1/30	.355	1.04
16	900	30	1/30	.348	1.19
17	Smelter	4T c	1/30	.785	1.23
18	Smelter	4T c	1/31	.229	1.32
7119	900	36	2/01	.429	.82
20	900	30	2/01	.918	1.17
21	900	30	2/01	.464	1.01
22	900	20	2/01	.280	1.15
23	Smelter	4	2/01	.481	1.54
24	Smelter	4	2/05	.193	1.22
25	900	45	2/05	.220	1.66
26	900.	40	2/05	.298	1.00

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
1150	900	30	4/24	.222	1.88
1151	900	30	4/24	.265	1.99
1152	900	30	4/25	.190	1.81
1153	Smelter	5	4/25	.211	2.45
1154	900	21	4/26	.264	1.49 5-09
55	900	35	4/25	.190	1.72
56	900	30	4/25	.224	1.97
57	900	30	4/25	.174	2.12
58	900	30	4/26	.257	1.40
59	900	30	4/26	.327	1.43
60	900	20	4/26	.244	1.70
61	900	31	4/26	.225	1.46
62	Smelter	5	4/26	.213	2.15
63	Smelter	5	4/27	.242	1.73
6001 64	Smelter	5	4/28	.284	1.59
6002 65	Smelter	5	4/30	.246	1.43
66	900	15	4/27	.253	1.55
67	900	30	4/27	.276	1.62
68	900	30	4/27	.350	1.58
6002 69	Smelter	5	5/02	.330	1.63
70	900	30	5/01	.441	1.70
71	900	32	5/01	.478	1.41
72	900	30	5/01	.364	1.45
73	900	30	5/02	.278	1.56
1174	900	30	5/02	.409	1.73

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
6002 1175	Smelter	5	5/03	.474	1.82
76	900	30	5/03	.209	1.68
77	900	27	5/03	.276	1.64
78	900	30	5/03	.307	1.78
6003 79	Smelter	5	5/04	.264	1.48
80	900	30	5/02	.466	1.69
81	900	30	5/09	.268	2.04 5-18
82	900	30	5/08	.287	1.95
83	900	35	5/07	.254	2.17
84	900	30	5/07	.312	1.79
85	900	30	5/04	.232	2.00
86	900	33	5/07	.288	1.70
87	900	30	5/04	.163	1.98
88	900	30	5/04	.179	1.88
89	900	30	5/04	.267	1.71
90	900	30	5/08	.250	1.99
~~91~~					
92	900	30	5/09	.221	1.55
93	900	26	5/07	.242	2.55
94	900	35	5/07	.295	2.01
95	900	30	5/09	.297	1.77
96	900	30	5/07	.297	1.93
6003 97	Smelter	5	5/05	.242	2.53
6004 98	Smelter	5	5/07	.257	1.96
6004/199	Smelter	5	5/08	.282	2.21

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t	
6004	1100	Smelter	5T	5/10	.225	1.96	5-24
6005	1	Smelter	5T	5/11	.217	1.17	
6005	2	Smelter	5T	5/12	.233	1.32	
6005	3	Smelter	6T	5/14	.205	2.03	
6005	4	Smelter	6T	5/15	.231	2.32	
	5	900	30	5/10	.200	.82	
	6	900	25	5/9	.198	1.35	
	7	900	15	5/10	.194	.68	
	8	900	30	5/10	.285	1.19	
	9	900	35	5/11	.229	1.51	
6004	10	Smelter	5T	5/9	.272	2.04	
	11	900	30	5/11	.207	.71	
	12	900	30	5/14	.220	1.24	
	13	900	30	5/14	.210	1.27	
	14	900	30	5/14	.226	1.39	
	15	900	30	5/15	.239	1.23	
6006	1116	Smelter	6T	5/17	.409	3.13	6-01
6006	17	Smelter	6T	5/18	.636	1.86	
6007	18	Smelter	6T	5/21	.447	2.47	
6007	19	Smelter	6T	5/22	.231	1.04	
	20	900	20	5/15	.167	.93	
	21	900	30	5/15	.261	1.61	
	22	900	30	5/17	.719	1.44	
	23	900	35	5/18	.608	1.66	
	24	900	25	5/16	.804	1.27	

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	1125	900	30	5/21	.423	1.08
	26	900	30	5/16	.534	1.68
	27	900	30	5/16	.822	1.79
	28	900	36	5/21	.303	1.05
6006	29	Smelter	6T	5/16	.248	2.31
	30	900	30	5/21	.449	1.30
	31	900	30	5/21	.384	1.43
	32	900	30	5/21	.243	.98
	33	900	30	5/22	.309	.87
	34	900	40	5/22	.386	1.07 6-05
	35	900	30	5/22	.281	1.16
	36	900	28	5/23	.277	4.48
	37	900	30	5/23	.265	1.05
	38	900	30	5/23	.204	1.89
6007	39	Smelter	6	5/23	.361	1.47
	40	900.	32	5/24	.284	1.51
	41	900	30	5/24	.153	1.71
6007	42	Smelter	6	5/24	.291	1.56
6007	43	Smelter	6	5/25	.193	1.44
	44	900	?	?	.371	2.25
	45	900	30	5/29	.327	1.64
	46	900	30	5/29	.279	2.00
	47	900	30	5/29	.287	1.73
	48	900	30	5/29	.169	1.62
	49	900	25	5/29	.252	1.92

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	4000	900	20	5/25	.264	1.67 6-05
	4001	900	30	5/25	.347	2.19
7001	2	Smelter	6	5/29	.351	2.08
7001	3	Smelter	6	5/30	.272	2.46
7001	4	Smelter	6	5/31	.344	2.24
	5	900	30	5/30	.297	1.32 6-08
	6	900	30	5/30	.661	1.60
	7	900	30	5/31	.241	1.18
	8	900	32	5/31	.313	1.46
	9	900	30	5/31	.341	3.16
7002	10	Smelter	6	6/01	.233	3.29
	11	900	30	6/01	.406	1.68
	12	900	30	6/01	.241	1.38
7002	13	~~Smelter~~ ~~900~~	6	6/04	.336	1.56 6-14
7002	14	Smelter	6	6/06	.369	2.78
	15	900	17	6/06	.724	1.72
	16	900	30	6/05	.664	1.02
	17	900	30	6/05	.601	1.82
	18	900	30	6/06	.651	1.27
	19	900	30	6/04	.313	1.93
	20	900	30	6/04	.328	2.04
	21	900	30	6/07	.335	1.66
	22	900	30	6/07	.320	1.20
7003	23	Smelter	6	6/07	.663	1.91
	24	900	40	6/08	.248	1.09

632-7410

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	4025	900	30	6/08	.295	1.56
7003	26	Smelter	6	6/08	.390	2.50
	27	900	30	6/11	.349	1.02 6-19
	28	900	30	6/11	.144	.81
7003	29	Smelter	6	6/11	.248	3.48
	30	900	30	6/12	.134	1.20
	31	900	34	6/12	.132	1.08
	32	900	30	6/12	.240	1.29
	33	900	24	6/12	.186	1.14
7003	34	Smelter	6	6/12	.203	2.09
7004	35	Smelter	6	6/13	.189	1.39
	36	900	30	6/13	.180	1.17
	37	900	30	6/13	.203	1.07
	38	900	32	6/13	.171	1.02
	39	900	30	6/13	.183	1.05
7004	40	Smelter	6	6/14	.205	1.11
	4041	900	30	6/14	.495	1.08 6-28
	42	900	30	6/14	.439	1.13
	43	900	30	6/14	.256	1.05
7004	44	Smelter	6	6/14	.263	1.20
7005	45	Smelter	6	6/17. (6/15)	.260	1.28
	46	900	30	6/18	.179	.83
	47	900	30	6/18	.317	1.34
	48	900	30	6/18	.323	1.46
	49	900	30	6/18	.145	.94

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
4050	900	30	6/18	.391	1.61
51	900	30	6/18	.388	1.55
52	900	30	6/18	.374	1.40
7005 53	Smelter	6	6/19	.367	1.60
54	900	30	6/19	.229	1.27
55	900	30	6/19	.234	1.45
56	900	26	6/20	.210	1.38
57	900	30	6/20	.234	1.49
58	900	30	6/19	.206	1.20
59	900	30	6/19	.258	1.45
7005 4060	900	30	6/19	.202	1.22
61	900	30	6/20	.194	1.30
62	900	30	6/20	.253	1.34
63	900	30	6/20	.258	1.27
64	Smelter	6	6/21	.265	1.99
65	Smelter	6	6/20	.213	1.61
66	900	30	6/21	.243	1.31 ~~6~~7-03
67	900	30	6/21	.200	1.26
68	900	30	6/21	.246	1.15
69	900	25	6/21	.199	.85
4070	900	30	6/21	.221	.97
71	900	30	6/21	.274	1.19
72	900	30	6/20	.260	1.15
73	Smelter	6	6/22	.238	1.77
74	900	34	6/25	.252	1.25 7-06

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	4075	900	30	6/25	.188	1.11
	76	900	25	6/25	.232	1.20
7006/8001	77	Smelter	6	6/25	.240	1.59
7006/8001	78	Smelter	6	6/26	.224	1.39
	79	900	30	6/26	.258	1.25
	4080	900	30	6/26	.279	1.33
	4081	900	32	6/26	.254	1.25
7006/8001	4082	Smelter	6	6/27	.231	1.08
7006/8001	4083	Smelter	6	6/28	.255	1.00
	84	900	33	6/30	.234	1.15
	85	900	31	7/1	.184	.97
	86	900	30	6/30	.152	.94
	87	900	20	7/1	.171	1.25
	88	900	30	6/28	.161	1.12
	89	? 900	30	6/29	.196	.85
	90	? 900	30	6/29	.215	.98
8002 →	91	? 900	30	6/29	.209	.84
8002	92	Smelter	6	7/2	.213	1.55
	93	? 900	30	6/30	.225	1.55
	94	? 900	30	6/30	.292	1.01
	95	? 900	30	7/1	.167	.74
	96	? 900	15	7/1	.343	.85
	97	? 900	30	7/1	.194	.81
	98	900	30	7/2	.181	1.28 7-17
	99	900	30	7/3	.223	.95

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
4100	900	30	7/2	.166	1.02
4101	900	30	7/3	.190	1.09
02	900	21	7/3	.363	1.32
03	900	30	7/2	.186	1.10
8003 04	Smelter	6	7/9	.183	1.77
8003 05	Smelter	6	7/5	.262	1.10
8003 06	Smelter	6	7/6	.191	.99
41 07	900	30	7/3	.273	1.23 7-23
8	900	30	7/9	.280	1.42
9	900	30	7/9	.297	1.12
10	900	30	7/9	.312	1.35
11	900	30	7/9	.428	.87
8004 12	Smelter	6	7/10	.302	1.60
13	900	30	7/10	.316	1.44
14	900	30	7/10	.265	1.00
15	900	30	7/10	.187	1.25
16	900	30	7/10	.267	1.28
8004 17	Smelter	6	7/11	.290	1.29
18	900	32	7/11	.290	1.10
19	900	30	7/11	.355	1.55
20	900	40	7/11	.337	1.29
8004 21	Smelter	6	7/12	.318	1.36
22	900	30	7/11	.278	1.31
23	900	30	7/11	.379	1.03
24	900	16	7/12	.278	1.00

.303
1.08
$45291.53

1-602-632-7410

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	41 25	900	60	7/12	.194	1.31
	41 26	900	30	7/12	.243	1.65
	41 27	900	32	7/12	.277	1.60
	41 28	900	30	7/12	.289	1.31
8005	41 29	Smelter	6	7/13	.304	1.63
	4130	900	60?	7/12	.237	1.37 7-27
	31	900	30?	7/13	.275	1.65
	32	900	30	7/13	.361	1.60
	33	900	32	7/13	.282	1.60
	34	900	32	7/13	.285	1.45
8005	35	Smelter	6	7/16	.319	2.00
	36	900	32	7/16	.397	1.45
	37	900	36	7/16	.277	1.40
.328/2.24 8005	38	Smelter	6	7/17	.350	1.98
	39	900	28	7/19	.361	1.15
8005?	4140	Smelter	6	7/18	.361	1.68
	41	900	30	7/19	.314	1.39
	42	900	30	7/19	.292	0.98
	43	900	32	7/18	.220	.79
	44	900	30	7/18	.362	1.19
	45	900	30	7/19	.360	1.27
	46	900	32	7/18	.242	.77
	47	900	32	7/18	.321	.84
8006	48	Smelter	6	7/19	.321	1.01
	49	900	30	7/19	.504	.88 8-03

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	4150	900	22	7/20	.303	.72
	51	900	30	7/19	.432	.99
	52	900	30	7/20	.443	1.17
	53	900	30	7/19	.400	.81
	54	900	30	7/20	.395	.88
.450	8006 55	Smelter	6	7/20	.353	1.13
2.17	8006 56	Smelter	6	7/23	.354	1.27
	57	900	34	7/23	.290	1.45
	58	900	30	7/23	.435	.76
	59	900	32	7/24	.273	.53
	4160	900	22	7/24	.326	.98
	61	900	30	7/24	.178	.65
	62	900	30	7/24	.229	.65
.375	8007 63	Smelter	6	7/24	.394	.83
1.64	8007 64	Smelter	6	7/25	.299	1.19
	65	900	33	7/25	.297	.71
	66	900	44	7/25	.247	.86
	67	900	30	7/25	.368	.90
	68	900	30	7/25	.284	.87
	69	900	17	7/26	.221	.91
	4170	900	30	7/26	.291	.71
	71	900	32	7/26	.323	.70
	72	900	40	7/26	.226	.68
	73	900	30	7/26	.274	.73
	74	900	20	7/26	.230	.73

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
8008	4175	Smelter	6	7/26	.251	.70
8008	76	Smelter	6	7/27	.278	1.26
	77	900	30	7/30	.329	2.14
	78	900	28	7/30	.490	1.10
	79	900	30	7/30	.331	1.02
	80	900	38	7/27	.339	1.04
	81	900	30	7/30	.334	1.09
	82	900	30	7/27	.306	.80
	83	900	21	7/27	.295	1.02
9001	84	Smelter	6	7/30	.285	1.62
* 9001	85	smelter	6	7/31	.295	1.30
	4197	900	30	8/2	.322	1.43
	98	900	20	8/2	.292	1.04
	99	900	20	8/2	.392	1.63
	4200	900	36	8/2	.397	1.51
	4208	900.	36	8/2	.351	1.58
9002	~~4~~202	smelter	6	8/3	.320	1.35
	4203	900	31	8/6	.319	1.04
	4204	900	24	8/7	.300	.80
9002	4205	smelter	6	8/6	.399	1.24
9002	4206	smelter	6	8/7	.339	1.23
9002	4207	smelter	6	8/8	.292	1.80
9003	4208	smelter	6	8/9	.318	1.26

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
*	4186	900	28	7/31	0.288	0.86
	4187	900	33	7/31	.305	1.26
	4188	900	33	7/31	.256	0.76
900	4189	Smelter	6	8/1	.312	1.10
	4190	900	30	8/1	.295	1.16
	4191	900	30	8/1	.265	1.12
	4192	900	30	8/1	.271	0.88
	4193	900	20	7/31	.295	1.04
	4194	900	30	8/1	.361	1.12
	4195	900	30	8/2	.322	1.25
900 2	4196	Smelter	6	8/3 (8/2)	.324	1.02
9003	4209	Smelter	6	8/10	.279	1.42
9004	4210	Smelter	6	8/13	.388	.86
	4211	900	30	8/13	.615	.79
	4212	900	30	8/13	.432	.87
	4213	900	30	8/13	.648	.80
	4214	900	30	8/13	.587	.68
9004	4215	Smelter	6	8/14	.383	1.25
	4230	~~925~~ Drift	20	8/20	.073	.97
	4216	900	30	8/14	.270	1.06
	4217	900	30	8/14	.264	1.17
	4218	900	32	8/14	.197	.65
	4219	900	14	8/15	.314	1.47
9004	4220	Smelter	6	8/15	.454	1.02
	4221	900	30	8/14	.510	1.02

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	4222	900	40	8/15	.229	.80 8-27
9005	4223	Smelter	6	8/16	.400	1.16
9005	24	Smelter	6	8/17	.283	1.38
	25	900	30	8/16	.251	3.25
	26	900	30	8/17	.202	1.00
9005	27	Smelter	6	8/20	.236	1.30
	28	900	30	8/17	.251	.94
	29	900	40	8/16	.241	1.04
	31	900	30	8/20	.240	.94 8-29
4230	32	900	30	8/21	.138	.60
.073-9 .97-5	33	900	30	8/21	.121	.75
	34	900	21	8/21	.225	.75
	35	900	30 ?	8/21	.251	.98
	36	900	30	8/20	.170	.73
	37	900	20	8/21	.165	.83
9006	38	Smelter	6	8/21	.198	1.05
9006	39	Smelter	6	8/22	.192	1.51
	42 40	900	34	8/22	.178	1.04
	41	900	32	8/23	.200	.88
	42	900	30	8/23	.241	1.06
	43	900	30	8/24	.184	.93
	44	925	5	8/23	.087	.87
	45	900	24	8/23	.355	1.06
9006	46	Smelter	6	8/23	.234	1.16
9007	47	Smelter	6	8/24	.179	1.59

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t	
	4248	900	32	8/24	.169	.95	
	49	900	30	8/23	.205	1.09	
	4250	900	28	8/24	.221	.97	9-06
	51	900 9.905	13	8/25 n	.102	1.28	
	52	900	30	8/24	.421	.91	
	53	900	30	8/28 n	.220	1.13	
9007	54	Smelter	6	8/27	.308	1.68	
	55	900	30	8/27	.329	1.00	
	56	900	30	8/27	.253	.79	
	57	900	30	8/27	.173	.79	
	58	900	30	8/27	.227	.95	
	59	900	30	8/27	.144	.72	
	4260	900	31	8/27	.366	.68	
	61	900	30	8/28	.333	.69	
	62	900	30	8/28	.280	.67	
	63	900	30	8/28	.411	1.54	
	64	900	30	8/28	.309	.63	
9007	65	Smelter	6	8/28	.411	1.38	
10001	66	Smelter	6	8/29	.280	.84	
	67	900	30	9/04	.194	.93	
	68	900	30	8/29	.163	.88	
	69	900	30	8/29	.266	.88	
	4270	900	30	8/29	.206	.83	
10002	71	Smelter	6	9/04	.247	1.43	
10001	72	Smelter	6	8/31	.301	1.30	

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
10001	4273	Smelter	6	8/30	.246	0.96
	74	900	30	9/04	.250	1.18 9-17
	75	900	30	9/05	.318	1.21
	76	900	30	9/05	.222	.79
	77	900	30	9/04	.33	1.77
	78	900	30	9/05	.445	1.22
	79	900	30	9/04	.15	.77
	4280	900	30	9/06	.503	1.37
	81	900	30	9/06	.202	.77
	82	900	30	9/06	.435	1.09
	83	900	30	9/04	.158	.94
	? 84	900	30	9/06	.397	1.46
10002	85	Smelter	6	9/05	.216	1.42
10002	86	Smelter	6	9/06	.290	1.65
	87	Smelter	6	9/07	.433	1.45
	88	925.	30	9/11	.063	1.16 9-21
	89	900	30	9/10	.415	1.11
	?? 4290				.403	1.04
	91	900	30	9/10	.441	1.13
	92	900	30	9/10	.513	1.30
	93	900	30	9/11	.296	1.20
	94	900	30	9/11	.241	.98
	95	900	30	9/07	.681	1.25
	96	900	30	9/07	.488	1.06
	97	900	30	9/07	.616	1.44

to 9/11 1,000 tons @ .36/1.12

to 9/13 1,476 tons @ .364/1.08

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	4298	900	30	9/07	.647	1.61
	99	900	30	9/11	.192	.89
	4300	900	16	9/11	.271	.98
	01	900	32	9/11	.155	.63
	02	900	32	9/11	.200	.81
	03	900	?	?	.378	1.07
10004	04	Smelter	7T	9/13	.336	1.52
10003	05	Smelter	7T	9/12	.563	1.61
10003	06	Smelter	7T	9/11	.412	1.59
10003	07	Smelter	7T	9/10	.193	1.69
	08	900	22	9/12	.383	1.26
	09	900	30	9/12	.354	1.12
	4310	900	30	9/12	.380	1.11
	11	900	30	9/12	.350	1.04
	12	900	30	9/12	.398	1.16
	13	900.	20	9/12	.311	.98
	14	900	30	9/13	.396	1.23
	15	900	32	9/13	.362	1.07
	16	900	30	9/13	.512	1.06
	17	900	30	9/13	.382	1.14
	18	900	32	9/13	.306	.92
	19	900	30	9/13	.343	1.02
10004	20	Smelter	7T	9/14	.357	1.29
10005	4321	Smelter	7T	9/17	.353	1.51 9-28
	22	900	32	9/14	.292	.98

to 9/18
1,996 tons .366/1.09

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
4323	900	36	9/14	.430	1.00
10005 24	Smelter	7	9/18	.362	.75
10005 25	Smelter	7	9/19	.417	1.00
26	900	30	9/17	.503	1.37
27	900	32	9/17	.322	1.17
28	900	32	9/18	.411	1.00
29	900	30	9/17	.358	1.00
4330	900	30	9/17	.480	1.01
31	900	30	9/15	.302	.86
32	925 missing	?	9/17		
33	925	?	9/17	.050	.97
34	925	?	?	.091	1.06
35	900	30	9/19	.314	1.42
36	900	38	9/18	.292	1.22
37	900	24	9/18	.414	1.22
38	900.	30	9/18	.295	1.03
39	900	20	9/18	.428	1.16
4340	900	30	9/19	.280	.99
41	900	30	9/19	.325	1.26
42	900	30	9/20	.313	1.26
43	900	30	9/19	.504	.86
44	900	30	9/19	.248	.81
45	900	30	9/20	.437	1.05
46	900	30	9/20	.554	.94
47	900	30	9/20	.271	.99

to 9/20 2,352 t .372/108

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
	4348	900	30	9/20	.704	.91
10005	4349	Smelter	7	9/20	.495	1.01
10006	50	Smelter	7	9/21	.364	.94
	51	900	30	9/21	.246	1.29
	52	900	30	9/24	.235	1.20
	53	900	30	9/24	.319	1.39
	54	900	34	9/21	.391	1.11
	55	900	30	9/21	.366	.90
	56	900	30	9/21	.338	.97
10007	57	Smelter	7	9/24	.370	.96
10007	58	Smelter	7	9/25	.324	.88
	59	900	30	9/24	.181	.92
	4360	900	30	9/24	.526	1.22
	61	900	30	9/24	.505	1.00
	62	900	30	9/24	.237	1.01
	63	900.	30	9/26	.234	1.13
	64	900	30	9/26	.371	1.03
	65	900	30	9/26	.326	1.02
	66	900	31	9/25	.387	1.04
	67	900	30	9/26	.380	.74
	68	900	30	9/25	.430	.99
	69	900	30	9/25	.608	1.28
	4370	900	30	9/26	.318	.99
	71	900	30	9/26	.430	1.16
10007	72	Smelter	7	9/26	.490	1.11

to 9/26 3,111 tons .370/1.07

1-602-632-7410

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
10008 11001	4373	Smelter	7	9/27	.414	1.15
	4374	Smelter	7	9/28	.366	.99 10-09
11002	4375	Smelter	7	10/1	.425	.80
	4376	900	34	9/29	.289	.75
11002	4377	Smelter	7	10/2	.318	.71
	4378	900	18	10/1	.285	.47
	4379	900	30	9/28	.297	1.01
	4380	900	30	10/1	.458	1.02
	4381	900	30	10/1	.304	.74
	4382	900	22	10/1	.319	.85
	4383	900	18	10/1	.123	.77
	4384	900	32	10/3	.159	.62
	4385	900	16	10/2	.148	.84
	4386	900	32	10/3	.160	.65
	4387	900	13	10/3	.228	.89
	4388	900.	30	10/3	.228	.79
	4389	900	30	10/4	.195	.82
	4390	900	30	?	.340	1.02
	4391	900	30	?	.307	1.17
	4392	900	30	?	.146	.68
	4393	900	30	?	.178	.92
	4394	900	32	10/4	.160	.78
	4395	900	40	10/2	.225	.92
	4396	900	20	10/4	.133	.87
	4397	900	36	10/2	.163	.72

car sampling to 10/04
.22 / .77

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
11003	4398	Smelter	7	10/5	.190	0.69
11003	4399	Smelter	7	10/4	.258	0.71
						0.
11002-	4400	Smelter	7	10/3	.240	0.84
	01	900	31	10/05	.211	.82 10-17
	02	900	30	10/05	.134	.77
	3	900	32	10/05	.247	.91
	4	900	30	10/08	.151	.84
	5	900	30	10/08	.171	.81
	6	900	32	10/08	.171	.90
	7	900	30	10/08	.204	.81
	8	900	27	10/08	.176	.69
11003	9	Smelter	7	10/08	.190	.85
11004	4410	Smelter	7	10/09	.195	.84
	11	900	30	10/09	.261	.84
	12	900.	30	10/09	.179	1.27
	13	900	32	10/09	.170	.89
	14	900	30	10/09	.160	.76
	15	900	30	~~10/09~~	missing	
11004	16	Smelter	6	10/10	.190	.84
	17	900	30	10/09	.229	1.09
	18	900	30	10/10	.157	.87
	19	900	25	10/11	.171	.89
	4420	900	30	10/11	.148	.57
	21	900	30	10/10	.131	.75

thru 10/11 Au Ag
1,699 tons @ .20 / .82

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
~~41~~ 22	900	32	10/11	.176	.81
23	900	18	10/11	.160	.61
24	900	30	10/11	.146	.78
25	900	27	10/10	.137	.89
26	900	24	10/10	.156	.68
27	900	30	10/10	.178	1.07
28	900	32	10/10	.162	.54
29	900	32	10/11	.249	.77
11004 44 30	Smelter	7	10/11	.165	.88
11005 31	Smelter	7	10/12	.174	.83
32	900	30	10/12	.180	.76 10-19
33	900	44	10/12	.255	.80
34	900	32	10/12	.176	.68
11006 35	Smelter	7	10/15	.214	.77
36	900	32	10/15 re-run	.256	.72
37	900	32	10/15	.268	1.07
38	900	30	10/15	.252	1.86
39	900	32	10/15	.311	.99
4440	900	30	10/15	.284	.97
11006 41	Smelter	7	10/16	.271	.81
4442	900	30	10/16	.193	.82
43	900	30	10/16	.252	.73
44	900	30	10/16	.178	.55
45	900	24	10/17	.468	.78
46	900	30	10/17	.160	.65

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t	
11006	4447	Smelter	7	10/17	.198	.70	
11007	48	Smelter	8	10/18	.215	1.12	
	49	900	30	10/17	.171	.58	
	50	900	30	10/17	.206	.68	
11007	51	Smelter	8	10/19	.232	1.12	
*	9974	950 sub			.879	.89	
	4452	900	38	10/19	.201	.74	10-26
	53	900	22	10/18	.222	.67	
	54	900	30	10/19	.195	.75	
	55	900	30	10/19	.337	.80	
	56	900	40	10/19	.241	.90	
	57	900 ?	30 ?	10/19	.270	.78	
	58	900	30	10/22	.298	.79	
	59	900	32	10/22	.249	.87	
11008	4460	Smelter	8	10/22	.250	1.31	
11008	61	Smelter	8	10/23	.249	3.67	
	4462	900	30	10/23	.269	1.13	11.01
	63	900	30	10/23	.347	.95	
	64	900	30	10/23	.219	.70	
	65	900	30	10/23	.179	.88	
	66	900	30	10/23	.241	1.03	
	67	900	30	10/23	.263	1.02	
	68	900	30	10/24	.471	1.30	
	69	900	44	10/24	.243	1.03	
11008	4470	Smelter	8 T	10/24	.327	1.41	

thru 10/25
.225/.85

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
4471	Smelter	8T	10/25	.282	1.38
72	Smelter	8T	10/26	.450	1.30
11009/12001 73	Smelter	8T	10/29	.276	1.28
74	900	30	10/25	.359	1.06
75	900	32	10/25	.265	.89
76	900	20	10/26	rr .760	1.13
77	900	30	10/26	.387	1.00
12002 78	Smelter	8T	10/30	.300	2.07
12002 79	Smelter	8T	10/31	.362	1.70
4480	900	48	10/31	.359	1.10
12002 81	Smelter	7T	11/1	.365	2.07
82	900	30	11/1	.903	1.18
83	900	30	11/1	.304	.90
84	900	32	11/1	M 1.230	1.36
85	900	31	11/1	.549	.88
86	900	30	11/1	.323	.95
12003 87	Smelter	8	11/2	.484	1.41
88	900	32	11/2	.605	.96
89	900	26	11/2	.541	.91
12003 4490	Smelter	8	11/5	.430	2.30
91	900	32	11/5	.388	.63
92	900	28	11/5	.443	.81
12003 93	Smelter	8	11/6	.360	2.02
94	900	30	11/2	.414	1.61
95	900	30	11/2	.478	1.36

car sampling thru 11/07

.424/.94

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t	
96	900	30	11/5	.500	1.07	
97	900	30	11/5	.420	1.09	
98	900	30	11/5	.449	1.09	
99	900	30	11/6	.386	.70	
4500	900	30	11/6	.415	.75	
01	900	30	11/6	.336	1.14	11-15
2	900	28	11/6	.278	.91	
3	900	37	11/6	.224	.92	
4	900	32	11/6	.218	.61	
12004 5	Smelter	8	11/8	.379	1.50	
12004 6	Smelter	8	11/7	.412	2.07	
7	900	39	11/7	.615	.90	
8	900	30	11/7	.557	1.53	
4509	900	30	11/7	.427	.83	
10	900	32	11/8	.320	1.03	
11	900	30	11/07	.269	.77	
12	900	30	11/07	.232	.74	
13	900	30	11/08	.198	.69	
14	900	36	11/09	.187	.85	
15	900	30	11/09	.226	.90	
16	900	30	11/09	.240	1.02	
17	900	?	11/09	.180	.79	
12004 18	Smelter	8	11/09	.317	1.70	
12005 19	Smelter	8	11/12	.236	1.17	
4520		30	11/12	.181	1.12	11-21

Car sampling thru 11/15
.343/.94

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
45 21	950-S	19	11/12	.276	.93
22	900	30	11/12	.197	.90
23	900	34	11/12	.126	.56
24	900	30	11/12	.124	1.12
25	900	30	11/12	.110	.71
26	Smelter	7	11/13	.241	2.16
27	Smelter	8	11/14	.265	1.24
28	950-S	15	11/13	.530	1.12
29	900	30	11/13	.242	.98
4530	900	37	11/13	.183	.70
31	900	30	11/13	.200	.85
32	900	30	11/13	.248	1.02
33	900	30	11/14	.196	.83
34	900	30	11/14	.224	.81
35	900	32	11/14	.200	1.00
36	900	32	11/14	.248	1.11
37	900	30	11/14	.312	1.19
38	900	30	11/14	.502	1.05
39	900	30	11/14	.366	1.17
4540	900	20	11/14	.495	1.14
41	900	30	11/14	.320	1.17
42	900	30	11/15	.413	.78
43	900	32	11/15	.397	.96
44	950-S	38	11/15	.863	1.18
12006 45	S	8	11/5	.294	1.51

	Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t	
12006	4546	S	8	11/16	.515	1.86	
12006	47	S	8	11/18	.313	1.70	
12007	48	S	8	11/19	.289	1.55	11-29
12007	49	S	8	11/20	.368	1.87	
12007	4550	S	8	11/21	.454	1.80	
	51	900	30	11/17	.302	1.29	
	52	900	30	11/17	.165	.82	
	53	900	30	11/17	.305	.94	
	54	S D	11	11/18	1.071	1.84	
	55	950 S	20	11/18	.606	1.12	
	56	900	22	11/18	.475	1.21	
	57	900	36	11/18	.376	1.15	
	58	900	31	11/18	.490	1.05	
	59	900	32	11/19	.382	1.16	
	4560	900	30	11/19	.416	1.25	
	4561	900	30	11/19	.630	1.38	
	4562	900	30	11/19	.169	1.35	
	4563	900	30	11/20	.537	1.33	
	4564	900	30	11/20	.404	1.14	
	4565	900	30	11/20	.395	.92	
	4566	900	30	11/20	.342	1.17	
	67	900	32	11/21	.524	1.27	11-30
12008	68	Smelter	8	11/26	.385	1.30	
12008	69	Smelter	8	11/27	.461	1.46	
	70	900	30	11/26	.432	1.05	

Sampling thru 11/20
.357 / .99

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
45 71	900	30	11/26	.431	1.01
72	900	32	11/21	.219	1.17
73	900	30	11/26	.310	1.16
74	900	30	?	.386	.92
75	900	38	11/26	.295	1.10
76	900	30	11/26	.409	1.08
12008 77	Smelter	8	11/28	.379	1.17
78	900	30	11/27	.370	.86
79	900	70?	11/27	.390	.95
80	900	28	11/27	.415	1.00
81	900	30	11/27	.391	1.06
82	900	32	11/27	.428	.91
83	?	?	11/27	.408	.96
84	Gold Stope	Grab	11/27	.044	.93
85	900	32	11/28	.469	.87
86	Gold Stope	15	11/28	.075	1.04
45 87	900	30	11/29	.322	.92
tag marked 4589 → 45 88	900	30	11/29	.327	.88
tag marked 4588 → 45 89	900	30	11/29	.374	.72
45 90	900	30	11/28	.400	.81
45 91	900	28	11/28	.236	.79
12009 45 92	Smelter	8	11/29	.463	1.08 12-05
45 93	low grd near gate	grab sample	12/3	.110	3.94
45 94	" near mill dump	grab sample	12/3	.098	.93
12009 45 95	Smelter	8	11/30	.383	1.16

9912 .029 1.03
9913 .055 0.69

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
4596	900	24	11/30	.243	.99
4597	900	30	11/30	.280	1.14
13001 4598	Smelter	8	12/3	.363	1.18
4599	900	34	11/30	.178	.85
4600	900	32	11/30	.222	1.04
4601	900	30	11/30	.309	.81
4602	900	30	12/03	.162	.86
03	Smelter	8	12/05	.286	2.25 12-13
04	Smelter	8	12/06	.356	1.41
05	Smelter	8	12/04	.291	1.08
6	Smelter	8	10/10	.394	1.03
7	900	30	12/03	.220	1.00
8	900	30	12/03	.213	1.01
9	900	30	12/03	.182	1.00
10	900	30	12/05	.210	.93
4611	900	36	12/05	.234	.99
12	950-level.	28	12/11	.117	1.17 12-14
13	900	22	12	.523	.95
14	900	23	12/08	.407	1.06
15	900	35	12/10	.445	1.02
16	950-level	19	12/07	.544	.97
17	900	30	12/13	.565	1.06
18	950-drift	32	12/13	.051	1.01
19	900	33	12/14	.368	1.02
20	Smelter	8	1/03/91	.353	2.90

Sample No.	Source	Tons/ cars	Date	Gold oz/t	Silver oz/t
4621	900	20	1/11	.157	.71
22	900	30	1/14	.306	.85
23	900	30	1/14	.182	.76
24	900	30	1/14	.231	.88
25	900	30	1/14	.215	.71
26	900	30	1/15	.416	.73
27	900	30	1/16		
28	900	30	1/16		
29	900	30	1/16		
4630	900	36	1/15		
31	900	30	1/15		
32	900	30	1/15		
33	900	30	1/15		