CONTACT INFORMATION
Mining Records Curator
Arizona Geological Survey
416 W. Congress St., Suite 100
Tucson, Arizona 85701
520-770-3500
http://www.azgs.az.gov
inquiries@azgs.az.gov

The following file is part of the

Reconstruction Finance Corporation Arizona Records

ACCESS STATEMENT

These digitized collections are accessible for purposes of education and research. We have indicated what we know about copyright and rights of privacy, publicity, or trademark. Due to the nature of archival collections, we are not always able to identify this information. We are eager to hear from any rights owners, so that we may obtain accurate information. Upon request, we will remove material from public view while we address a rights issue.

CONSTRAINTS STATEMENT

The Arizona Geological Survey does not claim to control all rights for all materials in its collection. These rights include, but are not limited to: copyright, privacy rights, and cultural protection rights. The User hereby assumes all responsibility for obtaining any rights to use the material in excess of "fair use."

The Survey makes no intellectual property claims to the products created by individual authors in the manuscript collections, except when the author deeded those rights to the Survey or when those authors were employed by the State of Arizona and created intellectual products as a function of their official duties. The Survey does maintain property rights to the physical and digital representations of the works.

QUALITY STATEMENT

The Arizona Geological Survey is not responsible for the accuracy of the records, information, or opinions that may be contained in the files. The Survey collects, catalogs, and archives data on mineral properties regardless of its views of the veracity or accuracy of those data.

Fluorspar.

wickenburg. South of wickenburg.

Wm Daniell

Good Luck Claim S7, T 6N, R 4W.

Jumbo Claim NE¼ S1 T 6N R 5W

Ore contains a consistent fluorspar content in clean crystalline form CaF_2 occurs interspersed in bands and bunches in a zone of shattered red-hued andesite having a width of 3 to 5 feet, an E-W strike and an average dip of 70° to the south

Development consist of a stope like shaft 40' deep.

outcrop trenched 500 feet west of shaft and in like manner 1000 feet East of shaft

shaft was sunk from 50 to 90' following a fault.

In bottom of the shaft, the CaF_2 is only 4" wide and looks poor.

shipped 54.87 tons 63.8% CaF_2 $932.79 - $17.00 per ton

Continental ore company.

60% CaF_2 $15.00 per ton F.O.B. wickenburg Ariz,

Total shipped 102.83 tons

1" = 40'
75
70
72